

Trek Metals

Analytical Report

REFERENCE KM-2301-066082
REPORT DATE January 10 2023
SAMPLES 67
DATE RECEIVED December 23 2022

AUTHORISATION



Adam Pound - Laboratory Manager

CLIENT Trek Metals
ADDRESS 130 Stirling Highway North Fremantle
CONTACT
PROJECT PTH.KM
P/O# MNT001



49 Owen Road
Kelmscott WA 6111



T 08 9399 3934
F 08 9497 1415

PO Box 66
Kelmscott WA 6991



E sales@nagrom.com.au
W www.nagrom.com.au

NAGROM
the mineral processor

KM-2301-066082	Be	Cs	Li	Nb	Rb	Sn	Ta	Th	U	W	K	Si	Zr	Mn	Ca	S	Fe	Y
Method	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LLD	1	1	10	5	1	1	1	0.5	0.5	10	1000	100	50	10	1000	100	100	1
TKL0214	<1	2	<10	<5	232	<1	<1	17.5	2.0	<10	64000	342800	<50	110	7000	<100	6000	39
TKL0215	<1	<1	<10	<5	49	<1	<1	1.0	0.5	<10	13000	413400	<50	130	7000	200	4700	6
TKL0216	<1	5	<10	<5	434	<1	<1	0.5	<0.5	<10	90000	319100	<50	60	<1000	<100	3000	2
TKL0217	<1	4	<10	<5	480	<1	<1	1.0	<0.5	<10	109000	295300	<50	40	<1000	500	1300	<1
TKL0218	1	5	<10	5	469	2	<1	1.0	<0.5	<10	92000	347700	<50	40	<1000	400	2500	1
TKL0219	1	2	20	15	349	2	1	2.5	0.5	<10	74000	353200	<50	90	3000	300	5600	6
TKL0220	<1	5	10	10	479	1	<1	1.0	<0.5	<10	103000	310100	<50	90	<1000	300	4300	4
TKL0221	<1	2	10	<5	381	<1	<1	1.5	0.5	<10	83000	346700	<50	40	<1000	200	2100	5
TKL0222	<1	3	<10	5	478	<1	<1	1.0	<0.5	<10	110000	308300	<50	50	<1000	100	3500	4
TKL0223	2	4	10	10	411	<1	<1	2.5	1.0	<10	83000	336000	<50	160	1000	400	7000	4
TKL0223 DUP	2	4	20	10	411	<1	<1	2.5	1.0	<10	84000	337200	<50	150	1000	<100	6800	4
TKL0224	<1	3	<10	<5	411	<1	<1	1.0	<0.5	<10	95000	332800	<50	30	<1000	100	1700	1
TKL0225	1	2	<10	<5	523	<1	<1	5.5	2.5	<10	84000	344300	<50	50	<1000	200	3500	11
TKL0226	4	2	70	45	267	4	4	5.5	1.5	10	26000	389100	<50	220	1000	<100	15100	36
TKL0227	9	17	40	50	425	2	8	6.5	2.5	<10	32000	393600	<50	240	1000	400	10700	42
TKL0228	7	7	110	65	395	4	4	25.5	6.5	20	33000	359400	250	1280	3000	500	20200	148
TKL0230	33	<1	<10	185	18	97	22	1.0	1.0	<10	2000	2800	150	370	3000	<100	560200	3
TKL0235	3	<1	<10	25	132	5	1	66.5	3.0	30	24000	310500	100	210	18000	200	16500	175
TKL0236	1	<1	<10	10	175	1	<1	12.0	1.0	<10	50000	365600	<50	70	8000	200	4900	38
TKL0237	<1	<1	40	15	175	5	2	18.5	1.5	<10	57000	350400	<50	60	6000	<100	8600	86
TKL0238	1	<1	<10	<5	316	<1	<1	0.5	2.0	<10	101000	280600	<50	40	<1000	200	69200	15
TKL0239	2	<1	<10	10	176	2	<1	5.0	1.5	<10	42000	349500	<50	80	7000	<100	7400	39
TKL0240	2	<1	<10	5	108	3	<1	28.5	3.0	<10	33000	347100	<50	70	12000	200	7500	169
TKL0241	40	<1	<10	<5	14	<1	<1	<0.5	0.5	<10	7000	306300	<50	50	16000	<100	2600	2
TKL0242	1	<1	<10	<5	172	2	<1	<0.5	<0.5	<10	55000	341900	<50	300	<1000	<100	15700	3
TKL0243	2	2	10	<5	371	<1	<1	2.5	1.0	<10	90000	335500	<50	50	<1000	<100	4700	26
TKL0244	<1	<1	<10	<5	<1	<1	<1	1.5	1.0	<10	<1000	360900	<50	90	2000	600	5900	3
TKL0245	7	<1	<10	<5	35	<1	<1	25.0	3.0	<10	13000	345100	<50	70	16000	<100	3000	108
TKL0246	3	<1	20	15	175	4	2	11.5	1.5	<10	43000	346100	<50	90	10000	<100	9300	66
TKL0247	2	<1	10	25	147	11	2	27.5	2.0	<10	37000	350000	<50	100	4000	100	16800	85
TKL0248	1	1	<10	5	154	2	<1	20.0	2.0	<10	43000	398800	<50	50	<1000	300	4300	81
TKL0248 DUP	1	1	<10	5	161	2	<1	20.0	2.0	<10	43000	403500	<50	50	<1000	<100	4300	79
TKL0249	3	<1	<10	10	125	3	4	16.5	2.0	<10	37000	343200	<50	90	11000	<100	8000	82
TKL0250	<1	<1	20	<5	139	1	<1	4.0	1.0	<10	51000	390300	<50	60	2000	200	4400	24
TKL0251	<1	<1	<10	10	301	<1	<1	5.5	1.5	<10	88000	335900	<50	30	1000	<100	3300	26
TKL0252	2	1	<10	15	386	<1	1	10.0	3.0	<10	94000	337100	100	70	1000	400	4500	56
TKL0253	4	<1	<10	20	125	5	1	13.5	1.5	<10	25000	355600	<50	110	10000	200	11500	34
TKL0254	1	<1	<10	<5	320	<1	<1	3.0	1.0	<10	103000	296700	<50	40	<1000	<100	2000	12
TKL0255	1	<1	20	15	161	6	1	16.0	2.5	<10	44000	323800	50	70	7000	<100	12900	62
TKL0256	<1	6	<10	<5	276	<1	<1	2.0	<0.5	<10	94000	335700	<50	50	<1000	200	3100	3
TKL0257	13	13	<10	10	207	<1	2	7.0	1.5	10	54000	315600	<50	8690	6000	<100	21000	103
TKL0258	1	2	<10	<5	61	3	<1	3.5	1.0	<10	23000	348600	<50	250	7000	100	21500	21
TKL0259	1	2	<10	5	341	<1	<1	<0.5	0.5	<10	82000	367400	<50	60	<1000	300	2800	2
TKL0261	5	<1	<10	<5	10	<1	2	13.5	2.0	<10	6000	339200	50	70	23000	300	2900	71
TKL0262	<1	<1	<10	<5	137	<1	<1	<0.5	0.5	<10	40000	411500	<50	50	<1000	400	4700	1
TKL0263	4	<1	<10	5	178	<1	1	2.5	1.0	<10	59000	348200	<50	60	7000	<100	3100	11
TKL0264	1	<1	<10	5	177	3	<1	4.0	1.0	<10	55000	336400	<50	60	8000	<100	5100	14
TKL0265	4	<1	20	<5	91	<1	3	11.0	2.5	<10	31000	340400	50	50	11000	100	3900	86
TKL0266	10	5	<10	<5	482	<1	<1	1.0	<0.5	<10	86000	301300	<50	520	8000	200	5700	15
TKL0267	42	4	30	25	344	1	2	2.0	1.5	<10	41000	337400	<50	590	4000	200	8300	27
TKL0268	<1	3	10	<5	344	<1	<1	3.5	1.5	<10	71000	345300	<50	60	<1000	<100	3700	15
TKL0269	8	3	<10	<5	522	<1	<1	0.5	1.0	<10	48000	354100	<50	70	2000	<100	3600	3
TKL0269 DUP	8	3	<10	<5	523	<1	<1	0.5	1.0	<10	50000	356100	<50	80	3000	<100	3500	3
TKL0270	1	3	<10	5	213	1	<1	69.5	7.0	<10	61000	349700	200	40	4000	300	3400	220
TKL0271	1	7	<10	10	265	<1	<1	2.5	1.0	<10	87000	335700	<50	60	<1000	300	3700	22
TKL0272	10	30	30	25	288	2	6	13.0	3.0	40	47000	300200	100	3880	4000	<100	27700	48
TKL0273	19	12	20	15	109	1	3	10.0	2.0	20	18000	304800	100	600	10000	100	33900	21
TKL0275	2	<1	<10	<5	6	<1	3	<0.5	<0.5	<10	<1000	460700	<50	60	<1000	400	5200	<1
TKL0277	6	<1	20	<5	148	<1	<1	0.5	1.0	<10	41000	349000	<50	40	10000	100	2400	11
TKL0278	5	<1	<10	<5	92	<1	<1	5.5	2.5	<10	30000	342800	<50	50	15000	100	3400	59
TKL0279	<1	<1	10	10	278	<1	<1	2.0	1.0	<10	76000	343000	<50	40	1000	<100	3300	8
TKL0280	<1	5	20	5	416	<1	<1	0.5	1.0	<10	87000	285400	<50	170	<1000	200	5800	3
TKL0281	9	<1	10	5	24	<1	<1	9.5	3.0	<10	7000	348900	<50	100	24000	200	5200	34
TKL0282	1	1	10	10	62	<1	<1	2.0	1.0	10	7000	443900	<50	70	<1000	100	7100	8
TKL0283	2	<1	<10	<5	<1	<1	2	<0.5	<0.5	<10	<1000	466300	<50	90	<1000	<100	8800	<1
TKL0284	6	<1	10	<5	114	<1	<1	2.0	1.0	<10	36000	346700	<50	60	14000	<100	4000	16
TKL0285	1	<1	<10	<5	241	<1	<1	2.0	0.5	<10	77000	327500	<50	40	3000	200	3000	11
TKL0286	1	9	<10	<5	196	<1	<1	14.5	2.0	<10	49000	351800	50	70	7000	<100	7400	44
TKL0287	<1	16	10	<5	265	<1	<1	5.0	1.5	<10	73000	336100	<50	30	2000	400	2700	18
TKL0288	2	1	<10	<5	304	<1	<1	3.5	1.5	<10	73000	332700	<50	490	3000	500	5500	37
TKL0228 REP	7	7	100	65	403	4	4	26.5	7.0	20	33000	362200	300	1360	3000	600	20400	154
TKL0243 REP	2	2	10	<5	378	<1	<1	3.0	1.0	<10	89000	320000	<					

KM-2301-066082	La	Ce	Pr	Nd	Sm	Eu	Tb	Gd	Dy	Ho	Er	Tm	Yb	Lu
Method	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LLD	1	1	0.5	1	0.5	0.1	0.1	0.5	0.5	0.1	0.1	0.1	0.5	0.2
TKL0214	20	35	4.0	15	4.0	1.1	1.0	5.0	6.5	1.6	4.1	0.5	3.0	0.6
TKL0215	5	10	1.0	3	1.0	0.4	0.2	0.5	1.0	0.2	0.5	0.2	0.5	0.4
TKL0216	6	9	1.0	4	<0.5	0.5	<0.1	<0.5	<0.5	0.1	0.2	<0.1	<0.5	<0.2
TKL0217	5	8	1.0	2	0.5	0.7	<0.1	0.5	<0.5	<0.1	0.1	<0.1	<0.5	<0.2
TKL0218	4	7	1.0	3	0.5	0.8	<0.1	<0.5	<0.5	<0.1	0.2	<0.1	<0.5	<0.2
TKL0219	9	19	2.0	7	2.0	0.5	0.2	1.5	2.0	0.2	0.6	<0.1	1.0	0.2
TKL0220	3	5	0.5	3	0.5	0.9	0.2	0.5	1.0	0.1	0.7	<0.1	0.5	0.4
TKL0221	3	7	<0.5	2	0.5	0.7	<0.1	0.5	1.0	0.2	0.5	0.1	0.5	0.4
TKL0222	3	6	<0.5	2	<0.5	1.0	<0.1	<0.5	0.5	0.2	0.4	<0.1	<0.5	0.2
TKL0223	7	12	1.5	4	1.0	1.0	0.2	1.0	1.0	0.2	0.5	0.1	0.5	0.4
TKL0223 DUP	7	13	1.5	4	1.0	1.0	0.1	1.0	1.0	0.2	0.5	<0.1	0.5	0.4
TKL0224	3	4	<0.5	1	0.5	0.7	<0.1	<0.5	<0.5	<0.1	0.1	<0.1	<0.5	<0.2
TKL0225	7	12	2.0	5	1.5	0.5	0.3	1.5	2.0	0.4	1.2	0.2	2.5	0.4
TKL0226	6	12	1.5	5	2.0	<0.1	0.6	3.5	5.0	1.1	3.2	0.7	5.5	1.2
TKL0227	7	14	2.0	6	2.5	0.2	0.9	4.0	7.5	1.3	4.0	0.7	4.0	0.8
TKL0228	23	60	7.0	24	11.0	0.5	3.2	12.5	23.0	5.1	16.9	3.6	30.5	5.6
TKL0230	5	8	1.0	4	1.0	<0.1	<0.1	0.5	0.5	<0.1	0.5	<0.1	<0.5	<0.2
TKL0235	66	151	17.0	62	15.0	2.0	3.1	16.0	25.0	6.2	19.2	2.5	17.0	2.8
TKL0236	12	26	3.0	12	3.0	0.8	0.6	3.5	5.5	1.4	4.0	0.7	3.5	0.8
TKL0237	25	54	6.0	23	5.0	1.1	1.3	7.0	11.5	3.3	8.7	1.4	10.0	1.6
TKL0238	7	14	1.0	6	1.5	1.1	0.3	1.5	2.5	0.6	1.8	0.3	2.0	0.4
TKL0239	8	16	2.0	7	2.0	0.9	0.7	3.0	5.5	1.3	4.8	0.8	4.5	1.0
TKL0240	39	77	9.5	34	9.5	1.7	2.9	14.0	22.5	5.9	18.7	3.1	19.5	3.4
TKL0241	5	5	1.0	3	1.0	0.2	0.1	<0.5	<0.5	<0.1	0.2	<0.1	<0.5	<0.2
TKL0242	5	4	1.0	4	0.5	0.3	0.1	0.5	1.0	0.2	0.3	<0.1	0.5	<0.2
TKL0243	5	10	1.0	3	1.5	0.4	0.4	2.0	3.5	0.9	2.8	0.5	4.0	0.6
TKL0244	3	6	0.5	2	1.0	<0.1	<0.1	<0.5	0.5	0.2	0.5	<0.1	<0.5	<0.2
TKL0245	32	62	8.5	30	7.0	1.1	2.0	9.5	14.5	3.7	12.4	2.0	12.5	2.8
TKL0246	17	38	5.0	18	5.5	0.7	1.5	7.0	10.5	2.2	6.8	1.1	7.5	1.0
TKL0247	37	79	8.5	33	7.0	1.0	1.8	8.5	12.0	2.9	8.4	1.5	9.5	1.8
TKL0248	22	43	5.0	20	5.0	0.6	1.6	7.0	11.5	2.7	8.2	1.3	10.0	2.2
TKL0248 DUP	23	46	5.5	22	5.0	0.6	1.6	7.0	10.5	2.6	7.8	1.2	9.5	2.0
TKL0249	26	54	7.0	22	7.0	1.3	1.4	7.0	11.5	3.0	9.2	1.4	9.5	1.6
TKL0250	6	13	1.5	5	1.5	0.4	0.4	2.0	3.5	0.7	2.5	0.4	3.0	0.6
TKL0251	9	16	2.0	7	2.0	1.0	0.5	2.0	3.5	0.8	3.2	0.5	2.5	0.6
TKL0252	12	26	3.0	12	3.5	0.7	1.0	4.5	7.5	2.0	7.3	1.2	8.0	1.6
TKL0253	19	38	4.5	18	4.0	0.5	0.7	4.0	5.5	1.2	3.4	0.6	3.5	1.0
TKL0254	9	12	2.0	6	1.5	1.3	0.2	1.5	2.0	0.5	1.2	0.3	1.5	0.4
TKL0255	20	44	5.0	17	5.0	0.6	1.1	5.0	8.5	2.3	7.3	1.2	7.5	1.8
TKL0256	5	10	1.0	3	1.0	1.9	<0.1	0.5	1.0	0.2	0.6	<0.1	0.5	0.2
TKL0257	21	42	5.0	18	4.0	0.8	1.5	4.0	14.0	3.1	11.0	2.2	16.0	3.0
TKL0258	11	23	2.5	8	2.0	0.6	0.3	1.5	2.5	0.7	2.5	0.4	3.0	0.6
TKL0259	2	2	<0.5	1	<0.5	0.5	<0.1	<0.5	<0.5	<0.1	0.2	<0.1	<0.5	<0.2
TKL0261	23	47	5.0	21	5.0	1.2	1.4	6.5	10.0	2.6	7.8	1.4	9.0	1.8
TKL0262	<1	1	<0.5	<1	<0.5	0.3	<0.1	<0.5	<0.5	<0.1	0.1	<0.1	<0.5	<0.2
TKL0263	4	9	1.0	3	1.0	0.8	0.2	1.5	1.5	0.5	0.8	0.2	1.5	0.6
TKL0264	7	16	2.0	6	2.0	0.5	0.4	2.0	2.5	0.6	1.9	0.2	1.5	0.4
TKL0265	22	43	5.0	18	5.0	0.9	1.3	6.0	12.0	3.1	10.7	1.6	12.0	2.0
TKL0266	4	6	1.0	3	1.0	0.3	0.3	1.0	2.0	0.4	1.4	0.3	1.5	0.4
TKL0267	1	5	<0.5	2	1.0	<0.1	0.6	1.5	4.0	0.8	2.8	0.5	3.5	1.0
TKL0268	5	10	1.0	4	1.5	0.3	0.5	1.5	2.5	0.5	1.2	0.3	2.0	0.8
TKL0269	2	2	<0.5	1	<0.5	0.2	<0.1	<0.5	0.5	0.1	0.4	<0.1	<0.5	0.6
TKL0269 DUP	2	2	<0.5	1	<0.5	0.2	<0.1	<0.5	0.5	0.1	0.4	<0.1	<0.5	0.4
TKL0270	82	165	20.0	70	18.0	1.5	4.5	18.0	32.5	8.0	24.3	4.2	27.5	5.2
TKL0271	7	12	1.0	5	1.5	2.0	0.3	2.0	3.5	0.8	2.6	0.4	2.0	0.6
TKL0272	35	68	8.0	27	7.0	1.0	1.1	6.0	8.0	1.6	4.9	0.8	7.5	1.2
TKL0273	28	56	6.5	21	5.5	1.1	0.9	4.5	5.0	1.0	2.7	0.4	2.5	0.8
TKL0275	23	<1	<0.5	<1	<0.5	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.5	<0.2
TKL0277	4	4	0.5	2	0.5	0.3	0.2	0.5	1.5	0.5	1.3	0.2	1.5	0.6
TKL0278	16	23	3.0	13	3.0	1.3	1.1	4.5	7.5	2.1	7.1	1.1	7.5	1.4
TKL0279	6	8	1.0	3	1.5	0.6	0.2	1.0	1.5	0.3	1.2	0.2	1.0	0.4
TKL0280	<1	2	<0.5	<1	<0.5	0.9	<0.1	<0.5	<0.5	0.1	0.3	<0.1	<0.5	<0.2
TKL0281	19	36	4.0	14	4.0	1.0	0.7	4.5	6.0	1.2	4.2	0.7	5.0	1.2
TKL0282	3	7	1.0	3	1.0	<0.1	0.3	1.0	1.5	0.2	0.9	0.2	1.0	0.4
TKL0283	<1	<1	<0.5	<1	<0.5	<0.1	<0.1	<0.5	<0.5	<0.1	<0.1	<0.1	<0.5	<0.2
TKL0284	6	10	1.5	4	1.0	1.0	0.4	1.5	2.0	0.6	2.1	0.3	2.0	0.4
TKL0285	4	8	0.5	4	1.0	1.0	0.2	1.5	1.5	0.4	1.3	0.1	1.5	0.2
TKL0286	25	55	6.5	24	5.5	1.4	1.3	6.5	7.5	1.5	5.0	0.8	5.5	1.2
TKL0287	7	12	6.0	6	2.0	0.6	0.3	2.0	3.0	0.6	2.1	0.4	2.5	0.8
TKL0288	7	10	1.5	4	1.5	0.9	0.3	1.5	5.0	1.2	5.2	0.9	6.0	1.4
TKL0228 REP	25	66	7.5	27	10.0	0.5	3.5	13.0	25.0	5.3	17.5	3.7	32.0	6.0
TKL0243 REP	5	10	1.0	3	1.5	0.4	0.5	2.0	4.0	0.8	2.6	0.5	4.0	0.6
TKL0288 REP	6	10	1.5	4	1.5	0.9	0.3	1.5	5.0	1.2	4.9	0.9	6.0	1.2
OREAS147 STD	693	1166	119.5	369	47.0	10.0	2.2	21.0	8.5	1.3	2.7	0.3	1.5	0.2
OREAS751 STD	15	32	4.0	15	3.0	0.5	0.4	3.0	2.5	0.5	1.2	0.2	1.0	<0.2

KM-2301-066082	Be	Cs	Li	Nb	Rb	Sn	Ta	Th	U	W	K	Si	Zr	Mn	Ca	S	Fe	Y
Method	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LLD	1	1	10	5	1	1	1	0.5	0.5	10	1000	100	50	10	1000	100	100	1
OREAS461 STD	2	<1	10	1295	14	25	24	212.5	5.0	<10	2000	150200	650	670	13000	800	325000	93
OREAS147 STD	37	232	2310	1165	1171	703	18	95.5	15.5	<10	17000	358800	200	380	11000	400	32300	27
OREAS751 STD	100	48	4630	45	474	154	29	6.5	7.5	<10	24000	333700	100	650	7000	800	16500	12
OREAS461 STD	2	<1	10	1270	13	25	24	212.0	5.0	<10	2000	148300	600	670	13000	300	318900	91
OREAS147 STD	36	234	2300	1175	1159	711	18	94.5	16.0	<10	16000	354700	200	390	11000	400	32200	27
OREAS751 STD	101	50	4660	40	494	154	28	6.0	7.0	<10	24000	333200	100	650	8000	1100	16500	12
OREAS461 STD	2	<1	10	1290	14	24	24	210.0	5.0	<10	2000	146700	600	670	13000	600	318300	93
OREAS147 STD	37	237	2320	1155	1190	699	18	95.0	14.5	<10	16000	352700	200	400	11000	300	32200	27
OREAS751 STD	101	49	4680	45	490	159	29	6.5	7.0	<10	24000	333500	100	650	7000	600	16500	12
OREAS461 STD	3	<1	10	1275	13	25	26	209.5	4.5	<10	2000	147400	650	680	13000	1000	318300	91

KM-2301-066082	La	Ce	Pr	Nd	Sm	Eu	Tb	Gd	Dy	Ho	Er	Tm	Yb	Lu
Method	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004	ICP004
Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
LLD	1	1	0.5	1	0.5	0.1	0.1	0.5	0.5	0.1	0.1	0.1	0.5	0.2
OREAS461 STD	2646	3594	501.5	1616	220.5	46.9	9.1	100.5	35.0	4.7	9.1	0.9	4.5	0.6
OREAS147 STD	692	1171	121.5	382	48.5	10.7	2.3	23.0	8.5	1.4	2.8	0.3	1.5	0.2
OREAS751 STD	15	32	3.5	15	3.0	0.5	0.4	3.0	2.5	0.5	1.2	0.2	1.0	<0.2
OREAS461 STD	2702	3492	486.0	1611	215.5	45.7	9.1	98.5	34.0	4.7	8.8	0.9	4.5	0.6
OREAS147 STD	685	1205	121.0	372	46.5	9.9	2.3	21.5	9.0	1.3	2.9	0.3	1.5	0.6
OREAS751 STD	15	30	3.5	15	2.5	0.6	0.4	3.0	2.0	0.5	1.2	0.2	1.0	<0.2
OREAS461 STD	2652	3604	499.0	1653	221.0	47.1	8.9	101.5	34.5	4.7	9.0	0.9	4.5	0.4
OREAS147 STD	707	1207	119.0	385	49.0	10.1	2.3	22.0	9.0	1.3	2.8	0.4	1.5	0.2
OREAS751 STD	15	32	4.0	14	3.0	0.5	0.5	3.0	2.5	0.4	1.2	0.2	1.0	<0.2
OREAS461 STD	2677	3536	503.0	1627	225.0	47.1	9.3	101.5	35.5	4.7	8.5	0.9	4.5	0.4