



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: CORE URANIUM PTY LTD
SUITE 2, LEVEL 6, 12 CREEK STREET
BRISBANE QLD 4000

Page: 1
Total # Pages: 2 (A - I)
Plus Appendix Pages
Finalized Date: 16-JAN-2023
Account: CORURA

CERTIFICATE BR22343296

Project: Conways (33014)

This report is for 10 samples of Rock submitted to our lab in Brisbane, QLD, Australia on 25-NOV-2022.

The following have access to data associated with this certificate:

MICHAEL CAVANAGH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
PUL-21	Pulverize entire sample
CRU-21	Crush entire sample
TRA-21	Transfer sample
BAG-01	Bulk Master for Storage
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS41L	Super Trace Lowest DL AR by ICP-MS	
MS41L-REE	REE Add-on to ME-MS41L	
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61r	4A multi-element ICP-MS + REE	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Page: 2 – A
Total # Pages: 2 (A – I)
Plus Appendix Pages
Finalized Date: 16-JAN-2023
Account: CORURA

[illegible]

***** See Appendix Page for comments regarding this certificate *****



Page: 2 – B
Total # Pages: 2 (A – I)
Plus Appendix Pages
Finalized Date: 16-JAN-2023
Account: CORURA

CERTIFICATE OF ANALYSIS BR22343296

***** See Appendix Page for comments regarding this certificate *****



Page: 2 - C
Total # Pages: 2 (A - I)
Plus Appendix Pages
Finalized Date: 16-JAN-2023
Account: CORURA

[illegible]

***** See Appendix Page for comments regarding this certificate *****



Page: 2 – D
Total # Pages: 2 (A – I)
Plus Appendix Pages
Finalized Date: 16-JAN-2023
Account: CORURA

[illegible]

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: CORE URANIUM PTY LTD
SUITE 2, LEVEL 6, 12 CREEK STREET
BRISBANE QLD 4000

Page: 2 - E
Total # Pages: 2 (A - I)
Plus Appendix Pages
Finalized Date: 16-JAN-2023
Account: CORURA

Project: Conways (33014)

CERTIFICATE OF ANALYSIS BR22343296

[illegible]



Page: 2 – F
Total # Pages: 2 (A – I)
Plus Appendix Pages
Finalized Date: 16-JAN-2023
Account: CORURA

[illegible]

***** See Appendix Page for comments regarding this certificate *****



Page: 2 - G
Total # Pages: 2 (A - I)
Plus Appendix Pages
Finalized Date: 16-JAN-2023
Account: CORURA

[illegible]

***** See Appendix Page for comments regarding this certificate *****



Page: 2 - H
Total # Pages: 2 (A - I)
Plus Appendix Pages
Finalized Date: 16-JAN-2023
Account: CORURA

Sample Description	Method Analyte Units LOD	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	MS41L-REE	MS41L-REE	MS41L-REE	MS41L-REE	MS41L-REE
		Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.003	0.002	0.001	0.001	0.005	0.1	0.001	0.003	0.1	0.01	0.002	0.002	0.002	0.002	0.001
CSTM0057 CSFL0058 CSOC0147 CSOC0159A CSOC0159B		0.004	4.03	0.038	0.111	2.80	89.7	0.031	28.8	18.1	7.12	4.55	2.59	1.260	5.03	0.903
CSOC0166 CSTM0172 CSTM0173 CSTM0174 CSTM0175		0.012 0.022 0.008 0.010	3.10 4.48 3.08 3.20	0.023 0.024 0.015 0.017	0.184 0.146 0.099 0.148	2.68 2.43 2.23 1.270	82.9 65.6 37.7 68.1	0.058 0.142 0.055 0.051	17.10 11.65 20.0 14.80	20.0 17.6 19.1 23.2	3.20 3.11 1.24 4.21	3.44 2.26 3.75 2.74	1.690 1.110 1.840 1.365	1.365 0.881 1.380 1.115	4.53 2.90 4.77 3.73	0.609 0.399 0.667 0.491

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: CORE URANIUM PTY LTD
SUITE 2, LEVEL 6, 12 CREEK STREET
BRISBANE QLD 4000

Page: 2 - 1
Total # Pages: 2 (A - 1)
Plus Appendix Pages
Finalized Date: 16-JAN-2023
Account: CORURA

Project: Conways (33014)

CERTIFICATE OF ANALYSIS BR22343296

[illegible]

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: CORE URANIUM PTY LTD

SUITE 2, LEVEL 6, 12 CREEK STREET

BRISBANE QLD 4000

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 16-JAN-2023

Account: CORURA

Project: Conways (33014)

CERTIFICATE OF ANALYSIS BR22343296

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

ME-MS41L

Applies to Method:

REEs may not be totally soluble in this method.

ME-MS61r

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia

Au-GRA21

ME-MS41L

MS41L-REE

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia

BAG-01

CRU-21

LEV-01

LOG-22

ME-MS61r

PUL-21

PUL-QC

TRA-21

WEI-21