



Job Date: 17.October2023

Customer: Amboran Resources
District:
Representative: Hayden Caskey
DS Supervisor: Darcy Raine
Well: Aumngee NW3

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:01:56:12	35	0.0	8.37	0.0
10:16:2023:01:56:17	35	0.0	8.37	0.0
10:16:2023:01:56:22	36	0.0	8.37	0.0
10:16:2023:01:56:27	35	0.0	8.37	0.0
10:16:2023:01:56:32	36	0.0	8.37	0.0
10:16:2023:01:56:37	36	0.0	8.37	0.0
10:16:2023:01:56:42	36	0.0	8.37	0.0
10:16:2023:01:56:47	36	0.0	8.37	0.0
10:16:2023:01:56:52	35	0.0	8.37	0.0
10:16:2023:01:56:57	37	0.0	8.37	0.0
10:16:2023:01:57:02	37	0.0	8.37	0.0
10:16:2023:01:57:08	36	0.0	8.37	0.0
10:16:2023:01:57:13	37	0.0	8.37	0.0
10:16:2023:01:57:18	38	0.0	8.37	0.0
10:16:2023:01:57:23	37	0.0	8.37	0.0
10:16:2023:01:57:28	37	0.0	8.37	0.0
10:16:2023:01:57:33	38	0.0	8.37	0.0
10:16:2023:01:57:38	38	0.0	8.37	0.0
10:16:2023:01:57:43	39	0.0	8.37	0.0
10:16:2023:01:57:48	38	0.0	8.37	0.0
10:16:2023:01:57:53	39	0.0	8.37	0.0
10:16:2023:01:57:58	39	0.0	8.37	0.0
10:16:2023:01:58:03	38	0.0	8.37	0.0
10:16:2023:01:58:08	39	0.0	8.37	0.0
10:16:2023:01:58:13	39	0.0	8.37	0.0
10:16:2023:01:58:19	39	0.0	8.37	0.0
10:16:2023:01:58:24	39	0.0	8.37	0.0
10:16:2023:01:58:29	39	0.0	8.37	0.0
10:16:2023:01:58:34	40	0.0	8.37	0.0
10:16:2023:01:58:39	39	0.0	8.37	0.0
10:16:2023:01:58:44	40	0.0	8.37	0.0
10:16:2023:01:58:49	41	0.0	8.37	0.0
10:16:2023:01:58:54	41	0.0	8.38	0.0
10:16:2023:01:58:59	41	0.0	8.37	0.0
10:16:2023:01:59:04	41	0.0	8.37	0.0
10:16:2023:01:59:09	41	0.0	8.37	0.0
10:16:2023:01:59:14	41	0.0	8.37	0.1
10:16:2023:01:59:19	44	0.0	8.37	0.1
10:16:2023:01:59:24	46	0.0	8.37	0.1
10:16:2023:01:59:30	47	0.0	8.37	0.1
10:16:2023:01:59:35	50	0.0	8.37	0.1
10:16:2023:01:59:40	55	0.0	8.37	0.1
10:16:2023:01:59:45	63	0.1	8.37	0.3
10:16:2023:01:59:50	84	0.1	8.37	0.4
10:16:2023:01:59:55	138	0.1	8.37	0.4
10:16:2023:02:00:00	208	0.1	8.37	0.4
10:16:2023:02:00:05	268	0.2	8.37	0.4
10:16:2023:02:00:10	320	0.2	8.37	0.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:00:25	472	0.3	8.37	0.4
10:16:2023:02:00:30	515	0.4	8.37	0.4
10:16:2023:02:00:35	554	0.4	8.37	0.4
10:16:2023:02:00:40	577	0.4	8.37	0.4
10:16:2023:02:00:46	596	0.5	8.37	0.4
10:16:2023:02:00:51	602	0.5	8.37	0.4
10:16:2023:02:00:56	608	0.5	8.37	0.4
10:16:2023:02:01:00	Flush Treating Iron			
10:16:2023:02:01:00	620	0.6	8.37	0.4
10:16:2023:02:01:01	630	0.6	8.37	0.4
10:16:2023:02:01:06	627	0.6	8.37	0.4
10:16:2023:02:01:11	627	0.6	8.37	0.4
10:16:2023:02:01:16	646	0.7	8.37	0.4
10:16:2023:02:01:21	621	0.7	8.37	0.5
10:16:2023:02:01:26	641	0.7	8.37	0.5
10:16:2023:02:01:31	649	0.8	8.37	0.5
10:16:2023:02:01:36	629	0.8	8.37	0.6
10:16:2023:02:01:41	618	0.9	8.37	1.5
10:16:2023:02:01:46	613	0.9	8.37	0.7
10:16:2023:02:01:51	624	1.0	8.37	1.0
10:16:2023:02:01:57	640	1.1	8.38	1.0
10:16:2023:02:02:02	692	1.2	8.37	1.1
10:16:2023:02:02:07	729	1.3	8.38	1.3
10:16:2023:02:02:12	652	1.4	8.37	1.4
10:16:2023:02:02:17	665	1.5	8.37	1.4
10:16:2023:02:02:22	661	1.6	8.37	1.4
10:16:2023:02:02:27	706	1.8	8.37	1.5
10:16:2023:02:02:32	605	1.9	8.37	1.5
10:16:2023:02:02:37	657	2.0	8.37	1.5
10:16:2023:02:02:42	598	2.1	8.37	1.5
10:16:2023:02:02:47	659	2.3	8.37	1.5
10:16:2023:02:02:52	612	2.4	8.37	1.5
10:16:2023:02:02:57	671	2.5	8.37	1.5
10:16:2023:02:03:02	654	2.6	8.37	1.5
10:16:2023:02:03:08	732	2.8	8.37	1.5
10:16:2023:02:03:13	747	2.9	8.37	1.5
10:16:2023:02:03:18	715	3.0	8.37	1.5
10:16:2023:02:03:23	651	3.1	8.37	1.5
10:16:2023:02:03:28	640	3.3	8.37	1.5
10:16:2023:02:03:33	626	3.4	8.37	1.5
10:16:2023:02:03:38	622	3.5	8.37	1.5
10:16:2023:02:03:43	645	3.6	8.37	1.5
10:16:2023:02:03:48	615	3.8	8.37	1.4
10:16:2023:02:03:53	579	3.9	8.39	0.2
10:16:2023:02:03:58	574	3.9	8.38	0.0
10:16:2023:02:04:03	578	3.9	8.38	0.0
10:16:2023:02:04:08	575	3.9	8.37	0.0
10:16:2023:02:04:13	575	3.9	8.37	0.0
10:16:2023:02:04:18	574	3.9	8.37	0.0
10:16:2023:02:04:24	574	3.9	8.37	0.0
10:16:2023:02:04:29	574	3.9	8.37	0.0
10:16:2023:02:04:34	572	3.9	8.37	0.0
10:16:2023:02:04:39	573	3.9	8.37	0.0
10:16:2023:02:04:44	572	3.9	8.37	0.0
10:16:2023:02:04:49	571	3.9	8.37	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:04:54	570	3.9	8.37	0.0
10:16:2023:02:04:59	569	3.9	8.37	0.0
10:16:2023:02:05:04	570	3.9	8.37	0.0
10:16:2023:02:05:09	568	3.9	8.37	0.0
10:16:2023:02:05:14	568	3.9	8.37	0.0
10:16:2023:02:05:19	568	3.9	8.37	0.0
10:16:2023:02:05:24	567	3.9	8.37	0.0
10:16:2023:02:05:29	567	3.9	8.37	0.0
10:16:2023:02:05:35	566	3.9	8.37	0.0
10:16:2023:02:05:40	566	3.9	8.37	0.0
10:16:2023:02:05:45	566	3.9	8.37	0.0
10:16:2023:02:05:50	566	3.9	8.37	0.0
10:16:2023:02:05:55	564	3.9	8.37	0.0
10:16:2023:02:06:00	563	3.9	8.37	0.0
10:16:2023:02:06:05	563	3.9	8.37	0.0
10:16:2023:02:06:10	564	3.9	8.37	0.0
10:16:2023:02:06:15	563	3.9	8.37	0.0
10:16:2023:02:06:20	562	3.9	8.37	0.0
10:16:2023:02:06:25	562	3.9	8.37	0.0
10:16:2023:02:06:30	560	3.9	8.37	0.0
10:16:2023:02:06:35	560	3.9	8.37	0.0
10:16:2023:02:06:40	560	3.9	8.37	0.0
10:16:2023:02:06:46	560	3.9	8.37	0.0
10:16:2023:02:06:51	559	3.9	8.37	0.0
10:16:2023:02:06:56	559	3.9	8.37	0.0
10:16:2023:02:07:01	558	3.9	8.37	0.0
10:16:2023:02:07:06	557	3.9	8.37	0.0
10:16:2023:02:07:11	559	3.9	8.37	0.0
10:16:2023:02:07:16	557	3.9	8.37	0.0
10:16:2023:02:07:21	557	3.9	8.37	0.0
10:16:2023:02:07:26	556	3.9	8.37	0.0
10:16:2023:02:07:31	556	3.9	8.37	0.0
10:16:2023:02:07:36	556	3.9	8.38	0.0
10:16:2023:02:07:41	555	3.9	8.37	0.0
10:16:2023:02:07:46	555	3.9	8.37	0.0
10:16:2023:02:07:51	554	3.9	8.37	0.0
10:16:2023:02:07:57	553	3.9	8.37	0.0
10:16:2023:02:08:02	552	3.9	8.37	0.0
10:16:2023:02:08:07	553	3.9	8.37	0.0
10:16:2023:02:08:12	552	3.9	8.37	0.0
10:16:2023:02:08:17	552	3.9	8.37	0.0
10:16:2023:02:08:22	551	3.9	8.37	0.0
10:16:2023:02:08:27	552	3.9	8.37	0.0
10:16:2023:02:08:32	551	3.9	8.38	0.0
10:16:2023:02:08:37	550	3.9	8.37	0.0
10:16:2023:02:08:42	551	3.9	8.37	0.0
10:16:2023:02:08:47	549	3.9	8.37	0.0
10:16:2023:02:08:52	549	3.9	8.37	0.0
10:16:2023:02:08:57	549	3.9	8.38	0.0
10:16:2023:02:09:02	548	3.9	8.37	0.0
10:16:2023:02:09:07	548	3.9	8.37	0.0
10:16:2023:02:09:13	547	3.9	8.37	0.0
10:16:2023:02:09:18	547	3.9	8.37	0.0
10:16:2023:02:09:23	546	3.9	8.37	0.0
10:16:2023:02:09:28	546	3.9	8.37	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:09:33	546	3.9	8.37	0.0
10:16:2023:02:09:38	546	3.9	8.37	0.0
10:16:2023:02:09:43	546	3.9	8.37	0.0
10:16:2023:02:09:48	545	3.9	8.37	0.0
10:16:2023:02:09:53	544	3.9	8.37	0.0
10:16:2023:02:09:58	544	3.9	8.37	0.0
10:16:2023:02:10:00	Pressure Test Lines LOW			
10:16:2023:02:10:00	543	3.9	8.37	0.0
10:16:2023:02:10:03	544	3.9	8.37	0.0
10:16:2023:02:10:08	543	3.9	8.37	0.0
10:16:2023:02:10:13	543	3.9	8.37	0.0
10:16:2023:02:10:18	543	3.9	8.37	0.0
10:16:2023:02:10:24	543	3.9	8.37	0.0
10:16:2023:02:10:29	542	3.9	8.37	0.0
10:16:2023:02:10:34	542	3.9	8.37	0.0
10:16:2023:02:10:39	541	3.9	8.37	0.0
10:16:2023:02:10:44	541	3.9	8.37	0.0
10:16:2023:02:10:49	542	3.9	8.37	0.0
10:16:2023:02:10:54	541	3.9	8.37	0.0
10:16:2023:02:10:59	540	3.9	8.37	0.0
10:16:2023:02:11:04	540	3.9	8.37	0.0
10:16:2023:02:11:09	540	3.9	8.37	0.0
10:16:2023:02:11:14	539	3.9	8.37	0.0
10:16:2023:02:11:19	539	3.9	8.37	0.0
10:16:2023:02:11:24	539	3.9	8.37	0.0
10:16:2023:02:11:29	538	3.9	8.37	0.0
10:16:2023:02:11:35	538	3.9	8.37	0.0
10:16:2023:02:11:40	537	3.9	8.37	0.0
10:16:2023:02:11:45	537	3.9	8.38	0.0
10:16:2023:02:11:50	537	3.9	8.37	0.0
10:16:2023:02:11:55	536	3.9	8.37	0.0
10:16:2023:02:12:00	536	3.9	8.37	0.0
10:16:2023:02:12:05	535	3.9	8.37	0.0
10:16:2023:02:12:10	536	3.9	8.37	0.0
10:16:2023:02:12:15	535	3.9	8.37	0.0
10:16:2023:02:12:20	535	3.9	8.37	0.0
10:16:2023:02:12:25	534	3.9	8.37	0.0
10:16:2023:02:12:30	534	3.9	8.37	0.0
10:16:2023:02:12:35	534	3.9	8.37	0.0
10:16:2023:02:12:40	533	3.9	8.37	0.0
10:16:2023:02:12:45	533	3.9	8.37	0.0
10:16:2023:02:12:51	533	3.9	8.37	0.0
10:16:2023:02:12:56	532	3.9	8.37	0.0
10:16:2023:02:13:01	532	3.9	8.37	0.0
10:16:2023:02:13:06	532	3.9	8.37	0.0
10:16:2023:02:13:11	531	3.9	8.37	0.0
10:16:2023:02:13:16	531	3.9	8.37	0.0
10:16:2023:02:13:21	531	3.9	8.37	0.0
10:16:2023:02:13:26	531	3.9	8.37	0.0
10:16:2023:02:13:31	530	3.9	8.37	0.0
10:16:2023:02:13:36	530	3.9	8.37	0.0
10:16:2023:02:13:41	530	3.9	8.37	0.0
10:16:2023:02:13:46	529	3.9	8.37	0.0
10:16:2023:02:13:51	529	3.9	8.37	0.0
10:16:2023:02:13:56	529	3.9	8.37	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:14:02	529	3.9	8.37	0.0
10:16:2023:02:14:07	528	3.9	8.37	0.0
10:16:2023:02:14:12	528	3.9	8.37	0.0
10:16:2023:02:14:17	528	3.9	8.37	0.0
10:16:2023:02:14:22	527	3.9	8.37	0.0
10:16:2023:02:14:27	527	3.9	8.37	0.0
10:16:2023:02:14:32	527	3.9	8.37	0.0
10:16:2023:02:14:37	526	3.9	8.37	0.0
10:16:2023:02:14:42	526	3.9	8.37	0.0
10:16:2023:02:14:47	526	3.9	8.37	0.0
10:16:2023:02:14:52	526	3.9	8.37	0.0
10:16:2023:02:14:57	525	3.9	8.37	0.0
10:16:2023:02:15:02	525	3.9	8.37	0.0
10:16:2023:02:15:07	1429	3.9	8.38	0.1
10:16:2023:02:15:13	2723	3.9	8.37	0.0
10:16:2023:02:15:18	3049	3.9	8.37	0.0
10:16:2023:02:15:23	3425	3.9	8.37	0.1
10:16:2023:02:15:28	3864	3.9	8.37	0.1
10:16:2023:02:15:33	4377	3.9	8.37	0.0
10:16:2023:02:15:38	4807	3.9	8.37	0.0
10:16:2023:02:15:43	4869	3.9	8.37	0.0
10:16:2023:02:15:48	4864	3.9	8.37	0.0
10:16:2023:02:15:53	4861	3.9	8.37	0.0
10:16:2023:02:15:58	4857	3.9	8.37	0.0
10:16:2023:02:16:03	4856	3.9	8.37	0.0
10:16:2023:02:16:08	4853	3.9	8.38	0.0
10:16:2023:02:16:13	4852	3.9	8.38	0.0
10:16:2023:02:16:18	4850	3.9	8.37	0.0
10:16:2023:02:16:24	4848	3.9	8.37	0.0
10:16:2023:02:16:29	4847	3.9	8.37	0.0
10:16:2023:02:16:34	4846	3.9	8.37	0.0
10:16:2023:02:16:39	4843	3.9	8.37	0.0
10:16:2023:02:16:44	4842	3.9	8.37	0.0
10:16:2023:02:16:49	4840	3.9	8.37	0.0
10:16:2023:02:16:54	4838	3.9	8.37	0.0
10:16:2023:02:16:59	4837	3.9	8.37	0.0
10:16:2023:02:17:04	4836	3.9	8.37	0.0
10:16:2023:02:17:09	4834	3.9	8.37	0.0
10:16:2023:02:17:14	4833	3.9	8.37	0.0
10:16:2023:02:17:19	4832	3.9	8.37	0.0
10:16:2023:02:17:24	4831	3.9	8.37	0.0
10:16:2023:02:17:29	4829	3.9	8.37	0.0
10:16:2023:02:17:34	4829	3.9	8.38	0.0
10:16:2023:02:17:40	4828	3.9	8.37	0.0
10:16:2023:02:17:45	4826	3.9	8.38	0.0
10:16:2023:02:17:50	4824	3.9	8.37	0.0
10:16:2023:02:17:55	4823	3.9	8.38	0.0
10:16:2023:02:18:00	4822	3.9	8.37	0.0
10:16:2023:02:18:05	4820	3.9	8.38	0.0
10:16:2023:02:18:10	4819	3.9	8.37	0.0
10:16:2023:02:18:15	4819	3.9	8.37	0.0
10:16:2023:02:18:20	4817	3.9	8.37	0.0
10:16:2023:02:18:25	4817	3.9	8.37	0.0
10:16:2023:02:18:30	4816	3.9	8.37	0.0
10:16:2023:02:18:35	4815	3.9	8.37	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:18:40	4814	3.9	8.37	0.0
10:16:2023:02:18:45	4813	3.9	8.37	0.0
10:16:2023:02:18:51	4812	3.9	8.37	0.0
10:16:2023:02:18:56	4806	3.9	8.37	0.0
10:16:2023:02:19:00	Pressure Test Lines HIGH			
10:16:2023:02:19:00	4802	3.9	8.37	0.0
10:16:2023:02:19:01	4802	3.9	8.38	0.0
10:16:2023:02:19:06	4801	3.9	8.37	0.0
10:16:2023:02:19:11	4800	3.9	8.37	0.0
10:16:2023:02:19:16	4799	3.9	8.37	0.0
10:16:2023:02:19:21	4798	3.9	8.37	0.0
10:16:2023:02:19:26	4797	3.9	8.37	0.0
10:16:2023:02:19:31	4796	3.9	8.38	0.0
10:16:2023:02:19:36	4795	3.9	8.37	0.0
10:16:2023:02:19:41	4793	3.9	8.37	0.0
10:16:2023:02:19:46	4793	3.9	8.38	0.0
10:16:2023:02:19:51	4792	3.9	8.37	0.0
10:16:2023:02:19:56	4790	3.9	8.38	0.0
10:16:2023:02:20:02	4790	3.9	8.37	0.0
10:16:2023:02:20:07	4789	3.9	8.37	0.0
10:16:2023:02:20:12	4789	3.9	8.38	0.0
10:16:2023:02:20:17	4788	3.9	8.37	0.0
10:16:2023:02:20:22	4787	3.9	8.37	0.0
10:16:2023:02:20:27	4786	3.9	8.38	0.0
10:16:2023:02:20:32	4787	3.9	8.37	0.0
10:16:2023:02:20:37	4785	3.9	8.37	0.0
10:16:2023:02:20:42	4784	3.9	8.37	0.0
10:16:2023:02:20:47	4784	3.9	8.38	0.0
10:16:2023:02:20:52	4781	3.9	8.37	0.0
10:16:2023:02:20:57	4781	3.9	8.37	0.0
10:16:2023:02:21:02	4781	3.9	8.37	0.0
10:16:2023:02:21:07	4780	3.9	8.37	0.0
10:16:2023:02:21:12	4781	3.9	8.38	0.0
10:16:2023:02:21:18	4778	3.9	8.37	0.0
10:16:2023:02:21:23	4779	3.9	8.37	0.0
10:16:2023:02:21:28	4778	3.9	8.37	0.0
10:16:2023:02:21:33	4778	3.9	8.37	0.0
10:16:2023:02:21:38	4775	3.9	8.38	0.0
10:16:2023:02:21:43	4775	3.9	8.37	0.0
10:16:2023:02:21:48	4774	3.9	8.37	0.0
10:16:2023:02:21:53	4773	3.9	8.37	0.0
10:16:2023:02:21:58	4773	3.9	8.37	0.0
10:16:2023:02:22:03	4772	3.9	8.37	0.0
10:16:2023:02:22:08	4771	3.9	8.37	0.0
10:16:2023:02:22:13	4771	3.9	8.38	0.0
10:16:2023:02:22:18	4771	3.9	8.38	0.0
10:16:2023:02:22:23	4771	3.9	8.37	0.0
10:16:2023:02:22:29	4770	3.9	8.37	0.0
10:16:2023:02:22:34	4768	3.9	8.37	0.0
10:16:2023:02:22:39	4767	3.9	8.37	0.0
10:16:2023:02:22:44	4767	3.9	8.37	0.0
10:16:2023:02:22:49	4766	3.9	8.38	0.0
10:16:2023:02:22:54	4765	3.9	8.37	0.0
10:16:2023:02:22:59	4764	3.9	8.37	0.0
10:16:2023:02:23:04	4764	3.9	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:23:09	4763	3.9	8.37	0.0
10:16:2023:02:23:14	4763	3.9	8.38	0.0
10:16:2023:02:23:19	4762	3.9	8.37	0.0
10:16:2023:02:23:24	4763	3.9	8.37	0.0
10:16:2023:02:23:29	4761	3.9	8.37	0.0
10:16:2023:02:23:34	4760	3.9	8.38	0.0
10:16:2023:02:23:40	4759	3.9	8.37	0.0
10:16:2023:02:23:45	4759	3.9	8.37	0.0
10:16:2023:02:23:50	4759	3.9	8.37	0.0
10:16:2023:02:23:55	4758	3.9	8.37	0.0
10:16:2023:02:24:00	4758	3.9	8.37	0.0
10:16:2023:02:24:05	4758	3.9	8.37	0.0
10:16:2023:02:24:10	4756	3.9	8.38	0.0
10:16:2023:02:24:15	4756	3.9	8.37	0.0
10:16:2023:02:24:20	4755	3.9	8.37	0.0
10:16:2023:02:24:25	4754	3.9	8.38	0.0
10:16:2023:02:24:30	4753	3.9	8.37	0.0
10:16:2023:02:24:35	4752	3.9	8.37	0.0
10:16:2023:02:24:40	4752	3.9	8.37	0.0
10:16:2023:02:24:45	4751	3.9	8.38	0.0
10:16:2023:02:24:51	4752	3.9	8.37	0.0
10:16:2023:02:24:56	4751	3.9	8.38	0.0
10:16:2023:02:25:01	4750	3.9	8.37	0.0
10:16:2023:02:25:06	4749	3.9	8.37	0.0
10:16:2023:02:25:11	4750	3.9	8.38	0.0
10:16:2023:02:25:16	4748	3.9	8.37	0.0
10:16:2023:02:25:21	4747	3.9	8.37	0.0
10:16:2023:02:25:26	4746	3.9	8.37	0.0
10:16:2023:02:25:31	4745	3.9	8.38	0.0
10:16:2023:02:25:36	4745	3.9	8.38	0.0
10:16:2023:02:25:41	4745	3.9	8.37	0.0
10:16:2023:02:25:46	4744	3.9	8.37	0.0
10:16:2023:02:25:51	4743	3.9	8.37	0.0
10:16:2023:02:25:56	2077	3.9	8.37	0.0
10:16:2023:02:26:01	45	3.9	8.37	0.0
10:16:2023:02:26:07	40	3.9	8.37	0.0
10:16:2023:02:26:12	39	3.9	8.37	0.0
10:16:2023:02:26:17	40	3.9	8.37	0.0
10:16:2023:02:26:22	40	3.9	8.37	0.0
10:16:2023:02:26:27	39	3.9	8.38	0.0
10:16:2023:02:26:32	39	3.9	8.37	0.0
10:16:2023:02:26:37	38	0.0	8.38	0.0
10:16:2023:02:26:42	39	0.0	8.37	0.0
10:16:2023:02:26:47	39	0.0	8.37	0.0
10:16:2023:02:26:52	38	0.0	8.37	0.0
10:16:2023:02:26:57	39	0.0	8.37	0.0
10:16:2023:02:27:02	38	0.0	8.38	0.0
10:16:2023:02:27:07	39	0.0	8.38	0.0
10:16:2023:02:27:12	38	0.0	8.37	0.0
10:16:2023:02:27:18	37	0.0	8.37	0.0
10:16:2023:02:27:23	37	0.0	8.37	0.0
10:16:2023:02:27:28	38	0.0	8.37	0.0
10:16:2023:02:27:33	37	0.0	8.37	0.0
10:16:2023:02:27:38	37	0.0	8.37	0.0
10:16:2023:02:27:43	38	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:27:48	37	0.0	8.37	0.0
10:16:2023:02:27:53	37	0.0	8.38	0.0
10:16:2023:02:27:58	37	0.0	8.37	0.0
10:16:2023:02:28:03	36	0.0	8.37	0.0
10:16:2023:02:28:08	36	0.0	8.37	0.0
10:16:2023:02:28:13	36	0.0	8.38	0.0
10:16:2023:02:28:18	37	0.0	8.38	0.0
10:16:2023:02:28:23	36	0.0	8.38	0.0
10:16:2023:02:28:29	35	0.0	8.37	0.0
10:16:2023:02:28:34	35	0.0	8.37	0.0
10:16:2023:02:28:39	36	0.0	8.37	0.0
10:16:2023:02:28:44	36	0.0	8.38	0.0
10:16:2023:02:28:49	36	0.0	8.38	0.0
10:16:2023:02:28:54	37	0.0	8.38	0.0
10:16:2023:02:28:59	37	0.0	8.37	0.0
10:16:2023:02:29:04	36	0.0	8.37	0.0
10:16:2023:02:29:09	35	0.0	8.37	0.0
10:16:2023:02:29:14	35	0.0	8.37	0.0
10:16:2023:02:29:19	35	0.0	8.37	0.0
10:16:2023:02:29:24	35	0.0	8.38	0.0
10:16:2023:02:29:29	36	0.0	8.38	0.0
10:16:2023:02:29:34	36	0.0	8.38	0.0
10:16:2023:02:29:40	36	0.0	8.37	0.0
10:16:2023:02:29:45	35	0.0	8.37	0.0
10:16:2023:02:29:50	36	0.0	8.37	0.0
10:16:2023:02:29:55	36	0.0	8.38	0.0
10:16:2023:02:30:00	Start Batch Mixing EverCRETE Slurry			
10:16:2023:02:30:00	35	0.0	8.38	0.0
10:16:2023:02:30:05	36	0.0	8.37	0.0
10:16:2023:02:30:10	35	0.0	8.37	0.0
10:16:2023:02:30:15	35	0.0	8.38	0.0
10:16:2023:02:30:20	35	0.0	8.38	0.0
10:16:2023:02:30:25	35	0.0	8.37	0.0
10:16:2023:02:30:30	36	0.0	8.37	0.0
10:16:2023:02:30:35	36	0.0	8.38	0.0
10:16:2023:02:30:40	36	0.0	8.37	0.0
10:16:2023:02:30:45	36	0.0	8.38	0.0
10:16:2023:02:30:50	35	0.0	8.37	0.0
10:16:2023:02:30:56	36	0.0	8.38	0.0
10:16:2023:02:31:01	35	0.0	8.38	0.0
10:16:2023:02:31:06	36	0.0	8.38	0.0
10:16:2023:02:31:11	36	0.0	8.37	0.0
10:16:2023:02:31:16	35	0.0	8.38	0.0
10:16:2023:02:31:21	35	0.0	8.37	0.0
10:16:2023:02:31:26	36	0.0	8.38	0.0
10:16:2023:02:31:31	35	0.0	8.37	0.0
10:16:2023:02:31:36	36	0.0	8.37	0.0
10:16:2023:02:31:41	36	0.0	8.38	0.0
10:16:2023:02:31:46	35	0.0	8.38	0.0
10:16:2023:02:31:51	36	0.0	8.38	0.0
10:16:2023:02:31:56	36	0.0	8.38	0.0
10:16:2023:02:32:01	35	0.0	8.38	0.0
10:16:2023:02:32:07	35	0.0	8.37	0.0
10:16:2023:02:32:12	35	0.0	8.38	0.0
10:16:2023:02:32:17	36	0.0	8.37	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:32:22	36	0.0	8.37	0.0
10:16:2023:02:32:27	35	0.0	8.38	0.0
10:16:2023:02:32:32	35	0.0	8.38	0.0
10:16:2023:02:32:37	35	0.0	8.38	0.0
10:16:2023:02:32:42	36	0.0	8.37	0.0
10:16:2023:02:32:47	35	0.0	8.37	0.0
10:16:2023:02:32:52	36	0.0	8.37	0.0
10:16:2023:02:32:57	35	0.0	8.38	0.0
10:16:2023:02:33:02	35	0.0	8.38	0.0
10:16:2023:02:33:07	36	0.0	8.37	0.0
10:16:2023:02:33:12	35	0.0	8.37	0.0
10:16:2023:02:33:18	36	0.0	8.37	0.0
10:16:2023:02:33:23	36	0.0	8.38	0.0
10:16:2023:02:33:28	36	0.0	8.38	0.0
10:16:2023:02:33:33	36	0.0	8.38	0.0
10:16:2023:02:33:38	35	0.0	8.38	0.0
10:16:2023:02:33:43	35	0.0	8.37	0.0
10:16:2023:02:33:48	35	0.0	8.38	0.0
10:16:2023:02:33:53	36	0.0	8.37	0.0
10:16:2023:02:33:58	36	0.0	8.37	0.0
10:16:2023:02:34:03	36	0.0	8.37	0.0
10:16:2023:02:34:08	35	0.0	8.37	0.0
10:16:2023:02:34:13	35	0.0	8.37	0.0
10:16:2023:02:34:18	35	0.0	8.37	0.0
10:16:2023:02:34:23	36	0.0	8.38	0.0
10:16:2023:02:34:28	35	0.0	8.37	0.0
10:16:2023:02:34:34	36	0.0	8.37	0.0
10:16:2023:02:34:39	35	0.0	8.37	0.0
10:16:2023:02:34:44	36	0.0	8.37	0.0
10:16:2023:02:34:49	36	0.0	8.37	0.0
10:16:2023:02:34:54	36	0.0	8.37	0.0
10:16:2023:02:34:59	36	0.0	8.38	0.0
10:16:2023:02:35:04	35	0.0	8.37	0.0
10:16:2023:02:35:09	35	0.0	8.38	0.0
10:16:2023:02:35:14	36	0.0	8.37	0.0
10:16:2023:02:35:19	35	0.0	8.38	0.0
10:16:2023:02:35:24	35	0.0	8.37	0.0
10:16:2023:02:35:29	36	0.0	8.37	0.0
10:16:2023:02:35:34	35	0.0	8.38	0.0
10:16:2023:02:35:39	35	0.0	8.38	0.0
10:16:2023:02:35:45	35	0.0	8.38	0.0
10:16:2023:02:35:50	35	0.0	8.38	0.0
10:16:2023:02:35:55	36	0.0	8.38	0.0
10:16:2023:02:36:00	36	0.0	8.37	0.0
10:16:2023:02:36:05	35	0.0	8.37	0.0
10:16:2023:02:36:10	36	0.0	8.37	0.0
10:16:2023:02:36:15	35	0.0	8.37	0.0
10:16:2023:02:36:20	36	0.0	8.38	0.0
10:16:2023:02:36:25	35	0.0	8.37	0.0
10:16:2023:02:36:30	36	0.0	8.37	0.0
10:16:2023:02:36:35	35	0.0	8.38	0.0
10:16:2023:02:36:40	35	0.0	8.38	0.0
10:16:2023:02:36:45	35	0.0	8.38	0.0
10:16:2023:02:36:50	35	0.0	8.38	0.0
10:16:2023:02:36:56	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:37:01	35	0.0	8.37	0.0
10:16:2023:02:37:06	35	0.0	8.37	0.0
10:16:2023:02:37:11	35	0.0	8.37	0.0
10:16:2023:02:37:16	36	0.0	8.37	0.0
10:16:2023:02:37:21	35	0.0	8.37	0.0
10:16:2023:02:37:26	34	0.0	8.37	0.0
10:16:2023:02:37:31	35	0.0	8.38	0.0
10:16:2023:02:37:36	36	0.0	8.37	0.0
10:16:2023:02:37:41	35	0.0	8.37	0.0
10:16:2023:02:37:46	36	0.0	8.37	0.0
10:16:2023:02:37:51	35	0.0	8.38	0.0
10:16:2023:02:37:56	35	0.0	8.38	0.0
10:16:2023:02:38:01	35	0.0	8.38	0.0
10:16:2023:02:38:07	36	0.0	8.38	0.0
10:16:2023:02:38:12	36	0.0	8.38	0.0
10:16:2023:02:38:17	35	0.0	8.37	0.0
10:16:2023:02:38:22	35	0.0	8.38	0.0
10:16:2023:02:38:27	36	0.0	8.37	0.0
10:16:2023:02:38:32	35	0.0	8.38	0.0
10:16:2023:02:38:37	36	0.0	8.37	0.0
10:16:2023:02:38:42	35	0.0	8.38	0.0
10:16:2023:02:38:47	36	0.0	8.37	0.0
10:16:2023:02:38:52	35	0.0	8.37	0.0
10:16:2023:02:38:57	36	0.0	8.37	0.0
10:16:2023:02:39:02	35	0.0	8.38	0.0
10:16:2023:02:39:07	36	0.0	8.38	0.0
10:16:2023:02:39:12	36	0.0	8.38	0.0
10:16:2023:02:39:17	36	0.0	8.38	0.0
10:16:2023:02:39:23	35	0.0	8.38	0.0
10:16:2023:02:39:28	35	0.0	8.38	0.0
10:16:2023:02:39:33	36	0.0	8.38	0.0
10:16:2023:02:39:38	35	0.0	8.38	0.0
10:16:2023:02:39:43	37	0.0	8.37	0.0
10:16:2023:02:39:48	36	0.0	8.38	0.0
10:16:2023:02:39:53	35	0.0	8.38	0.0
10:16:2023:02:39:58	35	0.0	8.38	0.0
10:16:2023:02:40:03	36	0.0	8.37	0.0
10:16:2023:02:40:08	35	0.0	8.38	0.0
10:16:2023:02:40:13	35	0.0	8.38	0.0
10:16:2023:02:40:18	35	0.0	8.38	0.0
10:16:2023:02:40:23	36	0.0	8.38	0.0
10:16:2023:02:40:28	36	0.0	8.38	0.0
10:16:2023:02:40:34	35	0.0	8.38	0.0
10:16:2023:02:40:39	35	0.0	8.38	0.0
10:16:2023:02:40:44	35	0.0	8.37	0.0
10:16:2023:02:40:49	35	0.0	8.38	0.0
10:16:2023:02:40:54	35	0.0	8.38	0.0
10:16:2023:02:40:59	36	0.0	8.38	0.0
10:16:2023:02:41:04	35	0.0	8.38	0.0
10:16:2023:02:41:09	36	0.0	8.38	0.0
10:16:2023:02:41:14	35	0.0	8.37	0.0
10:16:2023:02:41:19	35	0.0	8.38	0.0
10:16:2023:02:41:24	36	0.0	8.38	0.0
10:16:2023:02:41:29	36	0.0	8.38	0.0
10:16:2023:02:41:34	35	0.0	8.37	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:41:39	35	0.0	8.38	0.0
10:16:2023:02:41:45	35	0.0	8.38	0.0
10:16:2023:02:41:50	36	0.0	8.38	0.0
10:16:2023:02:41:55	36	0.0	8.37	0.0
10:16:2023:02:42:00	35	0.0	8.38	0.0
10:16:2023:02:42:05	36	0.0	8.38	0.0
10:16:2023:02:42:10	35	0.0	8.38	0.0
10:16:2023:02:42:15	35	0.0	8.38	0.0
10:16:2023:02:42:20	35	0.0	8.38	0.0
10:16:2023:02:42:25	36	0.0	8.38	0.0
10:16:2023:02:42:30	35	0.0	8.38	0.0
10:16:2023:02:42:35	36	0.0	8.38	0.0
10:16:2023:02:42:40	35	0.0	8.38	0.0
10:16:2023:02:42:45	35	0.0	8.37	0.0
10:16:2023:02:42:50	35	0.0	8.38	0.0
10:16:2023:02:42:55	35	0.0	8.37	0.0
10:16:2023:02:43:01	35	0.0	8.38	0.0
10:16:2023:02:43:06	35	0.0	8.37	0.0
10:16:2023:02:43:11	35	0.0	8.38	0.0
10:16:2023:02:43:16	36	0.0	8.37	0.0
10:16:2023:02:43:21	36	0.0	8.37	0.0
10:16:2023:02:43:26	35	0.0	8.38	0.0
10:16:2023:02:43:31	35	0.0	8.38	0.0
10:16:2023:02:43:36	35	0.0	8.37	0.0
10:16:2023:02:43:41	35	0.0	8.38	0.0
10:16:2023:02:43:46	36	0.0	8.38	0.0
10:16:2023:02:43:51	35	0.0	8.38	0.0
10:16:2023:02:43:56	35	0.0	8.38	0.0
10:16:2023:02:44:01	35	0.0	8.38	0.0
10:16:2023:02:44:06	37	0.0	8.38	0.0
10:16:2023:02:44:12	36	0.0	8.38	0.0
10:16:2023:02:44:17	35	0.0	8.38	0.0
10:16:2023:02:44:22	35	0.0	8.38	0.0
10:16:2023:02:44:27	37	0.0	8.38	0.0
10:16:2023:02:44:32	36	0.0	8.38	0.0
10:16:2023:02:44:37	35	0.0	8.38	0.0
10:16:2023:02:44:42	35	0.0	8.37	0.0
10:16:2023:02:44:47	36	0.0	8.38	0.0
10:16:2023:02:44:52	36	0.0	8.38	0.0
10:16:2023:02:44:57	35	0.0	8.38	0.0
10:16:2023:02:45:02	36	0.0	8.37	0.0
10:16:2023:02:45:07	36	0.0	8.38	0.0
10:16:2023:02:45:12	36	0.0	8.38	0.0
10:16:2023:02:45:17	36	0.0	8.37	0.0
10:16:2023:02:45:23	36	0.0	8.38	0.0
10:16:2023:02:45:28	36	0.0	8.38	0.0
10:16:2023:02:45:33	36	0.0	8.38	0.0
10:16:2023:02:45:38	35	0.0	8.37	0.0
10:16:2023:02:45:43	35	0.0	8.37	0.0
10:16:2023:02:45:48	35	0.0	8.38	0.0
10:16:2023:02:45:53	35	0.0	8.38	0.0
10:16:2023:02:45:58	36	0.0	8.38	0.0
10:16:2023:02:46:03	35	0.0	8.38	0.0
10:16:2023:02:46:08	35	0.0	8.38	0.0
10:16:2023:02:46:13	37	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:46:18	36	0.0	8.38	0.0
10:16:2023:02:46:23	37	0.0	8.37	0.0
10:16:2023:02:46:28	35	0.0	8.38	0.0
10:16:2023:02:46:34	36	0.0	8.38	0.0
10:16:2023:02:46:39	35	0.0	8.38	0.0
10:16:2023:02:46:44	35	0.0	8.38	0.0
10:16:2023:02:46:49	36	0.0	8.38	0.0
10:16:2023:02:46:54	36	0.0	8.38	0.0
10:16:2023:02:46:59	35	0.0	8.38	0.0
10:16:2023:02:47:04	36	0.0	8.38	0.0
10:16:2023:02:47:09	35	0.0	8.38	0.0
10:16:2023:02:47:14	36	0.0	8.38	0.0
10:16:2023:02:47:19	35	0.0	8.38	0.0
10:16:2023:02:47:24	35	0.0	8.38	0.0
10:16:2023:02:47:29	35	0.0	8.38	0.0
10:16:2023:02:47:34	36	0.0	8.38	0.0
10:16:2023:02:47:39	35	0.0	8.38	0.0
10:16:2023:02:47:44	35	0.0	8.38	0.0
10:16:2023:02:47:50	35	0.0	8.38	0.0
10:16:2023:02:47:55	37	0.0	8.38	0.0
10:16:2023:02:48:00	37	0.0	8.38	0.0
10:16:2023:02:48:05	37	0.0	8.38	0.0
10:16:2023:02:48:10	36	0.0	8.38	0.0
10:16:2023:02:48:15	36	0.0	8.38	0.0
10:16:2023:02:48:20	36	0.0	8.37	0.0
10:16:2023:02:48:25	35	0.0	8.38	0.0
10:16:2023:02:48:30	35	0.0	8.38	0.0
10:16:2023:02:48:35	35	0.0	8.38	0.0
10:16:2023:02:48:40	35	0.0	8.38	0.0
10:16:2023:02:48:45	35	0.0	8.37	0.0
10:16:2023:02:48:50	35	0.0	8.38	0.0
10:16:2023:02:48:55	35	0.0	8.38	0.0
10:16:2023:02:49:01	36	0.0	8.38	0.0
10:16:2023:02:49:06	35	0.0	8.38	0.0
10:16:2023:02:49:11	35	0.0	8.38	0.0
10:16:2023:02:49:16	35	0.0	8.38	0.0
10:16:2023:02:49:21	36	0.0	8.38	0.0
10:16:2023:02:49:26	35	0.0	8.38	0.0
10:16:2023:02:49:31	36	0.0	8.38	0.0
10:16:2023:02:49:36	35	0.0	8.38	0.0
10:16:2023:02:49:41	35	0.0	8.38	0.0
10:16:2023:02:49:46	36	0.0	8.38	0.0
10:16:2023:02:49:51	35	0.0	8.38	0.0
10:16:2023:02:49:56	35	0.0	8.38	0.0
10:16:2023:02:50:01	36	0.0	8.38	0.0
10:16:2023:02:50:06	36	0.0	8.37	0.0
10:16:2023:02:50:12	35	0.0	8.38	0.0
10:16:2023:02:50:17	35	0.0	8.38	0.0
10:16:2023:02:50:22	35	0.0	8.38	0.0
10:16:2023:02:50:27	35	0.0	8.38	0.0
10:16:2023:02:50:32	36	0.0	8.38	0.0
10:16:2023:02:50:37	35	0.0	8.37	0.0
10:16:2023:02:50:42	35	0.0	8.38	0.0
10:16:2023:02:50:47	36	0.0	8.38	0.0
10:16:2023:02:50:52	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:50:57	35	0.0	8.38	0.0
10:16:2023:02:51:02	35	0.0	8.38	0.0
10:16:2023:02:51:07	36	0.0	8.38	0.0
10:16:2023:02:51:12	36	0.0	8.37	0.0
10:16:2023:02:51:17	36	0.0	8.38	0.0
10:16:2023:02:51:22	35	0.0	8.38	0.0
10:16:2023:02:51:28	35	0.0	8.38	0.0
10:16:2023:02:51:33	35	0.0	8.38	0.0
10:16:2023:02:51:38	35	0.0	8.38	0.0
10:16:2023:02:51:43	36	0.0	8.38	0.0
10:16:2023:02:51:48	35	0.0	8.38	0.0
10:16:2023:02:51:53	36	0.0	8.38	0.0
10:16:2023:02:51:58	35	0.0	8.38	0.0
10:16:2023:02:52:03	35	0.0	8.38	0.0
10:16:2023:02:52:08	36	0.0	8.38	0.0
10:16:2023:02:52:13	36	0.0	8.38	0.0
10:16:2023:02:52:18	35	0.0	8.38	0.0
10:16:2023:02:52:23	35	0.0	8.38	0.0
10:16:2023:02:52:28	36	0.0	8.38	0.0
10:16:2023:02:52:33	36	0.0	8.38	0.0
10:16:2023:02:52:39	35	0.0	8.38	0.0
10:16:2023:02:52:44	35	0.0	8.38	0.0
10:16:2023:02:52:49	36	0.0	8.38	0.0
10:16:2023:02:52:54	36	0.0	8.38	0.0
10:16:2023:02:52:59	36	0.0	8.38	0.0
10:16:2023:02:53:04	35	0.0	8.38	0.0
10:16:2023:02:53:09	35	0.0	8.38	0.0
10:16:2023:02:53:14	35	0.0	8.38	0.0
10:16:2023:02:53:19	36	0.0	8.38	0.0
10:16:2023:02:53:24	35	0.0	8.37	0.0
10:16:2023:02:53:29	36	0.0	8.38	0.0
10:16:2023:02:53:34	35	0.0	8.38	0.0
10:16:2023:02:53:39	35	0.0	8.38	0.0
10:16:2023:02:53:44	36	0.0	8.38	0.0
10:16:2023:02:53:50	35	0.0	8.37	0.0
10:16:2023:02:53:55	36	0.0	8.38	0.0
10:16:2023:02:54:00	36	0.0	8.38	0.0
10:16:2023:02:54:05	36	0.0	8.38	0.0
10:16:2023:02:54:10	36	0.0	8.38	0.0
10:16:2023:02:54:15	35	0.0	8.38	0.0
10:16:2023:02:54:20	35	0.0	8.38	0.0
10:16:2023:02:54:25	36	0.0	8.38	0.0
10:16:2023:02:54:30	35	0.0	8.38	0.0
10:16:2023:02:54:35	35	0.0	8.38	0.0
10:16:2023:02:54:40	35	0.0	8.37	0.0
10:16:2023:02:54:45	35	0.0	8.38	0.0
10:16:2023:02:54:50	36	0.0	8.38	0.0
10:16:2023:02:54:55	36	0.0	8.38	0.0
10:16:2023:02:55:01	36	0.0	8.38	0.0
10:16:2023:02:55:06	35	0.0	8.38	0.0
10:16:2023:02:55:11	35	0.0	8.38	0.0
10:16:2023:02:55:16	35	0.0	8.38	0.0
10:16:2023:02:55:21	35	0.0	8.38	0.0
10:16:2023:02:55:26	36	0.0	8.38	0.0
10:16:2023:02:55:31	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:02:55:36	35	0.0	8.38	0.0
10:16:2023:02:55:41	35	0.0	8.38	0.0
10:16:2023:02:55:46	35	0.0	8.38	0.0
10:16:2023:02:55:51	35	0.0	8.38	0.0
10:16:2023:02:55:56	35	0.0	8.38	0.0
10:16:2023:02:56:01	36	0.0	8.38	0.0
10:16:2023:02:56:06	36	0.0	8.38	0.0
10:16:2023:02:56:11	36	0.0	8.38	0.0
10:16:2023:02:56:17	36	0.0	8.38	0.0
10:16:2023:02:56:22	35	0.0	8.38	0.0
10:16:2023:02:56:27	35	0.0	8.38	0.0
10:16:2023:02:56:32	36	0.0	8.37	0.0
10:16:2023:02:56:37	36	0.0	8.38	0.0
10:16:2023:02:56:42	36	0.0	8.38	0.0
10:16:2023:02:56:47	36	0.0	8.38	0.0
10:16:2023:02:56:52	36	0.0	8.38	0.0
10:16:2023:02:56:57	35	0.0	8.38	0.0
10:16:2023:02:57:02	35	0.0	8.38	0.0
10:16:2023:02:57:07	35	0.0	8.38	0.0
10:16:2023:02:57:12	36	0.0	8.38	0.0
10:16:2023:02:57:17	35	0.0	8.38	0.0
10:16:2023:02:57:22	35	0.0	8.37	0.0
10:16:2023:02:57:28	35	0.0	8.38	0.0
10:16:2023:02:57:33	35	0.0	8.38	0.0
10:16:2023:02:57:38	35	0.0	8.38	0.0
10:16:2023:02:57:43	36	0.0	8.38	0.0
10:16:2023:02:57:48	36	0.0	8.38	0.0
10:16:2023:02:57:53	36	0.0	8.38	0.0
10:16:2023:02:57:58	36	0.0	8.38	0.0
10:16:2023:02:58:03	35	0.0	8.37	0.0
10:16:2023:02:58:08	36	0.0	8.38	0.0
10:16:2023:02:58:13	35	0.0	8.38	0.0
10:16:2023:02:58:18	35	0.0	8.38	0.0
10:16:2023:02:58:23	36	0.0	8.38	0.0
10:16:2023:02:58:28	36	0.0	8.38	0.0
10:16:2023:02:58:33	36	0.0	8.38	0.0
10:16:2023:02:58:39	35	0.0	8.38	0.0
10:16:2023:02:58:44	35	0.0	8.38	0.0
10:16:2023:02:58:49	35	0.0	8.38	0.0
10:16:2023:02:58:54	35	0.0	8.38	0.0
10:16:2023:02:58:59	35	0.0	8.38	0.0
10:16:2023:02:59:04	35	0.0	8.38	0.0
10:16:2023:02:59:09	35	0.0	8.37	0.0
10:16:2023:02:59:14	36	0.0	8.38	0.0
10:16:2023:02:59:19	36	0.0	8.38	0.0
10:16:2023:02:59:24	36	0.0	8.37	0.0
10:16:2023:02:59:29	35	0.0	8.38	0.0
10:16:2023:02:59:34	35	0.0	8.38	0.0
10:16:2023:02:59:39	35	0.0	8.38	0.0
10:16:2023:02:59:44	35	0.0	8.38	0.0
10:16:2023:02:59:49	35	0.0	8.37	0.0
10:16:2023:02:59:55	35	0.0	8.38	0.0
10:16:2023:03:00:00	36	0.0	8.38	0.0
10:16:2023:03:00:05	35	0.0	8.38	0.0
10:16:2023:03:00:10	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:00:15	35	0.0	8.38	0.0
10:16:2023:03:00:20	36	0.0	8.38	0.0
10:16:2023:03:00:25	35	0.0	8.38	0.0
10:16:2023:03:00:30	36	0.0	8.38	0.0
10:16:2023:03:00:35	35	0.0	8.38	0.0
10:16:2023:03:00:40	35	0.0	8.38	0.0
10:16:2023:03:00:45	35	0.0	8.38	0.0
10:16:2023:03:00:50	35	0.0	8.38	0.0
10:16:2023:03:00:55	35	0.0	8.38	0.0
10:16:2023:03:01:00	35	0.0	8.38	0.0
10:16:2023:03:01:06	36	0.0	8.38	0.0
10:16:2023:03:01:11	36	0.0	8.38	0.0
10:16:2023:03:01:16	35	0.0	8.38	0.0
10:16:2023:03:01:21	35	0.0	8.37	0.0
10:16:2023:03:01:26	35	0.0	8.38	0.0
10:16:2023:03:01:31	36	0.0	8.37	0.0
10:16:2023:03:01:36	35	0.0	8.37	0.0
10:16:2023:03:01:41	35	0.0	8.38	0.0
10:16:2023:03:01:46	35	0.0	8.38	0.0
10:16:2023:03:01:51	35	0.0	8.38	0.0
10:16:2023:03:01:56	35	0.0	8.38	0.0
10:16:2023:03:02:01	35	0.0	8.38	0.0
10:16:2023:03:02:06	35	0.0	8.37	0.0
10:16:2023:03:02:11	35	0.0	8.38	0.0
10:16:2023:03:02:17	35	0.0	8.37	0.0
10:16:2023:03:02:22	35	0.0	8.38	0.0
10:16:2023:03:02:27	35	0.0	8.38	0.0
10:16:2023:03:02:32	35	0.0	8.37	0.0
10:16:2023:03:02:37	35	0.0	8.38	0.0
10:16:2023:03:02:42	35	0.0	8.38	0.0
10:16:2023:03:02:47	35	0.0	8.38	0.0
10:16:2023:03:02:52	35	0.0	8.38	0.0
10:16:2023:03:02:57	36	0.0	8.38	0.0
10:16:2023:03:03:02	35	0.0	8.38	0.0
10:16:2023:03:03:07	35	0.0	8.38	0.0
10:16:2023:03:03:12	34	0.0	8.38	0.0
10:16:2023:03:03:17	36	0.0	8.38	0.0
10:16:2023:03:03:22	36	0.0	8.38	0.0
10:16:2023:03:03:28	35	0.0	8.38	0.0
10:16:2023:03:03:33	35	0.0	8.38	0.0
10:16:2023:03:03:38	35	0.0	8.38	0.0
10:16:2023:03:03:43	35	0.0	8.38	0.0
10:16:2023:03:03:48	35	0.0	8.38	0.0
10:16:2023:03:03:53	35	0.0	8.38	0.0
10:16:2023:03:03:58	35	0.0	8.38	0.0
10:16:2023:03:04:03	35	0.0	8.38	0.0
10:16:2023:03:04:08	35	0.0	8.38	0.0
10:16:2023:03:04:13	35	0.0	8.38	0.0
10:16:2023:03:04:18	35	0.0	8.38	0.0
10:16:2023:03:04:23	35	0.0	8.38	0.0
10:16:2023:03:04:28	36	0.0	8.38	0.0
10:16:2023:03:04:33	36	0.0	8.38	0.0
10:16:2023:03:04:38	35	0.0	8.38	0.0
10:16:2023:03:04:44	34	0.0	8.38	0.0
10:16:2023:03:04:49	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:04:54	35	0.0	8.38	0.0
10:16:2023:03:04:59	36	0.0	8.38	0.0
10:16:2023:03:05:04	35	0.0	8.38	0.0
10:16:2023:03:05:09	35	0.0	8.38	0.0
10:16:2023:03:05:14	36	0.0	8.38	0.0
10:16:2023:03:05:19	36	0.0	8.38	0.0
10:16:2023:03:05:24	36	0.0	8.38	0.0
10:16:2023:03:05:29	35	0.0	8.38	0.0
10:16:2023:03:05:34	36	0.0	8.38	0.0
10:16:2023:03:05:39	35	0.0	8.37	0.0
10:16:2023:03:05:44	35	0.0	8.38	0.0
10:16:2023:03:05:49	35	0.0	8.38	0.0
10:16:2023:03:05:55	35	0.0	8.38	0.0
10:16:2023:03:06:00	35	0.0	8.38	0.0
10:16:2023:03:06:05	35	0.0	8.38	0.0
10:16:2023:03:06:10	35	0.0	8.38	0.0
10:16:2023:03:06:15	35	0.0	8.38	0.0
10:16:2023:03:06:20	34	0.0	8.38	0.0
10:16:2023:03:06:25	35	0.0	8.38	0.0
10:16:2023:03:06:30	35	0.0	8.38	0.0
10:16:2023:03:06:35	35	0.0	8.38	0.0
10:16:2023:03:06:40	35	0.0	8.38	0.0
10:16:2023:03:06:45	35	0.0	8.38	0.0
10:16:2023:03:06:50	35	0.0	8.38	0.0
10:16:2023:03:06:55	35	0.0	8.38	0.0
10:16:2023:03:07:00	35	0.0	8.38	0.0
10:16:2023:03:07:06	35	0.0	8.38	0.0
10:16:2023:03:07:11	35	0.0	8.38	0.0
10:16:2023:03:07:16	35	0.0	8.38	0.0
10:16:2023:03:07:21	35	0.0	8.38	0.0
10:16:2023:03:07:26	35	0.0	8.38	0.0
10:16:2023:03:07:31	35	0.0	8.38	0.0
10:16:2023:03:07:36	35	0.0	8.38	0.0
10:16:2023:03:07:41	35	0.0	8.38	0.0
10:16:2023:03:07:46	35	0.0	8.38	0.0
10:16:2023:03:07:51	35	0.0	8.38	0.0
10:16:2023:03:07:56	35	0.0	8.38	0.0
10:16:2023:03:08:01	35	0.0	8.38	0.0
10:16:2023:03:08:06	35	0.0	8.38	0.0
10:16:2023:03:08:11	35	0.0	8.38	0.0
10:16:2023:03:08:16	36	0.0	8.38	0.0
10:16:2023:03:08:22	35	0.0	8.38	0.0
10:16:2023:03:08:27	35	0.0	8.38	0.0
10:16:2023:03:08:32	35	0.0	8.38	0.0
10:16:2023:03:08:37	35	0.0	8.38	0.0
10:16:2023:03:08:42	36	0.0	8.38	0.0
10:16:2023:03:08:47	35	0.0	8.38	0.0
10:16:2023:03:08:52	35	0.0	8.38	0.0
10:16:2023:03:08:57	35	0.0	8.38	0.0
10:16:2023:03:09:02	35	0.0	8.38	0.0
10:16:2023:03:09:07	34	0.0	8.38	0.0
10:16:2023:03:09:12	35	0.0	8.38	0.0
10:16:2023:03:09:17	35	0.0	8.38	0.0
10:16:2023:03:09:22	35	0.0	8.38	0.0
10:16:2023:03:09:27	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:09:33	36	0.0	8.38	0.0
10:16:2023:03:09:38	35	0.0	8.38	0.0
10:16:2023:03:09:43	36	0.0	8.38	0.0
10:16:2023:03:09:48	35	0.0	8.38	0.0
10:16:2023:03:09:53	35	0.0	8.38	0.0
10:16:2023:03:09:58	35	0.0	8.38	0.0
10:16:2023:03:10:03	35	0.0	8.38	0.0
10:16:2023:03:10:08	35	0.0	8.38	0.0
10:16:2023:03:10:13	35	0.0	8.38	0.0
10:16:2023:03:10:18	35	0.0	8.38	0.0
10:16:2023:03:10:23	35	0.0	8.38	0.0
10:16:2023:03:10:28	35	0.0	8.38	0.0
10:16:2023:03:10:33	36	0.0	8.38	0.0
10:16:2023:03:10:38	35	0.0	8.38	0.0
10:16:2023:03:10:44	36	0.0	8.38	0.0
10:16:2023:03:10:49	35	0.0	8.38	0.0
10:16:2023:03:10:54	35	0.0	8.38	0.0
10:16:2023:03:10:59	35	0.0	8.38	0.0
10:16:2023:03:11:04	35	0.0	8.38	0.0
10:16:2023:03:11:09	34	0.0	8.38	0.0
10:16:2023:03:11:14	35	0.0	8.38	0.0
10:16:2023:03:11:19	35	0.0	8.38	0.0
10:16:2023:03:11:24	35	0.0	8.38	0.0
10:16:2023:03:11:29	35	0.0	8.38	0.0
10:16:2023:03:11:34	35	0.0	8.38	0.0
10:16:2023:03:11:39	36	0.0	8.38	0.0
10:16:2023:03:11:44	36	0.0	8.38	0.0
10:16:2023:03:11:49	36	0.0	8.38	0.0
10:16:2023:03:11:55	35	0.0	8.38	0.0
10:16:2023:03:12:00	35	0.0	8.38	0.0
10:16:2023:03:12:05	35	0.0	8.37	0.0
10:16:2023:03:12:10	35	0.0	8.38	0.0
10:16:2023:03:12:15	35	0.0	8.38	0.0
10:16:2023:03:12:20	35	0.0	8.38	0.0
10:16:2023:03:12:25	34	0.0	8.38	0.0
10:16:2023:03:12:30	35	0.0	8.38	0.0
10:16:2023:03:12:35	35	0.0	8.38	0.0
10:16:2023:03:12:40	35	0.0	8.38	0.0
10:16:2023:03:12:45	35	0.0	8.38	0.0
10:16:2023:03:12:50	35	0.0	8.38	0.0
10:16:2023:03:12:55	35	0.0	8.38	0.0
10:16:2023:03:13:00	36	0.0	8.38	0.0
10:16:2023:03:13:05	35	0.0	8.38	0.0
10:16:2023:03:13:11	36	0.0	8.38	0.0
10:16:2023:03:13:16	35	0.0	8.38	0.0
10:16:2023:03:13:21	35	0.0	8.38	0.0
10:16:2023:03:13:26	35	0.0	8.38	0.0
10:16:2023:03:13:31	35	0.0	8.38	0.0
10:16:2023:03:13:36	35	0.0	8.38	0.0
10:16:2023:03:13:41	36	0.0	8.38	0.0
10:16:2023:03:13:46	35	0.0	8.38	0.0
10:16:2023:03:13:51	36	0.0	8.38	0.0
10:16:2023:03:13:56	35	0.0	8.38	0.0
10:16:2023:03:14:01	36	0.0	8.38	0.0
10:16:2023:03:14:06	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:14:11	35	0.0	8.38	0.0
10:16:2023:03:14:16	35	0.0	8.38	0.0
10:16:2023:03:14:22	35	0.0	8.38	0.0
10:16:2023:03:14:27	36	0.0	8.38	0.0
10:16:2023:03:14:32	36	0.0	8.38	0.0
10:16:2023:03:14:37	36	0.0	8.38	0.0
10:16:2023:03:14:42	35	0.0	8.38	0.0
10:16:2023:03:14:47	36	0.0	8.38	0.0
10:16:2023:03:14:52	36	0.0	8.38	0.0
10:16:2023:03:14:57	35	0.0	8.38	0.0
10:16:2023:03:15:02	35	0.0	8.38	0.0
10:16:2023:03:15:07	35	0.0	8.38	0.0
10:16:2023:03:15:12	35	0.0	8.38	0.0
10:16:2023:03:15:17	35	0.0	8.38	0.0
10:16:2023:03:15:22	35	0.0	8.38	0.0
10:16:2023:03:15:27	36	0.0	8.38	0.0
10:16:2023:03:15:33	35	0.0	8.38	0.0
10:16:2023:03:15:38	35	0.0	8.38	0.0
10:16:2023:03:15:43	35	0.0	8.38	0.0
10:16:2023:03:15:48	35	0.0	8.38	0.0
10:16:2023:03:15:53	35	0.0	8.38	0.0
10:16:2023:03:15:58	35	0.0	8.38	0.0
10:16:2023:03:16:03	35	0.0	8.38	0.0
10:16:2023:03:16:08	36	0.0	8.37	0.0
10:16:2023:03:16:13	35	0.0	8.38	0.0
10:16:2023:03:16:18	35	0.0	8.38	0.0
10:16:2023:03:16:23	35	0.0	8.38	0.0
10:16:2023:03:16:28	35	0.0	8.38	0.0
10:16:2023:03:16:33	35	0.0	8.38	0.0
10:16:2023:03:16:38	35	0.0	8.38	0.0
10:16:2023:03:16:43	35	0.0	8.38	0.0
10:16:2023:03:16:49	36	0.0	8.38	0.0
10:16:2023:03:16:54	35	0.0	8.38	0.0
10:16:2023:03:16:59	34	0.0	8.38	0.0
10:16:2023:03:17:04	35	0.0	8.38	0.0
10:16:2023:03:17:09	35	0.0	8.38	0.0
10:16:2023:03:17:14	35	0.0	8.38	0.0
10:16:2023:03:17:19	35	0.0	8.38	0.0
10:16:2023:03:17:24	35	0.0	8.38	0.0
10:16:2023:03:17:29	36	0.0	8.38	0.0
10:16:2023:03:17:34	36	0.0	8.38	0.0
10:16:2023:03:17:39	35	0.0	8.38	0.0
10:16:2023:03:17:44	35	0.0	8.38	0.0
10:16:2023:03:17:49	35	0.0	8.38	0.0
10:16:2023:03:17:54	36	0.0	8.38	0.0
10:16:2023:03:18:00	35	0.0	8.38	0.0
10:16:2023:03:18:05	35	0.0	8.38	0.0
10:16:2023:03:18:10	35	0.0	8.38	0.0
10:16:2023:03:18:15	36	0.0	8.38	0.0
10:16:2023:03:18:20	36	0.0	8.38	0.0
10:16:2023:03:18:25	35	0.0	8.38	0.0
10:16:2023:03:18:30	35	0.0	8.38	0.0
10:16:2023:03:18:35	35	0.0	8.38	0.0
10:16:2023:03:18:40	36	0.0	8.38	0.0
10:16:2023:03:18:45	36	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:18:50	36	0.0	8.38	0.0
10:16:2023:03:18:55	35	0.0	8.38	0.0
10:16:2023:03:19:00	35	0.0	8.38	0.0
10:16:2023:03:19:05	35	0.0	8.38	0.0
10:16:2023:03:19:11	35	0.0	8.38	0.0
10:16:2023:03:19:16	35	0.0	8.38	0.0
10:16:2023:03:19:21	35	0.0	8.38	0.0
10:16:2023:03:19:26	36	0.0	8.38	0.0
10:16:2023:03:19:31	36	0.0	8.38	0.0
10:16:2023:03:19:36	35	0.0	8.38	0.0
10:16:2023:03:19:41	36	0.0	8.38	0.0
10:16:2023:03:19:46	35	0.0	8.38	0.0
10:16:2023:03:19:51	35	0.0	8.38	0.0
10:16:2023:03:19:56	35	0.0	8.38	0.0
10:16:2023:03:20:01	35	0.0	8.38	0.0
10:16:2023:03:20:06	35	0.0	8.38	0.0
10:16:2023:03:20:11	35	0.0	8.38	0.0
10:16:2023:03:20:16	35	0.0	8.38	0.0
10:16:2023:03:20:22	35	0.0	8.38	0.0
10:16:2023:03:20:27	35	0.0	8.38	0.0
10:16:2023:03:20:32	35	0.0	8.38	0.0
10:16:2023:03:20:37	36	0.0	8.38	0.0
10:16:2023:03:20:42	35	0.0	8.38	0.0
10:16:2023:03:20:47	35	0.0	8.38	0.0
10:16:2023:03:20:52	36	0.0	8.38	0.0
10:16:2023:03:20:57	36	0.0	8.38	0.0
10:16:2023:03:21:02	35	0.0	8.38	0.0
10:16:2023:03:21:07	35	0.0	8.38	0.0
10:16:2023:03:21:12	36	0.0	8.38	0.0
10:16:2023:03:21:17	36	0.0	8.38	0.0
10:16:2023:03:21:22	36	0.0	8.38	0.0
10:16:2023:03:21:27	36	0.0	8.38	0.0
10:16:2023:03:21:32	35	0.0	8.38	0.0
10:16:2023:03:21:38	35	0.0	8.38	0.0
10:16:2023:03:21:43	35	0.0	8.38	0.0
10:16:2023:03:21:48	35	0.0	8.38	0.0
10:16:2023:03:21:53	35	0.0	8.38	0.0
10:16:2023:03:21:58	35	0.0	8.38	0.0
10:16:2023:03:22:03	36	0.0	8.38	0.0
10:16:2023:03:22:08	35	0.0	8.38	0.0
10:16:2023:03:22:13	35	0.0	8.38	0.0
10:16:2023:03:22:18	36	0.0	8.38	0.0
10:16:2023:03:22:23	35	0.0	8.38	0.0
10:16:2023:03:22:28	35	0.0	8.38	0.0
10:16:2023:03:22:33	35	0.0	8.38	0.0
10:16:2023:03:22:38	36	0.0	8.38	0.0
10:16:2023:03:22:43	36	0.0	8.38	0.0
10:16:2023:03:22:49	35	0.0	8.38	0.0
10:16:2023:03:22:54	36	0.0	8.38	0.0
10:16:2023:03:22:59	36	0.0	8.38	0.0
10:16:2023:03:23:04	35	0.0	8.38	0.0
10:16:2023:03:23:09	36	0.0	8.38	0.0
10:16:2023:03:23:14	35	0.0	8.38	0.0
10:16:2023:03:23:19	36	0.0	8.38	0.0
10:16:2023:03:23:24	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:23:29	35	0.0	8.38	0.0
10:16:2023:03:23:34	35	0.0	8.38	0.0
10:16:2023:03:23:39	35	0.0	8.38	0.0
10:16:2023:03:23:44	35	0.0	8.38	0.0
10:16:2023:03:23:49	35	0.0	8.38	0.0
10:16:2023:03:23:54	35	0.0	8.38	0.0
10:16:2023:03:24:00	35	0.0	8.38	0.0
10:16:2023:03:24:05	35	0.0	8.38	0.0
10:16:2023:03:24:10	36	0.0	8.38	0.0
10:16:2023:03:24:15	35	0.0	8.38	0.0
10:16:2023:03:24:20	35	0.0	8.38	0.0
10:16:2023:03:24:25	36	0.0	8.38	0.0
10:16:2023:03:24:30	35	0.0	8.38	0.0
10:16:2023:03:24:35	35	0.0	8.38	0.0
10:16:2023:03:24:40	36	0.0	8.38	0.0
10:16:2023:03:24:45	35	0.0	8.38	0.0
10:16:2023:03:24:50	35	0.0	8.38	0.0
10:16:2023:03:24:55	35	0.0	8.38	0.0
10:16:2023:03:25:00	35	0.0	8.38	0.0
10:16:2023:03:25:05	35	0.0	8.38	0.0
10:16:2023:03:25:10	35	0.0	8.38	0.0
10:16:2023:03:25:16	36	0.0	8.38	0.0
10:16:2023:03:25:21	35	0.0	8.38	0.0
10:16:2023:03:25:26	35	0.0	8.38	0.0
10:16:2023:03:25:31	35	0.0	8.38	0.0
10:16:2023:03:25:36	36	0.0	8.38	0.0
10:16:2023:03:25:41	35	0.0	8.38	0.0
10:16:2023:03:25:46	36	0.0	8.38	0.0
10:16:2023:03:25:51	35	0.0	8.38	0.0
10:16:2023:03:25:56	36	0.0	8.38	0.0
10:16:2023:03:26:01	35	0.0	8.38	0.0
10:16:2023:03:26:06	35	0.0	8.38	0.0
10:16:2023:03:26:11	35	0.0	8.38	0.0
10:16:2023:03:26:16	35	0.0	8.38	0.0
10:16:2023:03:26:21	35	0.0	8.38	0.0
10:16:2023:03:26:27	35	0.0	8.38	0.0
10:16:2023:03:26:32	34	0.0	8.38	0.0
10:16:2023:03:26:37	35	0.0	8.38	0.0
10:16:2023:03:26:42	35	0.0	8.38	0.0
10:16:2023:03:26:47	35	0.0	8.38	0.0
10:16:2023:03:26:52	35	0.0	8.38	0.0
10:16:2023:03:26:57	36	0.0	8.38	0.0
10:16:2023:03:27:02	36	0.0	8.38	0.0
10:16:2023:03:27:07	35	0.0	8.38	0.0
10:16:2023:03:27:12	36	0.0	8.38	0.0
10:16:2023:03:27:17	35	0.0	8.38	0.0
10:16:2023:03:27:22	36	0.0	8.38	0.0
10:16:2023:03:27:27	36	0.0	8.38	0.0
10:16:2023:03:27:32	35	0.0	8.38	0.0
10:16:2023:03:27:38	35	0.0	8.38	0.0
10:16:2023:03:27:43	35	0.0	8.38	0.0
10:16:2023:03:27:48	35	0.0	8.38	0.0
10:16:2023:03:27:53	35	0.0	8.38	0.0
10:16:2023:03:27:58	35	0.0	8.38	0.0
10:16:2023:03:28:03	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:28:08	34	0.0	8.38	0.0
10:16:2023:03:28:13	35	0.0	8.38	0.0
10:16:2023:03:28:18	35	0.0	8.38	0.0
10:16:2023:03:28:23	36	0.0	8.38	0.0
10:16:2023:03:28:28	35	0.0	8.38	0.0
10:16:2023:03:28:33	36	0.0	8.38	0.0
10:16:2023:03:28:38	36	0.0	8.38	0.0
10:16:2023:03:28:43	35	0.0	8.38	0.0
10:16:2023:03:28:49	35	0.0	8.38	0.0
10:16:2023:03:28:54	35	0.0	8.38	0.0
10:16:2023:03:28:59	35	0.0	8.38	0.0
10:16:2023:03:29:04	35	0.0	8.38	0.0
10:16:2023:03:29:09	35	0.0	8.38	0.0
10:16:2023:03:29:14	35	0.0	8.38	0.0
10:16:2023:03:29:19	35	0.0	8.38	0.0
10:16:2023:03:29:24	35	0.0	8.38	0.0
10:16:2023:03:29:29	36	0.0	8.38	0.0
10:16:2023:03:29:34	36	0.0	8.38	0.0
10:16:2023:03:29:39	35	0.0	8.38	0.0
10:16:2023:03:29:44	36	0.0	8.38	0.0
10:16:2023:03:29:49	35	0.0	8.38	0.0
10:16:2023:03:29:54	36	0.0	8.38	0.0
10:16:2023:03:29:59	35	0.0	8.38	0.0
10:16:2023:03:30:05	35	0.0	8.38	0.0
10:16:2023:03:30:10	35	0.0	8.38	0.0
10:16:2023:03:30:15	36	0.0	8.38	0.0
10:16:2023:03:30:20	36	0.0	8.38	0.0
10:16:2023:03:30:25	36	0.0	8.38	0.0
10:16:2023:03:30:30	36	0.0	8.38	0.0
10:16:2023:03:30:35	36	0.0	8.38	0.0
10:16:2023:03:30:40	35	0.0	8.38	0.0
10:16:2023:03:30:45	35	0.0	8.38	0.0
10:16:2023:03:30:50	35	0.0	8.38	0.0
10:16:2023:03:30:55	35	0.0	8.38	0.0
10:16:2023:03:31:00	35	0.0	8.38	0.0
10:16:2023:03:31:05	36	0.0	8.38	0.0
10:16:2023:03:31:10	35	0.0	8.38	0.0
10:16:2023:03:31:16	35	0.0	8.38	0.0
10:16:2023:03:31:21	36	0.0	8.38	0.0
10:16:2023:03:31:26	35	0.0	8.38	0.0
10:16:2023:03:31:31	35	0.0	8.38	0.0
10:16:2023:03:31:36	35	0.0	8.38	0.0
10:16:2023:03:31:41	35	0.0	8.38	0.0
10:16:2023:03:31:46	36	0.0	8.38	0.0
10:16:2023:03:31:51	35	0.0	8.38	0.0
10:16:2023:03:31:56	35	0.0	8.38	0.0
10:16:2023:03:32:01	35	0.0	8.38	0.0
10:16:2023:03:32:06	35	0.0	8.38	0.0
10:16:2023:03:32:11	34	0.0	8.38	0.0
10:16:2023:03:32:16	36	0.0	8.38	0.0
10:16:2023:03:32:21	35	0.0	8.38	0.0
10:16:2023:03:32:27	35	0.0	8.38	0.0
10:16:2023:03:32:32	35	0.0	8.38	0.0
10:16:2023:03:32:37	35	0.0	8.38	0.0
10:16:2023:03:32:42	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:32:47	35	0.0	8.38	0.0
10:16:2023:03:32:52	35	0.0	8.38	0.0
10:16:2023:03:32:57	35	0.0	8.38	0.0
10:16:2023:03:33:02	35	0.0	8.38	0.0
10:16:2023:03:33:07	35	0.0	8.38	0.0
10:16:2023:03:33:12	35	0.0	8.38	0.0
10:16:2023:03:33:17	36	0.0	8.38	0.0
10:16:2023:03:33:22	36	0.0	8.38	0.0
10:16:2023:03:33:27	35	0.0	8.38	0.0
10:16:2023:03:33:32	35	0.0	8.38	0.0
10:16:2023:03:33:37	35	0.0	8.38	0.0
10:16:2023:03:33:43	36	0.0	8.38	0.0
10:16:2023:03:33:48	35	0.0	8.38	0.0
10:16:2023:03:33:53	35	0.0	8.38	0.0
10:16:2023:03:33:58	35	0.0	8.38	0.0
10:16:2023:03:34:03	36	0.0	8.38	0.0
10:16:2023:03:34:08	36	0.0	8.38	0.0
10:16:2023:03:34:13	35	0.0	8.38	0.0
10:16:2023:03:34:18	36	0.0	8.38	0.0
10:16:2023:03:34:23	35	0.0	8.38	0.0
10:16:2023:03:34:28	35	0.0	8.38	0.0
10:16:2023:03:34:33	35	0.0	8.38	0.0
10:16:2023:03:34:38	35	0.0	8.38	0.0
10:16:2023:03:34:43	35	0.0	8.38	0.0
10:16:2023:03:34:48	35	0.0	8.38	0.0
10:16:2023:03:34:54	35	0.0	8.38	0.0
10:16:2023:03:34:59	36	0.0	8.38	0.0
10:16:2023:03:35:04	35	0.0	8.38	0.0
10:16:2023:03:35:09	35	0.0	8.38	0.0
10:16:2023:03:35:14	35	0.0	8.38	0.0
10:16:2023:03:35:19	36	0.0	8.38	0.0
10:16:2023:03:35:24	35	0.0	8.38	0.0
10:16:2023:03:35:29	36	0.0	8.38	0.0
10:16:2023:03:35:34	35	0.0	8.38	0.0
10:16:2023:03:35:39	35	0.0	8.38	0.0
10:16:2023:03:35:44	35	0.0	8.38	0.0
10:16:2023:03:35:49	35	0.0	8.38	0.0
10:16:2023:03:35:54	35	0.0	8.38	0.0
10:16:2023:03:35:59	35	0.0	8.38	0.0
10:16:2023:03:36:05	36	0.0	8.38	0.0
10:16:2023:03:36:10	36	0.0	8.38	0.0
10:16:2023:03:36:15	35	0.0	8.38	0.0
10:16:2023:03:36:20	35	0.0	8.38	0.0
10:16:2023:03:36:25	35	0.0	8.38	0.0
10:16:2023:03:36:30	35	0.0	8.38	0.0
10:16:2023:03:36:35	35	0.0	8.38	0.0
10:16:2023:03:36:40	35	0.0	8.38	0.0
10:16:2023:03:36:45	35	0.0	8.38	0.0
10:16:2023:03:36:50	35	0.0	8.38	0.0
10:16:2023:03:36:55	35	0.0	8.38	0.0
10:16:2023:03:37:00	35	0.0	8.38	0.0
10:16:2023:03:37:05	35	0.0	8.38	0.0
10:16:2023:03:37:10	35	0.0	8.38	0.0
10:16:2023:03:37:16	35	0.0	8.38	0.0
10:16:2023:03:37:21	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:37:26	36	0.0	8.38	0.0
10:16:2023:03:37:31	35	0.0	8.38	0.0
10:16:2023:03:37:36	35	0.0	8.38	0.0
10:16:2023:03:37:41	35	0.0	8.38	0.0
10:16:2023:03:37:46	35	0.0	8.38	0.0
10:16:2023:03:37:51	35	0.0	8.38	0.0
10:16:2023:03:37:56	35	0.0	8.38	0.0
10:16:2023:03:38:01	35	0.0	8.38	0.0
10:16:2023:03:38:06	35	0.0	8.38	0.0
10:16:2023:03:38:11	35	0.0	8.38	0.0
10:16:2023:03:38:16	35	0.0	8.38	0.0
10:16:2023:03:38:21	36	0.0	8.38	0.0
10:16:2023:03:38:26	35	0.0	8.38	0.0
10:16:2023:03:38:32	36	0.0	8.38	0.0
10:16:2023:03:38:37	35	0.0	8.38	0.0
10:16:2023:03:38:42	35	0.0	8.38	0.0
10:16:2023:03:38:47	35	0.0	8.38	0.0
10:16:2023:03:38:52	36	0.0	8.38	0.0
10:16:2023:03:38:57	35	0.0	8.38	0.0
10:16:2023:03:39:02	35	0.0	8.38	0.0
10:16:2023:03:39:07	35	0.0	8.38	0.0
10:16:2023:03:39:12	35	0.0	8.38	0.0
10:16:2023:03:39:17	35	0.0	8.38	0.0
10:16:2023:03:39:22	35	0.0	8.38	0.0
10:16:2023:03:39:27	35	0.0	8.38	0.0
10:16:2023:03:39:32	36	0.0	8.38	0.0
10:16:2023:03:39:37	35	0.0	8.38	0.0
10:16:2023:03:39:43	35	0.0	8.38	0.0
10:16:2023:03:39:48	35	0.0	8.38	0.0
10:16:2023:03:39:53	35	0.0	8.38	0.0
10:16:2023:03:39:58	35	0.0	8.38	0.0
10:16:2023:03:40:03	36	0.0	8.38	0.0
10:16:2023:03:40:08	36	0.0	8.38	0.0
10:16:2023:03:40:13	36	0.0	8.38	0.0
10:16:2023:03:40:18	35	0.0	8.38	0.0
10:16:2023:03:40:23	36	0.0	8.38	0.0
10:16:2023:03:40:28	36	0.0	8.38	0.0
10:16:2023:03:40:33	35	0.0	8.38	0.0
10:16:2023:03:40:38	35	0.0	8.38	0.0
10:16:2023:03:40:43	35	0.0	8.38	0.0
10:16:2023:03:40:48	35	0.0	8.38	0.0
10:16:2023:03:40:54	35	0.0	8.38	0.0
10:16:2023:03:40:59	35	0.0	8.38	0.0
10:16:2023:03:41:04	36	0.0	8.38	0.0
10:16:2023:03:41:09	35	0.0	8.38	0.0
10:16:2023:03:41:14	36	0.0	8.38	0.0
10:16:2023:03:41:19	35	0.0	8.38	0.0
10:16:2023:03:41:24	35	0.0	8.38	0.0
10:16:2023:03:41:29	35	0.0	8.38	0.0
10:16:2023:03:41:34	35	0.0	8.38	0.0
10:16:2023:03:41:39	34	0.0	8.38	0.0
10:16:2023:03:41:44	35	0.0	8.38	0.0
10:16:2023:03:41:49	35	0.0	8.38	0.0
10:16:2023:03:41:54	35	0.0	8.38	0.0
10:16:2023:03:41:59	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:42:04	35	0.0	8.38	0.0
10:16:2023:03:42:10	35	0.0	8.38	0.0
10:16:2023:03:42:15	35	0.0	8.38	0.0
10:16:2023:03:42:20	35	0.0	8.38	0.0
10:16:2023:03:42:25	35	0.0	8.38	0.0
10:16:2023:03:42:30	35	0.0	8.38	0.0
10:16:2023:03:42:35	35	0.0	8.38	0.0
10:16:2023:03:42:40	35	0.0	8.38	0.0
10:16:2023:03:42:45	36	0.0	8.38	0.0
10:16:2023:03:42:50	35	0.0	8.38	0.0
10:16:2023:03:42:55	35	0.0	8.38	0.0
10:16:2023:03:43:00	35	0.0	8.38	0.0
10:16:2023:03:43:05	35	0.0	8.38	0.0
10:16:2023:03:43:10	35	0.0	8.38	0.0
10:16:2023:03:43:15	34	0.0	8.38	0.0
10:16:2023:03:43:21	35	0.0	8.38	0.0
10:16:2023:03:43:26	36	0.0	8.38	0.0
10:16:2023:03:43:31	35	0.0	8.38	0.0
10:16:2023:03:43:36	35	0.0	8.38	0.0
10:16:2023:03:43:41	35	0.0	8.38	0.0
10:16:2023:03:43:46	36	0.0	8.38	0.0
10:16:2023:03:43:51	35	0.0	8.38	0.0
10:16:2023:03:43:56	35	0.0	8.38	0.0
10:16:2023:03:44:01	35	0.0	8.38	0.0
10:16:2023:03:44:06	35	0.0	8.38	0.0
10:16:2023:03:44:11	35	0.0	8.38	0.0
10:16:2023:03:44:16	35	0.0	8.38	0.0
10:16:2023:03:44:21	35	0.0	8.38	0.0
10:16:2023:03:44:26	34	0.0	8.38	0.0
10:16:2023:03:44:32	35	0.0	8.38	0.0
10:16:2023:03:44:37	35	0.0	8.38	0.0
10:16:2023:03:44:42	35	0.0	8.38	0.0
10:16:2023:03:44:47	35	0.0	8.38	0.0
10:16:2023:03:44:52	35	0.0	8.38	0.0
10:16:2023:03:44:57	36	0.0	8.38	0.0
10:16:2023:03:45:02	35	0.0	8.38	0.0
10:16:2023:03:45:07	35	0.0	8.38	0.0
10:16:2023:03:45:12	35	0.0	8.38	0.0
10:16:2023:03:45:17	35	0.0	8.38	0.0
10:16:2023:03:45:22	35	0.0	8.38	0.0
10:16:2023:03:45:27	35	0.0	8.38	0.0
10:16:2023:03:45:32	35	0.0	8.38	0.0
10:16:2023:03:45:37	35	0.0	8.38	0.0
10:16:2023:03:45:43	35	0.0	8.38	0.0
10:16:2023:03:45:48	35	0.0	8.38	0.0
10:16:2023:03:45:53	35	0.0	8.38	0.0
10:16:2023:03:45:58	35	0.0	8.38	0.0
10:16:2023:03:46:03	35	0.0	8.38	0.0
10:16:2023:03:46:08	35	0.0	8.38	0.0
10:16:2023:03:46:13	35	0.0	8.38	0.0
10:16:2023:03:46:18	36	0.0	8.38	0.0
10:16:2023:03:46:23	35	0.0	8.38	0.0
10:16:2023:03:46:28	35	0.0	8.38	0.0
10:16:2023:03:46:33	35	0.0	8.38	0.0
10:16:2023:03:46:38	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:46:43	35	0.0	8.38	0.0
10:16:2023:03:46:48	35	0.0	8.38	0.0
10:16:2023:03:46:53	36	0.0	8.38	0.0
10:16:2023:03:46:59	35	0.0	8.38	0.0
10:16:2023:03:47:04	35	0.0	8.38	0.0
10:16:2023:03:47:09	35	0.0	8.38	0.0
10:16:2023:03:47:14	35	0.0	8.38	0.0
10:16:2023:03:47:19	35	0.0	8.38	0.0
10:16:2023:03:47:24	35	0.0	8.38	0.0
10:16:2023:03:47:29	36	0.0	8.38	0.0
10:16:2023:03:47:34	35	0.0	8.38	0.0
10:16:2023:03:47:39	35	0.0	8.38	0.0
10:16:2023:03:47:44	35	0.0	8.38	0.0
10:16:2023:03:47:49	35	0.0	8.38	0.0
10:16:2023:03:47:54	35	0.0	8.38	0.0
10:16:2023:03:47:59	37	0.0	8.38	0.0
10:16:2023:03:48:04	35	0.0	8.38	0.0
10:16:2023:03:48:10	35	0.0	8.38	0.0
10:16:2023:03:48:15	35	0.0	8.38	0.0
10:16:2023:03:48:20	35	0.0	8.38	0.0
10:16:2023:03:48:25	35	0.0	8.38	0.0
10:16:2023:03:48:30	35	0.0	8.38	0.0
10:16:2023:03:48:35	35	0.0	8.38	0.0
10:16:2023:03:48:40	36	0.0	8.38	0.0
10:16:2023:03:48:45	36	0.0	8.38	0.0
10:16:2023:03:48:50	35	0.0	8.38	0.0
10:16:2023:03:48:55	36	0.0	8.38	0.0
10:16:2023:03:49:00	36	0.0	8.38	0.0
10:16:2023:03:49:05	35	0.0	8.38	0.0
10:16:2023:03:49:10	35	0.0	8.38	0.0
10:16:2023:03:49:15	35	0.0	8.38	0.0
10:16:2023:03:49:21	35	0.0	8.38	0.0
10:16:2023:03:49:26	35	0.0	8.38	0.0
10:16:2023:03:49:31	36	0.0	8.38	0.0
10:16:2023:03:49:36	35	0.0	8.38	0.0
10:16:2023:03:49:41	36	0.0	8.38	0.0
10:16:2023:03:49:46	35	0.0	8.38	0.0
10:16:2023:03:49:51	35	0.0	8.38	0.0
10:16:2023:03:49:56	35	0.0	8.38	0.0
10:16:2023:03:50:01	35	0.0	8.38	0.0
10:16:2023:03:50:06	35	0.0	8.38	0.0
10:16:2023:03:50:11	35	0.0	8.38	0.0
10:16:2023:03:50:16	35	0.0	8.38	0.0
10:16:2023:03:50:21	35	0.0	8.38	0.0
10:16:2023:03:50:26	35	0.0	8.38	0.0
10:16:2023:03:50:31	36	0.0	8.38	0.0
10:16:2023:03:50:37	35	0.0	8.38	0.0
10:16:2023:03:50:42	35	0.0	8.38	0.0
10:16:2023:03:50:47	35	0.0	8.38	0.0
10:16:2023:03:50:52	35	0.0	8.38	0.0
10:16:2023:03:50:57	35	0.0	8.38	0.0
10:16:2023:03:51:02	35	0.0	8.38	0.0
10:16:2023:03:51:07	35	0.0	8.38	0.0
10:16:2023:03:51:12	35	0.0	8.38	0.0
10:16:2023:03:51:17	34	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:51:22	34	0.0	8.38	0.0
10:16:2023:03:51:27	36	0.0	8.38	0.0
10:16:2023:03:51:32	35	0.0	8.38	0.0
10:16:2023:03:51:37	35	0.0	8.38	0.0
10:16:2023:03:51:42	35	0.0	8.38	0.0
10:16:2023:03:51:48	34	0.0	8.38	0.0
10:16:2023:03:51:53	35	0.0	8.38	0.0
10:16:2023:03:51:58	35	0.0	8.38	0.0
10:16:2023:03:52:03	35	0.0	8.38	0.0
10:16:2023:03:52:08	36	0.0	8.38	0.0
10:16:2023:03:52:13	35	0.0	8.38	0.0
10:16:2023:03:52:18	35	0.0	8.38	0.0
10:16:2023:03:52:23	35	0.0	8.38	0.0
10:16:2023:03:52:28	35	0.0	8.38	0.0
10:16:2023:03:52:33	35	0.0	8.38	0.0
10:16:2023:03:52:38	34	0.0	8.38	0.0
10:16:2023:03:52:43	35	0.0	8.38	0.0
10:16:2023:03:52:48	35	0.0	8.38	0.0
10:16:2023:03:52:53	35	0.0	8.38	0.0
10:16:2023:03:52:59	35	0.0	8.38	0.0
10:16:2023:03:53:04	35	0.0	8.38	0.0
10:16:2023:03:53:09	35	0.0	8.38	0.0
10:16:2023:03:53:14	36	0.0	8.38	0.0
10:16:2023:03:53:19	35	0.0	8.38	0.0
10:16:2023:03:53:24	35	0.0	8.38	0.0
10:16:2023:03:53:29	35	0.0	8.38	0.0
10:16:2023:03:53:34	35	0.0	8.38	0.0
10:16:2023:03:53:39	35	0.0	8.38	0.0
10:16:2023:03:53:44	35	0.0	8.38	0.0
10:16:2023:03:53:49	35	0.0	8.38	0.0
10:16:2023:03:53:54	35	0.0	8.38	0.0
10:16:2023:03:53:59	36	0.0	8.38	0.0
10:16:2023:03:54:04	35	0.0	8.38	0.0
10:16:2023:03:54:10	35	0.0	8.38	0.0
10:16:2023:03:54:15	35	0.0	8.38	0.0
10:16:2023:03:54:20	35	0.0	8.38	0.0
10:16:2023:03:54:25	35	0.0	8.38	0.0
10:16:2023:03:54:30	35	0.0	8.38	0.0
10:16:2023:03:54:35	35	0.0	8.38	0.0
10:16:2023:03:54:40	35	0.0	8.38	0.0
10:16:2023:03:54:45	35	0.0	8.38	0.0
10:16:2023:03:54:50	35	0.0	8.38	0.0
10:16:2023:03:54:55	35	0.0	8.38	0.0
10:16:2023:03:55:00	35	0.0	8.38	0.0
10:16:2023:03:55:05	35	0.0	8.38	0.0
10:16:2023:03:55:10	36	0.0	8.38	0.0
10:16:2023:03:55:15	35	0.0	8.38	0.0
10:16:2023:03:55:20	36	0.0	8.38	0.0
10:16:2023:03:55:26	35	0.0	8.38	0.0
10:16:2023:03:55:31	35	0.0	8.38	0.0
10:16:2023:03:55:36	35	0.0	8.38	0.0
10:16:2023:03:55:41	35	0.0	8.38	0.0
10:16:2023:03:55:46	35	0.0	8.38	0.0
10:16:2023:03:55:51	35	0.0	8.38	0.0
10:16:2023:03:55:56	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:03:56:01	34	0.0	8.38	0.0
10:16:2023:03:56:06	35	0.0	8.38	0.0
10:16:2023:03:56:11	35	0.0	8.38	0.0
10:16:2023:03:56:16	35	0.0	8.38	0.0
10:16:2023:03:56:21	35	0.0	8.38	0.0
10:16:2023:03:56:26	35	0.0	8.38	0.0
10:16:2023:03:56:31	35	0.0	8.38	0.0
10:16:2023:03:56:37	36	0.0	8.38	0.0
10:16:2023:03:56:42	34	0.0	8.38	0.0
10:16:2023:03:56:47	35	0.0	8.38	0.0
10:16:2023:03:56:52	34	0.0	8.38	0.0
10:16:2023:03:56:57	35	0.0	8.38	0.0
10:16:2023:03:57:02	35	0.0	8.38	0.0
10:16:2023:03:57:07	36	0.0	8.38	0.0
10:16:2023:03:57:12	35	0.0	8.38	0.0
10:16:2023:03:57:17	35	0.0	8.38	0.0
10:16:2023:03:57:22	35	0.0	8.38	0.0
10:16:2023:03:57:27	35	0.0	8.38	0.0
10:16:2023:03:57:32	35	0.0	8.38	0.0
10:16:2023:03:57:37	35	0.0	8.38	0.0
10:16:2023:03:57:42	35	0.0	8.38	0.0
10:16:2023:03:57:48	34	0.0	8.38	0.0
10:16:2023:03:57:53	35	0.0	8.38	0.0
10:16:2023:03:57:58	35	0.0	8.38	0.0
10:16:2023:03:58:03	35	0.0	8.38	0.0
10:16:2023:03:58:08	35	0.0	8.38	0.0
10:16:2023:03:58:13	35	0.0	8.38	0.0
10:16:2023:03:58:18	36	0.0	8.38	0.2
10:16:2023:03:58:23	37	0.0	8.31	0.1
10:16:2023:03:58:28	37	0.0	8.35	0.0
10:16:2023:03:58:33	37	0.0	8.39	0.0
10:16:2023:03:58:38	37	0.0	8.38	0.0
10:16:2023:03:58:43	36	0.0	8.38	0.0
10:16:2023:03:58:48	36	0.0	8.38	0.0
10:16:2023:03:58:53	36	0.0	8.33	0.0
10:16:2023:03:58:58	36	0.0	8.36	0.0
10:16:2023:03:59:04	37	0.0	8.38	0.0
10:16:2023:03:59:09	36	0.0	8.38	0.0
10:16:2023:03:59:14	37	0.0	8.38	0.0
10:16:2023:03:59:19	37	0.0	8.38	0.0
10:16:2023:03:59:24	40	0.0	8.38	0.0
10:16:2023:03:59:29	42	0.0	8.38	0.0
10:16:2023:03:59:34	41	0.0	8.38	0.0
10:16:2023:03:59:39	41	0.0	8.38	0.0
10:16:2023:03:59:44	40	0.0	8.38	0.0
10:16:2023:03:59:49	40	0.0	8.35	0.0
10:16:2023:03:59:54	40	0.0	8.35	0.0
10:16:2023:03:59:59	40	0.0	8.38	0.0
10:16:2023:04:00:04	39	0.0	8.39	0.0
10:16:2023:04:00:09	39	0.0	8.38	0.0
10:16:2023:04:00:15	40	0.0	8.38	0.0
10:16:2023:04:00:20	41	0.0	8.38	0.0
10:16:2023:04:00:25	40	0.0	8.38	0.0
10:16:2023:04:00:30	39	0.0	8.38	0.0
10:16:2023:04:00:35	39	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:00:40	39	0.0	8.38	0.0
10:16:2023:04:00:45	39	0.0	8.38	0.0
10:16:2023:04:00:50	39	0.0	8.38	0.0
10:16:2023:04:00:55	38	0.0	8.38	0.0
10:16:2023:04:01:00	37	0.0	8.38	0.0
10:16:2023:04:01:05	37	0.0	8.38	0.0
10:16:2023:04:01:10	37	0.0	8.38	0.0
10:16:2023:04:01:15	38	0.0	8.38	0.0
10:16:2023:04:01:20	37	0.0	8.38	0.0
10:16:2023:04:01:26	37	0.0	8.38	0.0
10:16:2023:04:01:31	38	0.0	8.38	0.0
10:16:2023:04:01:36	37	0.0	8.38	0.0
10:16:2023:04:01:41	37	0.0	8.38	0.0
10:16:2023:04:01:46	37	0.0	8.38	0.0
10:16:2023:04:01:51	37	0.0	8.38	0.0
10:16:2023:04:01:56	37	0.0	8.38	0.0
10:16:2023:04:02:01	37	0.0	8.38	0.0
10:16:2023:04:02:06	37	0.0	8.38	0.0
10:16:2023:04:02:11	35	0.0	8.38	0.0
10:16:2023:04:02:16	36	0.0	8.38	0.0
10:16:2023:04:02:21	35	0.0	8.38	0.0
10:16:2023:04:02:26	36	0.0	8.38	0.0
10:16:2023:04:02:31	36	0.0	8.38	0.0
10:16:2023:04:02:37	36	0.0	8.38	0.0
10:16:2023:04:02:42	36	0.0	8.38	0.0
10:16:2023:04:02:47	37	0.0	8.38	0.0
10:16:2023:04:02:52	36	0.0	8.38	0.0
10:16:2023:04:02:57	36	0.0	8.38	0.0
10:16:2023:04:03:02	36	0.0	8.38	0.0
10:16:2023:04:03:07	35	0.0	8.38	0.0
10:16:2023:04:03:12	35	0.0	8.38	0.0
10:16:2023:04:03:17	35	0.0	8.38	0.0
10:16:2023:04:03:22	35	0.0	8.38	0.0
10:16:2023:04:03:27	35	0.0	8.38	0.0
10:16:2023:04:03:32	36	0.0	8.38	0.0
10:16:2023:04:03:37	35	0.0	8.38	0.0
10:16:2023:04:03:42	35	0.0	8.38	0.0
10:16:2023:04:03:47	35	0.0	8.38	0.0
10:16:2023:04:03:53	36	0.0	8.38	0.0
10:16:2023:04:03:58	35	0.0	8.38	0.0
10:16:2023:04:04:03	35	0.0	8.38	0.0
10:16:2023:04:04:08	35	0.0	8.38	0.0
10:16:2023:04:04:13	35	0.0	8.38	0.0
10:16:2023:04:04:18	35	0.0	8.38	0.0
10:16:2023:04:04:23	35	0.0	8.38	0.0
10:16:2023:04:04:28	35	0.0	8.38	0.0
10:16:2023:04:04:33	35	0.0	8.38	0.0
10:16:2023:04:04:38	35	0.0	8.38	0.0
10:16:2023:04:04:43	35	0.0	8.38	0.0
10:16:2023:04:04:48	35	0.0	8.38	0.0
10:16:2023:04:04:53	35	0.0	8.38	0.0
10:16:2023:04:04:58	35	0.0	8.38	0.0
10:16:2023:04:05:04	35	0.0	8.38	0.0
10:16:2023:04:05:09	35	0.0	8.38	0.0
10:16:2023:04:05:14	35	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:05:19	35	0.0	8.38	0.0
10:16:2023:04:05:24	35	0.0	8.38	0.0
10:16:2023:04:05:29	35	0.0	8.38	0.0
10:16:2023:04:05:34	36	0.0	8.38	0.0
10:16:2023:04:05:39	34	0.0	8.38	0.0
10:16:2023:04:05:44	35	0.0	8.38	0.0
10:16:2023:04:05:49	35	0.0	8.38	0.0
10:16:2023:04:05:54	35	0.0	8.38	0.0
10:16:2023:04:05:59	35	0.0	8.38	0.0
10:16:2023:04:06:04	35	0.0	8.38	0.0
10:16:2023:04:06:09	35	0.0	8.38	0.0
10:16:2023:04:06:15	35	0.0	8.38	0.0
10:16:2023:04:06:20	35	0.0	8.38	0.0
10:16:2023:04:06:25	35	0.0	8.38	0.0
10:16:2023:04:06:30	36	0.0	8.38	0.0
10:16:2023:04:06:35	35	0.0	8.38	0.0
10:16:2023:04:06:40	35	0.0	8.38	0.0
10:16:2023:04:06:45	35	0.0	8.38	0.0
10:16:2023:04:06:50	35	0.0	8.38	0.0
10:16:2023:04:06:55	34	0.0	8.38	0.0
10:16:2023:04:07:00	35	0.0	8.38	0.0
10:16:2023:04:07:05	35	0.0	8.38	0.0
10:16:2023:04:07:10	35	0.0	8.38	0.0
10:16:2023:04:07:15	35	0.0	8.38	0.0
10:16:2023:04:07:20	34	0.0	8.38	0.0
10:16:2023:04:07:26	34	0.0	8.38	0.0
10:16:2023:04:07:31	35	0.0	8.38	0.0
10:16:2023:04:07:36	35	0.0	8.38	0.0
10:16:2023:04:07:41	35	0.0	8.38	0.0
10:16:2023:04:07:46	35	0.0	8.38	0.0
10:16:2023:04:07:51	35	0.0	8.38	0.0
10:16:2023:04:07:56	35	0.0	8.38	0.0
10:16:2023:04:08:01	35	0.0	8.38	0.0
10:16:2023:04:08:06	34	0.0	8.38	0.0
10:16:2023:04:08:11	34	0.0	8.38	0.0
10:16:2023:04:08:16	34	0.0	8.38	0.0
10:16:2023:04:08:21	34	0.0	8.38	0.0
10:16:2023:04:08:26	34	0.0	8.38	0.0
10:16:2023:04:08:31	33	0.0	8.38	0.0
10:16:2023:04:08:36	34	0.0	8.38	0.0
10:16:2023:04:08:42	35	0.0	8.38	0.0
10:16:2023:04:08:47	35	0.0	8.38	0.0
10:16:2023:04:08:52	34	0.0	8.38	0.0
10:16:2023:04:08:57	34	0.0	8.38	0.0
10:16:2023:04:09:02	34	0.0	8.38	0.0
10:16:2023:04:09:07	39	0.0	8.38	0.2
10:16:2023:04:09:12	39	0.0	8.38	0.0
10:16:2023:04:09:17	41	0.0	8.38	0.1
10:16:2023:04:09:22	41	0.0	8.38	0.0
10:16:2023:04:09:27	41	0.0	8.38	0.0
10:16:2023:04:09:32	41	0.0	8.38	0.0
10:16:2023:04:09:37	41	0.0	8.38	0.0
10:16:2023:04:09:42	41	0.0	8.38	0.0
10:16:2023:04:09:47	40	0.0	8.38	0.0
10:16:2023:04:09:53	40	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:09:58	42	0.0	8.38	0.0
10:16:2023:04:10:03	43	0.0	8.38	0.0
10:16:2023:04:10:08	43	0.0	8.38	0.0
10:16:2023:04:10:13	43	0.0	8.38	0.0
10:16:2023:04:10:18	42	0.0	8.38	0.0
10:16:2023:04:10:23	43	0.0	8.38	0.0
10:16:2023:04:10:28	43	0.0	8.38	0.0
10:16:2023:04:10:33	42	0.0	8.38	0.0
10:16:2023:04:10:38	42	0.0	8.38	0.0
10:16:2023:04:10:43	41	0.0	8.38	0.0
10:16:2023:04:10:48	41	0.0	8.38	0.0
10:16:2023:04:10:53	41	0.0	8.38	0.0
10:16:2023:04:10:58	41	0.0	8.38	0.0
10:16:2023:04:11:04	42	0.0	8.38	0.0
10:16:2023:04:11:09	41	0.0	8.38	0.0
10:16:2023:04:11:14	41	0.0	8.38	0.0
10:16:2023:04:11:19	41	0.0	8.38	0.0
10:16:2023:04:11:24	41	0.0	8.38	0.0
10:16:2023:04:11:29	41	0.0	8.38	0.0
10:16:2023:04:11:34	41	0.0	8.38	0.0
10:16:2023:04:11:39	40	0.0	8.38	0.0
10:16:2023:04:11:44	40	0.0	8.38	0.0
10:16:2023:04:11:49	40	0.0	8.38	0.0
10:16:2023:04:11:54	39	0.0	8.38	0.0
10:16:2023:04:11:59	39	0.0	8.38	0.0
10:16:2023:04:12:04	39	0.0	8.38	0.0
10:16:2023:04:12:09	39	0.0	8.38	0.0
10:16:2023:04:12:14	39	0.0	8.38	0.0
10:16:2023:04:12:20	39	0.0	8.38	0.0
10:16:2023:04:12:25	38	0.0	8.38	0.0
10:16:2023:04:12:30	38	0.0	8.38	0.0
10:16:2023:04:12:35	38	0.0	8.38	0.0
10:16:2023:04:12:40	38	0.0	8.38	0.0
10:16:2023:04:12:45	39	0.0	8.38	0.0
10:16:2023:04:12:50	38	0.0	8.38	0.0
10:16:2023:04:12:55	38	0.0	8.38	0.0
10:16:2023:04:13:00	39	0.0	8.38	0.0
10:16:2023:04:13:05	38	0.0	8.38	0.0
10:16:2023:04:13:10	38	0.0	8.38	0.0
10:16:2023:04:13:15	38	0.0	8.38	0.0
10:16:2023:04:13:20	37	0.0	8.38	0.0
10:16:2023:04:13:25	38	0.0	8.38	0.0
10:16:2023:04:13:31	38	0.0	8.38	0.0
10:16:2023:04:13:36	37	0.0	8.38	0.0
10:16:2023:04:13:41	37	0.0	8.38	0.0
10:16:2023:04:13:46	38	0.0	8.38	0.0
10:16:2023:04:13:51	37	0.0	8.38	0.0
10:16:2023:04:13:56	38	0.0	8.38	0.0
10:16:2023:04:14:01	37	0.0	8.38	0.0
10:16:2023:04:14:06	37	0.0	8.38	0.0
10:16:2023:04:14:11	37	0.0	8.38	0.0
10:16:2023:04:14:16	37	0.0	8.38	0.0
10:16:2023:04:14:21	37	0.0	8.38	0.0
10:16:2023:04:14:26	37	0.0	8.38	0.0
10:16:2023:04:14:31	36	0.0	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:14:36	37	0.0	8.38	0.0
10:16:2023:04:14:42	37	0.0	8.38	0.0
10:16:2023:04:14:47	37	0.0	8.38	0.0
10:16:2023:04:14:52	37	0.0	8.38	0.1
10:16:2023:04:14:57	39	0.0	8.38	0.1
10:16:2023:04:15:02	41	0.1	8.38	0.1
10:16:2023:04:15:07	42	0.1	8.38	0.1
10:16:2023:04:15:12	45	0.1	8.38	0.1
10:16:2023:04:15:17	47	0.1	8.38	0.1
10:16:2023:04:15:22	51	0.1	8.38	0.1
10:16:2023:04:15:27	55	0.1	8.38	0.1
10:16:2023:04:15:32	61	0.1	8.38	0.1
10:16:2023:04:15:37	67	0.1	8.38	0.1
10:16:2023:04:15:42	70	0.1	8.38	0.0
10:16:2023:04:15:47	70	0.1	8.38	0.0
10:16:2023:04:15:53	71	0.1	8.38	0.0
10:16:2023:04:15:58	71	0.1	8.38	0.0
10:16:2023:04:16:03	71	0.1	8.38	0.0
10:16:2023:04:16:08	71	0.1	8.38	0.0
10:16:2023:04:16:13	71	0.1	8.38	0.0
10:16:2023:04:16:18	71	0.1	8.38	0.0
10:16:2023:04:16:23	70	0.1	8.38	0.0
10:16:2023:04:16:28	71	0.1	8.38	0.1
10:16:2023:04:16:33	71	0.1	8.38	0.0
10:16:2023:04:16:38	71	0.1	8.38	0.0
10:16:2023:04:16:43	71	0.1	8.38	0.0
10:16:2023:04:16:48	70	0.1	8.38	0.0
10:16:2023:04:16:53	72	0.1	8.38	0.0
10:16:2023:04:16:58	71	0.1	8.38	0.0
10:16:2023:04:17:03	71	0.1	8.38	0.0
10:16:2023:04:17:09	71	0.1	8.38	0.0
10:16:2023:04:17:14	71	0.1	8.38	0.0
10:16:2023:04:17:19	70	0.1	8.38	0.0
10:16:2023:04:17:24	71	0.1	8.38	0.0
10:16:2023:04:17:29	70	0.1	8.38	0.0
10:16:2023:04:17:34	71	0.1	8.38	0.0
10:16:2023:04:17:39	70	0.1	8.38	0.0
10:16:2023:04:17:44	71	0.1	8.38	0.0
10:16:2023:04:17:49	70	0.1	8.38	0.0
10:16:2023:04:17:54	71	0.1	8.38	0.0
10:16:2023:04:17:59	70	0.1	8.38	0.0
10:16:2023:04:18:04	71	0.1	8.38	0.0
10:16:2023:04:18:09	70	0.1	8.38	0.0
10:16:2023:04:18:14	71	0.1	8.38	0.0
10:16:2023:04:18:20	70	0.1	8.38	0.0
10:16:2023:04:18:25	71	0.1	8.38	0.0
10:16:2023:04:18:30	70	0.1	8.38	0.0
10:16:2023:04:18:35	71	0.1	8.38	0.0
10:16:2023:04:18:40	70	0.1	8.38	0.0
10:16:2023:04:18:45	70	0.1	8.38	0.0
10:16:2023:04:18:50	70	0.1	8.38	0.0
10:16:2023:04:18:55	70	0.1	8.38	0.0
10:16:2023:04:19:00	71	0.1	8.38	0.0
10:16:2023:04:19:05	71	0.1	8.38	0.0
10:16:2023:04:19:10	71	0.1	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:19:15	71	0.1	8.38	0.0
10:16:2023:04:19:20	70	0.1	8.38	0.0
10:16:2023:04:19:25	70	0.1	8.38	0.0
10:16:2023:04:19:31	70	0.1	8.38	0.0
10:16:2023:04:19:36	70	0.1	8.38	0.0
10:16:2023:04:19:41	71	0.1	8.38	0.0
10:16:2023:04:19:46	70	0.1	8.38	0.0
10:16:2023:04:19:51	70	0.1	8.38	0.0
10:16:2023:04:19:56	71	0.1	8.38	0.0
10:16:2023:04:20:01	71	0.1	8.38	0.0
10:16:2023:04:20:06	71	0.1	8.38	0.0
10:16:2023:04:20:11	71	0.1	8.38	0.0
10:16:2023:04:20:16	71	0.1	8.38	0.0
10:16:2023:04:20:21	71	0.1	8.38	0.0
10:16:2023:04:20:26	70	0.1	8.38	0.0
10:16:2023:04:20:31	70	0.1	8.38	0.0
10:16:2023:04:20:36	71	0.1	8.38	0.0
10:16:2023:04:20:41	70	0.1	8.38	0.0
10:16:2023:04:20:47	70	0.1	8.38	0.0
10:16:2023:04:20:52	70	0.1	8.38	0.0
10:16:2023:04:20:57	70	0.1	8.38	0.0
10:16:2023:04:21:02	70	0.1	8.38	0.0
10:16:2023:04:21:07	70	0.1	8.38	0.0
10:16:2023:04:21:12	70	0.1	8.38	0.0
10:16:2023:04:21:17	70	0.1	8.38	0.0
10:16:2023:04:21:22	70	0.1	8.38	0.0
10:16:2023:04:21:27	70	0.1	8.38	0.0
10:16:2023:04:21:32	70	0.1	8.38	0.0
10:16:2023:04:21:37	70	0.1	8.38	0.0
10:16:2023:04:21:42	71	0.1	8.38	0.0
10:16:2023:04:21:47	70	0.1	8.38	0.0
10:16:2023:04:21:52	70	0.1	8.38	0.0
10:16:2023:04:21:58	70	0.1	8.38	0.0
10:16:2023:04:22:03	70	0.1	8.38	0.0
10:16:2023:04:22:08	71	0.1	8.38	0.0
10:16:2023:04:22:13	71	0.1	8.38	0.0
10:16:2023:04:22:18	70	0.1	8.38	0.0
10:16:2023:04:22:23	71	0.1	8.38	0.0
10:16:2023:04:22:28	71	0.1	8.38	0.0
10:16:2023:04:22:33	70	0.1	8.38	0.0
10:16:2023:04:22:38	71	0.1	8.38	0.0
10:16:2023:04:22:43	70	0.1	8.38	0.0
10:16:2023:04:22:48	70	0.1	8.38	0.0
10:16:2023:04:22:53	70	0.1	8.38	0.0
10:16:2023:04:22:58	70	0.1	8.38	0.0
10:16:2023:04:23:03	70	0.1	8.38	0.0
10:16:2023:04:23:09	70	0.1	8.38	0.0
10:16:2023:04:23:14	71	0.1	8.38	0.0
10:16:2023:04:23:19	71	0.1	8.38	0.0
10:16:2023:04:23:24	70	0.1	8.38	0.0
10:16:2023:04:23:29	70	0.1	8.38	0.0
10:16:2023:04:23:34	71	0.1	8.38	0.0
10:16:2023:04:23:39	71	0.1	8.38	0.0
10:16:2023:04:23:44	70	0.1	8.38	0.0
10:16:2023:04:23:49	70	0.1	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:23:54	71	0.1	8.38	0.0
10:16:2023:04:23:59	71	0.1	8.38	0.0
10:16:2023:04:24:04	70	0.1	8.38	0.0
10:16:2023:04:24:09	71	0.1	8.38	0.0
10:16:2023:04:24:14	70	0.1	8.38	0.0
10:16:2023:04:24:20	71	0.1	8.38	0.0
10:16:2023:04:24:25	71	0.1	8.38	0.0
10:16:2023:04:24:30	70	0.1	8.38	0.0
10:16:2023:04:24:35	70	0.1	8.38	0.0
10:16:2023:04:24:40	70	0.1	8.38	0.0
10:16:2023:04:24:45	71	0.1	8.38	0.0
10:16:2023:04:24:50	70	0.1	8.38	0.0
10:16:2023:04:24:55	70	0.1	8.38	0.0
10:16:2023:04:25:00	RIG Start Pumping Spacer			
10:16:2023:04:25:00	70	0.1	8.38	0.0
10:16:2023:04:25:05	71	0.1	8.38	0.0
10:16:2023:04:25:10	70	0.1	8.38	0.0
10:16:2023:04:25:15	70	0.1	8.38	0.0
10:16:2023:04:25:20	71	0.1	8.38	0.0
10:16:2023:04:25:25	70	0.1	8.38	0.0
10:16:2023:04:25:30	70	0.1	8.38	0.0
10:16:2023:04:25:36	70	0.1	8.38	0.0
10:16:2023:04:25:41	70	0.1	8.38	0.0
10:16:2023:04:25:46	71	0.1	8.38	0.0
10:16:2023:04:25:51	70	0.1	8.38	0.0
10:16:2023:04:25:56	70	0.1	8.38	0.0
10:16:2023:04:26:01	70	0.1	8.38	0.0
10:16:2023:04:26:06	70	0.1	8.38	0.0
10:16:2023:04:26:11	70	0.1	8.38	0.0
10:16:2023:04:26:16	70	0.1	8.38	0.0
10:16:2023:04:26:21	70	0.1	8.38	0.0
10:16:2023:04:26:26	70	0.1	8.38	0.0
10:16:2023:04:26:31	70	0.1	8.38	0.0
10:16:2023:04:26:36	70	0.1	8.38	0.0
10:16:2023:04:26:41	70	0.1	8.38	0.0
10:16:2023:04:26:47	70	0.1	8.38	0.0
10:16:2023:04:26:52	70	0.1	8.38	0.0
10:16:2023:04:26:57	70	0.1	8.38	0.0
10:16:2023:04:27:02	70	0.1	8.38	0.0
10:16:2023:04:27:07	70	0.1	8.38	0.0
10:16:2023:04:27:12	70	0.1	8.38	0.0
10:16:2023:04:27:17	70	0.1	8.38	0.0
10:16:2023:04:27:22	69	0.1	8.38	0.0
10:16:2023:04:27:27	70	0.1	8.38	0.0
10:16:2023:04:27:32	70	0.1	8.38	0.0
10:16:2023:04:27:37	71	0.1	8.38	0.0
10:16:2023:04:27:42	70	0.1	8.38	0.0
10:16:2023:04:27:47	70	0.1	8.38	0.0
10:16:2023:04:27:52	70	0.1	8.38	0.0
10:16:2023:04:27:58	69	0.1	8.38	0.0
10:16:2023:04:28:03	70	0.1	8.38	0.0
10:16:2023:04:28:08	70	0.1	8.38	0.0
10:16:2023:04:28:13	70	0.1	8.38	0.0
10:16:2023:04:28:18	69	0.1	8.38	0.0
10:16:2023:04:28:23	69	0.1	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:28:28	70	0.1	8.38	0.0
10:16:2023:04:28:33	69	0.1	8.38	0.0
10:16:2023:04:28:38	69	0.1	8.38	0.0
10:16:2023:04:28:43	69	0.1	8.38	0.0
10:16:2023:04:28:48	70	0.1	8.38	0.0
10:16:2023:04:28:53	70	0.1	8.38	0.0
10:16:2023:04:28:58	70	0.1	8.38	0.0
10:16:2023:04:29:03	70	0.1	8.38	0.0
10:16:2023:04:29:08	70	0.1	8.38	0.0
10:16:2023:04:29:14	70	0.1	8.38	0.0
10:16:2023:04:29:19	71	0.1	8.38	0.0
10:16:2023:04:29:24	70	0.1	8.38	0.0
10:16:2023:04:29:29	70	0.1	8.38	0.0
10:16:2023:04:29:34	70	0.1	8.38	0.0
10:16:2023:04:29:39	71	0.1	8.38	0.0
10:16:2023:04:29:44	70	0.1	8.38	0.0
10:16:2023:04:29:49	70	0.1	8.38	0.0
10:16:2023:04:29:54	69	0.1	8.38	0.0
10:16:2023:04:29:59	70	0.1	8.38	0.0
10:16:2023:04:30:00	End Batch Mixing EverCRETE Slurry			
10:16:2023:04:30:00	70	0.1	8.38	0.0
10:16:2023:04:30:04	70	0.1	8.38	0.0
10:16:2023:04:30:09	70	0.1	8.38	0.0
10:16:2023:04:30:14	70	0.1	8.38	0.0
10:16:2023:04:30:19	70	0.1	8.38	0.0
10:16:2023:04:30:25	70	0.1	8.38	0.0
10:16:2023:04:30:30	70	0.1	8.38	0.0
10:16:2023:04:30:35	70	0.1	8.38	0.0
10:16:2023:04:30:40	70	0.1	8.38	0.0
10:16:2023:04:30:45	70	0.1	8.38	0.0
10:16:2023:04:30:50	70	0.1	8.38	0.0
10:16:2023:04:30:55	70	0.1	8.38	0.0
10:16:2023:04:31:00	70	0.1	8.38	0.0
10:16:2023:04:31:05	70	0.1	8.38	0.0
10:16:2023:04:31:10	70	0.1	8.38	0.0
10:16:2023:04:31:15	69	0.1	8.38	0.0
10:16:2023:04:31:20	70	0.1	8.38	0.0
10:16:2023:04:31:25	70	0.1	8.38	0.0
10:16:2023:04:31:30	70	0.1	8.38	0.0
10:16:2023:04:31:36	70	0.1	8.38	0.0
10:16:2023:04:31:41	70	0.1	8.38	0.0
10:16:2023:04:31:46	70	0.1	8.38	0.0
10:16:2023:04:31:51	70	0.1	8.38	0.0
10:16:2023:04:31:56	70	0.1	8.38	0.0
10:16:2023:04:32:01	70	0.1	8.38	0.0
10:16:2023:04:32:06	70	0.1	8.38	0.0
10:16:2023:04:32:11	69	0.1	8.38	0.0
10:16:2023:04:32:16	70	0.1	8.38	0.0
10:16:2023:04:32:21	70	0.1	8.38	0.0
10:16:2023:04:32:26	70	0.1	8.38	0.0
10:16:2023:04:32:31	69	0.1	8.38	0.0
10:16:2023:04:32:36	70	0.1	8.38	0.0
10:16:2023:04:32:41	70	0.1	8.38	0.0
10:16:2023:04:32:47	71	0.1	8.38	0.0
10:16:2023:04:32:52	70	0.1	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:32:57	70	0.1	8.38	0.0
10:16:2023:04:33:02	70	0.1	8.38	0.0
10:16:2023:04:33:07	69	0.1	8.38	0.0
10:16:2023:04:33:12	70	0.1	8.38	0.0
10:16:2023:04:33:17	70	0.1	8.38	0.0
10:16:2023:04:33:22	70	0.1	8.38	0.0
10:16:2023:04:33:27	69	0.1	8.38	0.0
10:16:2023:04:33:32	69	0.1	8.38	0.0
10:16:2023:04:33:37	70	0.1	8.38	0.0
10:16:2023:04:33:42	70	0.1	8.38	0.0
10:16:2023:04:33:47	69	0.1	8.38	0.0
10:16:2023:04:33:52	70	0.1	8.38	0.0
10:16:2023:04:33:57	70	0.1	8.38	0.0
10:16:2023:04:34:03	70	0.1	8.38	0.0
10:16:2023:04:34:08	70	0.1	8.38	0.0
10:16:2023:04:34:13	70	0.1	8.38	0.0
10:16:2023:04:34:18	70	0.1	8.38	0.0
10:16:2023:04:34:23	70	0.1	8.38	0.0
10:16:2023:04:34:28	70	0.1	8.38	0.0
10:16:2023:04:34:33	69	0.1	8.38	0.0
10:16:2023:04:34:38	70	0.1	8.38	0.0
10:16:2023:04:34:43	71	0.1	8.38	0.0
10:16:2023:04:34:48	70	0.1	8.38	0.0
10:16:2023:04:34:53	70	0.1	8.38	0.0
10:16:2023:04:34:58	70	0.1	8.38	0.0
10:16:2023:04:35:03	69	0.1	8.38	0.0
10:16:2023:04:35:08	69	0.1	8.38	0.0
10:16:2023:04:35:14	69	0.1	8.38	0.0
10:16:2023:04:35:19	69	0.1	8.38	0.0
10:16:2023:04:35:24	69	0.1	8.38	0.0
10:16:2023:04:35:29	70	0.1	8.38	0.0
10:16:2023:04:35:34	70	0.1	8.38	0.0
10:16:2023:04:35:39	70	0.1	8.38	0.0
10:16:2023:04:35:44	70	0.1	8.38	0.0
10:16:2023:04:35:49	70	0.1	8.38	0.0
10:16:2023:04:35:54	70	0.1	8.38	0.0
10:16:2023:04:35:59	70	0.1	8.38	0.0
10:16:2023:04:36:04	70	0.1	8.38	0.0
10:16:2023:04:36:09	70	0.1	8.38	0.0
10:16:2023:04:36:14	70	0.1	8.38	0.0
10:16:2023:04:36:19	70	0.1	8.38	0.0
10:16:2023:04:36:25	71	0.1	8.38	0.0
10:16:2023:04:36:30	70	0.1	8.38	0.0
10:16:2023:04:36:35	70	0.1	8.38	0.0
10:16:2023:04:36:40	70	0.1	8.38	0.0
10:16:2023:04:36:45	70	0.1	8.38	0.0
10:16:2023:04:36:50	70	0.1	8.38	0.0
10:16:2023:04:36:55	69	0.1	8.38	0.0
10:16:2023:04:37:00	70	0.1	8.38	0.0
10:16:2023:04:37:05	70	0.1	8.38	0.0
10:16:2023:04:37:10	69	0.1	8.38	0.0
10:16:2023:04:37:15	70	0.1	8.38	0.0
10:16:2023:04:37:20	69	0.1	8.38	0.0
10:16:2023:04:37:25	69	0.1	8.38	0.0
10:16:2023:04:37:30	69	0.1	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:37:35	70	0.1	8.38	0.0
10:16:2023:04:37:41	70	0.1	8.38	0.0
10:16:2023:04:37:46	70	0.1	8.38	0.0
10:16:2023:04:37:51	70	0.1	8.38	0.0
10:16:2023:04:37:56	70	0.1	8.38	0.0
10:16:2023:04:38:01	70	0.1	8.38	0.0
10:16:2023:04:38:06	70	0.1	8.38	0.0
10:16:2023:04:38:11	70	0.1	8.38	0.0
10:16:2023:04:38:16	69	0.1	8.38	0.0
10:16:2023:04:38:21	70	0.1	8.38	0.0
10:16:2023:04:38:26	70	0.1	8.38	0.0
10:16:2023:04:38:31	70	0.1	8.38	0.0
10:16:2023:04:38:36	70	0.1	8.38	0.0
10:16:2023:04:38:41	70	0.1	8.38	0.0
10:16:2023:04:38:46	70	0.1	8.38	0.0
10:16:2023:04:38:52	70	0.1	8.38	0.0
10:16:2023:04:38:57	70	0.1	8.38	0.0
10:16:2023:04:39:02	70	0.1	8.38	0.0
10:16:2023:04:39:07	70	0.1	8.38	0.0
10:16:2023:04:39:12	70	0.1	8.38	0.0
10:16:2023:04:39:17	70	0.1	8.38	0.0
10:16:2023:04:39:22	70	0.1	8.38	0.0
10:16:2023:04:39:27	70	0.1	8.38	0.0
10:16:2023:04:39:32	70	0.1	8.38	0.0
10:16:2023:04:39:37	70	0.1	8.38	0.0
10:16:2023:04:39:42	69	0.1	8.38	0.0
10:16:2023:04:39:47	69	0.1	8.38	0.0
10:16:2023:04:39:52	70	0.1	8.38	0.0
10:16:2023:04:39:57	69	0.1	8.38	0.0
10:16:2023:04:40:03	70	0.1	8.38	0.0
10:16:2023:04:40:08	70	0.1	8.38	0.0
10:16:2023:04:40:13	70	0.1	8.38	0.0
10:16:2023:04:40:18	70	0.1	8.38	0.0
10:16:2023:04:40:23	69	0.1	8.38	0.0
10:16:2023:04:40:28	70	0.1	8.38	0.0
10:16:2023:04:40:33	70	0.1	8.38	0.0
10:16:2023:04:40:38	70	0.1	8.38	0.0
10:16:2023:04:40:43	70	0.1	8.38	0.0
10:16:2023:04:40:48	69	0.1	8.38	0.0
10:16:2023:04:40:53	70	0.1	8.38	0.0
10:16:2023:04:40:58	69	0.1	8.38	0.0
10:16:2023:04:41:03	70	0.1	8.38	0.0
10:16:2023:04:41:08	70	0.1	8.38	0.0
10:16:2023:04:41:14	70	0.1	8.38	0.0
10:16:2023:04:41:19	69	0.1	8.38	0.0
10:16:2023:04:41:24	70	0.1	8.38	0.0
10:16:2023:04:41:29	70	0.1	8.38	0.0
10:16:2023:04:41:34	70	0.1	8.38	0.0
10:16:2023:04:41:39	70	0.1	8.38	0.0
10:16:2023:04:41:44	70	0.1	8.38	0.0
10:16:2023:04:41:49	70	0.1	8.38	0.0
10:16:2023:04:41:54	70	0.1	8.38	0.0
10:16:2023:04:41:59	69	0.1	8.38	0.0
10:16:2023:04:42:04	70	0.1	8.38	0.0
10:16:2023:04:42:09	69	0.1	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:42:14	69	0.1	8.38	0.0
10:16:2023:04:42:19	70	0.1	8.38	0.0
10:16:2023:04:42:24	70	0.1	8.38	0.0
10:16:2023:04:42:30	70	0.1	8.38	0.0
10:16:2023:04:42:35	69	0.1	8.38	0.0
10:16:2023:04:42:40	70	0.1	8.38	0.0
10:16:2023:04:42:45	70	0.1	8.38	0.0
10:16:2023:04:42:50	69	0.1	8.38	0.0
10:16:2023:04:42:55	69	0.1	8.38	0.0
10:16:2023:04:43:00	70	0.1	8.38	0.0
10:16:2023:04:43:05	69	0.1	8.38	0.0
10:16:2023:04:43:10	70	0.1	8.38	0.0
10:16:2023:04:43:15	69	0.1	8.38	0.0
10:16:2023:04:43:20	70	0.1	8.38	0.0
10:16:2023:04:43:25	70	0.1	8.38	0.0
10:16:2023:04:43:30	70	0.1	8.38	0.0
10:16:2023:04:43:35	70	0.1	8.38	0.0
10:16:2023:04:43:41	69	0.1	8.38	0.0
10:16:2023:04:43:46	70	0.1	8.38	0.0
10:16:2023:04:43:51	70	0.1	8.38	0.0
10:16:2023:04:43:56	70	0.1	8.38	0.0
10:16:2023:04:44:01	70	0.1	8.38	0.0
10:16:2023:04:44:06	70	0.1	8.38	0.0
10:16:2023:04:44:11	69	0.1	8.38	0.0
10:16:2023:04:44:16	69	0.1	8.38	0.0
10:16:2023:04:44:21	69	0.1	8.38	0.0
10:16:2023:04:44:26	69	0.1	8.38	0.0
10:16:2023:04:44:31	69	0.1	8.38	0.0
10:16:2023:04:44:36	70	0.1	8.38	0.0
10:16:2023:04:44:41	69	0.1	8.38	0.0
10:16:2023:04:44:46	70	0.1	8.38	0.0
10:16:2023:04:44:52	69	0.1	8.38	0.0
10:16:2023:04:44:57	69	0.1	8.38	0.0
10:16:2023:04:45:02	69	0.1	8.38	0.0
10:16:2023:04:45:07	70	0.1	8.38	0.0
10:16:2023:04:45:12	69	0.1	8.38	0.0
10:16:2023:04:45:17	69	0.1	8.38	0.0
10:16:2023:04:45:22	69	0.1	8.38	0.0
10:16:2023:04:45:27	70	0.1	8.38	0.0
10:16:2023:04:45:32	70	0.1	8.38	0.0
10:16:2023:04:45:37	69	0.1	8.38	0.0
10:16:2023:04:45:42	71	0.1	8.38	0.0
10:16:2023:04:45:47	70	0.1	8.38	0.0
10:16:2023:04:45:52	70	0.1	8.38	0.0
10:16:2023:04:45:57	69	0.1	8.38	0.0
10:16:2023:04:46:02	69	0.1	8.38	0.0
10:16:2023:04:46:08	69	0.1	8.38	0.0
10:16:2023:04:46:13	69	0.1	8.38	0.0
10:16:2023:04:46:18	70	0.1	8.38	0.0
10:16:2023:04:46:23	69	0.1	8.38	0.0
10:16:2023:04:46:28	70	0.1	8.38	0.0
10:16:2023:04:46:33	70	0.1	8.38	0.0
10:16:2023:04:46:38	70	0.1	8.38	0.0
10:16:2023:04:46:43	70	0.1	8.38	0.0
10:16:2023:04:46:48	70	0.1	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:46:53	69	0.1	8.38	0.0
10:16:2023:04:46:58	70	0.1	8.38	0.0
10:16:2023:04:47:03	68	0.1	8.38	0.0
10:16:2023:04:47:08	70	0.1	8.38	0.0
10:16:2023:04:47:13	69	0.1	8.38	0.0
10:16:2023:04:47:19	69	0.1	8.38	0.0
10:16:2023:04:47:24	69	0.1	8.38	0.0
10:16:2023:04:47:29	69	0.1	8.38	0.0
10:16:2023:04:47:34	70	0.1	8.38	0.0
10:16:2023:04:47:39	69	0.1	8.38	0.0
10:16:2023:04:47:44	69	0.1	8.38	0.0
10:16:2023:04:47:49	70	0.1	8.38	0.0
10:16:2023:04:47:54	70	0.1	8.38	0.0
10:16:2023:04:47:59	70	0.1	8.38	0.0
10:16:2023:04:48:04	69	0.1	8.38	0.0
10:16:2023:04:48:09	70	0.1	8.38	0.0
10:16:2023:04:48:14	69	0.1	8.38	0.0
10:16:2023:04:48:19	69	0.1	8.38	0.0
10:16:2023:04:48:24	70	0.1	8.38	0.0
10:16:2023:04:48:30	69	0.1	8.38	0.0
10:16:2023:04:48:35	70	0.1	8.38	0.0
10:16:2023:04:48:40	69	0.1	8.38	0.0
10:16:2023:04:48:45	69	0.1	8.38	0.0
10:16:2023:04:48:50	70	0.1	8.38	0.0
10:16:2023:04:48:55	70	0.1	8.38	0.0
10:16:2023:04:49:00	69	0.1	8.38	0.0
10:16:2023:04:49:05	69	0.1	8.38	0.0
10:16:2023:04:49:10	69	0.1	8.38	0.0
10:16:2023:04:49:15	69	0.1	8.38	0.0
10:16:2023:04:49:20	68	0.1	8.38	0.0
10:16:2023:04:49:25	69	0.1	8.38	0.0
10:16:2023:04:49:30	70	0.1	8.38	0.0
10:16:2023:04:49:35	69	0.1	8.38	0.0
10:16:2023:04:49:41	69	0.1	8.38	0.0
10:16:2023:04:49:46	70	0.1	8.38	0.0
10:16:2023:04:49:51	69	0.1	8.38	0.0
10:16:2023:04:49:56	70	0.1	8.38	0.0
10:16:2023:04:50:00	Drop Bottom Plug			
10:16:2023:04:50:00	69	0.1	8.38	0.0
10:16:2023:04:50:01	69	0.1	8.38	0.0
10:16:2023:04:50:06	69	0.1	8.38	0.0
10:16:2023:04:50:11	69	0.1	8.38	0.0
10:16:2023:04:50:16	69	0.1	8.38	0.0
10:16:2023:04:50:21	69	0.1	8.38	0.0
10:16:2023:04:50:26	69	0.1	8.38	0.0
10:16:2023:04:50:31	69	0.1	8.38	0.0
10:16:2023:04:50:36	70	0.1	8.38	0.0
10:16:2023:04:50:41	70	0.1	8.38	0.0
10:16:2023:04:50:46	70	0.1	8.38	0.0
10:16:2023:04:50:51	70	0.1	8.38	0.0
10:16:2023:04:50:57	70	0.1	8.38	0.0
10:16:2023:04:51:02	69	0.1	8.38	0.0
10:16:2023:04:51:07	69	0.1	8.38	0.0
10:16:2023:04:51:12	69	0.1	8.38	0.0
10:16:2023:04:51:17	70	0.1	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:51:22	69	0.1	8.38	0.0
10:16:2023:04:51:27	69	0.1	8.38	0.0
10:16:2023:04:51:32	70	0.1	8.38	0.0
10:16:2023:04:51:37	76	0.1	8.38	0.1
10:16:2023:04:51:42	81	0.2	8.38	0.0
10:16:2023:04:51:47	85	0.2	8.38	0.0
10:16:2023:04:51:52	87	0.2	8.38	0.0
10:16:2023:04:51:57	86	0.2	8.38	0.0
10:16:2023:04:52:02	86	0.2	8.38	0.0
10:16:2023:04:52:08	86	0.2	8.38	0.0
10:16:2023:04:52:13	86	0.2	8.38	0.0
10:16:2023:04:52:18	85	0.2	8.38	0.0
10:16:2023:04:52:23	86	0.2	8.38	0.0
10:16:2023:04:52:28	86	0.2	8.38	0.0
10:16:2023:04:52:33	85	0.2	8.38	0.0
10:16:2023:04:52:38	86	0.2	8.38	0.0
10:16:2023:04:52:43	86	0.2	8.38	0.0
10:16:2023:04:52:48	85	0.2	8.38	0.0
10:16:2023:04:52:53	86	0.2	8.38	0.0
10:16:2023:04:52:58	86	0.2	8.38	0.0
10:16:2023:04:53:03	85	0.2	8.38	0.0
10:16:2023:04:53:08	86	0.2	8.38	0.0
10:16:2023:04:53:13	86	0.2	8.38	0.0
10:16:2023:04:53:19	86	0.2	8.38	0.0
10:16:2023:04:53:24	85	0.2	8.38	0.0
10:16:2023:04:53:29	84	0.2	8.38	0.0
10:16:2023:04:53:34	85	0.2	8.38	0.0
10:16:2023:04:53:39	85	0.2	8.38	0.0
10:16:2023:04:53:44	86	0.2	8.38	0.0
10:16:2023:04:53:49	86	0.2	8.38	0.0
10:16:2023:04:53:54	86	0.2	8.38	0.0
10:16:2023:04:53:59	85	0.2	8.38	0.0
10:16:2023:04:54:04	86	0.2	8.38	0.0
10:16:2023:04:54:09	86	0.2	8.38	0.0
10:16:2023:04:54:14	125	0.2	8.38	0.0
10:16:2023:04:54:19	128	0.2	8.38	0.0
10:16:2023:04:54:24	130	0.2	8.38	0.0
10:16:2023:04:54:29	131	0.2	8.38	0.0
10:16:2023:04:54:35	131	0.2	8.38	0.0
10:16:2023:04:54:40	133	0.2	8.38	0.0
10:16:2023:04:54:45	133	0.2	8.38	0.0
10:16:2023:04:54:50	133	0.2	8.38	0.0
10:16:2023:04:54:55	134	0.2	8.38	0.0
10:16:2023:04:55:00	134	0.2	8.38	0.0
10:16:2023:04:55:05	135	0.2	8.38	0.0
10:16:2023:04:55:10	135	0.2	8.38	0.0
10:16:2023:04:55:15	135	0.2	8.38	0.0
10:16:2023:04:55:20	136	0.2	8.38	0.0
10:16:2023:04:55:25	136	0.2	8.38	0.0
10:16:2023:04:55:30	136	0.2	8.38	0.0
10:16:2023:04:55:35	137	0.2	8.38	0.0
10:16:2023:04:55:40	136	0.2	8.38	0.0
10:16:2023:04:55:46	136	0.2	8.38	0.0
10:16:2023:04:55:51	137	0.2	8.38	0.0
10:16:2023:04:55:56	137	0.2	8.38	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:04:56:01	137	0.2	8.38	0.0
10:16:2023:04:56:06	137	0.2	8.38	0.0
10:16:2023:04:56:11	138	0.2	8.48	0.0
10:16:2023:04:56:16	137	0.2	8.51	0.0
10:16:2023:04:56:21	138	0.2	8.49	0.0
10:16:2023:04:56:26	138	0.2	8.48	0.0
10:16:2023:04:56:31	138	0.2	8.48	0.0
10:16:2023:04:56:36	138	0.2	8.48	0.0
10:16:2023:04:56:41	138	0.2	8.48	0.0
10:16:2023:04:56:46	139	0.2	8.48	0.0
10:16:2023:04:56:51	139	0.2	8.48	0.0
10:16:2023:04:56:57	139	0.2	8.48	0.0
10:16:2023:04:57:02	138	0.2	8.48	0.0
10:16:2023:04:57:07	140	0.2	8.48	0.0
10:16:2023:04:57:12	138	0.2	8.48	0.0
10:16:2023:04:57:17	139	0.2	8.48	0.0
10:16:2023:04:57:22	138	0.2	8.48	0.0
10:16:2023:04:57:27	140	0.2	8.48	0.0
10:16:2023:04:57:32	140	0.2	8.48	0.0
10:16:2023:04:57:37	140	0.2	8.48	0.0
10:16:2023:04:57:42	140	0.2	8.48	0.0
10:16:2023:04:57:47	140	0.2	8.48	0.0
10:16:2023:04:57:52	140	0.2	8.48	0.0
10:16:2023:04:57:57	140	0.2	8.48	0.0
10:16:2023:04:58:02	140	0.2	8.48	0.0
10:16:2023:04:58:08	140	0.2	8.48	0.0
10:16:2023:04:58:13	140	0.2	8.48	0.0
10:16:2023:04:58:18	140	0.2	8.48	0.0
10:16:2023:04:58:23	140	0.2	8.48	0.0
10:16:2023:04:58:28	140	0.2	8.48	0.0
10:16:2023:04:58:33	141	0.2	8.49	0.0
10:16:2023:04:58:38	141	0.2	8.49	0.0
10:16:2023:04:58:43	142	0.2	8.64	0.0
10:16:2023:04:58:48	141	0.2	8.98	0.0
10:16:2023:04:58:53	141	0.2	9.29	0.0
10:16:2023:04:58:58	141	0.2	9.56	0.0
10:16:2023:04:59:03	142	0.2	9.87	0.0
10:16:2023:04:59:08	141	0.2	10.17	0.0
10:16:2023:04:59:13	141	0.2	10.48	0.0
10:16:2023:04:59:18	141	0.2	10.72	0.0
10:16:2023:04:59:24	142	0.2	10.97	0.0
10:16:2023:04:59:29	141	0.2	11.20	0.0
10:16:2023:04:59:34	141	0.2	11.47	0.0
10:16:2023:04:59:39	141	0.2	11.72	0.0
10:16:2023:04:59:44	142	0.2	11.96	0.0
10:16:2023:04:59:49	143	0.2	12.19	0.0
10:16:2023:04:59:54	142	0.2	12.37	0.0
10:16:2023:04:59:59	142	0.2	12.55	0.0
10:16:2023:05:00:00	Start Mixing CemFIT Slurry			
10:16:2023:05:00:00	142	0.2	12.57	0.0
10:16:2023:05:00:04	142	0.2	12.70	0.0
10:16:2023:05:00:09	142	0.2	12.90	0.0
10:16:2023:05:00:14	143	0.2	13.06	0.0
10:16:2023:05:00:19	142	0.2	13.22	0.0
10:16:2023:05:00:24	142	0.2	13.37	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:00:29	142	0.2	13.44	0.0
10:16:2023:05:00:35	142	0.2	13.47	0.0
10:16:2023:05:00:40	143	0.2	13.47	0.0
10:16:2023:05:00:45	143	0.2	13.45	0.0
10:16:2023:05:00:50	143	0.2	13.42	0.0
10:16:2023:05:00:55	143	0.2	13.39	0.0
10:16:2023:05:01:00	144	0.2	13.37	0.1
10:16:2023:05:01:05	142	0.2	13.35	0.2
10:16:2023:05:01:10	143	0.2	13.33	0.1
10:16:2023:05:01:15	144	0.2	13.33	0.0
10:16:2023:05:01:20	143	0.2	13.33	0.1
10:16:2023:05:01:25	143	0.2	13.34	0.0
10:16:2023:05:01:30	143	0.2	13.36	0.0
10:16:2023:05:01:35	144	0.2	13.36	0.0
10:16:2023:05:01:40	143	0.2	13.38	0.0
10:16:2023:05:01:46	144	0.2	13.38	0.0
10:16:2023:05:01:51	145	0.2	13.54	0.3
10:16:2023:05:01:56	144	0.2	13.25	0.4
10:16:2023:05:02:01	144	0.3	12.95	0.4
10:16:2023:05:02:06	144	0.3	12.79	0.3
10:16:2023:05:02:11	144	0.3	12.55	0.3
10:16:2023:05:02:16	145	0.3	12.24	0.3
10:16:2023:05:02:21	144	0.4	13.21	0.3
10:16:2023:05:02:26	144	0.4	12.67	0.3
10:16:2023:05:02:31	145	0.4	13.97	0.3
10:16:2023:05:02:36	145	0.4	14.61	0.3
10:16:2023:05:02:41	144	0.5	14.67	0.3
10:16:2023:05:02:46	144	0.5	14.34	0.3
10:16:2023:05:02:51	144	0.5	14.67	1.0
10:16:2023:05:02:56	144	0.1	14.35	0.9
10:16:2023:05:03:02	144	0.2	14.55	0.9
10:16:2023:05:03:07	145	0.2	14.40	0.9
10:16:2023:05:03:12	146	0.3	14.47	1.8
10:16:2023:05:03:17	145	0.5	14.50	2.5
10:16:2023:05:03:22	145	0.7	14.35	2.5
10:16:2023:05:03:27	363	0.9	12.90	2.5
10:16:2023:05:03:32	349	1.1	12.86	2.5
10:16:2023:05:03:37	425	1.3	12.93	2.4
10:16:2023:05:03:42	465	1.5	12.91	2.5
10:16:2023:05:03:47	334	1.7	13.44	2.5
10:16:2023:05:03:52	657	1.9	13.58	2.5
10:16:2023:05:03:57	585	2.1	13.04	2.4
10:16:2023:05:04:02	353	2.3	13.12	0.8
10:16:2023:05:04:07	320	2.4	13.27	0.8
10:16:2023:05:04:13	215	2.5	13.17	0.7
10:16:2023:05:04:18	584	2.5	13.08	2.1
10:16:2023:05:04:23	233	2.7	13.15	2.3
10:16:2023:05:04:28	435	2.9	13.25	2.3
10:16:2023:05:04:33	201	3.1	13.34	2.3
10:16:2023:05:04:38	496	3.3	13.68	2.2
10:16:2023:05:04:43	596	3.5	14.13	2.3
10:16:2023:05:04:48	180	3.7	14.23	2.3
10:16:2023:05:04:53	556	3.9	14.15	1.6
10:16:2023:05:04:58	199	3.9	14.08	0.0
10:16:2023:05:05:03	188	3.9	14.11	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:05:08	189	3.9	13.85	0.0
10:16:2023:05:05:13	190	3.9	13.97	0.0
10:16:2023:05:05:18	191	3.9	14.16	0.0
10:16:2023:05:05:24	191	3.9	14.24	0.0
10:16:2023:05:05:29	193	3.9	11.99	0.0
10:16:2023:05:05:34	194	3.9	13.19	0.0
10:16:2023:05:05:39	196	3.9	14.08	0.0
10:16:2023:05:05:44	196	3.9	13.91	0.0
10:16:2023:05:05:49	197	3.9	13.94	0.0
10:16:2023:05:05:54	198	3.9	14.15	0.0
10:16:2023:05:05:59	200	3.9	13.51	0.0
10:16:2023:05:06:04	199	3.9	13.07	0.0
10:16:2023:05:06:09	201	3.9	12.97	0.0
10:16:2023:05:06:14	202	3.9	13.78	0.0
10:16:2023:05:06:19	202	3.9	13.87	0.0
10:16:2023:05:06:24	202	3.9	13.57	0.0
10:16:2023:05:06:29	203	3.9	13.20	0.0
10:16:2023:05:06:35	203	3.9	13.32	0.0
10:16:2023:05:06:40	203	3.9	13.01	0.0
10:16:2023:05:06:45	204	3.9	12.88	0.0
10:16:2023:05:06:50	205	3.9	12.89	0.0
10:16:2023:05:06:55	205	3.9	13.14	0.0
10:16:2023:05:07:00	205	3.9	13.43	0.0
10:16:2023:05:07:05	205	3.9	13.62	0.0
10:16:2023:05:07:10	206	3.9	13.58	0.0
10:16:2023:05:07:15	206	3.9	13.22	0.0
10:16:2023:05:07:20	206	3.9	12.91	0.0
10:16:2023:05:07:25	206	3.9	12.52	0.0
10:16:2023:05:07:30	206	3.9	12.73	0.0
10:16:2023:05:07:35	206	3.9	12.22	0.0
10:16:2023:05:07:40	206	3.9	11.41	0.0
10:16:2023:05:07:45	207	3.9	9.14	0.0
10:16:2023:05:07:51	207	3.9	10.47	0.0
10:16:2023:05:07:56	207	3.9	11.20	0.0
10:16:2023:05:08:01	207	3.9	11.48	0.0
10:16:2023:05:08:06	207	3.9	11.15	0.0
10:16:2023:05:08:11	207	3.9	11.36	0.0
10:16:2023:05:08:16	208	3.9	11.30	0.0
10:16:2023:05:08:21	208	3.9	11.24	0.0
10:16:2023:05:08:26	208	3.9	11.22	0.0
10:16:2023:05:08:31	208	3.9	11.20	0.0
10:16:2023:05:08:36	208	3.9	11.16	0.0
10:16:2023:05:08:41	208	3.9	11.16	0.0
10:16:2023:05:08:46	209	3.9	11.16	0.0
10:16:2023:05:08:51	209	3.9	11.18	0.0
10:16:2023:05:08:56	209	3.9	11.18	0.0
10:16:2023:05:09:02	193	3.9	11.19	1.1
10:16:2023:05:09:07	328	4.1	11.19	2.6
10:16:2023:05:09:12	633	4.3	11.19	2.6
10:16:2023:05:09:17	592	4.5	11.20	2.6
10:16:2023:05:09:22	541	4.7	11.25	2.6
10:16:2023:05:09:27	531	5.0	11.37	2.6
10:16:2023:05:09:32	532	5.2	11.55	2.6
10:16:2023:05:09:37	546	5.4	11.77	2.6
10:16:2023:05:09:42	548	5.6	12.13	2.6

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:09:47	409	5.8	12.42	1.9
10:16:2023:05:09:52	697	6.0	12.65	3.3
10:16:2023:05:09:57	740	6.3	12.75	3.7
10:16:2023:05:10:02	708	6.6	12.86	3.7
10:16:2023:05:10:07	669	6.9	12.98	3.7
10:16:2023:05:10:13	706	7.3	13.10	3.7
10:16:2023:05:10:18	695	7.6	13.21	3.7
10:16:2023:05:10:23	764	7.9	13.31	4.0
10:16:2023:05:10:28	452	8.3	13.40	2.3
10:16:2023:05:10:33	950	8.6	13.46	4.5
10:16:2023:05:10:38	1043	9.0	13.52	5.4
10:16:2023:05:10:43	1051	9.5	13.68	5.4
10:16:2023:05:10:48	984	9.9	13.30	5.4
10:16:2023:05:10:53	1024	10.4	13.62	5.4
10:16:2023:05:10:58	1018	10.8	13.30	5.4
10:16:2023:05:11:03	1045	11.3	13.00	5.4
10:16:2023:05:11:08	1031	11.7	12.42	5.4
10:16:2023:05:11:13	999	12.2	12.79	5.4
10:16:2023:05:11:18	1031	12.6	12.76	5.4
10:16:2023:05:11:23	1036	13.1	12.79	5.4
10:16:2023:05:11:29	1035	13.6	11.64	5.4
10:16:2023:05:11:34	1010	14.1	12.65	5.5
10:16:2023:05:11:39	690	14.5	13.19	4.6
10:16:2023:05:11:44	184	14.8	12.57	1.3
10:16:2023:05:11:49	284	14.9	13.73	1.2
10:16:2023:05:11:54	331	15.0	13.65	1.2
10:16:2023:05:11:59	379	15.1	13.66	1.2
10:16:2023:05:12:04	394	15.2	13.60	1.2
10:16:2023:05:12:09	371	15.3	11.93	1.2
10:16:2023:05:12:14	367	15.4	10.26	1.2
10:16:2023:05:12:19	370	15.5	7.18	1.2
10:16:2023:05:12:24	363	15.6	4.55	1.2
10:16:2023:05:12:29	367	15.7	4.09	1.2
10:16:2023:05:12:34	355	15.8	3.36	1.2
10:16:2023:05:12:40	371	15.9	1.76	1.2
10:16:2023:05:12:45	383	16.0	1.36	1.2
10:16:2023:05:12:50	389	16.1	1.18	1.2
10:16:2023:05:12:55	384	16.2	1.10	1.2
10:16:2023:05:13:00	359	16.3	1.07	1.2
10:16:2023:05:13:05	358	16.4	1.10	1.2
10:16:2023:05:13:10	357	16.5	1.12	1.2
10:16:2023:05:13:15	360	16.6	1.13	1.2
10:16:2023:05:13:20	367	16.7	1.24	1.2
10:16:2023:05:13:25	373	16.8	1.47	1.2
10:16:2023:05:13:30	386	16.9	1.75	1.2
10:16:2023:05:13:35	314	16.9	1.64	0.8
10:16:2023:05:13:40	337	17.0	1.38	0.8
10:16:2023:05:13:45	332	17.1	1.36	0.8
10:16:2023:05:13:51	316	17.2	2.00	0.8
10:16:2023:05:13:56	339	17.2	7.38	0.8
10:16:2023:05:14:01	317	17.3	12.13	0.8
10:16:2023:05:14:06	317	17.3	13.71	0.8
10:16:2023:05:14:11	319	17.4	13.78	0.8
10:16:2023:05:14:16	322	17.5	13.72	0.8
10:16:2023:05:14:21	328	17.5	13.70	0.8

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:14:26	325	17.6	13.69	0.8
10:16:2023:05:14:31	346	17.7	13.65	0.8
10:16:2023:05:14:36	328	17.7	13.47	0.8
10:16:2023:05:14:41	334	17.8	13.63	0.7
10:16:2023:05:14:46	345	17.9	13.72	0.8
10:16:2023:05:14:51	314	17.9	13.66	0.8
10:16:2023:05:14:56	313	18.0	11.54	0.8
10:16:2023:05:15:02	331	18.0	4.92	0.8
10:16:2023:05:15:07	315	18.1	0.92	0.8
10:16:2023:05:15:12	334	18.2	7.91	0.8
10:16:2023:05:15:17	319	18.3	10.05	0.8
10:16:2023:05:15:22	340	18.3	10.13	0.8
10:16:2023:05:15:27	318	18.4	10.07	0.8
10:16:2023:05:15:32	328	18.4	9.99	0.8
10:16:2023:05:15:37	335	18.5	9.75	0.7
10:16:2023:05:15:42	326	18.6	9.65	0.7
10:16:2023:05:15:47	346	18.6	9.38	0.7
10:16:2023:05:15:52	319	18.7	9.48	0.8
10:16:2023:05:15:57	308	18.8	8.57	0.8
10:16:2023:05:16:02	328	18.8	7.88	0.8
10:16:2023:05:16:07	320	18.9	7.49	0.8
10:16:2023:05:16:12	344	19.0	9.22	0.8
10:16:2023:05:16:18	321	19.0	10.84	0.8
10:16:2023:05:16:23	329	19.1	12.38	0.8
10:16:2023:05:16:28	313	19.2	12.65	0.8
10:16:2023:05:16:33	330	19.2	12.56	0.8
10:16:2023:05:16:38	322	19.3	12.67	0.8
10:16:2023:05:16:43	344	19.3	12.61	0.8
10:16:2023:05:16:48	314	19.4	12.54	0.8
10:16:2023:05:16:53	337	19.5	12.60	0.7
10:16:2023:05:16:58	309	19.5	12.63	0.8
10:16:2023:05:17:03	309	19.6	12.63	0.8
10:16:2023:05:17:08	322	19.7	12.53	0.8
10:16:2023:05:17:13	313	19.7	12.66	0.8
10:16:2023:05:17:18	328	19.8	12.55	0.8
10:16:2023:05:17:23	333	19.9	12.67	0.8
10:16:2023:05:17:29	310	19.9	12.82	0.8
10:16:2023:05:17:34	335	20.0	12.98	0.8
10:16:2023:05:17:39	325	20.1	12.98	0.8
10:16:2023:05:17:44	320	20.1	12.98	0.8
10:16:2023:05:17:49	320	20.2	13.07	0.8
10:16:2023:05:17:54	323	20.3	13.05	0.8
10:16:2023:05:17:59	323	20.3	13.04	0.8
10:16:2023:05:18:04	312	20.4	13.07	0.8
10:16:2023:05:18:09	338	20.4	13.03	0.8
10:16:2023:05:18:14	332	20.5	13.06	0.8
10:16:2023:05:18:19	313	20.6	13.05	0.8
10:16:2023:05:18:24	326	20.6	13.04	0.8
10:16:2023:05:18:29	329	20.7	13.01	0.8
10:16:2023:05:18:34	314	20.8	12.88	0.8
10:16:2023:05:18:40	344	20.8	13.03	0.8
10:16:2023:05:18:45	318	20.9	13.06	0.8
10:16:2023:05:18:50	323	21.0	13.03	0.8
10:16:2023:05:18:55	318	21.0	13.00	0.8
10:16:2023:05:19:00	330	21.1	10.92	0.8

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:19:05	302	21.2	9.19	0.8
10:16:2023:05:19:10	320	21.2	9.05	0.8
10:16:2023:05:19:15	316	21.3	9.04	0.8
10:16:2023:05:19:20	304	21.4	9.04	0.8
10:16:2023:05:19:25	308	21.4	9.03	0.8
10:16:2023:05:19:30	309	21.5	9.03	0.8
10:16:2023:05:19:35	327	21.5	9.02	0.8
10:16:2023:05:19:40	314	21.6	9.01	0.8
10:16:2023:05:19:45	318	21.7	9.01	0.8
10:16:2023:05:19:50	318	21.7	9.00	0.7
10:16:2023:05:19:56	319	21.8	8.99	0.8
10:16:2023:05:20:01	333	21.9	8.90	0.8
10:16:2023:05:20:06	299	21.9	8.89	0.8
10:16:2023:05:20:11	326	22.0	8.88	0.8
10:16:2023:05:20:16	326	22.1	9.20	0.8
10:16:2023:05:20:21	306	22.1	11.98	0.8
10:16:2023:05:20:26	319	22.2	12.01	0.8
10:16:2023:05:20:31	294	22.3	11.69	0.8
10:16:2023:05:20:36	314	22.3	11.44	0.8
10:16:2023:05:20:41	305	22.4	11.62	0.8
10:16:2023:05:20:46	309	22.5	11.60	0.8
10:16:2023:05:20:51	322	22.5	11.66	0.8
10:16:2023:05:20:56	314	22.6	11.66	0.8
10:16:2023:05:21:01	320	22.7	11.68	0.8
10:16:2023:05:21:07	307	22.7	11.69	0.8
10:16:2023:05:21:12	323	22.8	11.70	0.8
10:16:2023:05:21:17	302	22.9	11.70	0.8
10:16:2023:05:21:22	316	22.9	11.46	0.8
10:16:2023:05:21:27	324	23.0	11.40	0.8
10:16:2023:05:21:32	298	23.1	11.41	0.8
10:16:2023:05:21:37	307	23.1	11.42	0.8
10:16:2023:05:21:42	302	23.2	11.42	0.8
10:16:2023:05:21:47	331	23.2	11.43	0.8
10:16:2023:05:21:52	310	23.3	11.43	0.8
10:16:2023:05:21:57	310	23.4	11.46	0.8
10:16:2023:05:22:02	328	23.4	11.47	0.8
10:16:2023:05:22:07	304	23.5	11.66	0.8
10:16:2023:05:22:12	300	23.6	11.92	0.8
10:16:2023:05:22:18	309	23.6	12.15	0.8
10:16:2023:05:22:23	292	23.7	12.38	0.8
10:16:2023:05:22:28	310	23.8	12.56	0.8
10:16:2023:05:22:33	306	23.8	12.73	0.8
10:16:2023:05:22:38	298	23.9	12.83	0.8
10:16:2023:05:22:43	305	24.0	12.98	0.8
10:16:2023:05:22:48	327	24.0	13.07	0.8
10:16:2023:05:22:53	334	24.1	13.16	0.8
10:16:2023:05:22:58	312	24.2	13.25	0.8
10:16:2023:05:23:03	312	24.2	13.32	0.8
10:16:2023:05:23:08	329	24.3	13.41	0.8
10:16:2023:05:23:13	292	24.4	13.46	0.8
10:16:2023:05:23:18	306	24.4	13.51	0.8
10:16:2023:05:23:23	309	24.5	13.59	0.8
10:16:2023:05:23:29	342	24.6	13.62	1.0
10:16:2023:05:23:34	543	24.7	13.64	2.4
10:16:2023:05:23:39	540	24.9	13.66	2.5

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:23:44	491	25.2	13.68	2.5
10:16:2023:05:23:49	488	25.4	13.70	2.6
10:16:2023:05:23:54	498	25.6	13.73	2.6
10:16:2023:05:23:59	506	25.8	13.74	2.6
10:16:2023:05:24:04	502	26.0	13.73	2.6
10:16:2023:05:24:09	509	26.2	13.73	2.6
10:16:2023:05:24:14	512	26.4	13.72	2.6
10:16:2023:05:24:19	480	26.7	13.71	2.6
10:16:2023:05:24:24	509	26.9	13.68	2.6
10:16:2023:05:24:29	517	27.1	13.65	2.6
10:16:2023:05:24:34	509	27.3	13.61	2.6
10:16:2023:05:24:39	516	27.5	13.57	2.6
10:16:2023:05:24:45	488	27.8	13.55	2.6
10:16:2023:05:24:50	518	28.0	13.51	2.6
10:16:2023:05:24:55	510	28.2	13.48	2.6
10:16:2023:05:25:00	523	28.4	13.47	2.6
10:16:2023:05:25:05	502	28.6	13.46	2.6
10:16:2023:05:25:10	516	28.8	13.46	2.6
10:16:2023:05:25:15	495	29.1	13.46	2.6
10:16:2023:05:25:20	484	29.3	13.45	2.6
10:16:2023:05:25:25	515	29.5	13.43	2.6
10:16:2023:05:25:30	508	29.7	13.41	2.6
10:16:2023:05:25:35	501	29.9	13.38	2.6
10:16:2023:05:25:40	499	30.1	13.35	2.6
10:16:2023:05:25:45	516	30.4	13.35	2.6
10:16:2023:05:25:50	507	30.6	13.34	2.6
10:16:2023:05:25:56	410	30.8	13.34	2.3
10:16:2023:05:26:01	408	31.0	13.32	2.1
10:16:2023:05:26:06	400	31.2	13.31	2.1
10:16:2023:05:26:11	442	31.4	13.32	2.1
10:16:2023:05:26:16	434	31.5	13.33	2.1
10:16:2023:05:26:21	416	31.7	13.33	2.1
10:16:2023:05:26:26	440	31.9	13.33	2.1
10:16:2023:05:26:31	448	32.1	13.32	2.1
10:16:2023:05:26:36	420	32.2	13.30	2.1
10:16:2023:05:26:41	426	32.4	13.30	2.1
10:16:2023:05:26:46	432	32.6	13.31	2.1
10:16:2023:05:26:51	446	32.8	13.31	2.1
10:16:2023:05:26:56	441	32.9	13.31	2.1
10:16:2023:05:27:01	431	33.1	13.30	2.1
10:16:2023:05:27:07	426	33.3	13.28	2.1
10:16:2023:05:27:12	429	33.5	13.27	2.1
10:16:2023:05:27:17	426	33.7	13.27	2.1
10:16:2023:05:27:22	427	33.8	13.27	2.1
10:16:2023:05:27:27	432	34.0	13.29	2.1
10:16:2023:05:27:32	432	34.2	13.30	2.1
10:16:2023:05:27:37	425	34.4	13.32	2.1
10:16:2023:05:27:42	431	34.5	13.33	2.1
10:16:2023:05:27:47	430	34.7	13.33	2.1
10:16:2023:05:27:52	426	34.9	13.31	2.1
10:16:2023:05:27:57	428	35.1	13.27	2.1
10:16:2023:05:28:02	424	35.2	13.22	2.1
10:16:2023:05:28:07	422	35.4	13.16	2.1
10:16:2023:05:28:12	427	35.6	13.11	2.1
10:16:2023:05:28:17	426	35.8	13.08	2.1

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:28:23	430	36.0	13.07	2.1
10:16:2023:05:28:28	407	36.2	13.05	2.2
10:16:2023:05:28:33	441	36.3	13.05	2.1
10:16:2023:05:28:38	428	36.5	13.04	2.1
10:16:2023:05:28:43	428	36.7	13.05	2.1
10:16:2023:05:28:48	422	36.9	13.12	2.1
10:16:2023:05:28:53	405	37.0	13.23	2.1
10:16:2023:05:28:58	404	37.2	13.33	2.1
10:16:2023:05:29:03	423	37.4	13.41	2.1
10:16:2023:05:29:08	427	37.6	13.47	2.1
10:16:2023:05:29:13	414	37.7	13.53	2.1
10:16:2023:05:29:18	416	37.9	13.59	2.1
10:16:2023:05:29:23	406	38.1	13.62	2.1
10:16:2023:05:29:28	408	38.3	13.65	2.1
10:16:2023:05:29:34	410	38.5	13.67	2.1
10:16:2023:05:29:39	414	38.7	13.68	2.1
10:16:2023:05:29:44	430	38.8	13.70	2.1
10:16:2023:05:29:49	419	39.0	13.70	2.1
10:16:2023:05:29:54	407	39.2	13.69	2.1
10:16:2023:05:29:59	399	39.4	13.69	2.1
10:16:2023:05:30:04	394	39.5	13.69	2.1
10:16:2023:05:30:09	401	39.7	13.69	2.1
10:16:2023:05:30:14	405	39.9	13.69	2.1
10:16:2023:05:30:19	403	40.1	13.69	2.1
10:16:2023:05:30:24	394	40.2	13.68	2.1
10:16:2023:05:30:29	406	40.4	13.67	2.1
10:16:2023:05:30:34	413	40.6	13.66	2.1
10:16:2023:05:30:39	419	40.8	13.65	2.1
10:16:2023:05:30:45	409	41.0	13.64	2.1
10:16:2023:05:30:50	399	41.2	13.64	2.1
10:16:2023:05:30:55	401	41.3	13.63	2.1
10:16:2023:05:31:00	414	41.5	13.62	2.1
10:16:2023:05:31:05	407	41.7	13.61	2.1
10:16:2023:05:31:10	402	41.9	13.61	2.1
10:16:2023:05:31:15	467	42.1	13.60	2.4
10:16:2023:05:31:20	437	42.2	13.59	2.3
10:16:2023:05:31:25	264	42.4	13.59	2.5
10:16:2023:05:31:30	463	42.6	13.58	2.5
10:16:2023:05:31:35	462	42.8	13.57	2.5
10:16:2023:05:31:40	464	43.1	13.57	2.5
10:16:2023:05:31:45	462	43.3	13.56	2.5
10:16:2023:05:31:50	446	43.5	13.56	2.5
10:16:2023:05:31:56	449	43.7	13.55	2.5
10:16:2023:05:32:01	452	43.9	13.54	2.5
10:16:2023:05:32:06	452	44.1	13.53	2.5
10:16:2023:05:32:11	451	44.3	13.52	2.5
10:16:2023:05:32:16	439	44.5	13.51	2.5
10:16:2023:05:32:21	476	44.7	13.50	2.6
10:16:2023:05:32:26	462	45.0	13.50	2.6
10:16:2023:05:32:31	454	45.2	13.49	2.6
10:16:2023:05:32:36	465	45.4	13.49	2.6
10:16:2023:05:32:41	463	45.6	13.48	2.6
10:16:2023:05:32:46	478	45.8	13.47	2.6
10:16:2023:05:32:51	467	46.0	13.47	2.6
10:16:2023:05:32:56	459	46.3	13.47	2.6

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:33:01	446	46.5	13.48	2.6
10:16:2023:05:33:06	443	46.7	13.49	2.6
10:16:2023:05:33:12	449	47.0	13.49	2.6
10:16:2023:05:33:17	452	47.2	13.49	2.6
10:16:2023:05:33:22	444	47.4	13.49	2.6
10:16:2023:05:33:27	454	47.6	13.49	2.6
10:16:2023:05:33:32	445	47.8	13.49	2.6
10:16:2023:05:33:37	442	48.0	13.48	2.6
10:16:2023:05:33:42	453	48.2	13.48	2.6
10:16:2023:05:33:47	469	48.5	13.47	2.6
10:16:2023:05:33:52	465	48.7	13.46	2.6
10:16:2023:05:33:57	446	48.9	13.46	2.6
10:16:2023:05:34:02	434	49.1	13.45	2.6
10:16:2023:05:34:07	446	49.3	13.44	2.6
10:16:2023:05:34:12	450	49.5	13.43	2.6
10:16:2023:05:34:17	463	49.8	13.42	2.6
10:16:2023:05:34:23	458	50.0	13.42	2.6
10:16:2023:05:34:28	447	50.2	13.41	2.6
10:16:2023:05:34:33	422	50.4	13.40	2.6
10:16:2023:05:34:38	374	50.7	13.38	2.3
10:16:2023:05:34:43	377	50.8	13.37	2.3
10:16:2023:05:34:48	395	51.0	13.35	2.3
10:16:2023:05:34:53	379	51.2	13.34	2.3
10:16:2023:05:34:58	377	51.4	13.34	2.3
10:16:2023:05:35:03	389	51.6	13.34	2.3
10:16:2023:05:35:08	391	51.8	13.34	2.3
10:16:2023:05:35:13	381	52.0	13.33	2.3
10:16:2023:05:35:18	388	52.2	13.33	2.3
10:16:2023:05:35:23	372	52.4	13.33	2.3
10:16:2023:05:35:28	390	52.6	13.33	2.3
10:16:2023:05:35:34	396	52.8	13.35	2.3
10:16:2023:05:35:39	375	53.0	13.36	2.3
10:16:2023:05:35:44	375	53.2	13.33	2.3
10:16:2023:05:35:49	386	53.3	13.30	2.3
10:16:2023:05:35:54	379	53.5	13.30	2.3
10:16:2023:05:35:59	370	53.7	13.30	2.3
10:16:2023:05:36:04	375	53.9	13.29	2.3
10:16:2023:05:36:09	392	54.1	13.30	2.3
10:16:2023:05:36:14	388	54.3	13.32	2.3
10:16:2023:05:36:19	364	54.5	13.34	2.3
10:16:2023:05:36:24	373	54.7	13.37	2.3
10:16:2023:05:36:29	393	54.9	13.41	2.3
10:16:2023:05:36:34	375	55.1	13.42	2.3
10:16:2023:05:36:39	368	55.2	13.42	2.3
10:16:2023:05:36:44	378	55.4	13.41	2.3
10:16:2023:05:36:50	366	55.7	13.38	2.3
10:16:2023:05:36:55	379	55.9	13.37	2.3
10:16:2023:05:37:00	371	56.0	13.36	2.3
10:16:2023:05:37:05	360	56.2	13.35	2.3
10:16:2023:05:37:10	372	56.4	13.34	2.3
10:16:2023:05:37:15	387	56.6	13.34	2.3
10:16:2023:05:37:20	376	56.8	13.33	2.3
10:16:2023:05:37:25	361	57.0	13.32	2.3
10:16:2023:05:37:30	367	57.2	13.32	2.3
10:16:2023:05:37:35	409	57.4	13.32	2.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:37:40	380	57.6	13.31	2.4
10:16:2023:05:37:45	391	57.8	13.32	2.4
10:16:2023:05:37:50	377	58.0	13.33	2.4
10:16:2023:05:37:55	391	58.2	13.34	2.4
10:16:2023:05:38:01	379	58.4	13.36	2.4
10:16:2023:05:38:06	385	58.6	13.37	2.4
10:16:2023:05:38:11	392	58.8	13.39	2.4
10:16:2023:05:38:16	399	59.0	13.40	2.4
10:16:2023:05:38:21	374	59.2	13.41	2.4
10:16:2023:05:38:26	384	59.4	13.42	2.4
10:16:2023:05:38:31	390	59.6	13.43	2.4
10:16:2023:05:38:36	386	59.8	13.44	2.4
10:16:2023:05:38:41	383	60.0	13.45	2.4
10:16:2023:05:38:46	381	60.2	13.46	2.4
10:16:2023:05:38:51	396	60.4	13.47	2.4
10:16:2023:05:38:56	382	60.6	13.47	2.4
10:16:2023:05:39:01	411	60.9	13.48	2.5
10:16:2023:05:39:06	395	61.1	13.48	2.5
10:16:2023:05:39:12	390	61.3	13.49	2.5
10:16:2023:05:39:17	394	61.5	13.49	2.5
10:16:2023:05:39:22	407	61.7	13.49	2.6
10:16:2023:05:39:27	453	62.0	13.49	2.7
10:16:2023:05:39:32	443	62.2	13.49	2.8
10:16:2023:05:39:37	426	62.4	13.50	2.8
10:16:2023:05:39:42	431	62.6	13.50	2.8
10:16:2023:05:39:47	434	62.9	13.49	2.8
10:16:2023:05:39:52	425	63.1	13.50	2.8
10:16:2023:05:39:57	437	63.3	13.49	2.8
10:16:2023:05:40:02	434	63.6	13.49	2.8
10:16:2023:05:40:07	438	63.8	13.48	2.8
10:16:2023:05:40:12	422	64.0	13.48	2.8
10:16:2023:05:40:17	424	64.3	13.48	2.8
10:16:2023:05:40:23	439	64.5	13.48	2.8
10:16:2023:05:40:28	424	64.8	13.48	2.8
10:16:2023:05:40:33	397	65.0	13.48	2.5
10:16:2023:05:40:38	623	65.2	13.48	3.4
10:16:2023:05:40:43	564	65.5	13.49	3.4
10:16:2023:05:40:48	564	65.8	13.49	3.4
10:16:2023:05:40:53	515	66.1	13.49	3.4
10:16:2023:05:40:58	558	66.4	13.49	3.5
10:16:2023:05:41:03	552	66.6	13.50	3.4
10:16:2023:05:41:08	538	66.9	13.50	3.4
10:16:2023:05:41:13	542	67.2	13.49	3.5
10:16:2023:05:41:18	554	67.5	13.49	3.5
10:16:2023:05:41:23	528	67.8	13.50	3.4
10:16:2023:05:41:28	531	68.1	13.50	3.4
10:16:2023:05:41:33	531	68.4	13.49	3.5
10:16:2023:05:41:39	534	68.7	13.48	3.5
10:16:2023:05:41:44	523	69.0	13.46	3.4
10:16:2023:05:41:49	526	69.3	13.45	3.4
10:16:2023:05:41:54	527	69.6	13.45	3.4
10:16:2023:05:41:59	543	69.9	13.44	3.5
10:16:2023:05:42:04	529	70.1	13.43	3.5
10:16:2023:05:42:09	526	70.4	13.44	3.4
10:16:2023:05:42:14	528	70.7	13.44	3.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:42:19	528	71.0	13.45	3.4
10:16:2023:05:42:24	519	71.3	13.45	3.5
10:16:2023:05:42:29	514	71.6	13.46	3.4
10:16:2023:05:42:34	513	71.9	13.47	3.4
10:16:2023:05:42:39	534	72.2	13.46	3.4
10:16:2023:05:42:44	528	72.4	13.44	3.4
10:16:2023:05:42:50	531	72.8	13.41	3.4
10:16:2023:05:42:55	529	73.1	13.41	3.5
10:16:2023:05:43:00	517	73.4	13.40	3.4
10:16:2023:05:43:05	431	73.6	13.38	3.1
10:16:2023:05:43:10	437	73.9	13.36	3.1
10:16:2023:05:43:15	442	74.1	13.35	3.1
10:16:2023:05:43:20	435	74.4	13.34	3.1
10:16:2023:05:43:25	422	74.7	13.32	3.1
10:16:2023:05:43:30	427	74.9	13.32	3.1
10:16:2023:05:43:35	426	75.2	13.32	3.1
10:16:2023:05:43:40	452	75.4	13.32	3.1
10:16:2023:05:43:45	435	75.7	13.33	3.1
10:16:2023:05:43:50	428	75.9	13.35	3.1
10:16:2023:05:43:55	444	76.2	13.37	3.1
10:16:2023:05:44:01	424	76.5	13.37	3.1
10:16:2023:05:44:06	433	76.8	13.36	3.1
10:16:2023:05:44:11	428	77.0	13.37	3.1
10:16:2023:05:44:16	449	77.3	13.35	3.1
10:16:2023:05:44:21	417	77.5	13.27	3.1
10:16:2023:05:44:26	424	77.8	13.20	3.1
10:16:2023:05:44:31	401	78.0	13.13	3.1
10:16:2023:05:44:36	411	78.3	13.11	3.1
10:16:2023:05:44:41	223	78.5	13.11	2.2
10:16:2023:05:44:46	226	78.7	13.11	2.1
10:16:2023:05:44:51	259	78.9	13.11	2.2
10:16:2023:05:44:56	233	79.1	13.11	1.8
10:16:2023:05:45:01	223	79.2	13.11	1.8
10:16:2023:05:45:06	145	79.4	13.11	1.3
10:16:2023:05:45:12	138	79.5	13.11	1.3
10:16:2023:05:45:17	150	79.6	13.11	1.3
10:16:2023:05:45:22	167	79.7	13.11	1.2
10:16:2023:05:45:27	172	79.8	13.13	1.2
10:16:2023:05:45:32	160	79.9	13.15	1.3
10:16:2023:05:45:37	157	80.0	13.03	1.3
10:16:2023:05:45:42	157	80.1	12.93	1.3
10:16:2023:05:45:47	156	80.2	12.86	1.3
10:16:2023:05:45:52	162	80.3	12.80	1.3
10:16:2023:05:45:57	155	80.4	12.81	1.2
10:16:2023:05:46:02	157	80.5	12.81	1.2
10:16:2023:05:46:07	116	80.6	12.82	0.9
10:16:2023:05:46:12	108	80.7	12.79	0.9
10:16:2023:05:46:17	114	80.8	12.76	0.9
10:16:2023:05:46:22	140	80.9	12.73	0.9
10:16:2023:05:46:28	140	81.0	12.71	0.9
10:16:2023:05:46:33	131	81.0	12.71	0.9
10:16:2023:05:46:38	121	81.1	12.72	0.9
10:16:2023:05:46:43	74	81.2	12.76	0.4
10:16:2023:05:46:48	61	81.2	12.78	0.4
10:16:2023:05:46:53	60	81.2	12.81	0.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:46:58	59	81.3	12.79	0.4
10:16:2023:05:47:03	60	81.3	12.77	0.4
10:16:2023:05:47:08	61	81.3	12.77	0.4
10:16:2023:05:47:13	62	81.4	12.76	0.4
10:16:2023:05:47:18	63	81.4	12.82	0.4
10:16:2023:05:47:23	62	81.4	12.87	0.4
10:16:2023:05:47:28	62	81.5	12.91	0.4
10:16:2023:05:47:33	64	81.5	12.95	0.4
10:16:2023:05:47:39	65	81.5	12.99	0.4
10:16:2023:05:47:44	66	81.6	13.00	0.4
10:16:2023:05:47:49	68	81.6	12.98	0.4
10:16:2023:05:47:54	68	81.6	12.96	0.4
10:16:2023:05:47:59	67	81.7	12.93	0.4
10:16:2023:05:48:04	67	81.7	12.92	0.4
10:16:2023:05:48:09	69	81.7	12.92	0.4
10:16:2023:05:48:14	67	81.7	12.91	0.4
10:16:2023:05:48:19	66	81.8	12.92	0.4
10:16:2023:05:48:24	63	81.8	12.91	0.4
10:16:2023:05:48:29	64	81.8	12.92	0.4
10:16:2023:05:48:34	64	81.9	12.93	0.4
10:16:2023:05:48:39	63	81.9	12.90	0.4
10:16:2023:05:48:44	64	81.9	12.88	0.4
10:16:2023:05:48:50	64	82.0	12.86	0.4
10:16:2023:05:48:55	65	82.0	12.84	0.4
10:16:2023:05:49:00	65	82.0	12.86	0.4
10:16:2023:05:49:05	65	82.1	12.93	0.4
10:16:2023:05:49:10	69	82.1	12.97	0.4
10:16:2023:05:49:15	69	82.1	13.01	0.4
10:16:2023:05:49:20	67	82.2	13.00	0.4
10:16:2023:05:49:25	66	82.2	13.00	0.4
10:16:2023:05:49:30	65	82.2	12.98	0.4
10:16:2023:05:49:35	66	82.3	12.95	0.4
10:16:2023:05:49:40	68	82.3	12.94	0.4
10:16:2023:05:49:45	66	82.3	12.92	0.4
10:16:2023:05:49:50	114	82.4	12.90	0.9
10:16:2023:05:49:55	144	82.4	12.91	0.9
10:16:2023:05:50:00	142	82.5	12.92	0.9
10:16:2023:05:50:06	126	82.6	12.93	0.9
10:16:2023:05:50:11	120	82.7	12.94	0.9
10:16:2023:05:50:16	122	82.7	12.97	0.9
10:16:2023:05:50:21	128	82.8	13.05	0.9
10:16:2023:05:50:26	128	82.9	13.16	0.9
10:16:2023:05:50:31	125	83.0	13.24	0.9
10:16:2023:05:50:36	115	83.0	13.27	0.9
10:16:2023:05:50:41	115	83.1	13.29	0.9
10:16:2023:05:50:46	117	83.2	13.30	0.9
10:16:2023:05:50:51	120	83.3	13.31	0.9
10:16:2023:05:50:56	116	83.3	13.31	0.9
10:16:2023:05:51:01	113	83.4	13.30	0.9
10:16:2023:05:51:06	170	83.5	13.30	1.4
10:16:2023:05:51:11	221	83.6	13.30	1.5
10:16:2023:05:51:17	186	83.7	13.31	1.5
10:16:2023:05:51:22	180	83.9	13.32	1.5
10:16:2023:05:51:27	165	84.0	13.33	1.5
10:16:2023:05:51:32	223	84.1	13.34	1.7

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:51:37	219	84.3	13.34	1.7
10:16:2023:05:51:42	244	84.4	13.33	1.8
10:16:2023:05:51:47	243	84.6	13.33	2.0
10:16:2023:05:51:52	259	84.7	13.33	2.0
10:16:2023:05:51:57	246	84.9	13.33	2.0
10:16:2023:05:52:02	239	85.1	13.32	2.0
10:16:2023:05:52:07	247	85.2	13.32	2.0
10:16:2023:05:52:12	252	85.4	13.32	2.0
10:16:2023:05:52:17	257	85.6	13.30	2.0
10:16:2023:05:52:22	247	85.7	13.38	2.0
10:16:2023:05:52:28	248	85.9	13.34	2.0
10:16:2023:05:52:33	250	86.1	13.38	2.0
10:16:2023:05:52:38	241	86.3	13.11	2.0
10:16:2023:05:52:43	247	86.4	12.39	2.0
10:16:2023:05:52:48	262	86.6	12.41	2.0
10:16:2023:05:52:53	264	86.8	12.29	2.0
10:16:2023:05:52:58	250	87.0	11.72	2.0
10:16:2023:05:53:03	232	87.1	11.83	2.0
10:16:2023:05:53:08	234	87.3	10.42	2.0
10:16:2023:05:53:13	237	87.5	10.51	2.0
10:16:2023:05:53:18	250	87.6	10.93	2.0
10:16:2023:05:53:23	240	87.8	11.17	2.0
10:16:2023:05:53:28	241	88.0	11.00	2.0
10:16:2023:05:53:33	244	88.1	11.30	2.0
10:16:2023:05:53:39	242	88.3	10.93	2.0
10:16:2023:05:53:44	243	88.5	11.42	2.0
10:16:2023:05:53:49	235	88.7	11.54	2.0
10:16:2023:05:53:54	229	88.8	11.61	2.0
10:16:2023:05:53:59	232	89.0	11.67	2.0
10:16:2023:05:54:04	242	89.2	12.10	2.0
10:16:2023:05:54:09	239	89.3	11.64	2.0
10:16:2023:05:54:14	229	89.5	11.40	2.0
10:16:2023:05:54:19	228	89.7	11.36	2.0
10:16:2023:05:54:24	235	89.8	11.35	2.0
10:16:2023:05:54:29	243	90.0	11.35	2.0
10:16:2023:05:54:34	229	90.2	11.39	2.0
10:16:2023:05:54:39	226	90.3	11.62	2.0
10:16:2023:05:54:44	231	90.5	11.81	2.0
10:16:2023:05:54:49	234	90.7	12.08	2.0
10:16:2023:05:54:55	233	90.9	12.17	2.0
10:16:2023:05:55:00	226	91.0	12.24	2.0
10:16:2023:05:55:05	221	91.2	12.32	2.0
10:16:2023:05:55:10	225	91.4	12.39	2.0
10:16:2023:05:55:15	234	91.5	12.45	2.0
10:16:2023:05:55:20	241	91.7	12.51	2.1
10:16:2023:05:55:25	259	91.9	12.56	2.2
10:16:2023:05:55:30	249	92.1	12.61	2.2
10:16:2023:05:55:35	241	92.2	12.66	2.1
10:16:2023:05:55:40	247	92.4	12.70	2.1
10:16:2023:05:55:45	228	92.6	12.74	2.1
10:16:2023:05:55:50	235	92.8	12.79	2.1
10:16:2023:05:55:55	229	92.9	12.83	2.1
10:16:2023:05:56:00	244	93.1	12.89	2.1
10:16:2023:05:56:06	233	93.3	12.93	2.1
10:16:2023:05:56:11	228	93.5	12.96	2.1

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:05:56:16	288	93.7	12.97	2.4
10:16:2023:05:56:21	299	93.9	12.97	2.4
10:16:2023:05:56:26	289	94.1	12.98	2.4
10:16:2023:05:56:31	273	94.3	12.98	2.4
10:16:2023:05:56:36	276	94.5	13.00	2.4
10:16:2023:05:56:41	292	94.7	13.04	2.4
10:16:2023:05:56:46	276	94.9	13.07	2.4
10:16:2023:05:56:51	280	95.1	13.10	2.4
10:16:2023:05:56:56	281	95.3	13.13	2.4
10:16:2023:05:57:01	285	95.5	13.16	2.4
10:16:2023:05:57:06	276	95.7	13.19	2.4
10:16:2023:05:57:11	273	95.9	13.21	2.4
10:16:2023:05:57:17	278	96.1	13.22	2.4
10:16:2023:05:57:22	255	96.3	13.23	2.4
10:16:2023:05:57:27	273	96.5	13.24	2.4
10:16:2023:05:57:32	267	96.7	13.25	2.4
10:16:2023:05:57:37	273	96.9	13.25	2.4
10:16:2023:05:57:42	280	97.1	13.26	2.4
10:16:2023:05:57:47	272	97.3	13.27	2.4
10:16:2023:05:57:52	267	97.5	13.28	2.4
10:16:2023:05:57:57	276	97.7	13.29	2.4
10:16:2023:05:58:02	281	97.9	13.29	2.4
10:16:2023:05:58:07	272	98.1	13.30	2.4
10:16:2023:05:58:12	266	98.3	13.30	2.4
10:16:2023:05:58:17	280	98.5	13.31	2.4
10:16:2023:05:58:22	277	98.7	13.32	2.4
10:16:2023:05:58:27	273	98.9	13.32	2.4
10:16:2023:05:58:33	274	99.2	13.32	2.4
10:16:2023:05:58:38	278	99.4	13.33	2.4
10:16:2023:05:58:43	268	99.6	13.33	2.4
10:16:2023:05:58:48	265	99.8	13.33	2.4
10:16:2023:05:58:53	269	100.0	13.33	2.4
10:16:2023:05:58:58	281	100.2	13.33	2.4
10:16:2023:05:59:03	271	100.4	13.33	2.4
10:16:2023:05:59:08	267	100.6	13.33	2.4
10:16:2023:05:59:13	281	100.8	13.33	2.4
10:16:2023:05:59:18	268	101.0	13.34	2.4
10:16:2023:05:59:23	270	101.2	13.34	2.4
10:16:2023:05:59:28	273	101.4	13.35	2.4
10:16:2023:05:59:33	274	101.6	13.35	2.4
10:16:2023:05:59:38	268	101.8	13.34	2.4
10:16:2023:05:59:44	269	102.0	13.33	2.4
10:16:2023:05:59:49	270	102.2	13.32	2.4
10:16:2023:05:59:54	278	102.4	13.31	2.4
10:16:2023:05:59:59	264	102.6	13.31	2.4
10:16:2023:06:00:04	272	102.8	13.30	2.4
10:16:2023:06:00:09	276	103.0	13.30	2.4
10:16:2023:06:00:14	280	103.2	13.30	2.4
10:16:2023:06:00:19	272	103.4	13.31	2.4
10:16:2023:06:00:24	266	103.6	13.32	2.4
10:16:2023:06:00:29	289	103.9	13.32	2.4
10:16:2023:06:00:34	280	104.1	13.32	2.4
10:16:2023:06:00:39	274	104.3	13.33	2.4
10:16:2023:06:00:44	269	104.5	13.34	2.4
10:16:2023:06:00:49	268	104.7	13.34	2.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:00:55	260	104.9	13.35	2.4
10:16:2023:06:01:00	266	105.1	13.36	2.4
10:16:2023:06:01:05	274	105.3	13.37	2.4
10:16:2023:06:01:10	295	105.5	13.37	2.4
10:16:2023:06:01:15	265	105.7	13.37	2.4
10:16:2023:06:01:20	277	105.9	13.38	2.4
10:16:2023:06:01:25	266	106.1	13.38	2.4
10:16:2023:06:01:30	282	106.3	13.37	2.4
10:16:2023:06:01:35	270	106.5	13.36	2.4
10:16:2023:06:01:40	267	106.7	13.35	2.4
10:16:2023:06:01:45	283	106.9	13.33	2.4
10:16:2023:06:01:50	272	107.1	13.31	2.4
10:16:2023:06:01:55	268	107.3	13.29	2.4
10:16:2023:06:02:00	264	107.5	13.28	2.4
10:16:2023:06:02:06	277	107.7	13.26	2.4
10:16:2023:06:02:11	274	108.0	13.25	2.4
10:16:2023:06:02:16	271	108.2	13.24	2.4
10:16:2023:06:02:21	264	108.4	13.24	2.4
10:16:2023:06:02:26	275	108.6	13.24	2.4
10:16:2023:06:02:31	266	108.8	13.26	2.4
10:16:2023:06:02:36	272	109.0	13.27	2.4
10:16:2023:06:02:41	266	109.2	13.28	2.4
10:16:2023:06:02:46	272	109.4	13.30	2.4
10:16:2023:06:02:51	263	109.6	13.31	2.4
10:16:2023:06:02:56	263	109.8	13.33	2.4
10:16:2023:06:03:01	265	110.0	13.34	2.4
10:16:2023:06:03:06	295	110.2	13.34	2.5
10:16:2023:06:03:11	288	110.4	13.34	2.5
10:16:2023:06:03:16	280	110.6	13.34	2.5
10:16:2023:06:03:22	286	110.9	13.34	2.5
10:16:2023:06:03:27	285	111.1	13.34	2.5
10:16:2023:06:03:32	294	111.3	13.34	2.5
10:16:2023:06:03:37	278	111.5	13.34	2.5
10:16:2023:06:03:42	282	111.7	13.34	2.5
10:16:2023:06:03:47	292	111.9	13.34	2.5
10:16:2023:06:03:52	276	112.1	13.34	2.5
10:16:2023:06:03:57	288	112.3	13.34	2.5
10:16:2023:06:04:02	295	112.5	13.33	2.5
10:16:2023:06:04:07	275	112.8	13.34	2.5
10:16:2023:06:04:12	278	113.0	13.33	2.5
10:16:2023:06:04:17	277	113.2	13.33	2.5
10:16:2023:06:04:22	278	113.4	13.34	2.5
10:16:2023:06:04:27	276	113.6	13.34	2.5
10:16:2023:06:04:33	281	113.8	13.34	2.5
10:16:2023:06:04:38	280	114.1	13.34	2.5
10:16:2023:06:04:43	275	114.3	13.34	2.5
10:16:2023:06:04:48	278	114.5	13.35	2.5
10:16:2023:06:04:53	278	114.7	13.35	2.5
10:16:2023:06:04:58	286	114.9	13.36	2.5
10:16:2023:06:05:03	279	115.1	13.36	2.5
10:16:2023:06:05:08	280	115.3	13.36	2.5
10:16:2023:06:05:13	286	115.5	13.37	2.5
10:16:2023:06:05:18	282	115.7	13.37	2.5
10:16:2023:06:05:23	275	116.0	13.37	2.5
10:16:2023:06:05:28	275	116.2	13.37	2.5

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:05:33	261	116.4	13.37	2.5
10:16:2023:06:05:38	280	116.6	13.38	2.5
10:16:2023:06:05:44	272	116.8	13.38	2.5
10:16:2023:06:05:49	282	117.1	13.38	2.5
10:16:2023:06:05:54	276	117.3	13.37	2.5
10:16:2023:06:05:59	282	117.5	13.36	2.5
10:16:2023:06:06:04	270	117.7	13.36	2.5
10:16:2023:06:06:09	268	117.9	13.34	2.5
10:16:2023:06:06:14	274	118.1	13.34	2.5
10:16:2023:06:06:19	277	118.3	13.34	2.5
10:16:2023:06:06:24	270	118.5	13.34	2.5
10:16:2023:06:06:29	279	118.7	13.34	2.5
10:16:2023:06:06:34	275	119.0	13.34	2.5
10:16:2023:06:06:39	272	119.2	13.34	2.5
10:16:2023:06:06:44	280	119.4	13.33	2.5
10:16:2023:06:06:49	289	119.6	13.33	2.5
10:16:2023:06:06:54	278	119.8	13.32	2.5
10:16:2023:06:07:00	264	120.1	13.32	2.5
10:16:2023:06:07:05	280	120.3	13.31	2.5
10:16:2023:06:07:10	277	120.5	13.31	2.5
10:16:2023:06:07:15	271	120.7	13.30	2.5
10:16:2023:06:07:20	255	120.9	13.28	2.5
10:16:2023:06:07:25	267	121.1	13.27	2.5
10:16:2023:06:07:30	271	121.3	13.26	2.5
10:16:2023:06:07:35	274	121.5	13.25	2.6
10:16:2023:06:07:40	273	121.7	13.24	2.5
10:16:2023:06:07:45	273	122.0	13.23	2.5
10:16:2023:06:07:50	271	122.2	13.23	2.5
10:16:2023:06:07:55	265	122.4	13.22	2.5
10:16:2023:06:08:00	272	122.6	13.21	2.5
10:16:2023:06:08:05	279	122.8	13.21	2.5
10:16:2023:06:08:11	255	123.1	13.21	2.5
10:16:2023:06:08:16	261	123.3	13.22	2.5
10:16:2023:06:08:21	272	123.5	13.22	2.5
10:16:2023:06:08:26	262	123.7	13.21	2.5
10:16:2023:06:08:31	251	123.9	13.24	2.5
10:16:2023:06:08:36	247	124.1	13.28	2.5
10:16:2023:06:08:41	266	124.3	13.30	2.5
10:16:2023:06:08:46	242	124.5	13.31	2.5
10:16:2023:06:08:51	264	124.7	13.30	2.5
10:16:2023:06:08:56	269	125.0	13.28	2.5
10:16:2023:06:09:01	237	125.2	13.26	2.4
10:16:2023:06:09:06	191	125.4	13.24	2.1
10:16:2023:06:09:11	187	125.5	13.22	2.1
10:16:2023:06:09:16	197	125.7	13.19	2.1
10:16:2023:06:09:22	198	125.9	13.16	2.1
10:16:2023:06:09:27	198	126.1	13.13	2.1
10:16:2023:06:09:32	196	126.3	13.10	2.1
10:16:2023:06:09:37	198	126.4	13.07	2.1
10:16:2023:06:09:42	201	126.6	13.04	2.1
10:16:2023:06:09:47	202	126.8	13.02	2.1
10:16:2023:06:09:52	193	127.0	13.07	2.1
10:16:2023:06:09:57	186	127.2	13.15	2.1
10:16:2023:06:10:02	192	127.3	13.23	2.1
10:16:2023:06:10:07	213	127.5	13.28	2.1

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:10:12	178	127.7	13.30	2.1
10:16:2023:06:10:17	173	127.9	13.28	2.1
10:16:2023:06:10:22	175	128.0	13.25	2.1
10:16:2023:06:10:27	189	128.2	13.21	2.1
10:16:2023:06:10:33	132	128.4	13.19	1.6
10:16:2023:06:10:38	114	128.5	13.20	1.6
10:16:2023:06:10:43	115	128.7	13.23	1.6
10:16:2023:06:10:48	110	128.8	13.29	1.6
10:16:2023:06:10:53	106	128.9	13.35	1.6
10:16:2023:06:10:58	117	129.1	13.40	1.6
10:16:2023:06:11:03	120	129.2	13.41	1.6
10:16:2023:06:11:08	119	129.3	13.39	1.6
10:16:2023:06:11:13	120	129.5	13.41	1.6
10:16:2023:06:11:18	126	129.6	13.44	1.6
10:16:2023:06:11:23	120	129.7	13.44	1.6
10:16:2023:06:11:28	131	129.9	13.42	1.6
10:16:2023:06:11:33	117	130.0	13.40	1.6
10:16:2023:06:11:38	123	130.1	13.39	1.6
10:16:2023:06:11:43	117	130.3	13.38	1.6
10:16:2023:06:11:49	123	130.4	13.37	1.6
10:16:2023:06:11:54	120	130.5	13.37	1.6
10:16:2023:06:11:59	125	130.7	13.36	1.6
10:16:2023:06:12:04	124	130.8	13.36	1.6
10:16:2023:06:12:09	127	130.9	13.36	1.6
10:16:2023:06:12:14	124	131.1	13.36	1.6
10:16:2023:06:12:19	119	131.2	13.35	1.6
10:16:2023:06:12:24	126	131.3	13.34	1.6
10:16:2023:06:12:29	127	131.5	13.34	1.6
10:16:2023:06:12:34	123	131.6	13.33	1.6
10:16:2023:06:12:39	125	131.7	13.33	1.6
10:16:2023:06:12:44	128	131.9	13.33	1.6
10:16:2023:06:12:49	122	132.0	13.32	1.6
10:16:2023:06:12:54	128	132.1	13.31	1.6
10:16:2023:06:13:00	129	132.3	13.31	1.6
10:16:2023:06:13:05	137	132.4	13.30	1.6
10:16:2023:06:13:10	130	132.5	13.29	1.6
10:16:2023:06:13:15	130	132.7	13.29	1.6
10:16:2023:06:13:20	128	132.8	13.30	1.6
10:16:2023:06:13:25	129	132.9	13.32	1.6
10:16:2023:06:13:30	127	133.1	13.33	1.6
10:16:2023:06:13:35	129	133.2	13.35	1.6
10:16:2023:06:13:40	123	133.3	13.36	1.6
10:16:2023:06:13:45	121	133.5	13.37	1.6
10:16:2023:06:13:50	125	133.6	13.38	1.6
10:16:2023:06:13:55	124	133.7	13.39	1.6
10:16:2023:06:14:00	129	133.9	13.39	1.6
10:16:2023:06:14:05	125	134.0	13.38	1.6
10:16:2023:06:14:11	127	134.1	13.38	1.6
10:16:2023:06:14:16	124	134.3	13.38	1.6
10:16:2023:06:14:21	130	134.4	13.38	1.6
10:16:2023:06:14:26	123	134.5	13.37	1.6
10:16:2023:06:14:31	127	134.7	13.35	1.6
10:16:2023:06:14:36	126	134.8	13.33	1.6
10:16:2023:06:14:41	130	134.9	13.30	1.6
10:16:2023:06:14:46	119	135.1	13.27	1.6

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:14:51	128	135.2	13.24	1.6
10:16:2023:06:14:56	124	135.3	13.21	1.6
10:16:2023:06:15:01	127	135.5	13.17	1.6
10:16:2023:06:15:06	128	135.6	13.16	1.6
10:16:2023:06:15:11	128	135.7	13.16	1.6
10:16:2023:06:15:16	126	135.8	13.18	1.6
10:16:2023:06:15:21	126	136.0	13.20	1.6
10:16:2023:06:15:27	127	136.1	13.21	1.6
10:16:2023:06:15:32	126	136.3	13.20	1.6
10:16:2023:06:15:37	127	136.4	13.19	1.6
10:16:2023:06:15:42	124	136.5	13.17	1.6
10:16:2023:06:15:47	126	136.7	13.17	1.6
10:16:2023:06:15:52	123	136.8	13.16	1.6
10:16:2023:06:15:57	128	136.9	13.16	1.6
10:16:2023:06:16:02	123	137.1	13.16	1.6
10:16:2023:06:16:07	127	137.2	13.16	1.6
10:16:2023:06:16:12	126	137.3	13.16	1.6
10:16:2023:06:16:17	126	137.4	13.16	1.6
10:16:2023:06:16:22	123	137.6	13.17	1.6
10:16:2023:06:16:27	125	137.7	13.17	1.6
10:16:2023:06:16:32	124	137.8	13.17	1.6
10:16:2023:06:16:38	87	138.0	13.16	1.0
10:16:2023:06:16:43	84	138.0	13.14	1.0
10:16:2023:06:16:48	82	138.1	13.11	1.0
10:16:2023:06:16:53	81	138.2	13.07	1.0
10:16:2023:06:16:58	79	138.3	13.05	1.0
10:16:2023:06:17:03	75	138.4	13.04	0.9
10:16:2023:06:17:08	53	138.4	13.05	0.4
10:16:2023:06:17:13	52	138.4	13.05	0.4
10:16:2023:06:17:18	51	138.5	13.06	0.4
10:16:2023:06:17:23	51	138.5	13.06	0.4
10:16:2023:06:17:28	51	138.5	13.04	0.4
10:16:2023:06:17:33	50	138.6	12.99	0.4
10:16:2023:06:17:38	51	138.6	12.94	0.4
10:16:2023:06:17:43	51	138.6	12.91	0.4
10:16:2023:06:17:49	51	138.7	12.90	0.4
10:16:2023:06:17:54	50	138.7	12.90	0.4
10:16:2023:06:17:59	51	138.7	12.91	0.4
10:16:2023:06:18:04	50	138.8	12.91	0.4
10:16:2023:06:18:09	50	138.8	12.92	0.4
10:16:2023:06:18:14	50	138.8	12.93	0.4
10:16:2023:06:18:19	50	138.9	12.94	0.4
10:16:2023:06:18:24	50	138.9	12.94	0.4
10:16:2023:06:18:29	49	138.9	12.94	0.4
10:16:2023:06:18:34	49	139.0	12.94	0.4
10:16:2023:06:18:39	50	139.0	12.94	0.4
10:16:2023:06:18:44	50	139.0	12.95	0.4
10:16:2023:06:18:49	49	139.1	12.97	0.4
10:16:2023:06:18:54	49	139.1	12.97	0.4
10:16:2023:06:19:00	49	139.1	12.98	0.4
10:16:2023:06:19:05	50	139.2	12.99	0.4
10:16:2023:06:19:10	49	139.2	12.96	0.4
10:16:2023:06:19:15	49	139.2	12.91	0.4
10:16:2023:06:19:20	49	139.2	12.88	0.4
10:16:2023:06:19:25	49	139.3	12.85	0.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:19:30	49	139.3	12.87	0.4
10:16:2023:06:19:35	49	139.3	12.88	0.4
10:16:2023:06:19:40	50	139.4	12.89	0.4
10:16:2023:06:19:45	49	139.4	12.91	0.4
10:16:2023:06:19:50	49	139.4	12.92	0.4
10:16:2023:06:19:55	49	139.5	12.94	0.4
10:16:2023:06:20:00	48	139.5	12.93	0.4
10:16:2023:06:20:05	50	139.5	12.85	0.4
10:16:2023:06:20:10	48	139.6	12.78	0.4
10:16:2023:06:20:16	48	139.6	12.75	0.4
10:16:2023:06:20:21	49	139.6	12.78	0.4
10:16:2023:06:20:26	49	139.7	12.80	0.4
10:16:2023:06:20:31	49	139.7	12.82	0.4
10:16:2023:06:20:36	48	139.7	12.83	0.4
10:16:2023:06:20:41	48	139.8	12.85	0.4
10:16:2023:06:20:46	48	139.8	12.86	0.4
10:16:2023:06:20:51	47	139.8	12.87	0.4
10:16:2023:06:20:56	47	139.9	12.89	0.4
10:16:2023:06:21:01	47	139.9	12.90	0.4
10:16:2023:06:21:06	48	139.9	12.91	0.4
10:16:2023:06:21:11	47	139.9	12.93	0.4
10:16:2023:06:21:16	47	140.0	12.94	0.4
10:16:2023:06:21:21	48	140.0	12.95	0.4
10:16:2023:06:21:27	47	140.0	12.97	0.4
10:16:2023:06:21:32	47	140.1	12.97	0.4
10:16:2023:06:21:37	48	140.1	12.99	0.4
10:16:2023:06:21:42	48	140.1	13.00	0.4
10:16:2023:06:21:47	46	140.2	13.01	0.4
10:16:2023:06:21:52	48	140.2	13.03	0.4
10:16:2023:06:21:57	48	140.2	13.04	0.4
10:16:2023:06:22:02	48	140.3	13.05	0.4
10:16:2023:06:22:07	48	140.3	13.06	0.4
10:16:2023:06:22:12	46	140.3	13.07	0.4
10:16:2023:06:22:17	48	140.4	13.08	0.4
10:16:2023:06:22:22	47	140.4	13.09	0.4
10:16:2023:06:22:27	47	140.4	13.10	0.4
10:16:2023:06:22:32	47	140.5	13.12	0.4
10:16:2023:06:22:38	47	140.5	13.13	0.4
10:16:2023:06:22:43	47	140.5	13.15	0.4
10:16:2023:06:22:48	47	140.6	13.17	0.4
10:16:2023:06:22:53	46	140.6	13.20	0.4
10:16:2023:06:22:58	46	140.6	13.19	0.4
10:16:2023:06:23:03	47	140.7	13.16	0.4
10:16:2023:06:23:08	46	140.7	13.14	0.4
10:16:2023:06:23:13	47	140.7	13.12	0.4
10:16:2023:06:23:18	47	140.7	13.10	0.4
10:16:2023:06:23:23	46	140.8	13.08	0.4
10:16:2023:06:23:28	46	140.8	13.07	0.4
10:16:2023:06:23:33	46	140.8	13.06	0.4
10:16:2023:06:23:38	47	140.9	13.05	0.4
10:16:2023:06:23:43	46	140.9	13.04	0.4
10:16:2023:06:23:48	45	140.9	13.03	0.4
10:16:2023:06:23:54	46	141.0	13.01	0.4
10:16:2023:06:23:59	47	141.0	13.00	0.4
10:16:2023:06:24:00	End CemFIT Slurry			

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:24:00	47	141.0	13.00	0.4
10:16:2023:06:24:04	46	141.0	12.99	0.4
10:16:2023:06:24:09	46	141.1	12.99	0.4
10:16:2023:06:24:14	47	141.1	12.98	0.4
10:16:2023:06:24:19	46	141.1	13.00	0.4
10:16:2023:06:24:24	46	141.2	13.04	0.4
10:16:2023:06:24:29	46	141.2	13.06	0.4
10:16:2023:06:24:34	46	141.2	13.08	0.4
10:16:2023:06:24:39	46	141.3	13.01	0.4
10:16:2023:06:24:44	46	141.3	12.95	0.4
10:16:2023:06:24:49	47	141.3	12.90	0.4
10:16:2023:06:24:54	46	141.4	12.83	0.4
10:16:2023:06:24:59	46	141.4	12.80	0.4
10:16:2023:06:25:05	46	141.4	12.82	0.4
10:16:2023:06:25:10	47	141.5	12.85	0.4
10:16:2023:06:25:15	47	141.5	12.93	0.5
10:16:2023:06:25:20	119	141.5	12.96	1.9
10:16:2023:06:25:25	145	141.7	12.97	2.0
10:16:2023:06:25:30	156	141.9	12.97	2.2
10:16:2023:06:25:35	153	142.1	12.98	2.2
10:16:2023:06:25:40	143	142.2	13.01	2.2
10:16:2023:06:25:45	128	142.4	13.01	2.2
10:16:2023:06:25:50	134	142.6	13.00	2.2
10:16:2023:06:25:55	146	142.8	13.04	2.2
10:16:2023:06:26:00	151	143.0	13.05	2.2
10:16:2023:06:26:05	152	143.2	13.05	2.2
10:16:2023:06:26:10	155	143.3	13.04	2.2
10:16:2023:06:26:16	153	143.6	13.04	2.2
10:16:2023:06:26:21	155	143.7	13.04	2.2
10:16:2023:06:26:26	159	143.9	13.03	2.2
10:16:2023:06:26:31	128	144.1	13.02	1.9
10:16:2023:06:26:36	150	144.3	13.02	1.9
10:16:2023:06:26:41	160	144.4	13.01	1.9
10:16:2023:06:26:46	171	144.6	13.01	1.9
10:16:2023:06:26:51	218	144.7	13.00	2.2
10:16:2023:06:26:56	221	144.9	13.01	2.2
10:16:2023:06:27:01	223	145.1	13.00	2.2
10:16:2023:06:27:06	215	145.3	12.99	2.2
10:16:2023:06:27:11	215	145.5	12.98	2.2
10:16:2023:06:27:16	202	145.6	12.97	2.2
10:16:2023:06:27:21	236	145.8	12.97	2.4
10:16:2023:06:27:27	239	146.0	12.96	2.4
10:16:2023:06:27:32	250	146.3	12.95	2.4
10:16:2023:06:27:37	235	146.5	12.94	2.4
10:16:2023:06:27:42	236	146.7	12.93	2.4
10:16:2023:06:27:47	233	146.9	12.93	2.4
10:16:2023:06:27:52	230	147.1	12.92	2.4
10:16:2023:06:27:57	234	147.3	12.92	2.4
10:16:2023:06:28:00	Start Pumping EverCRETE Slurry			
10:16:2023:06:28:00	228	147.4	12.91	2.4
10:16:2023:06:28:02	228	147.5	12.91	2.4
10:16:2023:06:28:07	229	147.7	12.90	2.4
10:16:2023:06:28:12	228	147.9	12.90	2.4
10:16:2023:06:28:17	231	148.1	12.89	2.4
10:16:2023:06:28:22	202	148.3	12.88	2.3

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:28:27	90	148.5	12.87	1.0
10:16:2023:06:28:32	43	148.5	12.87	0.2
10:16:2023:06:28:37	40	148.5	12.77	0.0
10:16:2023:06:28:43	39	0.0	12.64	0.0
10:16:2023:06:28:48	41	0.0	9.31	0.1
10:16:2023:06:28:53	37	0.0	8.69	0.3
10:16:2023:06:28:58	38	0.0	8.60	0.3
10:16:2023:06:29:03	37	0.1	8.58	0.3
10:16:2023:06:29:08	38	0.1	8.56	0.3
10:16:2023:06:29:13	37	0.1	8.56	0.3
10:16:2023:06:29:18	36	0.2	8.55	0.3
10:16:2023:06:29:23	36	0.2	8.66	0.2
10:16:2023:06:29:28	36	0.2	8.47	0.1
10:16:2023:06:29:33	36	0.0	8.71	0.0
10:16:2023:06:29:38	36	0.0	8.89	0.0
10:16:2023:06:29:43	36	0.0	8.90	0.0
10:16:2023:06:29:48	35	0.0	8.83	0.0
10:16:2023:06:29:54	36	0.0	9.13	0.0
10:16:2023:06:29:59	37	0.0	9.83	0.0
10:16:2023:06:30:04	36	0.0	10.12	0.0
10:16:2023:06:30:09	36	0.0	10.21	0.0
10:16:2023:06:30:14	36	0.0	10.32	0.0
10:16:2023:06:30:19	35	0.0	10.42	0.0
10:16:2023:06:30:24	35	0.0	10.43	0.0
10:16:2023:06:30:29	35	0.0	10.48	0.0
10:16:2023:06:30:34	36	0.0	10.51	0.0
10:16:2023:06:30:39	35	0.0	10.47	0.0
10:16:2023:06:30:44	35	0.0	10.51	0.0
10:16:2023:06:30:49	35	0.0	10.52	0.0
10:16:2023:06:30:54	42	0.0	10.29	0.0
10:16:2023:06:30:59	43	0.0	9.10	0.0
10:16:2023:06:31:05	41	0.0	8.91	0.0
10:16:2023:06:31:10	42	0.0	8.88	0.0
10:16:2023:06:31:15	43	0.0	8.82	0.0
10:16:2023:06:31:20	47	0.0	8.75	0.0
10:16:2023:06:31:25	47	0.0	8.70	0.0
10:16:2023:06:31:30	46	0.0	8.68	0.0
10:16:2023:06:31:35	46	0.0	8.67	0.0
10:16:2023:06:31:40	70	0.0	8.65	1.2
10:16:2023:06:31:45	135	0.1	8.62	2.1
10:16:2023:06:31:50	148	0.3	8.62	2.3
10:16:2023:06:31:55	179	0.5	8.61	2.9
10:16:2023:06:32:00	154	0.8	8.62	2.9
10:16:2023:06:32:05	144	1.0	8.62	3.0
10:16:2023:06:32:10	129	1.3	8.61	2.8
10:16:2023:06:32:15	106	1.5	8.60	2.6
10:16:2023:06:32:21	160	1.8	8.61	3.5
10:16:2023:06:32:26	206	2.1	8.62	3.9
10:16:2023:06:32:31	286	2.4	8.62	3.9
10:16:2023:06:32:36	379	2.7	8.62	3.8
10:16:2023:06:32:41	558	3.0	8.62	3.9
10:16:2023:06:32:46	728	3.4	8.62	3.9
10:16:2023:06:32:51	690	3.7	8.62	3.9
10:16:2023:06:32:56	609	4.0	8.62	3.9
10:16:2023:06:33:01	582	4.3	8.62	3.9

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:33:06	602	4.7	8.61	3.9
10:16:2023:06:33:11	626	5.0	8.61	3.9
10:16:2023:06:33:16	607	5.3	8.61	3.9
10:16:2023:06:33:21	604	5.6	8.62	3.9
10:16:2023:06:33:26	688	6.0	8.62	4.2
10:16:2023:06:33:32	740	6.4	8.62	4.4
10:16:2023:06:33:37	720	6.8	8.62	4.4
10:16:2023:06:33:42	722	7.1	8.62	4.3
10:16:2023:06:33:47	722	7.5	8.62	4.4
10:16:2023:06:33:52	707	7.9	8.62	4.4
10:16:2023:06:33:57	743	8.2	8.63	4.4
10:16:2023:06:34:02	720	8.6	8.63	4.4
10:16:2023:06:34:07	726	8.9	8.63	4.4
10:16:2023:06:34:12	704	9.3	8.63	4.4
10:16:2023:06:34:17	688	9.7	8.63	4.3
10:16:2023:06:34:22	703	10.0	8.63	4.4
10:16:2023:06:34:27	695	10.4	8.63	4.3
10:16:2023:06:34:32	706	10.8	8.63	4.4
10:16:2023:06:34:37	701	11.1	8.63	4.4
10:16:2023:06:34:43	710	11.6	8.63	4.4
10:16:2023:06:34:48	696	11.9	8.63	4.4
10:16:2023:06:34:53	721	12.3	8.64	4.3
10:16:2023:06:34:58	681	12.7	8.64	4.3
10:16:2023:06:35:03	700	13.0	8.63	4.4
10:16:2023:06:35:08	688	13.4	8.63	4.4
10:16:2023:06:35:13	698	13.8	8.63	4.3
10:16:2023:06:35:18	679	14.1	8.63	4.4
10:16:2023:06:35:23	680	14.5	8.63	4.3
10:16:2023:06:35:28	676	14.8	8.63	4.4
10:16:2023:06:35:33	686	15.2	8.63	4.3
10:16:2023:06:35:38	680	15.6	8.63	4.3
10:16:2023:06:35:43	678	15.9	8.63	4.4
10:16:2023:06:35:48	666	16.3	8.63	4.3
10:16:2023:06:35:54	659	16.7	8.63	4.4
10:16:2023:06:35:59	663	17.1	8.63	4.3
10:16:2023:06:36:04	661	17.5	8.63	4.4
10:16:2023:06:36:09	661	17.8	8.63	4.3
10:16:2023:06:36:14	709	18.2	8.64	4.5
10:16:2023:06:36:19	712	18.6	8.64	4.6
10:16:2023:06:36:24	713	19.0	8.64	4.5
10:16:2023:06:36:29	707	19.3	8.64	4.6
10:16:2023:06:36:34	685	19.7	8.64	4.6
10:16:2023:06:36:39	706	20.1	8.64	4.5
10:16:2023:06:36:44	695	20.5	8.64	4.6
10:16:2023:06:36:49	694	20.9	8.63	4.6
10:16:2023:06:36:54	694	21.2	8.64	4.5
10:16:2023:06:36:59	686	21.6	8.64	4.6
10:16:2023:06:37:04	689	22.0	8.64	4.6
10:16:2023:06:37:10	689	22.4	8.63	4.5
10:16:2023:06:37:15	682	22.8	8.62	4.6
10:16:2023:06:37:20	670	23.2	8.62	4.5
10:16:2023:06:37:25	696	23.6	8.62	4.5
10:16:2023:06:37:30	680	24.0	8.62	4.5
10:16:2023:06:37:35	674	24.3	8.63	4.6
10:16:2023:06:37:40	678	24.7	8.63	4.5

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:37:45	673	25.1	8.63	4.5
10:16:2023:06:37:50	651	25.5	8.63	4.6
10:16:2023:06:37:55	665	25.9	8.62	4.5
10:16:2023:06:38:00	663	26.2	8.63	4.5
10:16:2023:06:38:05	655	26.6	8.63	4.6
10:16:2023:06:38:10	654	27.0	8.63	4.5
10:16:2023:06:38:15	676	27.4	8.63	4.6
10:16:2023:06:38:21	658	27.8	8.63	4.6
10:16:2023:06:38:26	677	28.2	8.63	4.5
10:16:2023:06:38:31	674	28.6	8.63	4.6
10:16:2023:06:38:36	664	29.0	8.63	4.6
10:16:2023:06:38:41	646	29.4	8.63	4.6
10:16:2023:06:38:46	661	29.7	8.63	4.6
10:16:2023:06:38:51	652	30.1	8.63	4.6
10:16:2023:06:38:56	653	30.5	8.63	4.6
10:16:2023:06:39:01	641	30.9	8.63	4.6
10:16:2023:06:39:06	656	31.3	8.63	4.6
10:16:2023:06:39:11	649	31.6	8.63	4.5
10:16:2023:06:39:16	653	32.0	8.63	4.5
10:16:2023:06:39:21	640	32.4	8.63	4.6
10:16:2023:06:39:26	643	32.8	8.63	4.6
10:16:2023:06:39:32	639	33.2	8.63	4.5
10:16:2023:06:39:37	625	33.6	8.62	4.5
10:16:2023:06:39:42	634	34.0	8.60	4.5
10:16:2023:06:39:47	499	34.3	8.60	4.0
10:16:2023:06:39:52	513	34.7	8.59	4.0
10:16:2023:06:39:57	565	35.0	8.59	4.2
10:16:2023:06:40:02	592	35.4	8.59	4.3
10:16:2023:06:40:07	621	35.7	8.60	4.5
10:16:2023:06:40:12	608	36.1	8.60	4.6
10:16:2023:06:40:17	633	36.5	8.60	4.5
10:16:2023:06:40:22	624	36.9	8.61	4.6
10:16:2023:06:40:27	649	37.3	8.54	4.5
10:16:2023:06:40:32	633	37.6	8.59	4.5
10:16:2023:06:40:37	635	38.0	8.61	4.6
10:16:2023:06:40:42	636	38.4	8.57	4.5
10:16:2023:06:40:48	626	38.8	8.56	4.5
10:16:2023:06:40:53	638	39.2	8.56	4.5
10:16:2023:06:40:58	633	39.6	8.56	4.5
10:16:2023:06:41:03	630	40.0	8.58	4.5
10:16:2023:06:41:08	623	40.4	8.59	4.5
10:16:2023:06:41:13	618	40.7	8.59	4.6
10:16:2023:06:41:18	643	41.1	8.59	4.5
10:16:2023:06:41:23	631	41.5	8.59	4.5
10:16:2023:06:41:28	610	41.9	8.59	4.6
10:16:2023:06:41:33	637	42.3	8.59	4.5
10:16:2023:06:41:38	616	42.6	8.59	4.6
10:16:2023:06:41:43	620	43.0	8.59	4.6
10:16:2023:06:41:48	633	43.4	8.59	4.5
10:16:2023:06:41:53	631	43.8	8.59	4.6
10:16:2023:06:41:59	636	44.2	8.59	4.6
10:16:2023:06:42:04	623	44.6	8.59	4.5
10:16:2023:06:42:09	642	45.0	8.59	4.6
10:16:2023:06:42:14	625	45.4	8.59	4.5
10:16:2023:06:42:19	610	45.7	8.59	4.5

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:42:24	640	46.1	8.59	4.5
10:16:2023:06:42:29	623	46.5	8.59	4.6
10:16:2023:06:42:34	620	46.9	8.59	4.5
10:16:2023:06:42:39	629	47.3	8.59	4.5
10:16:2023:06:42:44	611	47.6	8.59	4.6
10:16:2023:06:42:49	636	48.0	8.59	4.5
10:16:2023:06:42:54	612	48.4	8.59	4.6
10:16:2023:06:42:59	630	48.8	8.59	4.6
10:16:2023:06:43:04	614	49.2	8.59	4.6
10:16:2023:06:43:10	612	49.6	8.59	4.5
10:16:2023:06:43:15	639	50.0	8.59	4.6
10:16:2023:06:43:20	618	50.4	8.59	4.5
10:16:2023:06:43:25	610	50.7	8.59	4.6
10:16:2023:06:43:30	629	51.1	8.59	4.5
10:16:2023:06:43:35	609	51.5	8.59	4.6
10:16:2023:06:43:40	638	51.9	8.59	4.5
10:16:2023:06:43:45	638	52.3	8.59	4.6
10:16:2023:06:43:50	622	52.6	8.59	4.6
10:16:2023:06:43:55	636	53.0	8.59	4.6
10:16:2023:06:44:00	611	53.4	8.59	4.6
10:16:2023:06:44:05	619	53.8	8.59	4.6
10:16:2023:06:44:10	615	54.2	8.58	4.5
10:16:2023:06:44:15	628	54.5	8.58	4.6
10:16:2023:06:44:21	627	54.9	8.57	4.6
10:16:2023:06:44:26	609	55.4	8.57	4.6
10:16:2023:06:44:31	642	55.8	8.57	4.6
10:16:2023:06:44:36	610	56.1	8.56	4.6
10:16:2023:06:44:41	566	56.5	8.57	4.5
10:16:2023:06:44:46	560	56.9	8.57	4.6
10:16:2023:06:44:51	522	57.3	8.58	4.5
10:16:2023:06:44:56	492	57.7	8.58	4.5
10:16:2023:06:45:01	475	58.0	8.59	4.6
10:16:2023:06:45:06	523	58.4	8.59	4.5
10:16:2023:06:45:11	589	58.8	8.59	4.5
10:16:2023:06:45:16	639	59.2	8.58	4.5
10:16:2023:06:45:21	665	59.6	8.58	4.5
10:16:2023:06:45:26	663	59.9	8.59	4.6
10:16:2023:06:45:31	640	60.3	8.59	4.6
10:16:2023:06:45:37	621	60.8	8.59	4.5
10:16:2023:06:45:42	639	61.2	8.58	4.5
10:16:2023:06:45:47	615	61.5	8.58	4.6
10:16:2023:06:45:52	625	61.9	8.58	4.6
10:16:2023:06:45:57	619	62.3	8.59	4.5
10:16:2023:06:46:02	623	62.7	8.59	4.5
10:16:2023:06:46:07	619	63.0	8.59	4.5
10:16:2023:06:46:12	621	63.4	8.59	4.6
10:16:2023:06:46:17	634	63.8	8.59	4.5
10:16:2023:06:46:22	609	64.2	8.59	4.5
10:16:2023:06:46:27	616	64.6	8.59	4.6
10:16:2023:06:46:32	631	64.9	8.59	4.5
10:16:2023:06:46:37	618	65.3	8.59	4.5
10:16:2023:06:46:42	616	65.7	8.59	4.6
10:16:2023:06:46:48	639	66.2	8.59	4.5
10:16:2023:06:46:53	614	66.5	8.59	4.6
10:16:2023:06:46:58	634	66.9	8.58	4.6

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:47:03	637	67.3	8.58	4.6
10:16:2023:06:47:08	625	67.7	8.58	4.5
10:16:2023:06:47:13	622	68.1	8.59	4.6
10:16:2023:06:47:18	618	68.4	8.59	4.6
10:16:2023:06:47:23	648	68.8	8.59	4.5
10:16:2023:06:47:28	654	69.2	8.59	4.6
10:16:2023:06:47:33	671	69.6	8.59	4.6
10:16:2023:06:47:38	711	70.0	8.59	4.5
10:16:2023:06:47:43	692	70.3	8.59	4.6
10:16:2023:06:47:48	696	70.7	8.59	4.5
10:16:2023:06:47:53	712	71.1	8.59	4.6
10:16:2023:06:47:59	701	71.5	8.60	4.5
10:16:2023:06:48:04	717	71.9	8.60	4.5
10:16:2023:06:48:09	721	72.3	8.60	4.6
10:16:2023:06:48:14	705	72.7	8.62	4.6
10:16:2023:06:48:19	732	73.1	8.78	4.6
10:16:2023:06:48:24	717	73.4	9.09	4.5
10:16:2023:06:48:29	796	73.8	10.33	4.6
10:16:2023:06:48:34	590	74.2	12.89	3.9
10:16:2023:06:48:39	466	74.5	17.22	4.3
10:16:2023:06:48:44	549	74.8	14.09	3.5
10:16:2023:06:48:49	635	75.1	10.09	3.7
10:16:2023:06:48:54	698	75.4	8.70	3.8
10:16:2023:06:48:59	728	75.8	8.58	3.9
10:16:2023:06:49:04	764	76.1	8.56	3.9
10:16:2023:06:49:09	845	76.4	8.56	3.9
10:16:2023:06:49:15	916	76.8	8.56	3.9
10:16:2023:06:49:20	912	77.1	8.56	3.9
10:16:2023:06:49:25	778	77.5	8.55	3.9
10:16:2023:06:49:30	655	77.8	8.56	3.9
10:16:2023:06:49:35	587	78.1	8.56	3.9
10:16:2023:06:49:40	526	78.4	8.56	3.9
10:16:2023:06:49:45	514	78.8	8.56	3.9
10:16:2023:06:49:50	505	79.1	8.56	3.9
10:16:2023:06:49:55	504	79.4	8.56	3.9
10:16:2023:06:50:00	531	79.7	8.59	4.0
10:16:2023:06:50:05	518	80.1	8.79	4.1
10:16:2023:06:50:10	544	80.4	8.97	4.2
10:16:2023:06:50:15	552	80.8	8.59	4.2
10:16:2023:06:50:20	536	81.1	8.55	4.2
10:16:2023:06:50:26	550	81.5	8.55	4.2
10:16:2023:06:50:31	543	81.9	8.58	4.2
10:16:2023:06:50:36	633	82.2	8.62	4.2
10:16:2023:06:50:41	647	82.6	8.67	4.2
10:16:2023:06:50:46	635	82.9	8.75	4.2
10:16:2023:06:50:51	563	83.3	8.89	4.2
10:16:2023:06:50:56	542	83.6	9.11	4.2
10:16:2023:06:51:01	512	84.0	9.22	4.2
10:16:2023:06:51:06	550	84.3	9.03	4.1
10:16:2023:06:51:11	645	84.7	9.00	4.2
10:16:2023:06:51:16	739	85.0	9.02	4.2
10:16:2023:06:51:21	866	85.4	9.03	4.2
10:16:2023:06:51:26	950	85.7	9.04	4.2
10:16:2023:06:51:31	1009	86.1	9.05	4.2
10:16:2023:06:51:37	992	86.5	9.09	4.2

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:51:42	1021	86.8	9.11	4.2
10:16:2023:06:51:47	1026	87.2	9.13	4.2
10:16:2023:06:51:52	1036	87.5	9.15	4.2
10:16:2023:06:51:57	1013	87.9	9.16	4.2
10:16:2023:06:52:02	1044	88.2	9.18	4.2
10:16:2023:06:52:07	1019	88.6	9.20	4.2
10:16:2023:06:52:12	1040	88.9	9.23	4.2
10:16:2023:06:52:17	1032	89.3	9.24	4.2
10:16:2023:06:52:22	1047	89.6	9.24	4.2
10:16:2023:06:52:27	1022	90.0	9.25	4.2
10:16:2023:06:52:32	1045	90.3	9.26	4.1
10:16:2023:06:52:37	1032	90.7	9.22	4.2
10:16:2023:06:52:42	1053	91.0	9.21	4.2
10:16:2023:06:52:48	1017	91.4	8.91	4.2
10:16:2023:06:52:53	1038	91.8	8.76	4.2
10:16:2023:06:52:58	1039	92.1	8.75	4.2
10:16:2023:06:53:03	1040	92.5	8.75	4.2
10:16:2023:06:53:08	1045	92.8	8.74	4.2
10:16:2023:06:53:13	1029	93.2	8.74	4.2
10:16:2023:06:53:18	1050	93.5	8.75	4.2
10:16:2023:06:53:23	1018	93.9	8.74	4.2
10:16:2023:06:53:28	1028	94.2	8.74	4.2
10:16:2023:06:53:33	1035	94.6	8.74	4.2
10:16:2023:06:53:38	1048	94.9	8.74	4.2
10:16:2023:06:53:43	1034	95.3	8.74	4.2
10:16:2023:06:53:48	1039	95.6	8.74	4.2
10:16:2023:06:53:53	1034	96.0	8.74	4.2
10:16:2023:06:53:58	1055	96.3	8.62	4.2
10:16:2023:06:54:04	1020	96.7	8.59	4.2
10:16:2023:06:54:09	1039	97.1	8.58	4.2
10:16:2023:06:54:14	1037	97.4	8.58	4.2
10:16:2023:06:54:19	1051	97.8	8.58	4.2
10:16:2023:06:54:24	1031	98.1	8.58	4.2
10:16:2023:06:54:29	1035	98.5	8.58	4.2
10:16:2023:06:54:34	1013	98.8	8.58	4.2
10:16:2023:06:54:39	1043	99.2	8.58	4.2
10:16:2023:06:54:44	1017	99.5	8.57	4.2
10:16:2023:06:54:49	1030	99.9	8.58	4.2
10:16:2023:06:54:54	1042	100.2	8.57	4.2
10:16:2023:06:54:59	1025	100.6	8.57	4.2
10:16:2023:06:55:04	1027	100.9	8.57	4.2
10:16:2023:06:55:09	1031	101.3	8.57	4.2
10:16:2023:06:55:15	1033	101.7	8.57	4.2
10:16:2023:06:55:20	1014	102.0	8.57	4.2
10:16:2023:06:55:25	1033	102.4	8.57	4.1
10:16:2023:06:55:30	1031	102.7	8.57	4.2
10:16:2023:06:55:35	1044	103.1	8.57	4.2
10:16:2023:06:55:40	1027	103.4	8.57	4.2
10:16:2023:06:55:45	1027	103.8	8.57	4.1
10:16:2023:06:55:50	1010	104.1	8.57	4.2
10:16:2023:06:55:55	1036	104.5	8.57	4.2
10:16:2023:06:56:00	1012	104.8	8.57	4.2
10:16:2023:06:56:05	1033	105.2	8.57	4.2
10:16:2023:06:56:10	1025	105.5	8.57	4.2
10:16:2023:06:56:15	1021	105.9	8.57	4.2

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:06:56:20	1026	106.2	8.57	4.2
10:16:2023:06:56:26	1037	106.6	8.57	4.2
10:16:2023:06:56:31	1029	107.0	8.56	4.2
10:16:2023:06:56:36	1019	107.3	8.56	4.2
10:16:2023:06:56:41	1012	107.7	8.56	4.2
10:16:2023:06:56:46	1033	108.0	8.56	4.2
10:16:2023:06:56:51	1035	108.4	8.57	4.2
10:16:2023:06:56:56	1033	108.7	8.56	4.2
10:16:2023:06:57:01	1046	109.1	8.56	4.2
10:16:2023:06:57:06	1020	109.4	8.57	4.2
10:16:2023:06:57:11	1041	109.8	8.56	4.2
10:16:2023:06:57:16	1035	110.1	8.56	4.2
10:16:2023:06:57:21	1055	110.5	8.56	4.2
10:16:2023:06:57:26	1013	110.8	8.56	4.2
10:16:2023:06:57:31	1026	111.2	8.56	4.2
10:16:2023:06:57:36	1027	111.5	8.56	4.2
10:16:2023:06:57:42	1038	111.9	8.56	4.2
10:16:2023:06:57:47	1026	112.3	8.56	4.2
10:16:2023:06:57:52	1034	112.6	8.56	4.2
10:16:2023:06:57:57	1014	113.0	8.56	4.2
10:16:2023:06:58:02	1034	113.3	8.56	4.1
10:16:2023:06:58:07	1005	113.7	8.56	4.2
10:16:2023:06:58:12	1031	114.0	8.56	4.2
10:16:2023:06:58:17	1043	114.4	8.56	4.2
10:16:2023:06:58:22	1023	114.7	8.56	4.2
10:16:2023:06:58:27	1013	115.1	8.56	4.2
10:16:2023:06:58:32	1036	115.4	8.56	4.1
10:16:2023:06:58:37	1056	115.8	8.57	4.2
10:16:2023:06:58:42	1055	116.1	8.56	4.2
10:16:2023:06:58:47	1009	116.4	8.56	4.2
10:16:2023:06:58:53	1027	116.9	8.57	4.1
10:16:2023:06:58:58	1035	117.2	8.58	4.2
10:16:2023:06:59:03	1040	117.6	8.58	4.2
10:16:2023:06:59:08	1037	117.9	8.58	4.2
10:16:2023:06:59:13	1015	118.3	8.58	4.2
10:16:2023:06:59:18	1012	118.6	8.58	4.2
10:16:2023:06:59:23	1036	119.0	8.58	4.2
10:16:2023:06:59:28	1033	119.3	8.59	4.2
10:16:2023:06:59:33	1038	119.7	8.59	4.2
10:16:2023:06:59:38	1051	120.0	8.57	4.2
10:16:2023:06:59:43	1026	120.4	8.57	4.2
10:16:2023:06:59:48	1050	120.7	8.57	4.2
10:16:2023:06:59:53	1043	121.1	8.57	4.2
10:16:2023:06:59:58	1061	121.4	8.57	4.2
10:16:2023:07:00:04	1012	121.8	8.61	4.2
10:16:2023:07:00:09	1041	122.2	8.54	4.2
10:16:2023:07:00:14	1027	122.5	8.59	4.2
10:16:2023:07:00:19	1081	122.9	8.58	4.1
10:16:2023:07:00:24	1031	123.2	8.58	4.2
10:16:2023:07:00:29	1031	123.6	8.58	4.2
10:16:2023:07:00:34	1028	123.9	8.58	4.2
10:16:2023:07:00:39	922	124.3	8.59	4.2
10:16:2023:07:00:44	873	124.6	8.59	4.2
10:16:2023:07:00:49	827	125.0	8.58	4.2
10:16:2023:07:00:54	813	125.3	8.58	4.2

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:00:59	803	125.6	8.58	4.2
10:16:2023:07:01:04	801	126.0	8.58	4.2
10:16:2023:07:01:09	841	126.3	8.58	4.2
10:16:2023:07:01:15	877	126.7	8.58	4.2
10:16:2023:07:01:20	854	127.1	8.58	4.2
10:16:2023:07:01:25	841	127.5	8.58	4.2
10:16:2023:07:01:30	795	127.8	8.57	4.2
10:16:2023:07:01:35	802	128.2	8.57	4.2
10:16:2023:07:01:40	792	128.5	8.57	4.2
10:16:2023:07:01:45	779	128.9	8.57	4.2
10:16:2023:07:01:50	778	129.2	8.57	4.2
10:16:2023:07:01:55	761	129.5	8.57	4.2
10:16:2023:07:02:00	783	129.9	8.57	4.2
10:16:2023:07:02:05	796	130.2	8.57	4.2
10:16:2023:07:02:10	784	130.6	8.57	4.2
10:16:2023:07:02:15	782	130.9	8.57	4.2
10:16:2023:07:02:20	768	131.3	8.57	4.2
10:16:2023:07:02:25	785	131.6	8.57	4.2
10:16:2023:07:02:31	758	132.1	8.57	4.2
10:16:2023:07:02:36	785	132.4	8.57	4.2
10:16:2023:07:02:41	798	132.8	8.57	4.2
10:16:2023:07:02:46	774	133.1	8.57	4.2
10:16:2023:07:02:51	774	133.5	8.57	4.2
10:16:2023:07:02:56	789	133.8	8.57	4.2
10:16:2023:07:03:01	774	134.2	8.57	4.2
10:16:2023:07:03:06	800	134.5	8.57	4.2
10:16:2023:07:03:11	759	134.8	8.57	4.2
10:16:2023:07:03:16	764	135.2	8.57	4.2
10:16:2023:07:03:21	783	135.5	8.57	4.2
10:16:2023:07:03:26	785	135.9	8.57	4.2
10:16:2023:07:03:31	783	136.2	8.57	4.2
10:16:2023:07:03:36	778	136.6	8.57	4.2
10:16:2023:07:03:42	798	137.0	8.57	4.2
10:16:2023:07:03:47	761	137.4	8.57	4.2
10:16:2023:07:03:52	784	137.7	8.57	4.2
10:16:2023:07:03:57	785	138.1	8.57	4.2
10:16:2023:07:04:02	799	138.4	8.57	4.2
10:16:2023:07:04:07	773	138.8	8.57	4.2
10:16:2023:07:04:12	787	139.1	8.57	4.2
10:16:2023:07:04:17	784	139.4	8.57	4.2
10:16:2023:07:04:22	801	139.8	8.57	4.2
10:16:2023:07:04:27	803	140.1	8.57	4.2
10:16:2023:07:04:32	781	140.5	8.57	4.2
10:16:2023:07:04:37	779	140.8	8.57	4.2
10:16:2023:07:04:42	785	141.2	8.57	4.2
10:16:2023:07:04:47	789	141.5	8.57	4.2
10:16:2023:07:04:53	781	142.0	8.57	4.2
10:16:2023:07:04:58	799	142.3	8.57	4.2
10:16:2023:07:05:03	784	142.7	8.57	4.1
10:16:2023:07:05:08	762	143.0	8.57	4.2
10:16:2023:07:05:13	787	143.3	8.57	4.2
10:16:2023:07:05:18	797	143.7	8.57	4.2
10:16:2023:07:05:23	773	144.0	8.57	4.2
10:16:2023:07:05:28	780	144.4	8.57	4.2
10:16:2023:07:05:33	783	144.7	8.57	4.2

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:05:38	802	145.1	8.57	4.2
10:16:2023:07:05:43	776	145.4	8.57	4.2
10:16:2023:07:05:48	758	145.8	8.57	4.2
10:16:2023:07:05:53	761	146.1	8.57	4.2
10:16:2023:07:05:58	799	146.5	8.57	4.2
10:16:2023:07:06:03	780	146.8	8.57	4.2
10:16:2023:07:06:09	783	147.3	8.57	4.2
10:16:2023:07:06:14	769	147.6	8.57	4.2
10:16:2023:07:06:19	792	147.9	8.57	4.2
10:16:2023:07:06:24	760	148.3	8.57	4.2
10:16:2023:07:06:29	784	148.6	8.57	4.2
10:16:2023:07:06:34	797	149.0	8.57	4.2
10:16:2023:07:06:39	778	149.3	8.57	4.2
10:16:2023:07:06:44	778	149.7	8.57	4.2
10:16:2023:07:06:49	784	150.0	8.56	4.2
10:16:2023:07:06:54	778	150.4	8.57	4.2
10:16:2023:07:06:59	797	150.7	8.57	4.2
10:16:2023:07:07:00	End Pumping EverCRETE Slurry			
10:16:2023:07:07:00	780	150.8	8.57	4.2
10:16:2023:07:07:04	759	151.1	8.56	4.2
10:16:2023:07:07:09	783	151.4	8.56	4.1
10:16:2023:07:07:14	782	151.8	8.56	4.2
10:16:2023:07:07:20	783	152.2	8.56	4.2
10:16:2023:07:07:25	783	152.5	8.56	4.2
10:16:2023:07:07:30	788	152.9	8.56	4.2
10:16:2023:07:07:35	768	153.2	8.56	4.2
10:16:2023:07:07:40	781	153.6	8.56	4.2
10:16:2023:07:07:45	794	153.9	8.56	4.2
10:16:2023:07:07:50	781	154.3	8.56	4.2
10:16:2023:07:07:55	791	154.6	8.56	4.2
10:16:2023:07:08:00	767	155.0	8.56	4.2
10:16:2023:07:08:05	782	155.3	8.56	4.1
10:16:2023:07:08:10	776	155.7	8.56	4.2
10:16:2023:07:08:15	793	156.0	8.56	4.2
10:16:2023:07:08:20	754	156.4	8.56	4.2
10:16:2023:07:08:25	781	156.7	8.56	4.2
10:16:2023:07:08:31	778	157.1	8.56	4.1
10:16:2023:07:08:36	779	157.5	8.56	4.2
10:16:2023:07:08:41	770	157.8	8.56	4.2
10:16:2023:07:08:46	778	158.2	8.56	4.2
10:16:2023:07:08:51	764	158.5	8.56	4.2
10:16:2023:07:08:56	779	158.9	8.56	4.2
10:16:2023:07:09:01	770	159.2	8.56	4.2
10:16:2023:07:09:06	776	159.6	8.56	4.2
10:16:2023:07:09:11	789	159.9	8.56	4.2
10:16:2023:07:09:16	767	160.3	8.56	4.2
10:16:2023:07:09:21	782	160.6	8.56	4.2
10:16:2023:07:09:26	775	161.0	8.56	4.2
10:16:2023:07:09:31	794	161.3	8.56	4.2
10:16:2023:07:09:36	765	161.7	8.56	4.2
10:16:2023:07:09:42	781	162.0	8.56	4.2
10:16:2023:07:09:47	778	162.4	8.56	4.2
10:16:2023:07:09:52	792	162.8	8.56	4.2
10:16:2023:07:09:57	771	163.1	8.56	4.2
10:16:2023:07:10:02	777	163.5	8.56	4.2

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:10:07	764	163.8	8.56	4.2
10:16:2023:07:10:12	784	164.2	8.56	4.2
10:16:2023:07:10:17	764	164.5	8.56	4.2
10:16:2023:07:10:22	778	164.9	8.56	4.2
10:16:2023:07:10:27	759	165.2	8.56	4.2
10:16:2023:07:10:32	777	165.6	8.56	4.2
10:16:2023:07:10:37	792	165.9	8.56	4.2
10:16:2023:07:10:42	772	166.3	8.56	4.2
10:16:2023:07:10:47	781	166.6	8.56	4.2
10:16:2023:07:10:52	766	167.0	8.56	4.2
10:16:2023:07:10:58	779	167.4	8.56	4.2
10:16:2023:07:11:03	782	167.7	8.56	4.2
10:16:2023:07:11:08	797	168.1	8.56	4.2
10:16:2023:07:11:13	772	168.4	8.56	4.2
10:16:2023:07:11:18	803	168.8	8.56	4.2
10:16:2023:07:11:23	752	169.1	8.56	4.1
10:16:2023:07:11:28	703	169.5	8.56	4.0
10:16:2023:07:11:33	596	169.8	8.56	3.4
10:16:2023:07:11:38	102	170.0	8.56	0.3
10:16:2023:07:11:43	38	170.0	8.56	0.0
10:16:2023:07:11:48	22	170.0	8.57	0.0
10:16:2023:07:11:53	19	170.0	8.58	0.0
10:16:2023:07:11:58	19	170.0	8.59	0.0
10:16:2023:07:12:03	18	170.0	8.59	0.0
10:16:2023:07:12:09	19	170.0	8.59	0.0
10:16:2023:07:12:14	19	170.0	8.59	0.0
10:16:2023:07:12:19	19	170.0	8.60	0.0
10:16:2023:07:12:24	19	170.0	8.59	0.0
10:16:2023:07:12:29	20	170.0	8.60	0.0
10:16:2023:07:12:34	19	170.0	8.59	0.0
10:16:2023:07:12:39	20	170.0	8.60	0.0
10:16:2023:07:12:44	20	170.0	8.60	0.0
10:16:2023:07:12:49	19	170.0	8.60	0.0
10:16:2023:07:12:54	21	170.0	8.60	0.0
10:16:2023:07:12:59	21	170.0	8.61	0.0
10:16:2023:07:13:04	20	170.0	8.60	0.0
10:16:2023:07:13:09	20	170.0	8.60	0.0
10:16:2023:07:13:14	21	170.0	8.60	0.0
10:16:2023:07:13:20	20	170.0	8.59	0.0
10:16:2023:07:13:25	21	170.0	8.59	0.0
10:16:2023:07:13:30	21	170.0	8.59	0.0
10:16:2023:07:13:35	21	170.0	8.59	0.0
10:16:2023:07:13:40	20	170.0	8.59	0.0
10:16:2023:07:13:45	21	0.0	8.61	0.0
10:16:2023:07:13:50	21	0.0	8.64	0.0
10:16:2023:07:13:55	21	0.0	8.64	0.0
10:16:2023:07:14:00	21	0.0	8.64	0.0
10:16:2023:07:14:05	20	0.0	8.64	0.0
10:16:2023:07:14:10	21	0.0	8.65	0.0
10:16:2023:07:14:15	21	0.0	8.65	0.0
10:16:2023:07:14:20	21	0.0	8.65	0.0
10:16:2023:07:14:25	20	0.0	8.64	0.0
10:16:2023:07:14:31	56	0.0	8.65	0.0
10:16:2023:07:14:36	56	0.0	8.65	0.0
10:16:2023:07:14:41	55	0.0	8.66	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:14:46	53	0.0	8.64	0.0
10:16:2023:07:14:51	50	0.0	8.65	0.0
10:16:2023:07:14:56	50	0.0	8.65	0.0
10:16:2023:07:15:01	50	0.0	8.66	0.0
10:16:2023:07:15:06	51	0.0	8.66	0.0
10:16:2023:07:15:11	52	0.0	8.66	0.0
10:16:2023:07:15:16	52	0.0	8.68	0.0
10:16:2023:07:15:21	51	0.0	8.68	0.0
10:16:2023:07:15:26	51	0.0	8.69	0.0
10:16:2023:07:15:31	50	0.0	8.70	0.0
10:16:2023:07:15:36	51	0.0	8.70	0.0
10:16:2023:07:15:41	50	0.0	8.68	0.0
10:16:2023:07:15:47	25	0.0	8.55	0.0
10:16:2023:07:15:52	23	0.0	8.99	0.0
10:16:2023:07:15:57	21	0.0	8.37	0.0
10:16:2023:07:16:02	21	0.0	8.50	0.0
10:16:2023:07:16:07	21	0.0	8.74	0.0
10:16:2023:07:16:12	22	0.0	8.52	0.0
10:16:2023:07:16:17	22	0.0	8.72	0.0
10:16:2023:07:16:22	21	0.0	8.83	0.0
10:16:2023:07:16:27	21	0.0	8.85	0.0
10:16:2023:07:16:32	22	0.0	8.97	0.0
10:16:2023:07:16:37	21	0.0	8.95	0.0
10:16:2023:07:16:42	21	0.0	9.04	0.0
10:16:2023:07:16:47	21	0.0	8.96	0.0
10:16:2023:07:16:52	21	0.0	9.02	0.0
10:16:2023:07:16:58	21	0.0	8.99	0.0
10:16:2023:07:17:03	22	0.0	8.94	0.0
10:16:2023:07:17:08	21	0.0	8.99	0.0
10:16:2023:07:17:13	21	0.0	8.99	0.0
10:16:2023:07:17:18	22	0.0	8.92	0.0
10:16:2023:07:17:23	22	0.0	9.00	0.0
10:16:2023:07:17:28	21	0.0	8.95	0.0
10:16:2023:07:17:33	22	0.0	8.97	0.0
10:16:2023:07:17:38	22	0.0	8.95	0.0
10:16:2023:07:17:43	21	0.0	8.96	0.0
10:16:2023:07:17:48	21	0.0	8.92	0.0
10:16:2023:07:17:53	21	0.0	8.93	0.0
10:16:2023:07:17:58	22	0.0	8.94	0.0
10:16:2023:07:18:03	22	0.0	8.92	0.0
10:16:2023:07:18:09	22	0.0	8.90	0.0
10:16:2023:07:18:14	21	0.0	8.92	0.0
10:16:2023:07:18:19	22	0.0	8.88	0.0
10:16:2023:07:18:24	21	0.0	8.86	0.0
10:16:2023:07:18:29	22	0.0	8.91	0.0
10:16:2023:07:18:34	21	0.0	8.91	0.0
10:16:2023:07:18:39	21	0.0	8.89	0.0
10:16:2023:07:18:44	22	0.0	8.88	0.0
10:16:2023:07:18:49	22	0.0	8.94	0.0
10:16:2023:07:18:54	21	0.0	9.26	0.0
10:16:2023:07:18:59	22	0.0	9.37	0.0
10:16:2023:07:19:04	21	0.0	9.38	0.0
10:16:2023:07:19:09	21	0.0	9.21	0.0
10:16:2023:07:19:14	22	0.0	9.41	0.0
10:16:2023:07:19:19	22	0.0	9.40	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:19:25	21	0.0	9.03	0.0
10:16:2023:07:19:30	21	0.0	8.62	0.0
10:16:2023:07:19:35	22	0.0	8.57	0.0
10:16:2023:07:19:40	22	0.0	8.54	0.0
10:16:2023:07:19:45	21	0.0	8.52	0.0
10:16:2023:07:19:50	22	0.0	8.52	0.0
10:16:2023:07:19:55	22	0.0	8.52	0.0
10:16:2023:07:20:00	21	0.0	8.52	0.0
10:16:2023:07:20:05	22	0.0	8.52	0.0
10:16:2023:07:20:10	22	0.0	8.66	0.0
10:16:2023:07:20:15	21	0.0	8.74	0.0
10:16:2023:07:20:20	21	0.0	8.79	0.0
10:16:2023:07:20:25	21	0.0	8.83	0.0
10:16:2023:07:20:30	21	0.0	8.85	0.0
10:16:2023:07:20:36	22	0.0	8.87	0.0
10:16:2023:07:20:41	21	0.0	8.87	0.0
10:16:2023:07:20:46	21	0.0	8.87	0.0
10:16:2023:07:20:51	22	0.0	8.87	0.0
10:16:2023:07:20:56	21	0.0	8.87	0.0
10:16:2023:07:21:01	21	0.0	8.87	0.0
10:16:2023:07:21:06	22	0.0	8.88	0.0
10:16:2023:07:21:11	21	0.0	8.88	0.0
10:16:2023:07:21:16	21	0.0	8.87	0.0
10:16:2023:07:21:21	21	0.0	8.87	0.0
10:16:2023:07:21:26	21	0.0	8.87	0.0
10:16:2023:07:21:31	21	0.0	8.87	0.0
10:16:2023:07:21:36	22	0.0	8.88	0.0
10:16:2023:07:21:41	22	0.0	8.88	0.0
10:16:2023:07:21:47	21	0.0	8.89	0.0
10:16:2023:07:21:52	22	0.0	8.89	0.0
10:16:2023:07:21:57	21	0.0	8.89	0.0
10:16:2023:07:22:02	22	0.0	9.29	0.0
10:16:2023:07:22:07	21	0.0	9.64	0.0
10:16:2023:07:22:12	21	0.0	10.11	0.0
10:16:2023:07:22:17	21	0.0	10.44	0.0
10:16:2023:07:22:22	21	0.0	10.84	0.0
10:16:2023:07:22:27	21	0.0	11.00	0.0
10:16:2023:07:22:32	21	0.0	11.09	0.0
10:16:2023:07:22:37	21	0.0	11.08	0.0
10:16:2023:07:22:42	21	0.0	11.08	0.0
10:16:2023:07:22:47	22	0.0	11.08	0.0
10:16:2023:07:22:52	22	0.0	11.08	0.0
10:16:2023:07:22:58	21	0.0	11.08	0.0
10:16:2023:07:23:03	21	0.0	11.08	0.0
10:16:2023:07:23:08	22	0.0	11.07	0.0
10:16:2023:07:23:13	22	0.0	11.08	0.0
10:16:2023:07:23:18	22	0.0	11.08	0.0
10:16:2023:07:23:23	23	0.0	11.08	0.0
10:16:2023:07:23:28	21	0.0	11.07	0.0
10:16:2023:07:23:33	22	0.0	11.07	0.0
10:16:2023:07:23:38	22	0.0	11.08	0.0
10:16:2023:07:23:43	22	0.0	11.07	0.0
10:16:2023:07:23:48	22	0.0	11.07	0.0
10:16:2023:07:23:53	22	0.0	11.07	0.0
10:16:2023:07:23:58	22	0.0	11.07	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:24:03	22	0.0	11.07	0.0
10:16:2023:07:24:08	21	0.0	11.07	0.0
10:16:2023:07:24:14	23	0.0	11.07	0.0
10:16:2023:07:24:19	22	0.0	11.07	0.0
10:16:2023:07:24:24	22	0.0	11.07	0.0
10:16:2023:07:24:29	23	0.0	11.07	0.0
10:16:2023:07:24:34	22	0.0	11.07	0.0
10:16:2023:07:24:39	22	0.0	11.07	0.0
10:16:2023:07:24:44	22	0.0	11.07	0.0
10:16:2023:07:24:49	22	0.0	11.07	0.0
10:16:2023:07:24:54	22	0.0	11.07	0.0
10:16:2023:07:24:59	23	0.0	11.07	0.0
10:16:2023:07:25:04	22	0.0	11.07	0.0
10:16:2023:07:25:09	22	0.0	11.07	0.0
10:16:2023:07:25:14	27	0.0	11.07	0.0
10:16:2023:07:25:19	31	0.0	11.07	0.1
10:16:2023:07:25:25	29	0.0	11.07	0.0
10:16:2023:07:25:30	41	0.0	11.07	0.1
10:16:2023:07:25:35	42	0.0	11.07	0.1
10:16:2023:07:25:40	33	0.0	11.07	0.2
10:16:2023:07:25:45	35	0.0	11.07	0.2
10:16:2023:07:25:50	30	0.1	11.07	0.3
10:16:2023:07:25:55	26	0.1	11.07	0.3
10:16:2023:07:26:00	24	0.1	11.11	0.1
10:16:2023:07:26:05	23	0.1	11.46	0.1
10:16:2023:07:26:10	23	0.1	11.47	0.0
10:16:2023:07:26:15	23	0.1	11.31	0.1
10:16:2023:07:26:20	22	0.1	11.38	0.1
10:16:2023:07:26:25	22	0.1	11.40	0.0
10:16:2023:07:26:30	21	0.1	11.39	0.1
10:16:2023:07:26:36	22	0.2	11.37	0.1
10:16:2023:07:26:41	22	0.2	11.40	0.0
10:16:2023:07:26:46	21	0.2	11.37	0.1
10:16:2023:07:26:51	21	0.2	11.38	0.0
10:16:2023:07:26:56	21	0.2	11.35	0.1
10:16:2023:07:27:01	21	0.2	11.37	0.1
10:16:2023:07:27:06	21	0.2	11.36	0.0
10:16:2023:07:27:11	23	0.2	11.38	0.1
10:16:2023:07:27:16	22	0.2	11.36	0.1
10:16:2023:07:27:21	21	0.2	11.31	0.1
10:16:2023:07:27:26	22	0.2	11.30	0.1
10:16:2023:07:27:31	22	0.2	11.05	0.3
10:16:2023:07:27:36	22	0.2	11.07	0.3
10:16:2023:07:27:41	22	0.3	11.07	0.3
10:16:2023:07:27:46	22	0.3	11.09	0.3
10:16:2023:07:27:52	22	0.3	11.23	0.3
10:16:2023:07:27:57	22	0.3	11.34	0.3
10:16:2023:07:28:02	21	0.4	11.37	0.3
10:16:2023:07:28:07	21	0.4	11.37	0.3
10:16:2023:07:28:12	21	0.4	11.38	0.3
10:16:2023:07:28:17	21	0.4	11.42	0.3
10:16:2023:07:28:22	21	0.5	11.74	0.3
10:16:2023:07:28:27	21	0.5	12.05	0.3
10:16:2023:07:28:32	22	0.5	12.33	0.3
10:16:2023:07:28:37	21	0.5	12.59	0.3

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:28:42	21	0.6	12.86	0.3
10:16:2023:07:28:47	22	0.6	13.10	0.3
10:16:2023:07:28:52	22	0.6	13.31	0.3
10:16:2023:07:28:57	21	0.6	13.55	0.3
10:16:2023:07:29:00	Start Mixing Tail Slurry			
10:16:2023:07:29:01	22	0.6	13.70	0.3
10:16:2023:07:29:03	21	0.7	13.77	0.3
10:16:2023:07:29:08	21	0.7	14.00	0.3
10:16:2023:07:29:13	21	0.7	14.18	0.3
10:16:2023:07:29:18	21	0.7	14.43	0.3
10:16:2023:07:29:23	22	0.8	14.63	0.3
10:16:2023:07:29:28	21	0.8	14.80	0.3
10:16:2023:07:29:33	22	0.8	14.99	0.3
10:16:2023:07:29:38	21	0.8	15.15	0.3
10:16:2023:07:29:43	21	0.9	15.43	0.3
10:16:2023:07:29:48	21	0.9	15.78	0.3
10:16:2023:07:29:53	21	0.9	16.06	0.3
10:16:2023:07:29:58	21	0.9	16.28	0.3
10:16:2023:07:30:03	22	1.0	16.38	0.3
10:16:2023:07:30:08	22	1.0	16.41	0.3
10:16:2023:07:30:14	22	1.0	16.39	0.3
10:16:2023:07:30:19	22	1.0	16.38	0.3
10:16:2023:07:30:24	22	1.1	16.38	0.3
10:16:2023:07:30:29	21	1.1	16.38	0.3
10:16:2023:07:30:34	21	1.1	15.13	0.3
10:16:2023:07:30:39	21	1.1	16.21	0.3
10:16:2023:07:30:44	23	1.1	16.28	0.3
10:16:2023:07:30:49	22	1.2	16.12	0.3
10:16:2023:07:30:54	22	1.2	16.14	0.3
10:16:2023:07:30:59	22	1.2	16.15	0.2
10:16:2023:07:31:04	22	1.2	16.22	0.0
10:16:2023:07:31:09	23	1.2	16.81	0.0
10:16:2023:07:31:14	22	1.2	16.94	0.0
10:16:2023:07:31:19	21	1.2	16.30	0.3
10:16:2023:07:31:25	21	1.3	16.15	0.3
10:16:2023:07:31:30	21	1.3	16.11	0.3
10:16:2023:07:31:35	21	1.3	15.88	0.3
10:16:2023:07:31:40	21	1.4	15.80	0.3
10:16:2023:07:31:45	22	1.4	15.53	0.3
10:16:2023:07:31:50	21	1.4	15.24	0.3
10:16:2023:07:31:55	21	1.4	15.07	0.3
10:16:2023:07:32:00	22	1.5	15.00	0.3
10:16:2023:07:32:05	22	1.5	15.08	0.3
10:16:2023:07:32:10	22	1.5	15.51	0.3
10:16:2023:07:32:15	21	1.5	15.71	0.3
10:16:2023:07:32:20	22	1.6	15.70	0.3
10:16:2023:07:32:25	21	1.6	15.60	0.3
10:16:2023:07:32:30	22	1.6	15.50	0.3
10:16:2023:07:32:35	21	1.6	15.45	0.3
10:16:2023:07:32:41	21	1.7	15.44	0.3
10:16:2023:07:32:46	22	1.7	15.53	0.3
10:16:2023:07:32:51	22	1.7	15.69	0.3
10:16:2023:07:32:56	22	1.8	15.81	0.3
10:16:2023:07:33:01	21	1.8	15.88	0.3
10:16:2023:07:33:06	21	1.8	15.92	0.3

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:33:11	22	1.8	15.92	0.3
10:16:2023:07:33:16	27	1.9	15.82	0.3
10:16:2023:07:33:21	300	0.0	15.72	1.8
10:16:2023:07:33:26	241	0.2	15.59	2.2
10:16:2023:07:33:31	140	0.4	15.54	2.2
10:16:2023:07:33:36	97	0.6	15.50	2.2
10:16:2023:07:33:41	105	0.8	15.49	2.2
10:16:2023:07:33:46	134	1.0	15.51	2.5
10:16:2023:07:33:52	157	1.2	15.53	2.5
10:16:2023:07:33:57	166	1.4	15.55	2.5
10:16:2023:07:34:02	165	1.6	15.58	2.5
10:16:2023:07:34:07	169	1.8	15.61	2.5
10:16:2023:07:34:12	166	2.1	15.63	2.5
10:16:2023:07:34:17	250	2.3	15.63	3.0
10:16:2023:07:34:22	350	2.5	15.62	4.0
10:16:2023:07:34:27	362	2.9	15.66	4.0
10:16:2023:07:34:32	365	3.2	15.68	4.0
10:16:2023:07:34:37	364	3.5	15.69	4.0
10:16:2023:07:34:42	380	3.9	15.70	4.1
10:16:2023:07:34:47	474	4.2	15.71	4.6
10:16:2023:07:34:52	475	4.6	15.72	4.7
10:16:2023:07:34:57	484	5.0	15.73	4.6
10:16:2023:07:35:03	492	5.4	15.73	4.6
10:16:2023:07:35:08	492	5.8	15.74	4.6
10:16:2023:07:35:13	502	6.2	15.75	4.6
10:16:2023:07:35:18	488	6.6	15.75	4.6
10:16:2023:07:35:23	492	7.0	15.76	4.7
10:16:2023:07:35:28	500	7.4	15.75	4.6
10:16:2023:07:35:33	495	7.8	15.75	4.7
10:16:2023:07:35:38	455	8.2	15.75	4.4
10:16:2023:07:35:43	444	8.5	15.76	4.4
10:16:2023:07:35:48	441	8.9	15.77	4.4
10:16:2023:07:35:53	437	9.3	15.75	4.4
10:16:2023:07:35:58	434	9.6	15.75	4.4
10:16:2023:07:36:03	453	10.0	15.74	4.4
10:16:2023:07:36:08	449	10.4	15.76	4.4
10:16:2023:07:36:13	446	10.7	15.77	4.3
10:16:2023:07:36:19	447	11.2	15.77	4.4
10:16:2023:07:36:24	463	11.5	15.75	4.4
10:16:2023:07:36:29	448	11.9	15.74	4.4
10:16:2023:07:36:34	477	12.2	15.72	4.4
10:16:2023:07:36:39	473	12.6	15.70	4.4
10:16:2023:07:36:44	463	13.0	15.67	4.3
10:16:2023:07:36:49	462	13.3	15.66	4.4
10:16:2023:07:36:54	452	13.7	15.65	4.4
10:16:2023:07:36:59	488	14.1	15.64	4.3
10:16:2023:07:37:04	474	14.4	15.63	4.4
10:16:2023:07:37:09	462	14.8	15.63	4.4
10:16:2023:07:37:14	453	15.2	15.63	4.4
10:16:2023:07:37:19	484	15.5	15.67	4.3
10:16:2023:07:37:24	469	15.9	15.73	4.4
10:16:2023:07:37:30	489	16.3	15.80	4.4
10:16:2023:07:37:35	496	16.7	15.85	4.4
10:16:2023:07:37:40	492	17.0	15.84	4.4
10:16:2023:07:37:45	481	17.4	15.82	4.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:37:50	480	17.8	15.81	4.4
10:16:2023:07:37:55	503	18.1	15.79	4.4
10:16:2023:07:38:00	494	18.5	15.76	4.4
10:16:2023:07:38:05	470	18.9	15.74	4.4
10:16:2023:07:38:10	467	19.2	15.73	4.4
10:16:2023:07:38:15	505	19.6	15.72	4.4
10:16:2023:07:38:20	496	20.0	15.71	4.4
10:16:2023:07:38:25	463	20.3	15.71	4.4
10:16:2023:07:38:30	478	20.7	15.70	4.4
10:16:2023:07:38:35	393	21.0	15.70	4.0
10:16:2023:07:38:41	404	21.4	15.69	4.0
10:16:2023:07:38:46	446	21.8	15.69	4.0
10:16:2023:07:38:51	396	22.1	15.69	4.0
10:16:2023:07:38:56	437	22.4	15.69	4.0
10:16:2023:07:39:01	447	22.8	15.71	4.0
10:16:2023:07:39:06	449	23.1	15.73	4.0
10:16:2023:07:39:11	385	23.4	15.75	4.0
10:16:2023:07:39:16	376	23.8	15.75	4.0
10:16:2023:07:39:21	451	24.1	15.76	4.0
10:16:2023:07:39:26	194	24.4	15.74	2.4
10:16:2023:07:39:31	163	24.6	15.71	2.3
10:16:2023:07:39:36	181	24.8	15.70	2.3
10:16:2023:07:39:41	183	25.0	15.68	2.3
10:16:2023:07:39:46	183	25.2	15.67	2.3
10:16:2023:07:39:52	175	25.4	15.66	2.3
10:16:2023:07:39:57	188	25.6	15.65	2.3
10:16:2023:07:40:02	180	25.8	15.64	2.3
10:16:2023:07:40:07	177	26.0	15.64	2.3
10:16:2023:07:40:12	189	26.2	15.64	2.3
10:16:2023:07:40:17	187	26.4	15.63	2.3
10:16:2023:07:40:22	169	26.6	15.65	2.3
10:16:2023:07:40:27	189	26.8	15.70	2.3
10:16:2023:07:40:32	175	27.0	15.77	2.3
10:16:2023:07:40:37	181	27.2	15.82	2.3
10:16:2023:07:40:42	173	27.4	15.86	2.3
10:16:2023:07:40:47	186	27.6	15.88	2.3
10:16:2023:07:40:52	172	27.7	15.86	2.3
10:16:2023:07:40:57	186	27.9	15.80	2.3
10:16:2023:07:41:02	181	28.1	15.76	2.3
10:16:2023:07:41:08	176	28.4	15.73	2.3
10:16:2023:07:41:13	185	28.6	15.69	2.3
10:16:2023:07:41:18	183	28.8	15.67	2.3
10:16:2023:07:41:23	176	28.9	15.67	2.3
10:16:2023:07:41:28	180	29.1	15.69	2.3
10:16:2023:07:41:33	189	29.3	15.70	2.3
10:16:2023:07:41:38	178	29.5	15.71	2.3
10:16:2023:07:41:43	189	29.7	15.72	2.3
10:16:2023:07:41:48	186	29.9	15.73	2.3
10:16:2023:07:41:53	181	30.1	15.73	2.3
10:16:2023:07:41:58	183	30.3	15.74	2.3
10:16:2023:07:42:03	186	30.5	15.75	2.3
10:16:2023:07:42:08	185	30.7	15.75	2.3
10:16:2023:07:42:13	190	30.9	15.76	2.3
10:16:2023:07:42:19	184	31.1	15.76	2.3
10:16:2023:07:42:24	183	31.3	15.77	2.3

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:42:29	186	31.5	15.76	2.3
10:16:2023:07:42:34	185	31.7	15.76	2.3
10:16:2023:07:42:39	187	31.9	15.76	2.3
10:16:2023:07:42:44	188	32.1	15.86	2.3
10:16:2023:07:42:49	185	32.3	15.89	2.3
10:16:2023:07:42:54	189	32.5	15.89	2.3
10:16:2023:07:42:59	182	32.7	15.86	2.3
10:16:2023:07:43:04	185	32.9	15.83	2.3
10:16:2023:07:43:09	190	33.0	15.78	2.3
10:16:2023:07:43:14	179	33.2	15.74	2.3
10:16:2023:07:43:19	237	33.4	15.71	2.7
10:16:2023:07:43:24	276	33.7	15.69	2.9
10:16:2023:07:43:30	304	33.9	15.65	3.2
10:16:2023:07:43:35	306	34.2	15.62	3.2
10:16:2023:07:43:40	314	34.5	15.60	3.2
10:16:2023:07:43:45	310	34.8	15.57	3.1
10:16:2023:07:43:50	91	35.0	15.57	3.2
10:16:2023:07:43:55	310	35.3	15.64	3.2
10:16:2023:07:44:00	301	35.6	15.76	3.2
10:16:2023:07:44:05	294	35.8	15.88	3.2
10:16:2023:07:44:10	307	36.1	15.93	3.2
10:16:2023:07:44:15	328	36.3	15.98	3.3
10:16:2023:07:44:20	347	36.6	16.03	3.4
10:16:2023:07:44:25	332	36.9	16.08	3.4
10:16:2023:07:44:30	346	37.2	16.06	3.5
10:16:2023:07:44:35	358	37.5	15.84	3.4
10:16:2023:07:44:40	349	37.8	15.61	3.5
10:16:2023:07:44:46	357	38.1	15.47	3.5
10:16:2023:07:44:51	352	38.4	15.44	3.4
10:16:2023:07:44:56	347	38.7	15.39	3.5
10:16:2023:07:45:01	345	39.0	15.35	3.5
10:16:2023:07:45:06	335	39.3	15.31	3.4
10:16:2023:07:45:11	347	39.6	15.32	3.4
10:16:2023:07:45:16	332	39.8	15.42	3.4
10:16:2023:07:45:21	315	40.1	15.51	3.4
10:16:2023:07:45:26	346	40.4	15.55	3.4
10:16:2023:07:45:31	340	40.7	15.56	3.4
10:16:2023:07:45:36	352	41.0	15.58	3.5
10:16:2023:07:45:41	336	41.3	15.60	3.5
10:16:2023:07:45:46	349	41.6	15.61	3.4
10:16:2023:07:45:51	326	41.9	15.63	3.4
10:16:2023:07:45:57	324	42.2	15.63	3.4
10:16:2023:07:46:02	338	42.5	15.64	3.5
10:16:2023:07:46:07	330	42.8	15.66	3.4
10:16:2023:07:46:12	322	43.1	15.66	3.4
10:16:2023:07:46:17	348	43.3	15.67	3.5
10:16:2023:07:46:22	324	43.6	15.68	3.4
10:16:2023:07:46:27	346	43.9	15.69	3.5
10:16:2023:07:46:32	345	44.2	15.69	3.5
10:16:2023:07:46:37	352	44.5	15.69	3.4
10:16:2023:07:46:42	320	44.8	15.69	3.4
10:16:2023:07:46:47	310	45.1	15.69	3.5
10:16:2023:07:46:52	341	45.4	15.69	3.4
10:16:2023:07:46:57	303	45.6	15.69	3.4
10:16:2023:07:47:02	344	45.9	15.69	3.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:47:08	344	46.3	15.69	3.4
10:16:2023:07:47:13	350	46.6	15.68	3.5
10:16:2023:07:47:18	341	46.8	15.67	3.4
10:16:2023:07:47:23	348	47.1	15.67	3.5
10:16:2023:07:47:28	324	47.4	15.66	3.4
10:16:2023:07:47:33	320	47.7	15.66	3.5
10:16:2023:07:47:38	316	48.0	15.65	3.5
10:16:2023:07:47:43	347	48.3	15.65	3.5
10:16:2023:07:47:48	339	48.6	15.66	3.4
10:16:2023:07:47:53	345	48.9	15.65	3.5
10:16:2023:07:47:58	343	49.1	15.65	3.4
10:16:2023:07:48:03	318	49.4	15.64	3.4
10:16:2023:07:48:08	333	49.7	15.64	3.5
10:16:2023:07:48:13	352	50.0	15.63	3.4
10:16:2023:07:48:19	314	50.3	15.62	3.4
10:16:2023:07:48:24	346	50.6	15.61	3.4
10:16:2023:07:48:29	321	50.9	15.60	3.5
10:16:2023:07:48:34	312	51.2	15.60	3.5
10:16:2023:07:48:39	340	51.5	15.65	3.4
10:16:2023:07:48:44	345	51.8	15.71	3.4
10:16:2023:07:48:49	339	52.1	15.74	3.5
10:16:2023:07:48:54	320	52.4	15.69	3.4
10:16:2023:07:48:59	295	52.6	15.65	3.4
10:16:2023:07:49:04	184	52.9	15.62	2.4
10:16:2023:07:49:09	174	53.1	15.59	2.4
10:16:2023:07:49:14	181	53.3	15.56	2.4
10:16:2023:07:49:19	187	53.5	15.55	2.4
10:16:2023:07:49:24	183	53.7	15.60	2.4
10:16:2023:07:49:29	175	53.9	15.61	2.4
10:16:2023:07:49:35	182	54.2	15.61	2.4
10:16:2023:07:49:40	183	54.4	15.58	2.4
10:16:2023:07:49:45	182	54.6	15.53	2.4
10:16:2023:07:49:50	189	54.8	15.49	2.4
10:16:2023:07:49:55	201	55.0	15.46	2.4
10:16:2023:07:50:00	191	55.2	15.41	2.4
10:16:2023:07:50:05	187	55.4	15.37	2.4
10:16:2023:07:50:10	186	55.6	15.34	2.4
10:16:2023:07:50:15	186	55.8	15.34	2.4
10:16:2023:07:50:20	192	56.0	15.42	2.4
10:16:2023:07:50:25	168	56.2	15.48	2.4
10:16:2023:07:50:30	188	56.4	15.51	2.4
10:16:2023:07:50:35	176	56.6	15.42	2.4
10:16:2023:07:50:40	186	56.8	15.32	2.4
10:16:2023:07:50:46	187	57.0	15.23	2.4
10:16:2023:07:50:51	180	57.2	15.20	2.4
10:16:2023:07:50:56	168	57.4	15.17	2.4
10:16:2023:07:51:01	172	57.6	15.29	2.4
10:16:2023:07:51:06	174	57.8	15.47	2.4
10:16:2023:07:51:11	190	58.0	15.61	2.4
10:16:2023:07:51:16	181	58.2	15.56	2.4
10:16:2023:07:51:21	179	58.4	15.42	2.4
10:16:2023:07:51:26	182	58.6	15.29	2.4
10:16:2023:07:51:31	184	58.8	15.15	2.4
10:16:2023:07:51:36	171	59.0	15.03	2.4
10:16:2023:07:51:41	185	59.2	15.03	2.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:51:46	183	59.4	15.18	2.4
10:16:2023:07:51:51	179	59.6	15.33	2.4
10:16:2023:07:51:57	182	59.9	15.51	2.4
10:16:2023:07:52:02	182	60.1	15.49	2.4
10:16:2023:07:52:07	182	60.3	15.40	2.4
10:16:2023:07:52:12	181	60.5	15.30	2.4
10:16:2023:07:52:17	176	60.7	15.24	2.4
10:16:2023:07:52:22	178	60.9	15.21	2.4
10:16:2023:07:52:27	173	61.1	15.31	2.4
10:16:2023:07:52:32	170	61.3	15.37	2.4
10:16:2023:07:52:37	169	61.5	15.44	2.4
10:16:2023:07:52:42	182	61.7	15.46	2.4
10:16:2023:07:52:47	174	61.9	15.47	2.4
10:16:2023:07:52:52	175	62.1	15.46	2.4
10:16:2023:07:52:57	174	62.3	15.44	2.4
10:16:2023:07:53:02	176	62.5	15.43	2.4
10:16:2023:07:53:07	179	62.7	15.47	2.4
10:16:2023:07:53:13	182	62.9	15.54	2.4
10:16:2023:07:53:18	176	63.1	15.61	2.4
10:16:2023:07:53:23	185	63.4	15.63	2.4
10:16:2023:07:53:28	186	63.6	15.60	2.4
10:16:2023:07:53:33	182	63.8	15.55	2.5
10:16:2023:07:53:38	182	64.0	15.52	2.4
10:16:2023:07:53:43	184	64.2	15.54	2.4
10:16:2023:07:53:48	187	64.4	15.59	2.4
10:16:2023:07:53:53	182	64.6	15.63	2.4
10:16:2023:07:53:58	190	64.8	15.66	2.4
10:16:2023:07:54:03	183	65.0	15.69	2.4
10:16:2023:07:54:08	183	65.2	15.72	2.4
10:16:2023:07:54:13	186	65.4	15.72	2.4
10:16:2023:07:54:18	178	65.6	15.74	2.4
10:16:2023:07:54:24	184	65.8	15.83	2.4
10:16:2023:07:54:29	185	66.0	15.91	2.4
10:16:2023:07:54:34	187	66.2	15.98	2.4
10:16:2023:07:54:39	187	66.4	16.02	2.4
10:16:2023:07:54:44	191	66.6	16.02	2.4
10:16:2023:07:54:49	185	66.8	15.95	2.4
10:16:2023:07:54:54	398	67.0	15.87	2.6
10:16:2023:07:54:59	463	67.3	15.78	4.1
10:16:2023:07:55:04	461	67.7	15.77	4.1
10:16:2023:07:55:09	472	68.0	15.77	4.1
10:16:2023:07:55:14	459	68.3	15.71	4.1
10:16:2023:07:55:19	461	68.7	15.71	4.1
10:16:2023:07:55:24	456	69.0	15.73	4.1
10:16:2023:07:55:29	463	69.4	15.75	4.1
10:16:2023:07:55:35	476	69.8	15.76	4.1
10:16:2023:07:55:40	457	70.1	15.77	4.1
10:16:2023:07:55:45	475	70.5	15.78	4.1
10:16:2023:07:55:50	465	70.8	15.76	4.1
10:16:2023:07:55:55	473	71.1	15.73	4.1
10:16:2023:07:56:00	471	71.5	15.75	4.1
10:16:2023:07:56:05	459	71.8	15.77	4.1
10:16:2023:07:56:10	461	72.2	15.78	4.1
10:16:2023:07:56:15	464	72.5	15.79	4.1
10:16:2023:07:56:20	461	72.9	15.79	4.1

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:07:56:25	479	73.2	15.79	4.1
10:16:2023:07:56:30	476	73.5	15.81	4.1
10:16:2023:07:56:35	476	73.9	15.86	4.1
10:16:2023:07:56:40	467	74.2	15.95	4.1
10:16:2023:07:56:46	461	74.6	16.03	4.1
10:16:2023:07:56:51	476	75.0	16.11	4.1
10:16:2023:07:56:56	466	75.3	16.17	4.1
10:16:2023:07:57:01	466	75.7	16.10	4.2
10:16:2023:07:57:06	468	76.0	15.97	4.1
10:16:2023:07:57:11	468	76.4	15.83	4.2
10:16:2023:07:57:16	551	76.7	15.78	4.4
10:16:2023:07:57:21	612	77.1	15.81	4.8
10:16:2023:07:57:26	624	77.5	15.83	4.8
10:16:2023:07:57:31	628	77.9	15.85	4.8
10:16:2023:07:57:36	605	78.3	15.87	4.8
10:16:2023:07:57:41	625	78.7	15.88	4.8
10:16:2023:07:57:46	614	79.1	15.90	4.8
10:16:2023:07:57:51	624	79.5	15.91	4.8
10:16:2023:07:57:56	615	79.9	15.92	4.8
10:16:2023:07:58:02	619	80.3	15.94	4.7
10:16:2023:07:58:07	521	80.7	15.95	4.4
10:16:2023:07:58:12	852	81.2	15.97	5.6
10:16:2023:07:58:17	824	81.6	15.98	5.8
10:16:2023:07:58:22	850	82.1	15.99	5.7
10:16:2023:07:58:27	859	82.6	15.96	5.7
10:16:2023:07:58:32	857	83.1	15.92	5.7
10:16:2023:07:58:37	841	83.5	15.89	5.7
10:16:2023:07:58:42	863	84.0	15.89	5.7
10:16:2023:07:58:47	859	84.5	15.90	5.8
10:16:2023:07:58:52	867	85.0	15.90	5.7
10:16:2023:07:58:57	843	85.4	15.91	5.7
10:16:2023:07:59:02	866	85.9	15.91	5.7
10:16:2023:07:59:07	859	86.4	15.90	5.6
10:16:2023:07:59:13	870	87.0	15.89	5.6
10:16:2023:07:59:18	848	87.4	15.89	5.8
10:16:2023:07:59:23	847	87.9	15.88	5.7
10:16:2023:07:59:28	871	88.4	15.87	5.6
10:16:2023:07:59:33	873	88.8	15.87	5.6
10:16:2023:07:59:38	846	89.3	15.86	5.8
10:16:2023:07:59:43	853	89.8	15.85	5.7
10:16:2023:07:59:48	870	90.3	15.84	5.6
10:16:2023:07:59:53	874	90.8	15.82	5.7
10:16:2023:07:59:58	867	91.2	15.81	5.7
10:16:2023:08:00:03	843	91.7	15.80	5.7
10:16:2023:08:00:08	861	92.2	15.79	5.7
10:16:2023:08:00:13	862	92.7	15.78	5.7
10:16:2023:08:00:18	863	93.1	15.77	5.7
10:16:2023:08:00:24	837	93.7	15.76	5.7
10:16:2023:08:00:29	859	94.2	15.75	5.7
10:16:2023:08:00:34	855	94.6	15.72	5.7
10:16:2023:08:00:39	855	95.1	15.66	5.7
10:16:2023:08:00:44	829	95.6	15.64	5.7
10:16:2023:08:00:49	849	96.1	15.63	5.7
10:16:2023:08:00:54	853	96.5	15.54	5.7
10:16:2023:08:00:59	846	97.0	15.53	5.8

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:01:04	825	97.5	15.55	5.7
10:16:2023:08:01:09	837	98.0	15.74	5.6
10:16:2023:08:01:14	841	98.4	15.79	5.7
10:16:2023:08:01:19	844	98.9	15.81	5.7
10:16:2023:08:01:24	825	99.4	15.76	5.7
10:16:2023:08:01:29	827	99.9	15.79	5.7
10:16:2023:08:01:34	843	100.4	15.82	5.8
10:16:2023:08:01:40	851	100.9	15.86	5.7
10:16:2023:08:01:45	822	101.4	15.88	5.7
10:16:2023:08:01:50	833	101.9	15.91	5.8
10:16:2023:08:01:55	847	102.3	15.93	5.7
10:16:2023:08:02:00	854	102.8	15.95	5.6
10:16:2023:08:02:05	835	103.3	15.95	5.7
10:16:2023:08:02:10	843	103.8	15.92	5.6
10:16:2023:08:02:15	850	104.2	15.85	5.7
10:16:2023:08:02:20	854	104.7	15.81	5.7
10:16:2023:08:02:25	848	105.2	15.75	5.7
10:16:2023:08:02:30	834	105.7	15.62	5.6
10:16:2023:08:02:35	854	106.1	15.61	5.7
10:16:2023:08:02:40	854	106.6	15.60	5.8
10:16:2023:08:02:45	841	107.1	15.59	5.7
10:16:2023:08:02:51	824	107.7	15.57	5.6
10:16:2023:08:02:56	842	108.1	15.55	5.7
10:16:2023:08:03:01	841	108.6	15.52	5.7
10:16:2023:08:03:06	842	109.1	15.49	5.7
10:16:2023:08:03:11	815	109.6	15.46	5.8
10:16:2023:08:03:16	833	110.0	15.41	5.7
10:16:2023:08:03:21	831	110.5	15.66	5.7
10:16:2023:08:03:26	835	111.0	15.78	5.7
10:16:2023:08:03:31	801	111.5	15.94	5.8
10:16:2023:08:03:36	825	111.9	15.98	5.7
10:16:2023:08:03:41	826	112.4	16.01	5.7
10:16:2023:08:03:46	834	112.9	15.96	5.7
10:16:2023:08:03:51	811	113.4	15.87	5.7
10:16:2023:08:03:56	700	113.8	15.86	5.5
10:16:2023:08:04:02	631	114.3	15.90	4.9
10:16:2023:08:04:07	649	114.7	15.94	4.9
10:16:2023:08:04:12	625	115.2	15.99	4.9
10:16:2023:08:04:17	634	115.6	15.96	4.9
10:16:2023:08:04:22	657	116.0	15.89	4.9
10:16:2023:08:04:27	661	116.4	15.86	4.8
10:16:2023:08:04:32	654	116.8	15.84	4.9
10:16:2023:08:04:37	657	117.2	15.89	4.9
10:16:2023:08:04:42	635	117.6	15.94	4.9
10:16:2023:08:04:47	660	118.0	15.98	4.9
10:16:2023:08:04:52	669	118.4	15.95	4.9
10:16:2023:08:04:57	661	118.8	15.84	4.9
10:16:2023:08:05:02	654	119.2	15.79	4.9
10:16:2023:08:05:07	665	119.6	15.84	4.9
10:16:2023:08:05:13	669	120.1	15.89	4.9
10:16:2023:08:05:18	646	120.5	15.92	4.9
10:16:2023:08:05:23	670	120.9	15.91	4.8
10:16:2023:08:05:28	672	121.4	15.89	4.9
10:16:2023:08:05:33	720	121.8	15.84	5.1
10:16:2023:08:05:38	717	122.2	15.87	5.1

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:05:43	712	122.6	15.93	5.2
10:16:2023:08:05:48	735	123.0	15.99	5.1
10:16:2023:08:05:53	736	123.5	16.03	5.1
10:16:2023:08:05:58	738	123.9	15.97	5.2
10:16:2023:08:06:03	739	124.3	15.83	5.2
10:16:2023:08:06:08	716	124.8	15.80	5.2
10:16:2023:08:06:13	738	125.2	15.87	5.1
10:16:2023:08:06:18	721	125.6	15.91	5.2
10:16:2023:08:06:23	726	126.1	15.90	5.1
10:16:2023:08:06:29	739	126.6	15.82	5.2
10:16:2023:08:06:34	776	127.0	15.79	5.5
10:16:2023:08:06:39	904	127.5	15.76	5.8
10:16:2023:08:06:44	904	128.0	15.73	5.8
10:16:2023:08:06:49	880	128.4	15.70	5.8
10:16:2023:08:06:54	896	128.9	15.65	5.8
10:16:2023:08:06:59	882	129.4	15.63	5.9
10:16:2023:08:07:04	895	129.9	15.61	5.8
10:16:2023:08:07:09	898	130.4	15.60	5.9
10:16:2023:08:07:14	865	130.9	15.63	5.9
10:16:2023:08:07:19	889	131.4	15.66	5.8
10:16:2023:08:07:24	883	131.8	15.66	5.9
10:16:2023:08:07:29	879	132.3	15.65	5.8
10:16:2023:08:07:34	891	132.8	15.65	5.9
10:16:2023:08:07:40	857	133.4	15.64	5.9
10:16:2023:08:07:45	882	133.9	15.63	5.9
10:16:2023:08:07:50	875	134.4	15.62	5.9
10:16:2023:08:07:55	874	134.9	15.61	5.9
10:16:2023:08:08:00	882	135.3	15.60	5.9
10:16:2023:08:08:05	856	135.8	15.59	5.8
10:16:2023:08:08:10	881	136.3	15.59	5.8
10:16:2023:08:08:15	881	136.8	15.63	5.8
10:16:2023:08:08:20	864	137.3	15.68	5.8
10:16:2023:08:08:25	898	137.8	15.73	5.9
10:16:2023:08:08:30	879	138.3	15.76	5.8
10:16:2023:08:08:35	909	138.7	15.78	5.8
10:16:2023:08:08:40	917	139.2	15.79	5.8
10:16:2023:08:08:45	885	139.7	15.79	5.8
10:16:2023:08:08:51	914	140.3	15.79	5.9
10:16:2023:08:08:56	885	140.8	15.79	5.9
10:16:2023:08:09:01	910	141.3	15.79	5.8
10:16:2023:08:09:06	904	141.8	15.79	5.9
10:16:2023:08:09:11	871	142.3	15.79	5.8
10:16:2023:08:09:16	912	142.7	15.79	5.9
10:16:2023:08:09:21	890	143.2	15.79	5.8
10:16:2023:08:09:26	890	143.7	15.77	5.8
10:16:2023:08:09:31	909	144.2	15.76	5.9
10:16:2023:08:09:36	867	144.7	15.74	5.9
10:16:2023:08:09:41	902	145.2	15.71	5.9
10:16:2023:08:09:46	887	145.7	15.67	5.8
10:16:2023:08:09:51	882	146.1	15.64	5.8
10:16:2023:08:09:56	893	146.6	15.62	5.8
10:16:2023:08:10:01	866	147.1	15.66	5.8
10:16:2023:08:10:07	893	147.7	15.80	5.8
10:16:2023:08:10:12	886	148.2	15.88	5.9
10:16:2023:08:10:17	867	148.7	15.89	5.9

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:10:22	890	149.2	15.85	5.8
10:16:2023:08:10:27	863	149.6	15.81	5.8
10:16:2023:08:10:32	886	150.1	15.78	6.0
10:16:2023:08:10:37	884	150.6	15.76	5.8
10:16:2023:08:10:42	855	151.1	15.75	5.9
10:16:2023:08:10:47	880	151.6	15.74	5.9
10:16:2023:08:10:52	871	152.1	15.72	5.8
10:16:2023:08:10:57	875	152.6	15.70	5.9
10:16:2023:08:11:02	879	153.1	15.69	5.8
10:16:2023:08:11:07	861	153.5	15.67	5.8
10:16:2023:08:11:12	879	154.0	15.66	5.8
10:16:2023:08:11:18	884	154.6	15.65	5.8
10:16:2023:08:11:23	854	155.1	15.65	5.8
10:16:2023:08:11:28	878	155.6	15.65	5.8
10:16:2023:08:11:33	867	156.1	15.64	5.9
10:16:2023:08:11:38	873	156.6	15.64	5.9
10:16:2023:08:11:43	882	157.0	15.61	5.9
10:16:2023:08:11:48	845	157.5	15.61	5.8
10:16:2023:08:11:53	874	158.0	15.60	5.8
10:16:2023:08:11:58	859	158.5	15.59	6.0
10:16:2023:08:12:03	861	159.0	15.53	5.9
10:16:2023:08:12:08	874	159.5	15.50	5.9
10:16:2023:08:12:13	837	160.0	15.50	5.8
10:16:2023:08:12:18	867	160.4	15.58	5.8
10:16:2023:08:12:23	864	160.9	15.77	5.8
10:16:2023:08:12:29	846	161.5	15.84	5.8
10:16:2023:08:12:34	869	162.0	15.82	5.8
10:16:2023:08:12:39	843	162.5	15.73	5.8
10:16:2023:08:12:44	869	163.0	15.74	5.8
10:16:2023:08:12:49	869	163.5	15.77	5.8
10:16:2023:08:12:54	840	164.0	15.79	5.8
10:16:2023:08:12:59	869	164.4	15.81	5.9
10:16:2023:08:13:04	858	164.9	15.82	5.9
10:16:2023:08:13:09	855	165.4	15.85	5.9
10:16:2023:08:13:14	878	165.9	15.87	5.8
10:16:2023:08:13:19	847	166.4	15.88	5.9
10:16:2023:08:13:24	881	166.9	15.89	5.8
10:16:2023:08:13:29	878	167.4	15.89	5.8
10:16:2023:08:13:34	853	167.8	15.88	5.8
10:16:2023:08:13:40	883	168.3	15.88	5.9
10:16:2023:08:13:45	880	168.9	15.87	5.9
10:16:2023:08:13:50	866	169.4	15.86	5.9
10:16:2023:08:13:55	885	169.9	15.85	5.9
10:16:2023:08:14:00	874	170.4	15.85	5.9
10:16:2023:08:14:05	878	170.9	15.84	5.8
10:16:2023:08:14:10	894	171.3	15.83	5.8
10:16:2023:08:14:15	861	171.8	15.82	5.7
10:16:2023:08:14:20	892	172.3	15.81	5.9
10:16:2023:08:14:25	898	172.8	15.81	5.8
10:16:2023:08:14:30	859	173.3	15.81	5.9
10:16:2023:08:14:35	888	173.8	15.81	5.8
10:16:2023:08:14:40	887	174.3	15.80	5.8
10:16:2023:08:14:45	872	174.8	15.80	5.9
10:16:2023:08:14:50	892	175.2	15.80	5.9
10:16:2023:08:14:56	869	175.8	15.79	5.9

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:15:01	888	176.3	15.78	5.8
10:16:2023:08:15:06	899	176.8	15.78	5.8
10:16:2023:08:15:11	860	177.3	15.77	5.9
10:16:2023:08:15:16	898	177.8	15.77	5.8
10:16:2023:08:15:21	884	178.2	15.76	5.9
10:16:2023:08:15:26	875	178.7	15.76	5.9
10:16:2023:08:15:31	890	179.2	15.75	5.9
10:16:2023:08:15:36	871	179.7	15.75	5.9
10:16:2023:08:15:41	883	180.2	15.75	5.9
10:16:2023:08:15:46	890	180.7	15.74	5.8
10:16:2023:08:15:51	872	181.2	15.73	5.9
10:16:2023:08:15:56	883	181.7	15.72	5.9
10:16:2023:08:16:01	893	182.1	15.73	5.9
10:16:2023:08:16:07	864	182.7	15.72	5.8
10:16:2023:08:16:12	890	183.2	15.71	5.9
10:16:2023:08:16:17	889	183.7	15.72	5.8
10:16:2023:08:16:22	861	184.2	15.77	5.9
10:16:2023:08:16:27	883	184.7	15.83	5.8
10:16:2023:08:16:32	882	185.2	15.86	5.9
10:16:2023:08:16:37	864	185.6	15.88	5.9
10:16:2023:08:16:42	889	186.1	15.89	5.9
10:16:2023:08:16:47	879	186.6	15.86	5.8
10:16:2023:08:16:52	872	187.1	15.85	5.8
10:16:2023:08:16:57	893	187.6	15.86	5.8
10:16:2023:08:17:02	869	188.1	15.87	5.8
10:16:2023:08:17:07	888	188.6	15.88	5.8
10:16:2023:08:17:12	891	189.0	15.88	5.8
10:16:2023:08:17:18	861	189.6	15.87	5.8
10:16:2023:08:17:23	900	190.1	15.86	5.8
10:16:2023:08:17:28	896	190.6	15.88	5.8
10:16:2023:08:17:33	862	191.1	15.89	5.8
10:16:2023:08:17:38	901	191.6	15.89	5.8
10:16:2023:08:17:43	896	192.1	15.88	5.9
10:16:2023:08:17:48	875	192.6	15.89	5.8
10:16:2023:08:17:53	898	193.0	15.89	5.8
10:16:2023:08:17:58	899	193.5	15.88	5.9
10:16:2023:08:18:03	874	194.0	15.86	5.8
10:16:2023:08:18:08	894	194.5	15.83	5.9
10:16:2023:08:18:13	891	195.0	15.81	5.8
10:16:2023:08:18:18	886	195.5	15.79	5.8
10:16:2023:08:18:23	902	196.0	15.78	5.8
10:16:2023:08:18:28	880	196.4	15.77	5.9
10:16:2023:08:18:34	894	197.0	15.76	5.8
10:16:2023:08:18:39	902	197.5	15.77	5.9
10:16:2023:08:18:44	872	198.0	15.76	5.8
10:16:2023:08:18:49	896	198.5	15.77	5.8
10:16:2023:08:18:54	900	199.0	15.77	5.8
10:16:2023:08:18:59	863	199.5	15.76	5.9
10:16:2023:08:19:04	902	199.9	15.75	5.8
10:16:2023:08:19:09	892	200.4	15.62	5.9
10:16:2023:08:19:14	872	200.9	15.60	5.8
10:16:2023:08:19:19	896	201.4	15.71	5.8
10:16:2023:08:19:24	877	201.9	16.13	5.8
10:16:2023:08:19:29	871	202.4	16.14	5.8
10:16:2023:08:19:34	893	202.9	15.96	5.9

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:19:39	877	203.3	15.82	5.9
10:16:2023:08:19:45	876	203.9	15.79	5.9
10:16:2023:08:19:50	889	204.4	15.81	5.8
10:16:2023:08:19:55	883	204.9	15.83	5.8
10:16:2023:08:20:00	879	205.4	15.85	5.9
10:16:2023:08:20:05	894	205.9	15.87	5.8
10:16:2023:08:20:10	874	206.4	15.88	5.7
10:16:2023:08:20:15	878	206.8	15.89	5.8
10:16:2023:08:20:20	899	207.3	15.90	5.8
10:16:2023:08:20:25	879	207.8	15.91	5.9
10:16:2023:08:20:30	886	208.3	15.91	5.8
10:16:2023:08:20:35	904	208.8	15.91	5.9
10:16:2023:08:20:40	870	209.3	15.91	5.8
10:16:2023:08:20:45	883	209.8	15.91	5.7
10:16:2023:08:20:50	897	210.2	15.90	5.9
10:16:2023:08:20:56	874	210.8	15.90	5.8
10:16:2023:08:21:01	887	211.3	15.90	5.8
10:16:2023:08:21:06	897	211.8	15.89	5.8
10:16:2023:08:21:11	898	212.3	15.88	5.9
10:16:2023:08:21:16	869	212.8	15.88	5.9
10:16:2023:08:21:21	903	213.3	15.87	5.8
10:16:2023:08:21:26	907	213.7	15.87	5.9
10:16:2023:08:21:31	867	214.2	15.86	5.9
10:16:2023:08:21:36	905	214.7	15.85	5.8
10:16:2023:08:21:41	913	215.2	15.85	5.8
10:16:2023:08:21:46	870	215.7	15.84	5.9
10:16:2023:08:21:51	908	216.2	15.83	5.8
10:16:2023:08:21:56	906	216.7	15.82	5.8
10:16:2023:08:22:01	883	217.1	15.81	5.8
10:16:2023:08:22:07	891	217.6	15.80	5.8
10:16:2023:08:22:12	901	218.2	15.79	5.8
10:16:2023:08:22:17	902	218.7	15.74	5.9
10:16:2023:08:22:22	873	219.2	15.67	5.8
10:16:2023:08:22:27	899	219.7	15.70	5.9
10:16:2023:08:22:32	900	220.2	15.76	5.9
10:16:2023:08:22:37	862	220.6	15.84	5.8
10:16:2023:08:22:42	890	221.1	15.86	5.8
10:16:2023:08:22:47	900	221.6	15.83	5.9
10:16:2023:08:22:52	886	222.1	15.69	5.8
10:16:2023:08:22:57	873	222.6	15.62	5.9
10:16:2023:08:23:02	898	223.1	15.61	5.8
10:16:2023:08:23:07	893	223.6	15.59	5.8
10:16:2023:08:23:12	867	224.0	15.57	5.8
10:16:2023:08:23:17	885	224.5	15.55	5.8
10:16:2023:08:23:23	888	225.1	15.50	5.8
10:16:2023:08:23:28	871	225.6	15.42	5.9
10:16:2023:08:23:33	853	226.1	15.38	5.8
10:16:2023:08:23:38	882	226.6	15.35	5.8
10:16:2023:08:23:43	882	227.0	15.38	5.8
10:16:2023:08:23:48	841	227.5	15.39	5.8
10:16:2023:08:23:53	875	228.0	15.31	5.9
10:16:2023:08:23:58	871	228.5	15.21	5.8
10:16:2023:08:24:03	849	229.0	15.12	5.8
10:16:2023:08:24:08	845	229.5	15.05	5.8
10:16:2023:08:24:13	855	230.0	15.08	5.9

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:24:18	856	230.4	15.34	5.8
10:16:2023:08:24:23	818	230.9	15.58	5.8
10:16:2023:08:24:28	842	231.4	15.58	5.8
10:16:2023:08:24:34	848	232.0	15.33	5.8
10:16:2023:08:24:39	840	232.5	15.12	5.9
10:16:2023:08:24:44	817	233.0	15.05	5.8
10:16:2023:08:24:49	832	233.4	15.05	5.8
10:16:2023:08:24:54	828	233.9	15.03	5.8
10:16:2023:08:24:59	815	234.4	15.02	5.8
10:16:2023:08:25:04	541	234.9	15.11	4.6
10:16:2023:08:25:09	536	235.3	15.32	4.6
10:16:2023:08:25:14	528	235.7	15.55	4.6
10:16:2023:08:25:19	496	236.0	15.58	4.5
10:16:2023:08:25:24	551	236.4	15.55	4.5
10:16:2023:08:25:29	549	236.8	15.53	4.5
10:16:2023:08:25:34	500	237.2	15.49	4.5
10:16:2023:08:25:39	511	237.6	15.47	4.6
10:16:2023:08:25:45	552	238.0	15.42	4.6
10:16:2023:08:25:50	529	238.4	15.37	4.6
10:16:2023:08:25:55	476	238.8	15.34	4.4
10:16:2023:08:26:00	272	239.1	15.34	3.1
10:16:2023:08:26:05	280	239.3	15.36	3.1
10:16:2023:08:26:10	282	239.6	15.44	3.1
10:16:2023:08:26:15	284	239.8	15.52	3.1
10:16:2023:08:26:20	290	240.1	15.61	3.1
10:16:2023:08:26:25	282	240.4	15.68	3.1
10:16:2023:08:26:30	294	240.6	15.74	3.1
10:16:2023:08:26:35	375	240.9	15.74	3.4
10:16:2023:08:26:40	407	241.2	15.73	3.8
10:16:2023:08:26:45	408	241.5	15.72	3.8
10:16:2023:08:26:50	427	241.8	15.72	3.9
10:16:2023:08:26:55	419	242.1	15.72	3.9
10:16:2023:08:27:01	423	242.5	15.71	3.9
10:16:2023:08:27:06	425	242.8	15.71	3.8
10:16:2023:08:27:11	418	243.2	15.70	3.9
10:16:2023:08:27:16	429	243.5	15.70	3.8
10:16:2023:08:27:21	523	243.8	15.69	4.3
10:16:2023:08:27:26	673	244.2	15.69	5.2
10:16:2023:08:27:31	661	244.6	15.70	5.0
10:16:2023:08:27:36	673	245.1	15.70	5.1
10:16:2023:08:27:41	674	245.5	15.71	5.0
10:16:2023:08:27:46	653	245.9	15.72	5.1
10:16:2023:08:27:51	674	246.3	15.73	5.0
10:16:2023:08:27:56	678	246.7	15.74	5.0
10:16:2023:08:28:01	671	247.2	15.74	5.0
10:16:2023:08:28:06	673	247.6	15.74	5.1
10:16:2023:08:28:12	682	248.1	15.74	5.0
10:16:2023:08:28:17	662	248.5	15.75	5.1
10:16:2023:08:28:22	680	248.9	15.75	5.0
10:16:2023:08:28:27	678	249.3	15.76	5.0
10:16:2023:08:28:32	683	249.8	15.75	5.0
10:16:2023:08:28:37	656	250.2	15.75	5.0
10:16:2023:08:28:42	730	250.6	15.75	5.3
10:16:2023:08:28:47	809	251.0	15.75	5.5
10:16:2023:08:28:52	811	251.5	15.75	5.6

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:28:57	806	252.0	15.75	5.6
10:16:2023:08:29:02	813	252.4	15.74	5.5
10:16:2023:08:29:07	817	252.9	15.74	5.6
10:16:2023:08:29:12	818	253.4	15.74	5.5
10:16:2023:08:29:17	818	253.8	15.74	5.6
10:16:2023:08:29:23	805	254.4	15.75	5.5
10:16:2023:08:29:28	786	254.8	15.75	5.6
10:16:2023:08:29:33	793	255.3	15.76	5.6
10:16:2023:08:29:38	788	255.8	15.77	5.6
10:16:2023:08:29:43	796	256.2	15.78	5.6
10:16:2023:08:29:48	804	256.7	15.79	5.5
10:16:2023:08:29:53	814	257.2	15.80	5.6
10:16:2023:08:29:58	817	257.6	15.81	5.6
10:16:2023:08:30:03	824	258.1	15.82	5.5
10:16:2023:08:30:08	819	258.5	15.82	5.6
10:16:2023:08:30:13	820	259.0	15.82	5.5
10:16:2023:08:30:18	823	259.5	15.82	5.6
10:16:2023:08:30:23	821	259.9	15.76	5.5
10:16:2023:08:30:28	825	260.4	15.73	5.6
10:16:2023:08:30:34	822	260.9	15.75	5.6
10:16:2023:08:30:39	819	261.4	15.80	5.5
10:16:2023:08:30:44	805	261.9	15.87	5.6
10:16:2023:08:30:49	796	262.4	15.93	5.5
10:16:2023:08:30:54	793	262.8	15.98	5.6
10:16:2023:08:30:59	803	263.3	16.04	5.6
10:16:2023:08:31:04	818	263.8	16.06	5.6
10:16:2023:08:31:09	827	264.2	15.96	5.5
10:16:2023:08:31:14	833	264.7	15.81	5.6
10:16:2023:08:31:19	830	265.1	15.77	5.6
10:16:2023:08:31:24	829	265.6	15.83	5.6
10:16:2023:08:31:29	837	266.1	15.87	5.6
10:16:2023:08:31:34	831	266.5	15.93	5.5
10:16:2023:08:31:39	835	267.0	15.98	5.6
10:16:2023:08:31:44	830	267.5	16.01	5.5
10:16:2023:08:31:50	832	268.0	15.85	5.6
10:16:2023:08:31:55	825	268.5	15.60	5.6
10:16:2023:08:32:00	808	268.9	15.59	5.5
10:16:2023:08:32:05	802	269.4	15.64	5.6
10:16:2023:08:32:10	806	269.9	15.71	5.5
10:16:2023:08:32:15	812	270.3	15.79	5.6
10:16:2023:08:32:20	799	270.8	15.86	5.5
10:16:2023:08:32:25	831	271.3	15.93	5.6
10:16:2023:08:32:30	829	271.7	15.99	5.5
10:16:2023:08:32:35	826	272.2	15.94	5.5
10:16:2023:08:32:40	832	272.7	15.83	5.6
10:16:2023:08:32:45	829	273.1	15.85	5.6
10:16:2023:08:32:50	833	273.6	15.87	5.6
10:16:2023:08:32:55	832	274.0	15.75	5.6
10:16:2023:08:33:01	833	274.6	15.70	5.5
10:16:2023:08:33:06	824	275.1	15.69	5.6
10:16:2023:08:33:11	808	275.5	15.53	5.6
10:16:2023:08:33:16	805	276.0	15.47	5.6
10:16:2023:08:33:21	802	276.5	15.54	5.6
10:16:2023:08:33:26	812	276.9	15.62	5.6
10:16:2023:08:33:31	802	277.4	15.64	5.6

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:33:36	803	277.9	15.65	5.5
10:16:2023:08:33:41	822	278.3	15.66	5.6
10:16:2023:08:33:46	827	278.8	15.66	5.5
10:16:2023:08:33:51	825	279.3	15.66	5.6
10:16:2023:08:33:56	816	279.7	15.43	5.6
10:16:2023:08:34:01	793	280.2	15.19	5.6
10:16:2023:08:34:06	801	280.6	14.97	5.6
10:16:2023:08:34:12	804	281.2	14.80	5.6
10:16:2023:08:34:17	282	281.7	14.79	5.0
10:16:2023:08:34:22	211	281.9	14.79	2.5
10:16:2023:08:34:27	208	282.1	14.79	2.5
10:16:2023:08:34:32	204	282.3	14.83	2.4
10:16:2023:08:34:37	214	282.6	15.01	2.5
10:16:2023:08:34:42	213	282.8	15.41	2.5
10:16:2023:08:34:47	222	283.0	15.45	2.5
10:16:2023:08:34:52	223	283.2	15.30	2.5
10:16:2023:08:34:57	192	283.4	15.43	2.5
10:16:2023:08:35:02	194	283.6	15.80	2.5
10:16:2023:08:35:07	197	283.8	16.13	2.5
10:16:2023:08:35:12	207	284.0	16.14	2.5
10:16:2023:08:35:17	213	284.2	15.87	2.5
10:16:2023:08:35:22	208	284.4	15.75	2.5
10:16:2023:08:35:28	205	284.7	15.91	2.5
10:16:2023:08:35:33	203	284.9	16.06	2.5
10:16:2023:08:35:38	221	285.1	16.16	2.5
10:16:2023:08:35:43	201	285.3	16.04	2.5
10:16:2023:08:35:48	203	285.5	15.82	2.5
10:16:2023:08:35:53	221	285.7	15.84	2.5
10:16:2023:08:35:58	223	285.9	15.93	2.5
10:16:2023:08:36:03	223	286.1	16.01	2.5
10:16:2023:08:36:08	203	286.4	15.89	2.5
10:16:2023:08:36:13	201	286.6	15.68	2.5
10:16:2023:08:36:18	208	286.8	15.73	2.5
10:16:2023:08:36:23	460	287.0	15.83	4.0
10:16:2023:08:36:28	482	287.3	15.92	4.0
10:16:2023:08:36:33	478	287.7	15.88	4.0
10:16:2023:08:36:39	556	288.1	15.88	4.5
10:16:2023:08:36:44	766	288.5	15.95	5.4
10:16:2023:08:36:49	761	288.9	16.05	5.3
10:16:2023:08:36:54	762	289.4	16.01	5.2
10:16:2023:08:36:59	763	289.8	15.77	5.3
10:16:2023:08:37:04	741	290.2	15.73	5.2
10:16:2023:08:37:09	753	290.7	15.76	5.2
10:16:2023:08:37:14	768	291.1	15.77	5.3
10:16:2023:08:37:19	846	291.6	15.78	5.3
10:16:2023:08:37:24	921	292.0	15.78	5.9
10:16:2023:08:37:29	932	292.5	15.79	6.0
10:16:2023:08:37:34	907	293.0	15.79	5.9
10:16:2023:08:37:39	908	293.5	15.80	6.0
10:16:2023:08:37:44	926	294.0	15.81	6.0
10:16:2023:08:37:50	926	294.6	15.84	5.9
10:16:2023:08:37:55	901	295.1	15.89	5.9
10:16:2023:08:38:00	928	295.6	15.92	5.9
10:16:2023:08:38:05	927	296.1	15.95	5.9
10:16:2023:08:38:10	893	296.6	15.99	6.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:38:15	927	297.1	15.83	6.0
10:16:2023:08:38:20	929	297.6	15.83	6.0
10:16:2023:08:38:25	902	298.1	15.89	6.0
10:16:2023:08:38:30	925	298.6	15.93	5.9
10:16:2023:08:38:35	927	299.1	15.96	6.0
10:16:2023:08:38:40	902	299.6	15.95	5.9
10:16:2023:08:38:45	923	300.1	15.97	5.9
10:16:2023:08:38:50	930	300.6	16.00	6.0
10:16:2023:08:38:55	908	301.1	15.92	5.9
10:16:2023:08:39:01	916	301.6	15.57	5.9
10:16:2023:08:39:06	929	302.2	15.27	6.0
10:16:2023:08:39:11	916	302.7	15.21	6.0
10:16:2023:08:39:16	914	303.2	15.30	5.9
10:16:2023:08:39:21	922	303.6	15.55	5.9
10:16:2023:08:39:26	912	304.1	15.61	6.0
10:16:2023:08:39:31	891	304.6	15.66	6.0
10:16:2023:08:39:36	913	305.1	15.64	5.9
10:16:2023:08:39:41	905	305.6	15.59	6.0
10:16:2023:08:39:46	879	306.1	15.64	6.0
10:16:2023:08:39:51	913	306.6	15.68	5.9
10:16:2023:08:39:56	908	307.1	15.72	6.0
10:16:2023:08:40:00	End Tail Slurry			
10:16:2023:08:40:00	881	307.5	15.75	5.9
10:16:2023:08:40:01	878	307.6	15.76	5.9
10:16:2023:08:40:06	903	308.1	15.82	5.9
10:16:2023:08:40:11	912	308.6	15.88	5.9
10:16:2023:08:40:17	877	309.2	15.94	6.0
10:16:2023:08:40:22	904	309.7	15.94	5.9
10:16:2023:08:40:27	916	310.2	15.88	6.0
10:16:2023:08:40:32	892	310.7	15.67	6.0
10:16:2023:08:40:37	894	311.2	15.69	6.0
10:16:2023:08:40:42	906	311.7	15.78	5.9
10:16:2023:08:40:47	899	312.2	15.94	5.9
10:16:2023:08:40:52	886	312.7	15.92	6.0
10:16:2023:08:40:57	906	313.2	15.81	5.9
10:16:2023:08:41:02	905	313.7	15.85	6.0
10:16:2023:08:41:07	889	314.1	15.91	6.0
10:16:2023:08:41:12	910	314.6	15.96	6.0
10:16:2023:08:41:17	916	315.1	16.01	6.0
10:16:2023:08:41:22	886	315.6	15.98	6.0
10:16:2023:08:41:28	912	316.2	15.77	5.9
10:16:2023:08:41:33	917	316.7	15.73	5.9
10:16:2023:08:41:38	887	317.2	15.78	6.0
10:16:2023:08:41:43	919	317.7	15.83	6.0
10:16:2023:08:41:48	921	318.2	15.88	6.0
10:16:2023:08:41:53	889	318.7	15.92	6.0
10:16:2023:08:41:58	912	319.2	15.95	6.0
10:16:2023:08:42:03	918	319.7	15.97	6.0
10:16:2023:08:42:08	894	320.2	15.93	6.0
10:16:2023:08:42:13	898	320.7	15.95	5.9
10:16:2023:08:42:18	920	321.2	15.87	5.9
10:16:2023:08:42:23	914	321.7	15.88	6.0
10:16:2023:08:42:28	890	322.2	15.89	5.9
10:16:2023:08:42:33	924	322.7	15.90	5.9
10:16:2023:08:42:39	922	323.3	15.91	5.9

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:42:44	888	323.8	15.91	5.9
10:16:2023:08:42:49	920	324.2	15.91	6.0
10:16:2023:08:42:54	929	324.7	15.92	5.9
10:16:2023:08:42:59	896	325.2	15.83	5.9
10:16:2023:08:43:00	Drop Top Plug			
10:16:2023:08:43:00	889	325.3	15.82	5.9
10:16:2023:08:43:04	918	325.7	15.57	6.0
10:16:2023:08:43:09	928	326.2	15.25	6.0
10:16:2023:08:43:14	896	326.7	15.29	5.9
10:16:2023:08:43:19	908	327.2	15.48	5.9
10:16:2023:08:43:24	921	327.7	15.52	6.0
10:16:2023:08:43:29	897	328.2	15.55	6.0
10:16:2023:08:43:34	906	328.7	15.57	5.9
10:16:2023:08:43:39	909	329.2	15.57	6.1
10:16:2023:08:43:44	900	329.7	15.57	5.9
10:16:2023:08:43:49	895	330.2	15.58	5.9
10:16:2023:08:43:55	907	330.8	15.72	6.0
10:16:2023:08:44:00	903	331.3	15.81	6.0
10:16:2023:08:44:05	891	331.8	15.81	6.0
10:16:2023:08:44:10	909	332.3	15.79	5.9
10:16:2023:08:44:15	883	332.8	15.76	6.0
10:16:2023:08:44:20	845	333.3	15.74	6.0
10:16:2023:08:44:25	864	333.8	15.73	5.9
10:16:2023:08:44:30	910	334.3	15.74	6.0
10:16:2023:08:44:35	851	334.8	15.73	6.0
10:16:2023:08:44:40	868	335.2	15.73	5.9
10:16:2023:08:44:45	869	335.7	15.73	5.9
10:16:2023:08:44:50	494	336.2	15.75	6.0
10:16:2023:08:44:55	282	336.7	15.76	4.7
10:16:2023:08:45:00	274	337.0	15.75	3.5
10:16:2023:08:45:06	386	337.4	15.75	3.6
10:16:2023:08:45:11	379	337.7	15.75	3.7
10:16:2023:08:45:16	387	338.0	15.74	3.6
10:16:2023:08:45:21	392	338.3	15.75	3.7
10:16:2023:08:45:26	369	338.6	15.74	3.7
10:16:2023:08:45:31	246	338.9	15.73	3.1
10:16:2023:08:45:36	30	339.1	15.73	0.9
10:16:2023:08:45:41	8	339.2	15.73	0.0
10:16:2023:08:45:46	8	339.2	15.73	0.0
10:16:2023:08:45:51	7	339.2	15.72	0.0
10:16:2023:08:45:56	7	0.0	15.70	0.0
10:16:2023:08:46:00	Spacer Behind			
10:16:2023:08:46:00	7	0.0	15.72	0.0
10:16:2023:08:46:01	8	0.0	15.71	0.0
10:16:2023:08:46:06	7	0.0	15.72	0.0
10:16:2023:08:46:11	7	0.0	15.63	0.0
10:16:2023:08:46:17	13	0.0	14.44	0.1
10:16:2023:08:46:22	12	0.0	9.24	0.2
10:16:2023:08:46:27	7	0.0	8.60	0.3
10:16:2023:08:46:32	9	0.1	8.52	0.3
10:16:2023:08:46:37	9	0.1	8.50	0.3
10:16:2023:08:46:42	8	0.1	8.49	0.3
10:16:2023:08:46:47	7	0.1	8.48	0.3
10:16:2023:08:46:52	8	0.2	8.48	0.3
10:16:2023:08:46:57	9	0.2	8.47	0.3

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:47:02	9	0.2	8.47	0.3
10:16:2023:08:47:07	9	0.2	8.48	0.3
10:16:2023:08:47:12	9	0.3	8.48	0.3
10:16:2023:08:47:17	9	0.3	9.01	0.3
10:16:2023:08:47:22	8	0.3	9.18	0.3
10:16:2023:08:47:28	8	0.3	8.48	0.0
10:16:2023:08:47:33	8	0.3	8.51	0.0
10:16:2023:08:47:38	8	0.3	8.80	0.0
10:16:2023:08:47:43	8	0.3	9.01	0.0
10:16:2023:08:47:48	8	0.3	9.15	0.0
10:16:2023:08:47:53	8	0.3	9.18	0.0
10:16:2023:08:47:58	8	0.3	9.17	0.0
10:16:2023:08:48:03	9	0.3	9.19	0.0
10:16:2023:08:48:08	8	0.3	9.14	0.0
10:16:2023:08:48:13	9	0.3	9.20	0.0
10:16:2023:08:48:18	8	0.3	9.19	0.0
10:16:2023:08:48:23	9	0.3	9.17	0.0
10:16:2023:08:48:28	9	0.3	9.18	0.0
10:16:2023:08:48:33	8	0.3	9.21	0.0
10:16:2023:08:48:38	8	0.3	9.28	0.0
10:16:2023:08:48:44	8	0.3	9.34	0.0
10:16:2023:08:48:49	8	0.3	9.40	0.0
10:16:2023:08:48:54	9	0.3	9.43	0.0
10:16:2023:08:48:59	9	0.3	9.48	0.0
10:16:2023:08:49:04	9	0.3	9.44	0.0
10:16:2023:08:49:09	9	0.3	9.39	0.0
10:16:2023:08:49:14	9	0.3	9.32	0.0
10:16:2023:08:49:19	8	0.3	9.29	0.0
10:16:2023:08:49:24	9	0.3	9.26	0.0
10:16:2023:08:49:29	9	0.3	9.26	0.0
10:16:2023:08:49:34	9	0.3	9.23	0.0
10:16:2023:08:49:39	9	0.3	9.20	0.0
10:16:2023:08:49:44	8	0.3	9.18	0.0
10:16:2023:08:49:49	9	0.3	9.16	0.0
10:16:2023:08:49:55	9	0.3	9.14	0.0
10:16:2023:08:50:00	9	0.3	9.11	0.0
10:16:2023:08:50:05	8	0.3	9.11	0.0
10:16:2023:08:50:10	9	0.3	9.07	0.0
10:16:2023:08:50:15	9	0.3	9.10	0.0
10:16:2023:08:50:20	8	0.3	9.07	0.0
10:16:2023:08:50:25	8	0.3	9.10	0.0
10:16:2023:08:50:30	9	0.3	9.09	0.0
10:16:2023:08:50:35	9	0.3	9.14	0.0
10:16:2023:08:50:40	9	0.3	9.16	0.0
10:16:2023:08:50:45	9	0.3	9.14	0.0
10:16:2023:08:50:50	9	0.3	9.16	0.0
10:16:2023:08:50:55	8	0.3	9.17	0.0
10:16:2023:08:51:00	Start Displacement			
10:16:2023:08:51:00	9	0.0	9.16	0.0
10:16:2023:08:51:06	9	0.0	9.17	0.0
10:16:2023:08:51:11	10	0.0	9.12	0.0
10:16:2023:08:51:16	10	0.0	8.82	0.0
10:16:2023:08:51:21	50	0.0	8.87	0.9
10:16:2023:08:51:26	200	0.1	8.85	1.5
10:16:2023:08:51:31	122	0.3	8.83	1.7

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:51:36	139	0.4	8.80	2.2
10:16:2023:08:51:41	145	0.6	8.76	2.6
10:16:2023:08:51:46	125	0.8	8.72	2.8
10:16:2023:08:51:51	102	1.1	8.69	2.7
10:16:2023:08:51:56	90	1.3	8.67	2.8
10:16:2023:08:52:01	88	1.5	8.66	2.8
10:16:2023:08:52:06	86	1.8	8.66	2.8
10:16:2023:08:52:11	88	2.0	8.65	2.8
10:16:2023:08:52:17	91	2.2	8.65	2.8
10:16:2023:08:52:22	95	2.5	8.64	2.8
10:16:2023:08:52:27	102	2.7	8.64	2.8
10:16:2023:08:52:32	108	3.0	8.63	2.8
10:16:2023:08:52:37	110	3.2	8.63	2.8
10:16:2023:08:52:42	109	3.5	8.63	2.8
10:16:2023:08:52:47	109	3.7	8.63	2.8
10:16:2023:08:52:52	109	3.9	8.63	2.8
10:16:2023:08:52:57	109	4.2	8.63	2.8
10:16:2023:08:53:02	103	4.4	8.62	2.8
10:16:2023:08:53:07	206	4.7	8.63	4.1
10:16:2023:08:53:12	221	5.0	8.63	4.3
10:16:2023:08:53:17	221	5.4	8.63	4.3
10:16:2023:08:53:22	219	5.7	8.63	4.3
10:16:2023:08:53:27	219	6.1	8.63	4.3
10:16:2023:08:53:33	217	6.5	8.64	4.3
10:16:2023:08:53:38	211	6.9	8.64	4.3
10:16:2023:08:53:43	211	7.2	8.64	4.3
10:16:2023:08:53:48	209	7.6	8.64	4.2
10:16:2023:08:53:53	205	7.9	8.64	4.3
10:16:2023:08:53:58	200	8.3	8.65	4.2
10:16:2023:08:54:03	194	8.6	8.66	4.3
10:16:2023:08:54:08	175	9.0	8.67	4.1
10:16:2023:08:54:13	130	9.3	8.67	3.7
10:16:2023:08:54:18	4	9.6	8.66	0.2
10:16:2023:08:54:23	6	9.6	8.65	0.0
10:16:2023:08:54:28	7	9.6	8.65	0.0
10:16:2023:08:54:33	7	9.6	8.65	0.0
10:16:2023:08:54:38	7	9.6	8.65	0.0
10:16:2023:08:54:44	7	9.6	8.65	0.0
10:16:2023:08:54:49	7	9.6	8.65	0.0
10:16:2023:08:54:54	6	9.6	8.65	0.0
10:16:2023:08:54:59	7	9.6	8.65	0.0
10:16:2023:08:55:04	6	9.6	8.65	0.0
10:16:2023:08:55:09	7	9.6	8.65	0.0
10:16:2023:08:55:14	7	9.6	8.65	0.0
10:16:2023:08:55:19	7	9.6	8.65	0.0
10:16:2023:08:55:24	8	9.6	8.64	0.0
10:16:2023:08:55:29	8	9.6	8.64	0.0
10:16:2023:08:55:34	7	0.0	8.63	0.0
10:16:2023:08:55:39	7	0.0	8.63	0.0
10:16:2023:08:55:44	5	0.0	8.64	0.0
10:16:2023:08:55:49	3	0.0	8.65	0.0
10:16:2023:08:55:55	3	0.0	8.65	0.0
10:16:2023:08:56:00	3	0.0	8.64	0.0
10:16:2023:08:56:05	3	0.0	8.63	0.0
10:16:2023:08:56:10	3	0.0	8.62	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:08:56:15	4	0.0	8.62	0.0
10:16:2023:08:56:20	31	0.0	8.62	1.5
10:16:2023:08:56:25	30	0.1	8.58	1.5
10:16:2023:08:56:30	29	0.3	8.62	1.5
10:16:2023:08:56:35	30	0.4	8.62	1.6
10:16:2023:08:56:40	40	0.5	8.62	1.9
10:16:2023:08:56:45	76	0.7	8.62	2.7
10:16:2023:08:56:50	100	0.9	8.62	3.3
10:16:2023:08:56:55	134	1.2	8.62	3.8
10:16:2023:08:57:00	143	1.5	8.62	4.0
10:16:2023:08:57:05	146	1.9	8.62	4.1
10:16:2023:08:57:11	136	2.3	8.62	4.1
10:16:2023:08:57:16	137	2.6	8.62	4.1
10:16:2023:08:57:21	132	3.0	8.61	4.1
10:16:2023:08:57:26	132	3.3	8.61	4.1
10:16:2023:08:57:31	151	3.6	8.62	4.3
10:16:2023:08:57:36	140	4.0	8.62	4.3
10:16:2023:08:57:41	216	4.4	8.63	5.3
10:16:2023:08:57:46	248	4.8	8.63	5.5
10:16:2023:08:57:51	270	5.3	8.63	6.0
10:16:2023:08:57:56	267	5.8	8.63	6.0
10:16:2023:08:58:01	267	6.3	8.63	5.9
10:16:2023:08:58:06	267	6.8	8.63	6.0
10:16:2023:08:58:11	268	7.3	8.64	6.0
10:16:2023:08:58:16	271	7.8	8.64	6.0
10:16:2023:08:58:22	270	8.4	8.64	5.9
10:16:2023:08:58:27	274	8.9	8.65	5.9
10:16:2023:08:58:32	269	9.4	8.65	6.0
10:16:2023:08:58:37	273	9.9	8.65	6.0
10:16:2023:08:58:42	267	10.4	8.65	5.9
10:16:2023:08:58:47	268	10.9	8.64	6.0
10:16:2023:08:58:52	266	11.4	8.64	5.9
10:16:2023:08:58:57	266	11.9	8.64	5.9
10:16:2023:08:59:02	273	12.3	8.65	6.0
10:16:2023:08:59:07	277	12.8	8.65	5.9
10:16:2023:08:59:12	281	13.3	8.65	6.0
10:16:2023:08:59:17	277	13.8	8.65	6.0
10:16:2023:08:59:22	283	14.3	8.66	5.9
10:16:2023:08:59:27	281	14.8	8.66	6.0
10:16:2023:08:59:33	283	15.4	8.66	6.0
10:16:2023:08:59:38	283	15.9	8.66	5.9
10:16:2023:08:59:43	284	16.4	8.67	6.0
10:16:2023:08:59:48	287	16.9	8.67	6.1
10:16:2023:08:59:53	286	17.4	8.67	5.9
10:16:2023:08:59:58	289	17.9	8.68	6.0
10:16:2023:09:00:03	281	18.4	8.68	6.0
10:16:2023:09:00:08	287	18.9	8.68	5.9
10:16:2023:09:00:13	284	19.4	8.68	6.0
10:16:2023:09:00:18	284	19.9	8.68	5.9
10:16:2023:09:00:23	290	20.4	8.58	6.0
10:16:2023:09:00:28	288	20.9	8.65	6.0
10:16:2023:09:00:33	290	21.4	8.65	5.9
10:16:2023:09:00:38	287	21.9	8.65	6.0
10:16:2023:09:00:44	294	22.4	8.65	6.0
10:16:2023:09:00:49	294	23.0	8.65	5.9

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:00:54	298	23.5	8.65	6.0
10:16:2023:09:00:59	292	24.0	8.64	6.0
10:16:2023:09:01:04	294	24.5	8.65	6.0
10:16:2023:09:01:09	297	25.0	8.64	6.0
10:16:2023:09:01:14	295	25.5	8.64	6.0
10:16:2023:09:01:19	299	26.0	8.65	6.0
10:16:2023:09:01:24	293	26.5	8.65	6.0
10:16:2023:09:01:29	299	27.0	8.65	6.0
10:16:2023:09:01:34	297	27.5	8.65	5.9
10:16:2023:09:01:39	296	28.0	8.65	5.9
10:16:2023:09:01:44	295	28.5	8.65	5.9
10:16:2023:09:01:49	294	29.0	8.65	6.0
10:16:2023:09:01:54	296	29.5	8.65	6.0
10:16:2023:09:02:00	294	30.1	8.66	5.9
10:16:2023:09:02:05	298	30.6	8.64	6.0
10:16:2023:09:02:10	291	31.1	8.64	6.0
10:16:2023:09:02:15	297	31.6	8.63	6.0
10:16:2023:09:02:20	289	32.1	8.63	6.0
10:16:2023:09:02:25	291	32.6	8.64	5.9
10:16:2023:09:02:30	293	33.0	8.63	6.0
10:16:2023:09:02:35	294	33.5	8.64	6.0
10:16:2023:09:02:40	296	34.0	8.64	5.9
10:16:2023:09:02:45	514	34.5	8.64	5.9
10:16:2023:09:02:50	582	35.0	8.64	6.0
10:16:2023:09:02:55	657	35.5	8.64	6.0
10:16:2023:09:03:00	678	36.0	8.64	6.0
10:16:2023:09:03:05	675	36.5	8.64	6.0
10:16:2023:09:03:11	702	37.1	8.65	6.0
10:16:2023:09:03:16	694	37.6	8.65	5.9
10:16:2023:09:03:21	722	38.1	8.65	5.9
10:16:2023:09:03:26	743	38.6	8.65	5.9
10:16:2023:09:03:31	746	39.1	8.65	6.0
10:16:2023:09:03:36	743	39.6	8.66	6.0
10:16:2023:09:03:41	765	40.1	8.62	5.9
10:16:2023:09:03:46	757	40.6	8.60	6.0
10:16:2023:09:03:51	766	41.1	8.62	5.9
10:16:2023:09:03:56	777	41.6	8.62	6.0
10:16:2023:09:04:01	775	42.1	8.62	5.9
10:16:2023:09:04:06	798	42.6	8.62	5.9
10:16:2023:09:04:11	810	43.1	8.62	6.0
10:16:2023:09:04:16	821	43.6	8.62	6.0
10:16:2023:09:04:22	825	44.1	8.62	6.0
10:16:2023:09:04:27	833	44.7	8.62	6.0
10:16:2023:09:04:32	830	45.2	8.62	6.0
10:16:2023:09:04:37	831	45.7	8.62	5.9
10:16:2023:09:04:42	843	46.2	8.62	5.9
10:16:2023:09:04:47	849	46.7	8.62	6.0
10:16:2023:09:04:52	865	47.2	8.62	6.0
10:16:2023:09:04:57	857	47.7	8.62	6.0
10:16:2023:09:05:02	888	48.2	8.62	6.0
10:16:2023:09:05:07	882	48.7	8.62	5.9
10:16:2023:09:05:12	879	49.2	8.63	6.0
10:16:2023:09:05:17	894	49.6	8.63	5.9
10:16:2023:09:05:22	886	50.1	8.62	6.0
10:16:2023:09:05:27	682	50.6	8.61	6.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:05:32	910	51.1	8.59	6.0
10:16:2023:09:05:38	907	51.7	8.60	6.0
10:16:2023:09:05:43	907	52.2	8.61	6.0
10:16:2023:09:05:48	941	52.7	8.57	6.1
10:16:2023:09:05:53	963	53.3	8.61	6.1
10:16:2023:09:05:58	954	53.8	8.61	6.0
10:16:2023:09:06:03	956	54.3	8.61	6.0
10:16:2023:09:06:08	963	54.8	8.60	6.0
10:16:2023:09:06:13	975	55.3	8.61	5.9
10:16:2023:09:06:18	993	55.8	8.60	6.0
10:16:2023:09:06:23	988	56.2	8.61	6.0
10:16:2023:09:06:28	995	56.7	8.61	6.0
10:16:2023:09:06:33	1007	57.2	8.61	6.0
10:16:2023:09:06:38	1010	57.7	8.61	6.0
10:16:2023:09:06:43	1022	58.2	8.61	6.0
10:16:2023:09:06:49	1030	58.8	8.61	6.0
10:16:2023:09:06:54	1034	59.3	8.61	6.0
10:16:2023:09:06:59	1040	59.8	8.61	5.9
10:16:2023:09:07:04	1054	60.3	8.59	6.0
10:16:2023:09:07:09	1049	60.8	8.59	6.0
10:16:2023:09:07:14	1066	61.3	8.59	6.0
10:16:2023:09:07:19	1070	61.8	8.59	6.0
10:16:2023:09:07:24	1078	62.3	8.59	6.0
10:16:2023:09:07:29	1090	62.8	8.59	6.0
10:16:2023:09:07:34	1090	63.3	8.59	5.9
10:16:2023:09:07:39	1100	63.8	8.59	6.0
10:16:2023:09:07:44	1096	64.3	8.58	6.0
10:16:2023:09:07:49	1110	64.8	8.58	6.0
10:16:2023:09:07:54	1117	65.3	8.58	6.0
10:16:2023:09:08:00	1136	65.9	8.58	5.9
10:16:2023:09:08:05	1135	66.4	8.58	6.0
10:16:2023:09:08:10	1143	66.9	8.58	6.0
10:16:2023:09:08:15	1154	67.4	8.58	6.0
10:16:2023:09:08:20	1150	67.9	8.58	5.9
10:16:2023:09:08:25	1164	68.4	8.58	6.0
10:16:2023:09:08:30	1157	68.9	8.58	6.0
10:16:2023:09:08:35	1179	69.4	8.59	6.0
10:16:2023:09:08:40	1184	69.9	8.59	5.9
10:16:2023:09:08:45	1204	70.4	8.57	5.9
10:16:2023:09:08:50	1206	70.9	8.57	6.0
10:16:2023:09:08:55	1210	71.4	8.57	6.0
10:16:2023:09:09:00	1221	71.9	8.57	6.0
10:16:2023:09:09:05	1213	72.4	8.57	5.9
10:16:2023:09:09:11	1234	72.9	8.57	6.0
10:16:2023:09:09:16	1234	73.5	8.57	6.0
10:16:2023:09:09:21	1248	74.0	8.57	6.0
10:16:2023:09:09:26	1247	74.5	8.57	6.0
10:16:2023:09:09:31	1265	75.0	8.57	6.0
10:16:2023:09:09:36	1273	75.5	8.57	6.0
10:16:2023:09:09:41	1281	76.0	8.57	5.9
10:16:2023:09:09:46	1284	76.5	8.57	6.0
10:16:2023:09:09:51	1289	77.0	8.57	5.9
10:16:2023:09:09:56	1296	77.5	8.58	6.0
10:16:2023:09:10:01	1306	77.9	8.58	5.9
10:16:2023:09:10:06	1314	78.4	8.58	6.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:10:11	1312	78.9	8.58	5.9
10:16:2023:09:10:16	1328	79.4	8.58	5.9
10:16:2023:09:10:21	1326	79.9	8.57	6.0
10:16:2023:09:10:27	1315	80.5	8.56	5.9
10:16:2023:09:10:32	1253	81.0	8.56	5.5
10:16:2023:09:10:37	1236	81.5	8.56	5.4
10:16:2023:09:10:42	1236	81.9	8.56	5.4
10:16:2023:09:10:47	1227	82.4	8.56	5.4
10:16:2023:09:10:52	1233	82.8	8.56	5.4
10:16:2023:09:10:57	1245	83.3	8.56	5.4
10:16:2023:09:11:02	1246	83.7	8.56	5.5
10:16:2023:09:11:07	1245	84.2	8.56	5.5
10:16:2023:09:11:12	1247	84.6	8.56	5.4
10:16:2023:09:11:17	1263	85.1	8.56	5.4
10:16:2023:09:11:22	1260	85.5	8.56	5.4
10:16:2023:09:11:27	1282	86.0	8.56	5.4
10:16:2023:09:11:32	1297	86.4	8.56	5.4
10:16:2023:09:11:38	1287	87.0	8.56	5.4
10:16:2023:09:11:43	1300	87.4	8.57	5.4
10:16:2023:09:11:48	1299	87.9	8.57	5.4
10:16:2023:09:11:53	1304	88.3	8.57	5.4
10:16:2023:09:11:58	1312	88.8	8.57	5.4
10:16:2023:09:12:03	1327	89.2	8.57	5.5
10:16:2023:09:12:08	1338	89.7	8.57	5.5
10:16:2023:09:12:13	1343	90.2	8.56	5.5
10:16:2023:09:12:18	1348	90.6	8.56	5.4
10:16:2023:09:12:23	1356	91.1	8.56	5.4
10:16:2023:09:12:28	1361	91.5	8.56	5.5
10:16:2023:09:12:33	1355	92.0	8.56	5.4
10:16:2023:09:12:38	1361	92.4	8.56	5.4
10:16:2023:09:12:43	1381	92.9	8.56	5.4
10:16:2023:09:12:49	1376	93.3	8.56	5.4
10:16:2023:09:12:54	1394	93.9	8.56	5.4
10:16:2023:09:12:59	1404	94.3	8.56	5.5
10:16:2023:09:13:04	1409	94.8	8.56	5.4
10:16:2023:09:13:09	1419	95.2	8.56	5.4
10:16:2023:09:13:14	1430	95.7	8.56	5.4
10:16:2023:09:13:19	1430	96.1	8.56	5.4
10:16:2023:09:13:24	1437	96.6	8.56	5.4
10:16:2023:09:13:29	1431	97.0	8.56	5.4
10:16:2023:09:13:34	1439	97.5	8.56	5.4
10:16:2023:09:13:39	1461	97.9	8.56	5.4
10:16:2023:09:13:44	1463	98.4	8.64	5.4
10:16:2023:09:13:49	1476	98.8	8.86	5.4
10:16:2023:09:13:54	1484	99.3	8.98	5.5
10:16:2023:09:13:59	1494	99.7	8.96	5.4
10:16:2023:09:14:05	1487	100.3	8.97	5.4
10:16:2023:09:14:10	1502	100.7	9.01	5.4
10:16:2023:09:14:15	1494	101.2	9.05	5.4
10:16:2023:09:14:20	1516	101.6	9.09	5.5
10:16:2023:09:14:25	1533	102.1	9.12	5.4
10:16:2023:09:14:30	1540	102.6	9.16	5.4
10:16:2023:09:14:35	1544	103.0	9.19	5.4
10:16:2023:09:14:40	1555	103.5	9.22	5.4
10:16:2023:09:14:45	1554	103.9	9.25	5.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:14:50	1563	104.4	9.27	5.4
10:16:2023:09:14:55	1566	104.8	9.30	5.4
10:16:2023:09:15:00	1575	105.3	9.31	5.4
10:16:2023:09:15:05	1593	105.7	9.33	5.4
10:16:2023:09:15:10	1600	106.2	9.35	5.5
10:16:2023:09:15:16	1602	106.7	9.36	5.4
10:16:2023:09:15:21	1610	107.2	9.37	5.4
10:16:2023:09:15:26	1615	107.6	9.38	5.4
10:16:2023:09:15:31	1619	108.1	9.39	5.4
10:16:2023:09:15:36	1624	108.5	9.40	5.5
10:16:2023:09:15:41	1630	109.0	9.41	5.4
10:16:2023:09:15:46	1635	109.4	9.40	5.4
10:16:2023:09:15:51	1662	109.9	9.28	5.4
10:16:2023:09:15:56	1667	110.3	9.21	5.4
10:16:2023:09:16:01	1671	110.8	9.18	5.4
10:16:2023:09:16:06	1682	111.2	9.18	5.4
10:16:2023:09:16:11	1619	111.7	9.17	5.0
10:16:2023:09:16:16	1610	112.1	9.15	5.1
10:16:2023:09:16:21	1609	112.5	9.15	5.1
10:16:2023:09:16:27	1615	113.0	9.14	5.0
10:16:2023:09:16:32	1627	113.5	9.13	5.0
10:16:2023:09:16:37	1620	113.9	9.14	5.0
10:16:2023:09:16:42	1637	114.3	9.12	5.0
10:16:2023:09:16:47	1631	114.7	9.12	5.0
10:16:2023:09:16:52	1644	115.1	9.11	5.0
10:16:2023:09:16:57	1649	115.5	9.10	5.0
10:16:2023:09:17:02	1649	116.0	9.10	5.0
10:16:2023:09:17:07	1666	116.4	9.10	5.0
10:16:2023:09:17:12	1663	116.8	9.08	5.0
10:16:2023:09:17:17	1676	117.2	9.09	5.0
10:16:2023:09:17:22	1701	117.6	9.10	5.0
10:16:2023:09:17:27	1697	118.1	9.10	5.1
10:16:2023:09:17:32	1704	118.5	9.10	5.1
10:16:2023:09:17:38	1713	118.9	9.10	5.0
10:16:2023:09:17:43	1707	119.4	9.09	5.0
10:16:2023:09:17:48	1727	119.8	8.89	5.0
10:16:2023:09:17:53	1718	120.2	8.89	5.1
10:16:2023:09:17:58	1734	120.7	8.90	5.1
10:16:2023:09:18:03	1727	121.1	8.91	5.0
10:16:2023:09:18:08	1748	121.5	8.91	5.1
10:16:2023:09:18:13	1740	121.9	8.90	5.0
10:16:2023:09:18:18	1757	122.3	8.90	5.0
10:16:2023:09:18:23	1779	122.8	8.90	5.0
10:16:2023:09:18:28	1782	123.2	8.89	5.0
10:16:2023:09:18:33	1768	123.6	8.89	5.0
10:16:2023:09:18:38	1796	124.0	8.88	5.1
10:16:2023:09:18:43	1806	124.4	8.87	5.1
10:16:2023:09:18:48	1803	124.9	8.86	5.0
10:16:2023:09:18:54	1816	125.4	8.87	5.0
10:16:2023:09:18:59	1819	125.8	8.86	5.1
10:16:2023:09:19:04	1829	126.2	8.85	5.0
10:16:2023:09:19:09	1823	126.6	8.85	5.0
10:16:2023:09:19:14	1844	127.0	8.84	5.0
10:16:2023:09:19:19	1833	127.4	8.83	5.0
10:16:2023:09:19:24	1863	127.9	8.82	5.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:19:29	1857	128.3	8.80	5.0
10:16:2023:09:19:34	1886	128.7	8.80	5.1
10:16:2023:09:19:39	1881	129.1	8.80	5.0
10:16:2023:09:19:44	1888	129.5	8.79	5.0
10:16:2023:09:19:49	1883	130.0	8.74	5.1
10:16:2023:09:19:54	1901	130.4	8.73	5.0
10:16:2023:09:19:59	1891	130.8	8.72	5.0
10:16:2023:09:20:05	1909	131.3	8.71	5.1
10:16:2023:09:20:10	1927	131.7	8.71	5.0
10:16:2023:09:20:15	1921	132.1	8.71	5.0
10:16:2023:09:20:20	1937	132.6	8.70	5.0
10:16:2023:09:20:25	1934	133.0	8.69	5.0
10:16:2023:09:20:30	1934	133.4	8.69	5.0
10:16:2023:09:20:35	1965	133.8	8.68	4.9
10:16:2023:09:20:40	1977	134.2	8.68	5.0
10:16:2023:09:20:45	1974	134.7	8.67	5.1
10:16:2023:09:20:50	1985	135.1	8.67	5.1
10:16:2023:09:20:55	1984	135.5	8.66	5.1
10:16:2023:09:21:00	1513	135.9	8.65	1.5
10:16:2023:09:21:05	1386	136.0	8.59	1.4
10:16:2023:09:21:10	1513	136.1	8.64	2.0
10:16:2023:09:21:16	1400	136.3	8.63	2.7
10:16:2023:09:21:21	1682	136.6	8.63	3.2
10:16:2023:09:21:26	1635	136.8	8.56	3.1
10:16:2023:09:21:31	1655	137.1	8.63	3.2
10:16:2023:09:21:36	1717	137.4	8.63	3.4
10:16:2023:09:21:41	1770	137.7	8.63	3.7
10:16:2023:09:21:46	1727	138.0	8.63	3.8
10:16:2023:09:21:51	1732	138.3	8.63	3.8
10:16:2023:09:21:56	1875	138.6	8.62	3.8
10:16:2023:09:22:01	1803	138.9	8.62	3.9
10:16:2023:09:22:06	1755	139.3	8.63	3.9
10:16:2023:09:22:11	1782	139.6	8.64	3.9
10:16:2023:09:22:16	1804	139.9	8.61	3.9
10:16:2023:09:22:21	1852	140.2	8.60	3.9
10:16:2023:09:22:26	1815	140.6	8.59	4.0
10:16:2023:09:22:32	1876	141.0	8.59	4.0
10:16:2023:09:22:37	1833	141.3	8.59	3.9
10:16:2023:09:22:42	1824	141.6	8.59	4.0
10:16:2023:09:22:47	1781	142.0	8.59	3.9
10:16:2023:09:22:52	1862	142.3	8.59	4.0
10:16:2023:09:22:57	1924	142.6	8.59	4.0
10:16:2023:09:23:02	1881	143.0	8.58	4.0
10:16:2023:09:23:07	1964	143.3	8.58	4.0
10:16:2023:09:23:12	1878	143.6	8.58	3.9
10:16:2023:09:23:17	1965	143.9	8.58	4.0
10:16:2023:09:23:22	1955	144.3	8.57	4.0
10:16:2023:09:23:27	1934	144.6	8.57	3.9
10:16:2023:09:23:32	1969	144.9	8.57	4.0
10:16:2023:09:23:37	1928	145.3	8.57	4.0
10:16:2023:09:23:43	2033	145.7	8.57	4.0
10:16:2023:09:23:48	1936	146.0	8.57	4.0
10:16:2023:09:23:53	2032	146.3	8.56	3.9
10:16:2023:09:23:58	2008	146.7	8.56	4.0
10:16:2023:09:24:03	1998	147.0	8.56	4.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:24:08	1983	147.3	8.56	4.0
10:16:2023:09:24:13	1927	147.6	8.56	4.0
10:16:2023:09:24:18	1910	148.0	8.55	4.0
10:16:2023:09:24:23	1957	148.3	8.56	4.0
10:16:2023:09:24:28	1950	148.6	8.55	3.9
10:16:2023:09:24:33	1986	149.0	8.55	4.0
10:16:2023:09:24:38	1939	149.3	8.55	4.0
10:16:2023:09:24:43	1998	149.6	8.55	4.0
10:16:2023:09:24:48	1943	150.0	8.54	4.0
10:16:2023:09:24:54	1978	150.4	8.53	4.0
10:16:2023:09:24:59	2094	150.7	8.53	4.0
10:16:2023:09:25:04	2048	151.0	8.53	3.9
10:16:2023:09:25:09	2080	151.3	8.53	4.0
10:16:2023:09:25:14	2141	151.7	8.53	4.0
10:16:2023:09:25:19	2068	152.0	8.53	4.0
10:16:2023:09:25:24	2117	152.3	8.52	4.0
10:16:2023:09:25:29	2075	152.7	8.53	4.0
10:16:2023:09:25:34	2150	153.0	8.53	3.9
10:16:2023:09:25:39	2098	153.3	8.53	4.0
10:16:2023:09:25:44	2138	153.7	8.53	4.0
10:16:2023:09:25:49	2125	154.0	8.53	4.0
10:16:2023:09:25:54	2021	154.3	8.52	3.9
10:16:2023:09:25:59	2030	154.6	8.53	4.0
10:16:2023:09:26:05	2077	155.0	8.53	4.0
10:16:2023:09:26:10	2079	155.4	8.52	4.0
10:16:2023:09:26:15	2075	155.7	8.53	4.0
10:16:2023:09:26:20	2020	156.0	8.52	3.9
10:16:2023:09:26:25	2096	156.4	8.52	4.0
10:16:2023:09:26:30	2037	156.7	8.52	4.0
10:16:2023:09:26:35	2110	157.0	8.52	4.0
10:16:2023:09:26:40	2145	157.4	8.52	4.0
10:16:2023:09:26:45	2112	157.7	8.52	4.0
10:16:2023:09:26:50	2110	158.0	8.52	4.0
10:16:2023:09:26:55	2085	158.3	8.52	4.0
10:16:2023:09:27:00	2193	158.7	8.51	3.9
10:16:2023:09:27:05	2218	159.0	8.51	4.0
10:16:2023:09:27:10	2182	159.3	8.51	4.0
10:16:2023:09:27:15	2192	159.7	8.51	3.9
10:16:2023:09:27:21	2165	160.1	8.50	4.0
10:16:2023:09:27:26	2259	160.4	8.50	4.0
10:16:2023:09:27:31	2236	160.7	8.50	4.0
10:16:2023:09:27:36	2285	161.1	8.50	4.0
10:16:2023:09:27:41	2254	161.4	8.50	4.0
10:16:2023:09:27:46	2208	161.7	8.50	4.0
10:16:2023:09:27:51	2190	162.0	8.50	4.0
10:16:2023:09:27:56	2249	162.4	8.50	4.0
10:16:2023:09:28:01	2307	162.7	8.50	4.0
10:16:2023:09:28:06	2226	163.0	8.50	4.0
10:16:2023:09:28:11	2159	163.4	8.50	3.9
10:16:2023:09:28:16	2222	163.7	8.50	4.0
10:16:2023:09:28:21	2212	164.0	8.50	4.0
10:16:2023:09:28:26	2246	164.4	8.50	4.0
10:16:2023:09:28:32	2165	164.8	8.50	4.0
10:16:2023:09:28:37	2189	165.1	8.50	4.0
10:16:2023:09:28:42	2193	165.4	8.51	3.9

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:28:47	2242	165.7	8.51	4.0
10:16:2023:09:28:52	2222	166.1	8.51	4.0
10:16:2023:09:28:57	2165	166.4	8.51	3.9
10:16:2023:09:29:02	2229	166.7	8.51	4.0
10:16:2023:09:29:07	2175	167.1	8.51	3.9
10:16:2023:09:29:12	2251	167.4	8.51	3.9
10:16:2023:09:29:17	2334	167.7	8.51	3.9
10:16:2023:09:29:22	2285	168.1	8.51	4.0
10:16:2023:09:29:27	2357	168.4	8.51	4.0
10:16:2023:09:29:32	2270	168.7	8.51	4.0
10:16:2023:09:29:37	2343	169.1	8.52	4.0
10:16:2023:09:29:43	2355	169.4	8.51	4.0
10:16:2023:09:29:48	2320	169.8	8.52	4.0
10:16:2023:09:29:53	2386	170.1	8.50	4.0
10:16:2023:09:29:58	2332	170.4	8.50	4.0
10:16:2023:09:30:03	2390	170.8	8.50	4.0
10:16:2023:09:30:08	2347	171.1	8.50	4.0
10:16:2023:09:30:13	2231	171.4	8.49	4.0
10:16:2023:09:30:18	2291	171.8	8.49	4.0
10:16:2023:09:30:23	2264	172.1	8.49	4.0
10:16:2023:09:30:28	2325	172.4	8.49	4.0
10:16:2023:09:30:33	2296	172.8	8.49	4.0
10:16:2023:09:30:38	2261	173.1	8.49	4.0
10:16:2023:09:30:43	2317	173.4	8.49	3.9
10:16:2023:09:30:48	2360	173.7	8.49	4.0
10:16:2023:09:30:53	2346	174.1	8.49	4.0
10:16:2023:09:30:59	2275	174.5	8.49	4.0
10:16:2023:09:31:04	2354	174.8	8.49	4.0
10:16:2023:09:31:09	2307	175.1	8.49	4.0
10:16:2023:09:31:14	2324	175.5	8.49	4.0
10:16:2023:09:31:19	2426	175.8	8.49	4.0
10:16:2023:09:31:24	2421	176.1	8.49	3.9
10:16:2023:09:31:29	2422	176.5	8.49	4.0
10:16:2023:09:31:34	2507	176.8	8.49	4.0
10:16:2023:09:31:39	2411	177.1	8.49	4.0
10:16:2023:09:31:44	2499	177.4	8.48	4.0
10:16:2023:09:31:49	2454	177.8	8.49	4.0
10:16:2023:09:31:54	2528	178.1	8.49	3.9
10:16:2023:09:31:59	2462	178.4	8.49	4.0
10:16:2023:09:32:04	2446	178.8	8.49	4.0
10:16:2023:09:32:10	2434	179.2	8.49	4.0
10:16:2023:09:32:15	2358	179.5	8.49	3.9
10:16:2023:09:32:20	2337	179.8	8.49	4.0
10:16:2023:09:32:25	2362	180.2	8.49	4.0
10:16:2023:09:32:30	2376	180.5	8.48	4.0
10:16:2023:09:32:35	2399	180.8	8.48	3.9
10:16:2023:09:32:40	2339	181.1	8.49	3.9
10:16:2023:09:32:45	2419	181.5	8.50	4.0
10:16:2023:09:32:50	2501	181.8	8.50	4.0
10:16:2023:09:32:55	2463	182.1	8.51	4.0
10:16:2023:09:33:00	2342	182.5	8.51	4.0
10:16:2023:09:33:05	2395	182.8	8.50	4.0
10:16:2023:09:33:10	2410	183.1	8.51	4.0
10:16:2023:09:33:15	2453	183.5	8.50	4.0
10:16:2023:09:33:21	2477	183.9	8.50	4.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:33:26	2522	184.2	8.50	4.0
10:16:2023:09:33:31	2475	184.5	8.50	4.0
10:16:2023:09:33:36	2491	184.8	8.50	4.0
10:16:2023:09:33:41	2474	185.2	8.50	4.0
10:16:2023:09:33:46	2537	185.5	8.50	4.0
10:16:2023:09:33:51	2535	185.8	8.50	4.0
10:16:2023:09:33:56	2404	186.2	8.50	4.0
10:16:2023:09:34:01	2436	186.5	8.50	4.0
10:16:2023:09:34:06	2424	186.8	8.50	4.0
10:16:2023:09:34:11	2364	187.2	8.50	4.0
10:16:2023:09:34:16	2503	187.5	8.50	4.0
10:16:2023:09:34:21	2565	187.8	8.50	4.0
10:16:2023:09:34:26	2444	188.1	8.50	4.0
10:16:2023:09:34:32	2388	188.5	8.50	4.0
10:16:2023:09:34:37	2451	188.9	8.51	3.9
10:16:2023:09:34:42	2485	189.2	8.50	3.9
10:16:2023:09:34:47	2451	189.5	8.50	4.0
10:16:2023:09:34:52	2421	189.9	8.51	4.0
10:16:2023:09:34:57	2410	190.2	8.51	4.0
10:16:2023:09:35:02	2510	190.5	8.50	3.9
10:16:2023:09:35:07	2404	190.9	8.50	4.0
10:16:2023:09:35:12	2477	191.2	8.51	4.0
10:16:2023:09:35:17	2579	191.5	8.50	4.0
10:16:2023:09:35:22	2473	191.8	8.49	4.0
10:16:2023:09:35:27	2595	192.2	8.49	4.0
10:16:2023:09:35:32	2454	192.5	8.49	4.0
10:16:2023:09:35:37	2553	192.8	8.49	3.9
10:16:2023:09:35:42	2519	193.2	8.49	3.9
10:16:2023:09:35:48	2534	193.6	8.49	4.0
10:16:2023:09:35:53	2536	193.9	8.49	4.0
10:16:2023:09:35:58	2456	194.2	8.49	4.0
10:16:2023:09:36:03	2417	194.6	8.49	4.0
10:16:2023:09:36:08	2487	194.9	8.49	3.9
10:16:2023:09:36:13	2486	195.2	8.49	4.0
10:16:2023:09:36:18	2498	195.5	8.49	4.0
10:16:2023:09:36:23	2431	195.9	8.49	3.9
10:16:2023:09:36:28	2497	196.2	8.49	4.0
10:16:2023:09:36:33	2422	196.5	8.49	4.0
10:16:2023:09:36:38	2434	196.9	8.49	4.0
10:16:2023:09:36:43	2568	197.2	8.49	4.0
10:16:2023:09:36:48	2519	197.5	8.49	4.0
10:16:2023:09:36:53	2529	197.9	8.49	4.0
10:16:2023:09:36:59	2484	198.3	8.49	4.0
10:16:2023:09:37:04	2527	198.6	8.49	4.0
10:16:2023:09:37:09	2556	198.9	8.49	4.0
10:16:2023:09:37:14	2525	199.2	8.49	4.0
10:16:2023:09:37:19	2585	199.6	8.49	3.9
10:16:2023:09:37:24	2537	199.9	8.50	4.0
10:16:2023:09:37:29	2462	200.2	8.43	3.7
10:16:2023:09:37:34	2438	200.5	8.49	3.4
10:16:2023:09:37:39	2387	200.8	8.49	3.1
10:16:2023:09:37:44	2474	201.1	8.49	3.1
10:16:2023:09:37:49	2423	201.3	8.48	3.1
10:16:2023:09:37:54	2345	201.6	8.48	3.2
10:16:2023:09:37:59	2393	201.9	8.48	3.1

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:38:04	2325	202.1	8.48	3.1
10:16:2023:09:38:10	2392	202.4	8.49	3.2
10:16:2023:09:38:15	2337	202.7	8.48	3.1
10:16:2023:09:38:20	2431	203.0	8.48	3.1
10:16:2023:09:38:25	2394	203.2	8.48	3.1
10:16:2023:09:38:30	2365	203.5	8.49	3.1
10:16:2023:09:38:35	2420	203.8	8.48	3.1
10:16:2023:09:38:40	2360	204.0	8.48	3.1
10:16:2023:09:38:45	2400	204.3	8.48	3.2
10:16:2023:09:38:50	2467	204.5	8.48	3.1
10:16:2023:09:38:55	2398	204.8	8.48	3.1
10:16:2023:09:39:00	2467	205.1	8.48	3.1
10:16:2023:09:39:05	2382	205.3	8.48	3.1
10:16:2023:09:39:10	2422	205.6	8.48	3.1
10:16:2023:09:39:15	2371	205.8	8.48	3.1
10:16:2023:09:39:20	2351	206.1	8.48	3.2
10:16:2023:09:39:26	2395	206.4	8.48	3.1
10:16:2023:09:39:31	2381	206.7	8.48	3.1
10:16:2023:09:39:36	2425	206.9	8.48	3.1
10:16:2023:09:39:41	2420	207.2	8.48	3.2
10:16:2023:09:39:46	2439	207.5	8.48	3.1
10:16:2023:09:39:51	2413	207.7	8.48	3.1
10:16:2023:09:39:56	2364	208.0	8.48	3.1
10:16:2023:09:40:01	2395	208.3	8.48	3.1
10:16:2023:09:40:06	2360	208.5	8.48	3.2
10:16:2023:09:40:11	2390	208.8	8.48	3.1
10:16:2023:09:40:16	2425	209.0	8.48	3.2
10:16:2023:09:40:21	2426	209.3	8.48	3.1
10:16:2023:09:40:26	2407	209.6	8.48	3.1
10:16:2023:09:40:31	2382	209.8	8.48	3.2
10:16:2023:09:40:37	2377	210.1	8.48	3.1
10:16:2023:09:40:42	2375	210.4	8.48	3.1
10:16:2023:09:40:47	2420	210.7	8.48	3.1
10:16:2023:09:40:52	2456	210.9	8.48	3.1
10:16:2023:09:40:57	2421	211.2	8.48	3.1
10:16:2023:09:41:02	2443	211.4	8.48	3.2
10:16:2023:09:41:07	2428	211.7	8.48	3.1
10:16:2023:09:41:12	2359	212.0	8.48	3.1
10:16:2023:09:41:17	2401	212.2	8.48	3.1
10:16:2023:09:41:22	2400	212.5	8.48	3.1
10:16:2023:09:41:27	2446	212.8	8.48	3.1
10:16:2023:09:41:32	2455	213.0	8.48	3.1
10:16:2023:09:41:37	2390	213.3	8.48	3.1
10:16:2023:09:41:42	2498	213.5	8.48	3.1
10:16:2023:09:41:48	2445	213.9	8.48	3.2
10:16:2023:09:41:53	2401	214.1	8.48	3.1
10:16:2023:09:41:58	2425	214.4	8.48	3.1
10:16:2023:09:42:03	2416	214.6	8.48	3.1
10:16:2023:09:42:08	2459	214.9	8.48	3.1
10:16:2023:09:42:13	2438	215.2	8.48	3.2
10:16:2023:09:42:18	2524	215.4	8.48	3.1
10:16:2023:09:42:23	2452	215.7	8.48	3.1
10:16:2023:09:42:28	2415	215.9	8.48	3.1
10:16:2023:09:42:33	2445	216.2	8.48	3.1
10:16:2023:09:42:38	2398	216.5	8.48	3.1

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:42:43	2445	216.7	8.48	3.1
10:16:2023:09:42:48	2401	217.0	8.48	3.2
10:16:2023:09:42:53	2491	217.3	8.48	3.1
10:16:2023:09:42:59	2446	217.5	8.48	3.2
10:16:2023:09:43:04	2440	217.8	8.48	3.1
10:16:2023:09:43:09	2487	218.1	8.48	3.1
10:16:2023:09:43:14	2389	218.4	8.48	3.1
10:16:2023:09:43:19	2460	218.6	8.48	3.1
10:16:2023:09:43:24	2382	218.9	8.48	3.1
10:16:2023:09:43:29	2447	219.1	8.48	3.1
10:16:2023:09:43:34	2418	219.4	8.48	3.1
10:16:2023:09:43:39	2452	219.7	8.48	3.1
10:16:2023:09:43:44	2482	219.9	8.48	3.1
10:16:2023:09:43:49	2469	220.2	8.48	3.1
10:16:2023:09:43:54	2400	220.4	8.48	3.2
10:16:2023:09:43:59	2480	220.7	8.48	3.1
10:16:2023:09:44:04	2457	221.0	8.48	3.1
10:16:2023:09:44:09	2506	221.2	8.48	3.1
10:16:2023:09:44:15	2461	221.5	8.48	3.1
10:16:2023:09:44:20	2517	221.8	8.48	3.1
10:16:2023:09:44:25	2446	222.1	8.48	3.1
10:16:2023:09:44:30	2397	222.3	8.48	3.1
10:16:2023:09:44:35	2472	222.6	8.48	3.1
10:16:2023:09:44:40	2418	222.9	8.48	3.1
10:16:2023:09:44:45	2460	223.1	8.48	3.1
10:16:2023:09:44:50	2465	223.4	8.48	3.1
10:16:2023:09:44:55	2490	223.6	8.48	3.1
10:16:2023:09:45:00	2484	223.9	8.48	3.2
10:16:2023:09:45:05	2434	224.2	8.48	3.1
10:16:2023:09:45:10	2455	224.4	8.48	3.1
10:16:2023:09:45:15	2398	224.7	8.48	3.1
10:16:2023:09:45:20	2433	224.9	8.48	3.1
10:16:2023:09:45:26	2422	225.3	8.48	3.2
10:16:2023:09:45:31	2434	225.5	8.48	3.1
10:16:2023:09:45:36	2505	225.8	8.48	3.1
10:16:2023:09:45:41	2458	226.0	8.48	3.2
10:16:2023:09:45:46	2450	226.3	8.48	3.1
10:16:2023:09:45:51	2484	226.6	8.48	3.1
10:16:2023:09:45:56	2443	226.8	8.48	3.1
10:16:2023:09:46:01	2453	227.1	8.48	3.1
10:16:2023:09:46:06	2428	227.4	8.48	3.1
10:16:2023:09:46:11	2500	227.6	8.48	3.1
10:16:2023:09:46:16	2500	227.9	8.48	3.2
10:16:2023:09:46:21	2491	228.1	8.48	3.1
10:16:2023:09:46:26	2516	228.4	8.48	3.1
10:16:2023:09:46:31	2465	228.7	8.48	3.1
10:16:2023:09:46:37	2500	229.0	8.48	3.1
10:16:2023:09:46:42	2433	229.2	8.48	3.1
10:16:2023:09:46:47	2450	229.5	8.48	3.2
10:16:2023:09:46:52	2530	229.8	8.48	3.1
10:16:2023:09:46:57	2507	230.0	8.48	3.1
10:16:2023:09:47:02	2558	230.3	8.48	3.1
10:16:2023:09:47:07	2465	230.5	8.48	3.1
10:16:2023:09:47:12	2434	230.8	8.48	3.1
10:16:2023:09:47:17	2465	231.1	8.48	3.1

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:47:22	2440	231.3	8.48	3.2
10:16:2023:09:47:27	2503	231.6	8.48	3.2
10:16:2023:09:47:32	2485	231.9	8.48	3.1
10:16:2023:09:47:37	2485	232.1	8.48	3.1
10:16:2023:09:47:38	Bump Top Plug			
10:16:2023:09:47:38	2479	232.2	8.48	3.1
10:16:2023:09:47:42	2504	232.4	8.48	3.1
10:16:2023:09:47:47	2455	232.6	8.48	3.1
10:16:2023:09:47:53	2504	233.0	8.48	3.2
10:16:2023:09:47:58	2420	233.2	8.48	3.1
10:16:2023:09:48:03	2491	233.5	8.48	3.1
10:16:2023:09:48:08	2420	233.7	8.48	3.2
10:16:2023:09:48:13	2506	234.0	8.48	3.1
10:16:2023:09:48:18	2550	234.3	8.48	3.1
10:16:2023:09:48:23	2456	234.5	8.48	3.1
10:16:2023:09:48:28	2515	234.8	8.48	3.1
10:16:2023:09:48:33	2428	235.1	8.48	3.1
10:16:2023:09:48:38	2501	235.3	8.48	3.1
10:16:2023:09:48:43	2559	235.6	8.48	3.1
10:16:2023:09:48:48	2497	235.8	8.48	3.2
10:16:2023:09:48:53	2562	236.1	8.48	3.1
10:16:2023:09:48:58	2469	236.4	8.48	3.1
10:16:2023:09:49:04	2442	236.7	8.48	3.1
10:16:2023:09:49:09	2504	236.9	8.48	3.1
10:16:2023:09:49:14	2432	237.2	8.48	3.1
10:16:2023:09:49:19	2505	237.5	8.48	3.1
10:16:2023:09:49:24	2444	237.7	8.48	3.2
10:16:2023:09:49:29	2533	238.0	8.48	3.1
10:16:2023:09:49:34	2496	238.2	8.48	3.2
10:16:2023:09:49:39	2457	238.5	8.48	3.2
10:16:2023:09:49:44	2510	238.8	8.48	3.2
10:16:2023:09:49:49	2432	239.0	8.48	3.1
10:16:2023:09:49:54	2477	239.3	8.48	3.1
10:16:2023:09:49:59	2437	239.6	8.48	3.1
10:16:2023:09:50:00	Pressure Test Casing			
10:16:2023:09:50:00	2511	239.6	8.48	3.2
10:16:2023:09:50:04	2478	239.8	8.48	3.1
10:16:2023:09:50:09	2552	240.1	8.48	3.1
10:16:2023:09:50:15	2477	240.4	8.48	3.2
10:16:2023:09:50:20	2510	240.7	8.48	3.2
10:16:2023:09:50:25	2460	240.9	8.48	3.1
10:16:2023:09:50:30	2480	241.2	8.48	3.2
10:16:2023:09:50:35	2469	241.4	8.48	3.2
10:16:2023:09:50:40	2458	241.7	8.48	3.2
10:16:2023:09:50:45	2499	242.0	8.48	3.1
10:16:2023:09:50:50	2507	242.2	8.48	3.2
10:16:2023:09:50:55	2520	242.5	8.48	3.1
10:16:2023:09:51:00	2503	242.7	8.48	3.1
10:16:2023:09:51:05	2493	243.0	8.48	3.1
10:16:2023:09:51:10	2520	243.3	8.48	3.1
10:16:2023:09:51:15	2475	243.5	8.48	3.1
10:16:2023:09:51:20	2491	243.8	8.48	3.1
10:16:2023:09:51:26	2533	244.1	8.48	3.1
10:16:2023:09:51:31	2539	244.4	8.48	3.1
10:16:2023:09:51:36	2578	244.6	8.47	3.1

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:51:41	2534	244.9	8.48	3.1
10:16:2023:09:51:46	2562	245.2	8.47	3.1
10:16:2023:09:51:51	2488	245.4	8.48	3.1
10:16:2023:09:51:56	2528	245.7	8.48	3.2
10:16:2023:09:52:01	2531	245.9	8.48	3.1
10:16:2023:09:52:06	2533	246.2	8.48	3.1
10:16:2023:09:52:11	2602	246.5	8.48	3.1
10:16:2023:09:52:16	2522	246.7	8.48	3.2
10:16:2023:09:52:21	2487	247.0	8.48	3.1
10:16:2023:09:52:26	2512	247.2	8.48	3.1
10:16:2023:09:52:31	2463	247.5	8.47	3.1
10:16:2023:09:52:36	2511	247.8	8.48	3.1
10:16:2023:09:52:42	2459	248.1	8.48	3.1
10:16:2023:09:52:47	2566	248.3	8.48	3.1
10:16:2023:09:52:52	2507	248.6	8.48	3.1
10:16:2023:09:52:57	2589	248.9	8.48	3.1
10:16:2023:09:53:02	2522	249.1	8.48	3.1
10:16:2023:09:53:07	2466	249.4	8.48	3.1
10:16:2023:09:53:12	2517	249.7	8.47	3.1
10:16:2023:09:53:17	2449	249.9	8.48	3.1
10:16:2023:09:53:22	2510	250.2	8.48	3.1
10:16:2023:09:53:27	2604	250.4	8.48	3.1
10:16:2023:09:53:32	2487	250.7	8.48	3.1
10:16:2023:09:53:37	2329	250.9	8.48	1.2
10:16:2023:09:53:42	2299	251.0	8.48	1.2
10:16:2023:09:53:47	2387	251.1	8.48	2.0
10:16:2023:09:53:53	2338	251.3	8.48	2.0
10:16:2023:09:53:58	2391	251.5	8.48	2.0
10:16:2023:09:54:03	2424	251.7	8.48	2.0
10:16:2023:09:54:08	2372	251.8	8.48	2.0
10:16:2023:09:54:13	2382	252.0	8.48	2.0
10:16:2023:09:54:18	2594	252.2	8.47	2.0
10:16:2023:09:54:23	2761	252.3	8.48	1.6
10:16:2023:09:54:28	2939	252.4	8.48	1.2
10:16:2023:09:54:33	3036	252.6	8.48	0.2
10:16:2023:09:54:38	3014	252.6	8.48	0.0
10:16:2023:09:54:43	3011	252.6	8.48	0.0
10:16:2023:09:54:48	3017	252.6	8.48	0.0
10:16:2023:09:54:53	3028	252.6	8.48	0.0
10:16:2023:09:54:58	3035	252.6	8.48	0.0
10:16:2023:09:55:04	3045	252.6	8.48	0.0
10:16:2023:09:55:09	3069	252.6	8.48	0.1
10:16:2023:09:55:14	3107	252.6	8.48	0.2
10:16:2023:09:55:19	3147	252.6	8.48	0.3
10:16:2023:09:55:24	3194	252.6	8.48	0.3
10:16:2023:09:55:29	3239	252.6	8.48	0.3
10:16:2023:09:55:34	3274	252.7	8.48	0.4
10:16:2023:09:55:39	3306	252.7	8.48	0.4
10:16:2023:09:55:44	3368	252.7	8.47	0.4
10:16:2023:09:55:49	3422	252.8	8.48	0.4
10:16:2023:09:55:54	3452	252.8	8.47	0.4
10:16:2023:09:55:59	3483	252.8	8.48	0.4
10:16:2023:09:56:04	3557	252.8	8.47	0.4
10:16:2023:09:56:09	3600	252.9	8.48	0.4
10:16:2023:09:56:14	3692	252.9	8.48	0.4

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:09:56:20	3732	252.9	8.48	0.4
10:16:2023:09:56:25	3771	253.0	8.48	0.4
10:16:2023:09:56:30	3831	253.0	8.48	0.4
10:16:2023:09:56:35	3881	253.0	8.47	0.4
10:16:2023:09:56:40	3958	253.1	8.48	0.4
10:16:2023:09:56:45	3969	253.1	8.48	0.4
10:16:2023:09:56:50	4039	253.1	8.48	0.4
10:16:2023:09:56:55	4096	253.2	8.48	0.4
10:16:2023:09:57:00	4154	253.2	8.48	0.4
10:16:2023:09:57:05	4174	253.2	8.47	0.2
10:16:2023:09:57:10	4186	253.2	8.47	0.0
10:16:2023:09:57:15	4178	253.2	8.47	0.0
10:16:2023:09:57:20	4184	253.2	8.48	0.0
10:16:2023:09:57:25	4196	253.2	8.48	0.0
10:16:2023:09:57:31	4202	253.2	8.47	0.0
10:16:2023:09:57:36	4208	253.2	8.47	0.0
10:16:2023:09:57:41	4217	253.2	8.47	0.0
10:16:2023:09:57:46	4221	253.2	8.47	0.0
10:16:2023:09:57:51	4225	253.2	8.47	0.0
10:16:2023:09:57:56	4229	253.2	8.47	0.0
10:16:2023:09:58:01	4231	253.2	8.47	0.0
10:16:2023:09:58:06	4234	253.2	8.48	0.0
10:16:2023:09:58:11	4236	253.2	8.48	0.0
10:16:2023:09:58:16	4239	253.2	8.48	0.0
10:16:2023:09:58:21	4239	253.2	8.47	0.0
10:16:2023:09:58:26	4243	253.2	8.48	0.0
10:16:2023:09:58:31	4246	253.2	8.47	0.0
10:16:2023:09:58:36	4250	253.2	8.47	0.0
10:16:2023:09:58:42	4256	253.2	8.48	0.0
10:16:2023:09:58:47	4261	253.2	8.47	0.0
10:16:2023:09:58:52	4265	253.2	8.47	0.0
10:16:2023:09:58:57	4270	253.2	8.47	0.0
10:16:2023:09:59:02	4273	253.2	8.47	0.0
10:16:2023:09:59:07	4277	253.2	8.47	0.0
10:16:2023:09:59:12	4280	253.2	8.47	0.0
10:16:2023:09:59:17	4282	253.2	8.48	0.0
10:16:2023:09:59:22	4286	253.2	8.47	0.0
10:16:2023:09:59:27	4288	253.2	8.48	0.0
10:16:2023:09:59:32	4291	253.2	8.47	0.0
10:16:2023:09:59:37	4294	253.2	8.48	0.0
10:16:2023:09:59:42	4298	253.2	8.47	0.0
10:16:2023:09:59:47	4302	253.2	8.48	0.0
10:16:2023:09:59:53	4306	253.2	8.48	0.0
10:16:2023:09:59:58	4309	253.2	8.48	0.0
10:16:2023:10:00:03	4313	253.2	8.47	0.0
10:16:2023:10:00:08	4317	253.2	8.48	0.0
10:16:2023:10:00:13	4320	253.2	8.47	0.0
10:16:2023:10:00:18	4323	253.2	8.47	0.0
10:16:2023:10:00:23	4325	253.2	8.47	0.0
10:16:2023:10:00:28	4329	253.2	7.79	0.0
10:16:2023:10:00:33	4332	253.2	8.35	0.0
10:16:2023:10:00:38	4336	253.2	8.55	0.0
10:16:2023:10:00:43	4338	253.2	8.52	0.0
10:16:2023:10:00:48	4341	253.2	8.51	0.0
10:16:2023:10:00:53	4344	253.2	8.51	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:10:00:58	4348	253.2	8.50	0.0
10:16:2023:10:01:03	4352	253.2	8.50	0.0
10:16:2023:10:01:09	4353	253.2	8.50	0.0
10:16:2023:10:01:14	4357	253.2	8.50	0.0
10:16:2023:10:01:19	4360	253.2	8.50	0.0
10:16:2023:10:01:24	4362	253.2	8.50	0.0
10:16:2023:10:01:29	4367	253.2	8.50	0.0
10:16:2023:10:01:34	4368	253.2	8.49	0.0
10:16:2023:10:01:39	4371	253.2	8.50	0.0
10:16:2023:10:01:44	4373	253.2	8.50	0.0
10:16:2023:10:01:49	4378	253.2	8.50	0.0
10:16:2023:10:01:54	4379	253.2	8.49	0.0
10:16:2023:10:01:59	4382	253.2	8.50	0.0
10:16:2023:10:02:04	4385	253.2	8.50	0.0
10:16:2023:10:02:09	4389	253.2	8.50	0.0
10:16:2023:10:02:14	4392	253.2	8.50	0.0
10:16:2023:10:02:20	4395	253.2	8.49	0.0
10:16:2023:10:02:25	4397	253.2	8.49	0.0
10:16:2023:10:02:30	4399	253.2	8.50	0.0
10:16:2023:10:02:35	4402	253.2	8.50	0.0
10:16:2023:10:02:40	4405	253.2	8.50	0.0
10:16:2023:10:02:45	4407	253.2	8.50	0.0
10:16:2023:10:02:50	4410	253.2	8.50	0.0
10:16:2023:10:02:55	4412	253.2	8.50	0.0
10:16:2023:10:03:00	4416	253.2	8.50	0.0
10:16:2023:10:03:05	4418	253.2	8.50	0.0
10:16:2023:10:03:10	4421	253.2	8.50	0.0
10:16:2023:10:03:15	4423	253.2	8.50	0.0
10:16:2023:10:03:20	4426	253.2	8.50	0.0
10:16:2023:10:03:25	4429	253.2	8.50	0.0
10:16:2023:10:03:31	4431	253.2	8.51	0.0
10:16:2023:10:03:36	4434	253.2	8.50	0.0
10:16:2023:10:03:41	4436	253.2	8.51	0.0
10:16:2023:10:03:46	4438	253.2	8.51	0.0
10:16:2023:10:03:51	4441	253.2	8.51	0.0
10:16:2023:10:03:56	4444	253.2	8.51	0.0
10:16:2023:10:04:01	4446	253.2	8.51	0.0
10:16:2023:10:04:06	4448	253.2	8.51	0.0
10:16:2023:10:04:11	4452	253.2	8.51	0.0
10:16:2023:10:04:16	4454	253.2	8.52	0.0
10:16:2023:10:04:21	4456	253.2	8.52	0.0
10:16:2023:10:04:26	4458	253.2	8.52	0.0
10:16:2023:10:04:31	4460	253.2	8.52	0.0
10:16:2023:10:04:36	4462	253.2	8.52	0.0
10:16:2023:10:04:41	4465	253.2	8.53	0.0
10:16:2023:10:04:47	4468	253.2	8.53	0.0
10:16:2023:10:04:52	4470	253.2	8.53	0.0
10:16:2023:10:04:57	4472	253.2	8.53	0.0
10:16:2023:10:05:02	4474	253.2	8.53	0.0
10:16:2023:10:05:07	4477	253.2	8.54	0.0
10:16:2023:10:05:12	4479	253.2	8.54	0.0
10:16:2023:10:05:17	4481	253.2	8.54	0.0
10:16:2023:10:05:22	4484	253.2	8.55	0.0
10:16:2023:10:05:27	4487	253.2	8.55	0.0
10:16:2023:10:05:32	4488	253.2	8.55	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:10:05:37	4490	253.2	8.56	0.0
10:16:2023:10:05:42	4493	253.2	8.56	0.0
10:16:2023:10:05:47	4495	253.2	8.56	0.0
10:16:2023:10:05:52	4498	253.2	8.56	0.0
10:16:2023:10:05:58	4499	253.2	8.56	0.0
10:16:2023:10:06:03	4501	253.2	8.57	0.0
10:16:2023:10:06:08	4504	253.2	8.57	0.0
10:16:2023:10:06:13	4507	253.2	8.58	0.0
10:16:2023:10:06:18	4509	253.2	8.58	0.0
10:16:2023:10:06:23	4510	253.2	8.59	0.0
10:16:2023:10:06:28	4513	253.2	8.59	0.0
10:16:2023:10:06:33	4515	253.2	8.59	0.0
10:16:2023:10:06:38	4517	253.2	8.59	0.0
10:16:2023:10:06:43	4519	253.2	8.58	0.0
10:16:2023:10:06:48	4521	253.2	8.58	0.0
10:16:2023:10:06:53	4523	253.2	8.58	0.0
10:16:2023:10:06:58	4525	253.2	8.58	0.0
10:16:2023:10:07:03	4528	253.2	8.58	0.0
10:16:2023:10:07:09	4529	253.2	8.59	0.0
10:16:2023:10:07:14	4531	253.2	8.59	0.0
10:16:2023:10:07:19	4534	253.2	8.59	0.0
10:16:2023:10:07:24	4536	253.2	8.59	0.0
10:16:2023:10:07:29	4539	253.2	8.58	0.0
10:16:2023:10:07:34	4540	253.2	8.59	0.0
10:16:2023:10:07:37	Bleed Off Pressure, Monitor Floats			
10:16:2023:10:07:37	4541	253.2	8.58	0.0
10:16:2023:10:07:39	4542	253.2	8.58	0.0
10:16:2023:10:07:44	4544	253.2	8.58	0.0
10:16:2023:10:07:49	4545	253.2	8.58	0.0
10:16:2023:10:07:54	4547	253.2	8.58	0.0
10:16:2023:10:07:59	4549	253.2	8.58	0.0
10:16:2023:10:08:04	4552	253.2	8.57	0.0
10:16:2023:10:08:09	4553	253.2	8.57	0.0
10:16:2023:10:08:14	4555	253.2	8.57	0.0
10:16:2023:10:08:20	4558	253.2	8.56	0.0
10:16:2023:10:08:25	4560	253.2	8.56	0.0
10:16:2023:10:08:30	4562	253.2	8.55	0.0
10:16:2023:10:08:35	4563	253.2	8.55	0.0
10:16:2023:10:08:40	4565	253.2	8.55	0.0
10:16:2023:10:08:45	4567	253.2	8.55	0.0
10:16:2023:10:08:50	4569	253.2	8.54	0.0
10:16:2023:10:08:55	4571	253.2	8.54	0.0
10:16:2023:10:09:00	4573	253.2	8.54	0.0
10:16:2023:10:09:05	4575	253.2	8.54	0.0
10:16:2023:10:09:10	4577	253.2	8.53	0.0
10:16:2023:10:09:15	4579	253.2	8.53	0.0
10:16:2023:10:09:20	4581	253.2	8.53	0.0
10:16:2023:10:09:25	4582	253.2	8.52	0.0
10:16:2023:10:09:30	4584	253.2	8.52	0.0
10:16:2023:10:09:36	4586	253.2	8.52	0.0
10:16:2023:10:09:41	4588	253.2	8.52	0.0
10:16:2023:10:09:46	4590	253.2	8.52	0.0
10:16:2023:10:09:51	4591	253.2	8.52	0.0
10:16:2023:10:09:56	4593	253.2	8.52	0.0
10:16:2023:10:10:01	4595	253.2	8.51	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:10:10:06	4598	253.2	8.51	0.0
10:16:2023:10:10:11	4599	253.2	8.51	0.0
10:16:2023:10:10:16	4601	253.2	8.51	0.0
10:16:2023:10:10:21	4603	253.2	8.51	0.0
10:16:2023:10:10:26	4605	253.2	8.51	0.0
10:16:2023:10:10:31	4607	253.2	8.50	0.0
10:16:2023:10:10:36	4607	253.2	8.50	0.0
10:16:2023:10:10:41	4609	253.2	8.50	0.0
10:16:2023:10:10:47	4611	253.2	8.50	0.0
10:16:2023:10:10:52	4613	253.2	8.50	0.0
10:16:2023:10:10:57	4616	253.2	8.50	0.0
10:16:2023:10:11:02	4617	253.2	8.50	0.0
10:16:2023:10:11:07	4618	253.2	8.50	0.0
10:16:2023:10:11:12	4620	253.2	8.50	0.0
10:16:2023:10:11:17	4622	253.2	8.50	0.0
10:16:2023:10:11:22	4623	253.2	8.49	0.0
10:16:2023:10:11:27	4626	253.2	8.49	0.0
10:16:2023:10:11:32	4627	253.2	8.49	0.0
10:16:2023:10:11:37	4629	253.2	8.50	0.0
10:16:2023:10:11:42	4630	253.2	8.49	0.0
10:16:2023:10:11:47	4632	253.2	8.49	0.0
10:16:2023:10:11:52	4633	253.2	8.49	0.0
10:16:2023:10:11:58	4635	253.2	8.49	0.0
10:16:2023:10:12:03	4637	253.2	8.49	0.0
10:16:2023:10:12:08	4639	253.2	8.49	0.0
10:16:2023:10:12:13	4639	253.2	8.49	0.0
10:16:2023:10:12:18	4642	253.2	8.49	0.0
10:16:2023:10:12:23	4644	253.2	8.49	0.0
10:16:2023:10:12:28	4645	253.2	8.49	0.0
10:16:2023:10:12:33	4647	253.2	8.49	0.0
10:16:2023:10:12:38	4648	253.2	8.49	0.0
10:16:2023:10:12:43	4650	253.2	8.49	0.0
10:16:2023:10:12:48	4653	253.2	8.49	0.0
10:16:2023:10:12:53	4653	253.2	8.49	0.0
10:16:2023:10:12:58	4655	253.2	8.49	0.0
10:16:2023:10:13:03	4656	253.2	8.49	0.0
10:16:2023:10:13:08	4658	253.2	8.49	0.0
10:16:2023:10:13:14	4659	253.2	8.48	0.0
10:16:2023:10:13:19	4661	253.2	8.48	0.0
10:16:2023:10:13:24	4662	0.0	8.48	0.0
10:16:2023:10:13:29	4664	0.0	8.49	0.0
10:16:2023:10:13:34	4667	0.0	8.48	0.0
10:16:2023:10:13:39	4668	0.0	8.48	0.0
10:16:2023:10:13:44	4670	0.0	8.48	0.0
10:16:2023:10:13:49	4671	0.0	8.48	0.0
10:16:2023:10:13:54	4672	0.0	8.48	0.0
10:16:2023:10:13:59	4675	0.0	8.48	0.0
10:16:2023:10:14:04	4676	0.0	8.49	0.0
10:16:2023:10:14:09	4677	0.0	8.49	0.0
10:16:2023:10:14:14	4678	0.0	8.49	0.0
10:16:2023:10:14:19	4680	0.0	8.49	0.0
10:16:2023:10:14:25	4682	0.0	8.49	0.0
10:16:2023:10:14:30	4655	0.0	8.49	0.0
10:16:2023:10:14:35	4504	0.0	8.50	0.0
10:16:2023:10:14:40	4233	0.0	8.49	0.0

AcqTime mm:dd:yyyy:hh:mm:ss	CMT TREAT PRES psi	CMT VOL bbl	SLUR DENSITY lb/gal	SLUR RATE bbl/min
10:16:2023:10:14:45	3922	0.0	8.49	0.0
10:16:2023:10:14:50	3620	0.0	8.49	0.0
10:16:2023:10:14:55	3258	0.0	8.49	0.0
10:16:2023:10:15:00	2887	0.0	8.49	0.0
10:16:2023:10:15:05	2482	0.0	8.49	0.0
10:16:2023:10:15:10	2103	0.0	8.49	0.0
10:16:2023:10:15:15	1696	0.0	8.49	0.0
10:16:2023:10:15:20	1332	0.0	8.49	0.0
10:16:2023:10:15:25	908	0.0	8.49	0.0
10:16:2023:10:15:30	472	0.0	8.49	0.0
10:16:2023:10:15:36	169	0.0	8.49	0.0
10:16:2023:10:15:41	12	0.0	8.49	0.0
10:16:2023:10:15:46	-1	0.0	8.48	0.0
10:16:2023:10:15:51	-0	0.0	8.48	0.0
10:16:2023:10:15:56	-1	0.0	8.49	0.0
10:16:2023:10:16:01	-0	0.0	8.49	0.0
10:16:2023:10:16:06	-1	0.0	8.49	0.0
10:16:2023:10:16:11	-1	0.0	8.49	0.0
10:16:2023:10:16:16	-1	0.0	8.48	0.0
10:16:2023:10:16:21	-1	0.0	8.48	0.0
10:16:2023:10:16:26	-0	0.0	8.48	0.0
10:16:2023:10:16:31	-0	0.0	8.48	0.0
10:16:2023:10:16:36	-0	0.0	8.48	0.0
10:16:2023:10:16:41	0	0.0	8.48	0.0
10:16:2023:10:16:47	-0	0.0	8.48	0.0
10:16:2023:10:16:52	-1	0.0	8.48	0.0
10:16:2023:10:16:57	-0	0.0	8.48	0.0
10:16:2023:10:17:02	0	0.0	8.48	0.0
10:16:2023:10:17:07	-1	0.0	8.48	0.0
10:16:2023:10:17:12	-0	0.0	8.48	0.0
10:16:2023:10:17:17	-0	0.0	8.48	0.0
10:16:2023:10:17:22	-1	0.0	8.48	0.0
10:16:2023:10:17:27	0	0.0	8.48	0.0
10:16:2023:10:17:32	-1	0.0	8.48	0.0
10:16:2023:10:17:37	-0	0.0	8.48	0.0
10:16:2023:10:17:42	-1	0.0	8.48	0.0
10:16:2023:10:17:47	0	0.0	8.48	0.0
10:16:2023:10:17:52	0	0.0	8.48	0.0
10:16:2023:10:17:57	-1	0.0	8.48	0.0
10:16:2023:10:18:03	0	0.0	8.48	0.0
10:16:2023:10:18:08	-1	0.0	8.48	0.0
10:16:2023:10:18:13	-1	0.0	8.48	0.0
10:16:2023:10:18:18	-1	0.0	8.48	0.0
10:16:2023:10:18:23	-1	0.0	8.48	0.0
10:16:2023:10:18:28	0	0.0	8.48	0.0
10:16:2023:10:18:33	-1	0.0	8.48	0.0
10:16:2023:10:18:38	1	0.0	8.48	0.0
10:16:2023:10:18:43	2	0.0	8.48	0.0
10:16:2023:10:18:48	2	0.0	8.48	0.0
10:16:2023:10:18:53	2	0.0	8.48	0.0
10:16:2023:10:18:58	1	0.0	8.48	0.0
10:16:2023:10:19:03	1	0.0	8.48	0.0
10:16:2023:10:19:08	2	0.0	8.48	0.0
10:16:2023:10:19:14	1	0.0	8.48	0.0