



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Page: 1

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2025

This copy reported on 29-OCT-2025

Account: UROCOP

CERTIFICATE AD25304223

Project: BY

This report is for 69 samples of RC Drill Chip submitted to our lab in Adelaide, SA, Australia on 2-OCT-2025.

The following have access to data associated with this certificate:

ANDRE COFFA
JUSTIN ORR

EUGENE FERLA

TAYLOR OGDEN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
PUL-32m	Pulverize 500g - 85%<75um
CRU-21	Crush entire sample
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS42	Up to 34 elements by ICP-MS	ICP-MS
F-IC881	F - KOH fusion and IC	IC
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
ME-MS81	Lithium Borate Fusion ICP-MS	ICP-MS
ME-4ACD81	Base Metals by 4-acid dig.	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt.	Pass75um	Ba	Be	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	Ho	La
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.5	1	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05	0.05	0.01	0.1
URC03052		0.34	99.0	34.8	11	67.6	19	20.9	18.00	12.80	0.13	26.0	10.50	4.35	3.96	28.9
URC03216		0.33	99.0	19.4	6	68.0	17	29.0	17.60	12.25	0.05	26.6	10.00	4.56	3.88	28.5
URC03589		0.31	99.0	233	3	83.3	12	20.6	8.31	5.13	0.50	15.8	6.89	4.13	1.75	40.2
URC03811		0.34		279	3	94.7	16	8.21	7.47	4.26	0.56	14.4	6.67	3.74	1.58	45.3
URC03812		0.33		309	4	145.5	13	7.48	10.35	5.55	0.80	16.2	9.86	3.99	2.08	72.8
URC04033		0.33		187.5	3	154.5	13	16.35	11.60	6.94	0.60	18.4	10.65	5.74	2.46	76.5
URC04133		0.33		562	5	92.1	49	20.7	4.28	2.37	0.99	18.8	5.36	5.16	0.83	45.9
URC04150		0.33		542	2	54.4	112	8.61	3.42	2.10	0.85	17.4	3.78	3.88	0.76	26.5
URC04154		0.32		420	2	45.2	91	11.05	2.63	1.58	0.59	14.6	2.82	2.60	0.53	24.0
URC04158		0.32		377	2	51.5	74	10.50	3.32	2.01	0.79	12.4	3.69	2.30	0.71	28.0
URC04159		0.33		367	2	61.6	78	8.70	3.41	2.18	0.85	12.6	4.06	2.31	0.78	33.7
URC04163		0.32		387	2	56.4	112	7.49	3.21	1.82	0.69	17.2	3.45	3.15	0.66	30.2
URC04221		0.32		546	3	80.4	64	14.85	3.42	2.00	0.93	20.8	3.78	3.50	0.62	42.1
URC04222		0.33		383	2	46.5	50	8.31	2.34	1.29	0.60	15.5	2.56	2.72	0.46	23.8
URC04223		0.33		360	2	59.7	46	7.74	2.15	1.27	0.62	15.2	2.41	2.20	0.47	30.1
URC04223Z		0.10		968	2	74.2	59	10.40	5.66	2.90	1.36	20.3	6.57	6.46	1.10	35.7
URC04224		0.34		377	3	68.6	54	11.25	2.57	1.62	0.68	18.8	2.74	3.18	0.53	38.3
URC04225		0.33		468	2	70.4	57	8.62	2.32	1.52	0.58	17.6	2.64	3.57	0.51	36.8
URC04231		0.33		383	2	57.7	56	8.77	3.15	1.92	0.67	15.2	3.08	3.09	0.65	29.3
URC04238		0.34		502	2	96.6	58	7.77	3.55	1.88	0.96	20.1	4.42	3.65	0.74	50.3
URC04239		0.33		250	2	58.9	35	3.68	2.00	1.13	0.52	10.4	2.59	1.52	0.41	31.0
URC04240		0.32		390	2	47.6	43	5.16	2.34	1.40	0.65	13.6	2.78	2.36	0.49	23.9
URC04251		0.33		444	2	66.9	49	7.54	3.52	2.02	0.84	18.0	3.75	2.94	0.74	34.0
URC04261		0.32		544	3	61.9	51	7.85	3.94	2.30	0.86	18.1	4.05	3.12	0.76	31.6
URC04300		0.32		425	2	69.4	61	5.90	2.55	1.33	0.65	14.8	3.19	2.93	0.50	38.1
URC04309		0.34		73.2	1	21.6	22	1.52	1.31	0.74	0.28	5.4	1.45	0.72	0.26	11.7
URC04310		0.34		290	2	117.0	48	5.30	3.01	1.71	0.87	14.3	4.50	3.02	0.59	69.3
URC04333		0.34		399	3	68.9	67	7.50	4.27	2.61	0.85	23.8	4.39	4.85	0.92	33.7
URC04336		0.34		554	2	77.9	61	9.18	4.08	2.30	0.77	20.1	4.12	4.41	0.84	38.2
URC04337		0.33		488	2	75.6	49	7.23	3.41	1.99	0.79	17.7	3.62	3.82	0.73	37.8
URC04338		0.33		515	3	79.1	55	10.45	3.75	2.23	0.79	18.5	4.22	4.38	0.80	40.2
URC04338X		0.29		2900	3	93.5	8	6.55	3.58	1.04	1.34	22.2	6.16	7.77	0.54	47.0
URC04353		0.33		527	2	44.2	99	5.76	3.10	1.75	0.71	16.0	3.04	2.87	0.69	22.1
URC04387		0.33		582	2	51.8	151	16.85	3.45	1.99	0.88	17.2	3.40	3.06	0.69	25.9
URC04403		0.33		486	2	56.0	172	10.40	3.52	1.97	0.76	18.2	3.88	3.25	0.77	27.6
URC04414		0.33		396	2	49.1	76	8.96	3.37	1.94	0.80	19.9	3.69	3.10	0.68	23.8
URC04447		0.34		647	2	50.6	167	8.98	3.25	1.85	0.74	16.8	3.39	2.79	0.66	25.2
URC03014		0.33		40.4	8	57.2	21	34.8	15.05	10.70	0.14	24.6	9.61	3.95	3.18	23.3
URC03064		0.33		24.2	43	63.5	12	22.9	16.75	11.50	0.05	24.2	9.46	4.32	3.48	26.4
URC03101		0.33		16.9	10	65.5	18	24.6	16.25	11.95	0.05	21.8	9.97	3.57	3.55	26.6

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOPI

CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	Tb	Th	Ti	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	0.01	0.05	0.01	0.01
URC03052		2.39	40.8	27.0	8.14	969	6.8	9.08	60.0	9.1	12.5	2.52	23.7	0.02	2.21
URC03216		2.24	40.1	26.5	8.25	1020	5.5	9.66	36.5	8.4	10.0	2.39	23.9	0.02	2.15
URC03589		0.74	16.25	33.2	9.60	421	4.5	7.14	86.9	33.8	2.3	1.26	28.7	0.09	0.70
URC03811		0.55	13.80	37.2	10.55	396	4.5	8.54	16.2	17.2	1.7	1.22	28.7	0.08	0.62
URC03812		0.68	15.50	57.2	16.60	462	4.0	11.85	19.3	19.5	1.9	1.73	31.4	0.09	0.80
URC04033		0.98	22.7	58.4	17.45	603	4.8	11.60	125.0	26.4	3.1	1.86	56.7	0.11	1.05
URC04133		0.32	11.70	37.3	10.45	293	15.9	7.02	127.5	80.9	1.0	0.74	18.65	0.33	0.34
URC04150		0.30	6.93	22.8	6.27	288	22.0	4.44	3.4	80.1	0.7	0.63	11.00	0.22	0.28
URC04154		0.24	5.53	18.8	5.49	204	17.5	3.70	2.7	101.0	0.6	0.43	9.78	0.18	0.23
URC04158		0.27	4.46	22.4	6.44	178.5	15.3	4.35	2.1	162.5	0.4	0.56	8.36	0.15	0.26
URC04159		0.30	4.93	25.1	7.13	165.5	15.9	4.61	2.1	131.0	0.5	0.62	8.69	0.17	0.25
URC04163		0.28	6.12	23.6	6.70	237	19.8	4.29	2.9	53.1	0.6	0.56	10.90	0.21	0.28
URC04221		0.28	7.46	29.9	8.95	394	22.9	4.73	2.6	56.3	0.7	0.56	11.90	0.26	0.26
URC04222		0.20	5.32	17.8	5.21	309	15.4	2.93	1.8	24.5	0.5	0.37	8.10	0.19	0.21
URC04223		0.18	4.76	21.7	6.65	287	15.4	3.61	2.2	22.2	0.5	0.38	8.15	0.17	0.19
URC04223Z		0.35	12.30	34.1	9.06	163.0	9.4	7.15	4.8	192.0	1.0	1.02	14.15	0.37	0.41
URC04224		0.23	6.12	25.9	7.61	371	18.5	4.34	2.7	27.2	0.6	0.41	9.70	0.23	0.24
URC04225		0.24	6.79	22.7	7.36	392	21.8	3.80	2.6	37.5	0.7	0.39	11.70	0.25	0.24
URC04231		0.27	6.50	22.0	6.41	277	20.0	3.84	2.7	34.0	0.7	0.52	10.05	0.24	0.27
URC04238		0.29	7.36	36.7	10.90	307	22.8	6.09	2.7	40.7	0.7	0.63	11.60	0.28	0.27
URC04239		0.16	3.41	22.9	6.68	162.0	10.2	3.48	1.2	16.6	0.3	0.34	5.27	0.12	0.17
URC04240		0.22	4.81	18.8	5.35	210	14.5	3.22	1.9	33.7	0.5	0.46	7.18	0.17	0.21
URC04251		0.31	6.43	25.7	7.54	323	18.3	4.67	2.5	33.2	0.6	0.58	10.25	0.24	0.30
URC04261		0.30	7.66	24.3	7.05	391	20.6	4.60	2.6	45.8	0.7	0.63	12.20	0.27	0.33
URC04300		0.21	6.55	26.7	7.93	151.5	11.2	4.11	2.2	35.7	0.6	0.41	9.32	0.22	0.18
URC04309		0.09	2.10	9.0	2.49	52.3	3.4	1.72	1.0	8.3	0.2	0.22	2.97	0.06	0.10
URC04310		0.25	6.01	44.3	12.80	159.0	12.5	6.59	2.5	20.0	0.6	0.57	10.30	0.19	0.24
URC04333		0.37	8.88	27.1	7.85	330	21.6	5.27	3.3	43.6	0.8	0.72	16.60	0.31	0.38
URC04336		0.33	9.61	29.9	8.76	393	18.1	5.34	3.3	39.8	0.8	0.68	15.00	0.31	0.35
URC04337		0.32	7.64	27.9	8.22	323	16.8	4.46	3.4	24.6	0.9	0.64	13.75	0.26	0.30
URC04338		0.34	8.58	30.1	8.86	372	18.2	5.54	3.7	27.2	0.8	0.65	15.30	0.28	0.32
URC04338X		0.07	18.50	40.2	11.00	146.5	4.6	7.13	3.8	171.0	1.4	0.82	14.65	0.12	0.09
URC04353		0.27	5.83	18.2	5.19	290	19.8	3.50	2.6	87.2	0.6	0.49	9.10	0.19	0.25
URC04387		0.29	6.56	20.6	5.98	193.0	21.8	3.78	2.6	116.0	0.7	0.57	11.10	0.22	0.28
URC04403		0.31	6.65	22.3	6.48	206	23.2	4.69	2.3	76.9	0.6	0.60	10.35	0.22	0.27
URC04414		0.32	5.89	21.4	5.38	189.5	24.4	4.09	4.2	148.5	0.6	0.53	9.81	0.22	0.32
URC04447		0.28	6.10	21.1	5.55	230	24.4	3.79	5.0	99.1	0.6	0.51	10.70	0.21	0.28
URC03014		2.05	37.8	25.4	6.66	941	7.5	8.68	120.5	9.4	13.5	2.12	22.2	0.02	1.83
URC03064		2.32	36.4	25.5	7.32	1085	7.2	9.29	80.4	7.3	9.2	2.41	23.1	0.02	2.11
URC03101		2.13	34.9	28.5	7.48	1015	4.9	9.08	36.7	6.7	8.9	2.39	22.9	0.02	2.02

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 – C
Total # Pages: 3 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81
		V	W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Li	Mo	Ni	Pb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		5	0.5	0.1	0.03	1	0.5	5	0.5	1	1	10	1	1	2
URC03052		<5	6.2	117.0	15.75	64	<0.5	<5	<0.5	<1	13	40	3	2	126
URC03216		<5	5.0	114.5	14.95	70	<0.5	<5	<0.5	<1	5	60	3	2	23
URC03589		6	6.0	47.3	4.54	133	<0.5	7	<0.5	3	78	30	2	3	18
URC03811		6	3.8	41.9	4.08	123	<0.5	<5	<0.5	1	30	20	4	2	15
URC03812		7	2.6	55.2	4.94	129	<0.5	<5	<0.5	2	13	10	3	2	18
URC04033		6	3.8	66.8	6.65	177	<0.5	<5	<0.5	3	23	10	2	3	39
URC04133		87	5.7	22.9	2.13	209	<0.5	<5	0.8	15	42	60	1	18	27
URC04150		116	2.5	19.7	1.85	156	<0.5	<5	1.3	26	38	60	<1	49	50
URC04154		90	5.3	14.8	1.35	97	<0.5	<5	<0.5	20	28	70	<1	37	43
URC04158		80	1.0	20.0	1.75	92	<0.5	<5	0.5	16	14	60	<1	29	17
URC04159		88	1.1	22.4	1.82	90	<0.5	<5	<0.5	20	28	60	<1	32	22
URC04163		107	1.4	18.6	1.74	130	<0.5	<5	<0.5	24	29	90	<1	46	5
URC04221		132	3.9	17.6	1.94	134	<0.5	<5	<0.5	27	58	80	1	38	5
URC04222		91	5.3	12.6	1.34	102	<0.5	<5	<0.5	18	276	80	1	26	16
URC04223		85	3.4	12.8	1.26	84	<0.5	<5	<0.5	20	455	70	1	27	36
URC04223Z		76	13.2	28.8	2.44	261	1.1	24	0.6	10	2680	50	86	19	102
URC04224		108	7.0	19.2	1.54	124	<0.5	<5	<0.5	26	352	70	1	33	<2
URC04225		113	8.6	15.6	1.39	141	<0.5	<5	<0.5	21	333	60	1	29	<2
URC04231		106	3.3	18.0	1.62	119	<0.5	<5	2.2	22	406	70	1	31	46
URC04238		123	5.0	18.5	1.86	143	<0.5	<5	<0.5	24	28	90	1	35	10
URC04239		58	3.9	14.6	1.05	55	<0.5	<5	0.5	12	129	60	1	18	19
URC04240		81	4.4	14.6	1.33	95	<0.5	<5	0.8	17	64	70	2	24	14
URC04251		105	3.8	19.5	1.92	117	<0.5	<5	<0.5	22	40	70	1	31	11
URC04261		116	3.6	21.1	2.04	117	<0.5	<5	3.8	25	41	60	1	33	13
URC04300		74	3.7	15.2	1.16	119	<0.5	<5	1.1	12	17	50	3	26	6
URC04309		21	1.8	9.0	0.67	30	<0.5	<5	<0.5	5	562	60	1	7	2
URC04310		71	4.2	23.4	1.51	112	<0.5	<5	<0.5	15	172	60	2	22	7
URC04333		117	4.4	23.3	2.36	195	<0.5	<5	<0.5	22	23	70	1	37	67
URC04336		109	3.2	22.6	2.35	183	<0.5	<5	<0.5	23	68	60	1	34	26
URC04337		98	3.3	20.2	2.03	161	<0.5	<5	1.1	20	61	60	1	31	46
URC04338		100	3.2	21.1	2.20	168	<0.5	<5	0.5	21	47	60	1	35	41
URC04338X		5	1.5	15.1	0.56	315	<0.5	<5	<0.5	2	4	30	2	2	24
URC04353		104	1.1	16.6	1.68	113	<0.5	<5	<0.5	23	30	70	1	40	19
URC04387		121	1.6	18.4	1.89	118	<0.5	<5	<0.5	28	15	90	1	59	42
URC04403		120	1.8	19.4	1.86	120	<0.5	<5	<0.5	28	20	90	1	62	32
URC04414		148	3.1	19.2	2.00	115	<0.5	6	<0.5	34	23	60	1	51	24
URC04447		118	3.2	18.9	1.84	102	<0.5	<5	<0.5	28	82	60	2	61	53
URC03014		5	36.2	102.0	12.95	56	<0.5	<5	<0.5	1	41	30	4	3	23
URC03064		<5	5.9	116.0	14.90	66	<0.5	<5	<0.5	<1	8	60	3	2	20
URC03101		<5	5.7	116.5	14.25	58	<0.5	<5	<0.5	1	6	100	10	2	26

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOF

CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-4ACD81	ME-MS42	ME-MS42	ME-MS42	F-IC881	Au-AA26	Au-AA26
		Zn	Bi	Hg	Te	F	Au	WT. SAMP
		ppm	ppm	ppm	ppm	ppm	ppm	g
		2	0.01	0.005	0.01	20	0.01	0.01
URC03052		15	2.03	<0.005	<0.01			
URC03216		25	5.47	<0.005	<0.01			
URC03589		39	>250	<0.005	0.01			
URC03811		20	0.73	<0.005	<0.01	2140		
URC03812		23	4.22	<0.005	<0.01	1420		
URC04033		181	1.45	<0.005	0.01			
URC04133		201	0.66	<0.005	<0.01			
URC04150		335	0.26	<0.005	0.01			
URC04154		90	1.40	<0.005	<0.01			
URC04158		73	0.12	0.006	0.02		<0.01	49.08
URC04159		85	0.21	<0.005	0.01		<0.01	49.62
URC04163		187	0.17	<0.005	<0.01		<0.01	48.92
URC04221		103	0.35	<0.005	<0.01		<0.01	52.92
URC04222		70	0.71	<0.005	<0.01		<0.01	47.29
URC04223		71	0.49	<0.005	<0.01	9040	<0.01	50.94
URC04223Z		183	1.10	0.012	0.14		0.23	30.72
URC04224		133	0.87	<0.005	<0.01		<0.01	47.82
URC04225		135	0.62	<0.005	<0.01		<0.01	47.80
URC04231		1085	1.93	<0.005	<0.01		<0.01	47.49
URC04238		117	0.35	<0.005	<0.01		<0.01	50.24
URC04239		216	0.71	<0.005	<0.01	>20000	<0.01	50.46
URC04240		345	0.49	<0.005	<0.01	17600	<0.01	50.53
URC04251		104	0.28	<0.005	<0.01		<0.01	47.78
URC04261		1360	0.30	0.018	<0.01		<0.01	49.91
URC04300		840	0.65	<0.005	<0.01		<0.01	49.04
URC04309		21	0.86	<0.005	<0.01		<0.01	50.07
URC04310		45	0.69	<0.005	0.01		<0.01	48.73
URC04333		178	0.62	<0.005	0.01	1110	<0.01	50.56
URC04336		136	0.34	<0.005	0.01	1720	<0.01	49.18
URC04337		306	0.63	<0.005	<0.01	12800	<0.01	47.97
URC04338		266	0.52	<0.005	0.01	3580	<0.01	48.58
URC04338X		116	0.15	<0.005	0.01		<0.01	47.91
URC04353		89	0.32	<0.005	0.01		<0.01	48.93
URC04387		92	0.72	<0.005	0.02		<0.01	52.28
URC04403		264	0.46	<0.005	0.01		<0.01	50.48
URC04414		119	0.41	<0.005	<0.01		<0.01	48.94
URC04447		208	0.49	<0.005	0.01		<0.01	49.14
URC03014		24	4.94	<0.005	0.01			
URC03064		19	2.55	0.005	0.01			
URC03101		26	7.20	<0.005	<0.01			

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Pass75um %	Ba ppm	Be ppm	Ce ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm	Ga ppm	Gd ppm	Hf ppm	Ho ppm	La ppm
		0.02	0.01	0.5	1	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05	0.05	0.01	0.1
URC03135		0.33		16.4	12	67.4	17	24.1	17.75	12.40	0.05	24.2	10.75	3.67	3.79	27.4
URC03269		0.33		15.6	6	64.4	15	33.1	18.00	13.05	0.03	25.6	10.85	4.41	3.83	26.5
URC03330		0.33	99.0	20.0	6	58.5	13	15.85	14.85	10.45	0.07	21.9	9.12	3.92	3.13	23.6
URC03440		0.33		187.0	2	61.8	11	7.37	5.95	3.56	0.29	9.4	5.10	2.55	1.23	29.7
URC03450		0.32		285	4	106.0	11	12.80	9.76	6.16	0.66	17.2	9.13	4.31	2.13	50.6
URC03474		0.34		223	3	82.4	10	10.95	8.53	5.19	0.49	15.5	7.58	3.56	1.88	38.7
URC03475		0.30		334	2	123.0	12	13.80	10.40	5.97	0.63	17.4	10.35	4.84	1.98	56.9
URC03483		0.34		152.5	1	30.4	19	5.26	2.68	1.51	0.14	5.1	2.63	1.24	0.56	14.7
URC03582		0.34		200.0	2	47.6	13	12.80	5.55	3.88	0.33	9.8	4.64	2.66	1.27	23.1
URC03582X		0.30		3030	3	91.7	<5	6.53	3.77	0.93	1.31	21.8	6.09	7.68	0.51	45.1
URC03609		0.32		114.5	1	64.4	13	7.39	4.81	2.89	0.28	7.6	4.53	1.57	1.01	31.1
URC03641		0.34		126.0	2	85.5	13	18.00	5.86	2.95	0.37	11.3	5.04	2.72	1.07	42.4
URC03652		0.33		135.0	1	18.1	13	6.93	3.12	2.08	0.16	6.1	2.21	1.33	0.65	8.5
URC03663		0.32		357	3	106.0	12	15.55	8.82	4.76	0.38	16.1	8.35	4.34	1.72	50.8
URC03669		0.32		262	5	72.8	11	12.50	8.02	4.93	0.30	13.6	6.70	3.70	1.65	34.2
URC03771		0.33		140.0	1	27.8	16	3.02	2.41	1.31	0.15	5.5	2.10	1.02	0.43	13.4
URC03792		0.33		258	3	105.0	12	10.10	8.75	5.30	0.52	14.1	8.40	4.18	1.76	50.7
URC03808		0.33		201	2	41.0	14	5.28	3.53	2.26	0.22	6.3	3.39	1.62	0.73	18.6
URC03861		0.34		109.5	2	56.5	8	3.80	4.62	2.75	0.30	7.2	4.83	2.31	0.91	26.7
URC03862		0.33		73.3	2	33.7	7	2.37	3.61	1.99	0.23	5.0	3.31	1.12	0.74	15.8
URC03863		0.33		181.5	5	95.9	17	7.24	8.47	5.12	0.52	14.6	8.42	3.75	1.79	45.5
URC03881		0.33		180.5	4	151.5	7	30.2	10.55	5.77	0.55	22.7	10.85	5.76	2.04	69.8
URC03892		0.33		165.0	4	140.0	8	24.6	12.00	7.15	0.53	20.4	10.35	6.28	2.49	66.0
URC03893		0.31		189.0	3	151.0	10	17.10	11.70	7.31	0.49	19.1	11.10	5.60	2.42	71.2
URC03901		0.33		163.0	4	146.5	10	30.6	10.75	6.57	0.57	21.2	10.80	5.86	2.25	69.6
URC03921		0.33		130.5	4	288	10	31.0	25.1	14.70	0.98	18.5	22.8	4.93	5.03	177.0
URC03923		0.33		580	4	76.8	39	11.15	3.21	1.76	0.92	17.0	4.61	4.50	0.67	37.2
URC03966		0.33		41.3	1	11.0	9	2.19	0.95	0.51	0.04	3.2	0.85	0.51	0.18	5.2
URC04083		0.33		169.5	4	150.5	9	33.6	10.45	6.68	0.52	20.5	9.97	5.95	2.24	71.6

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	Tb	Th	Ti	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	0.01	0.05	0.01	0.01
		0.05													
URC03135		2.29	38.4	29.4	7.65	1055	4.9	10.05	79.8	8.8	9.0	2.66	25.5	0.02	2.18
URC03269		2.39	39.6	25.8	7.42	1150	5.9	9.67	115.5	7.5	8.7	2.60	24.7	0.02	2.35
URC03330		2.03	34.7	24.3	6.83	882	4.3	9.15	67.5	7.2	9.2	2.19	21.8	0.02	1.87
URC03440		0.53	10.25	24.5	6.80	268	2.9	5.57	76.2	17.0	1.5	0.91	19.80	0.05	0.48
URC03450		0.82	18.80	42.0	11.50	514	5.9	9.36	25.8	21.8	2.7	1.65	36.2	0.09	0.89
URC03474		0.72	15.00	35.6	9.12	464	3.9	8.56	38.7	11.1	1.9	1.43	29.3	0.07	0.83
URC03475		0.83	16.40	51.2	13.70	526	5.1	11.05	60.3	11.8	2.2	1.74	32.8	0.08	0.90
URC03483		0.19	4.74	13.2	3.37	172.5	<0.5	2.87	9.0	7.7	0.7	0.46	9.33	0.02	0.26
URC03582		0.55	10.85	20.0	5.27	361	2.4	4.40	13.8	20.5	1.7	0.95	18.60	0.05	0.59
URC03582X		0.05	18.90	39.9	10.40	149.0	4.9	7.97	3.9	181.5	1.4	0.80	15.15	0.12	0.11
URC03609		0.37	7.18	24.1	6.79	226	1.8	4.91	30.5	10.0	1.0	0.77	12.45	0.03	0.44
URC03641		0.35	11.40	31.4	9.16	358	2.9	5.78	32.3	4.6	1.7	0.93	19.10	0.05	0.45
URC03652		0.32	6.81	7.5	1.97	215	2.0	1.99	8.3	7.0	1.0	0.46	10.70	0.03	0.31
URC03663		0.65	18.50	43.8	11.55	486	3.7	8.91	21.1	13.2	2.7	1.50	31.8	0.08	0.74
URC03669		0.75	16.65	30.6	8.17	467	3.4	6.54	16.5	14.9	2.3	1.27	28.3	0.07	0.77
URC03771		0.20	4.45	11.0	3.00	171.0	1.2	2.01	7.1	6.3	0.6	0.37	8.92	0.02	0.19
URC03792		0.72	15.70	41.4	11.45	402	3.7	9.56	23.4	16.0	2.0	1.48	31.6	0.08	0.75
URC03808		0.29	6.04	16.1	4.49	191.5	1.5	3.60	10.0	10.5	0.8	0.61	12.90	0.03	0.34
URC03861		0.35	8.41	24.2	6.21	207	1.7	5.34	7.3	16.1	1.1	0.71	16.35	0.05	0.42
URC03862		0.28	5.46	14.6	3.83	138.5	1.4	3.43	4.4	13.5	0.8	0.60	10.90	0.04	0.31
URC03863		0.67	15.60	39.2	10.45	399	4.1	9.25	14.3	22.1	2.3	1.43	30.4	0.08	0.79
URC03881		0.87	23.8	59.2	15.95	733	6.7	12.40	164.0	22.5	3.4	1.78	59.4	0.11	0.88
URC03892		1.11	23.0	55.7	15.05	671	4.6	11.00	259	20.4	3.2	1.90	56.4	0.11	1.11
URC03893		1.07	24.0	59.0	16.30	630	5.2	13.00	284	23.3	3.5	1.94	58.9	0.11	1.12
URC03901		0.92	23.9	58.3	15.70	731	5.9	12.10	113.0	16.6	3.3	1.76	58.7	0.11	1.02
URC03921		2.06	20.9	94.2	26.8	664	3.7	19.95	170.5	14.1	2.8	4.09	49.6	0.09	2.21
URC03923		0.26	10.50	32.0	8.35	308	12.4	5.58	13.6	64.5	2.7	0.61	16.65	0.28	0.25
URC03966		0.08	2.62	4.6	1.25	98.4	0.5	0.95	7.8	3.6	0.4	0.15	4.06	0.01	0.08
URC04083		0.97	20.9	58.0	15.95	766	5.7	12.10	154.5	12.4	2.8	1.70	57.3	0.10	1.05

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81
		V	W	Y	Yb	Zr	Ag	As	Cd	Co	Cu	Li	Mo	Ni	Pb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		5	0.5	0.1	0.03	1	0.5	5	0.5	1	1	10	1	1	2
URC03135		<5	6.0	119.0	16.20	55	<0.5	<5	<0.5	<1	12	80	4	2	24
URC03269		<5	7.6	121.5	16.05	69	<0.5	<5	<0.5	1	27	90	4	6	43
URC03330		<5	6.2	103.5	13.35	61	<0.5	<5	<0.5	1	5	50	4	6	24
URC03440		<5	4.0	36.9	3.52	71	<0.5	<5	<0.5	1	30	30	3	3	15
URC03450		7	4.8	58.5	5.90	132	<0.5	<5	<0.5	2	25	20	2	3	23
URC03474		6	5.0	65.0	5.24	112	<0.5	<5	<0.5	2	646	20	3	3	25
URC03475		6	6.5	62.9	5.56	139	<0.5	<5	<0.5	2	195	20	2	2	23
URC03483		<5	5.2	15.8	1.34	40	<0.5	<5	<0.5	1	12	60	3	3	8
URC03582		<5	4.5	39.9	3.63	78	<0.5	<5	<0.5	4	75	30	3	4	20
URC03582X		<5	2.1	16.8	0.55	311	<0.5	<5	<0.5	2	4	30	3	2	22
URC03609		<5	2.9	31.1	2.71	48	<0.5	<5	<0.5	1	56	40	2	3	11
URC03641		<5	5.2	35.6	2.94	78	<0.5	<5	<0.5	2	57	30	3	2	8
URC03652		<5	3.4	22.5	2.16	39	<0.5	<5	<0.5	1	11	30	2	1	8
URC03663		5	3.3	48.9	4.88	134	<0.5	<5	<0.5	2	16	30	4	2	25
URC03669		<5	3.8	50.1	4.93	104	<0.5	<5	<0.5	1	205	20	3	2	26
URC03771		<5	5.1	13.8	1.28	34	<0.5	<5	<0.5	1	16	50	3	5	7
URC03792		5	5.4	52.4	5.03	122	<0.5	<5	<0.5	1	20	20	2	2	17
URC03808		<5	3.3	21.0	1.81	51	<0.5	<5	<0.5	1	10	20	3	3	9
URC03861		<5	2.9	43.9	2.75	72	<0.5	<5	<0.5	1	434	10	1	2	17
URC03862		<5	2.6	39.7	2.02	35	<0.5	<5	<0.5	<1	407	10	1	2	12
URC03863		5	6.2	51.9	4.84	112	<0.5	<5	<0.5	1	35	20	2	2	26
URC03881		7	6.8	55.9	5.69	190	<0.5	8	<0.5	2	99	20	2	2	37
URC03892		6	6.7	73.7	6.97	189	<0.5	<5	<0.5	2	391	20	2	2	37
URC03893		5	6.6	74.0	7.43	171	<0.5	<5	<0.5	2	31	20	3	3	40
URC03901		6	5.9	65.6	6.62	176	<0.5	6	<0.5	2	150	20	3	2	39
URC03921		6	6.1	172.0	14.45	149	<0.5	5	<0.5	2	26	20	3	2	18
URC03923		76	3.1	17.3	1.47	165	<0.5	<5	<0.5	13	19	50	1	18	15
URC03966		<5	1.1	4.8	0.59	15	<0.5	<5	<0.5	1	3	40	1	1	3
URC04083		5	7.5	69.5	6.79	176	<0.5	5	<0.5	2	29	30	3	3	27

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD

OFFICES 209-210

20 CONVENTION CENTRE PLACE

SOUTH WHARF VIC 3006

Project: BY

Page: 3 - D

Total # Pages: 3 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2025

Account: UROCOP

CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-4ACD81	ME-MS42	ME-MS42	ME-MS42	F-IC881	Au-AA26	Au-AA26
		Zn	Bi	Hg	Te	F	Au	WT. SAMP
		ppm	ppm	ppm	ppm	ppm	ppm	g
		2	0.01	0.005	0.01	20	0.01	0.01
URC03135		29	2.53	0.006	0.01			
URC03269		42	9.30	<0.005	0.02			
URC03330		20	1.35	<0.005	0.01			
URC03440		17	1.64	<0.005	0.01			
URC03450		29	0.69	<0.005	0.01			
URC03474		15	87.4	<0.005	0.02	>20000		
URC03475		17	37.9	<0.005	<0.01	12200		
URC03483		9	5.31	<0.005	0.02			
URC03582		24	28.3	<0.005	<0.01			
URC03582X		111	0.11	0.005	<0.01			
URC03609		11	41.7	<0.005	0.02			
URC03641		18	6.72	<0.005	0.01			
URC03652		11	1.36	<0.005	0.01			
URC03663		24	1.19	<0.005	0.01			
URC03669		30	2.17	<0.005	0.01			
URC03771		9	0.47	<0.005	0.01	1310		
URC03792		24	2.82	<0.005	0.01			
URC03808		12	0.89	<0.005	<0.01	1570		
URC03861		13	3.12	<0.005	0.01	>20000		
URC03862		9	8.54	<0.005	0.01	>20000		
URC03863		22	2.36	<0.005	0.01	>20000		
URC03881		30	12.00	<0.005	<0.01			
URC03892		37	9.20	<0.005	0.01			
URC03893		37	1.98	<0.005	<0.01			
URC03901		38	27.0	<0.005	0.01			
URC03921		29	6.42	<0.005	0.01			
URC03923		72	0.44	<0.005	0.02			
URC03966		4	0.77	<0.005	<0.01			
URC04083		33	14.30	<0.005	0.02			

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD

OFFICES 209-210

20 CONVENTION CENTRE PLACE

SOUTH WHARF VIC 3006

Project: BY

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 28-OCT-2025

Account: UROCOP

CERTIFICATE OF ANALYSIS AD25304223

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
Au-AA26 ME-MS42

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 29 & 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 19 Integrity Way, Wangara, WA, Australia
Au-AA26 F-IC881 ME-4ACD81 ME-MS42
ME-MS81

Applies to Method:

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.
CRU-21 LEV-01 LOG-22 PUL-32m
PUL-QC WEI-21