



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Page: 1

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 31-DEC-2025

This copy reported on 5-JAN-2026

Account: UROCOP

CERTIFICATE AD25362104

Project: BY

This report is for 162 samples of RC Drill Chip submitted to our lab in Adelaide, SA, Australia on 17-NOV-2025.

The following have access to data associated with this certificate:

ANDRE COFFA
JUSTIN ORR

EUGENE FERLA

TAYLOR OGDEN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
PUL-31h	Pulverize 750g to 85% < 75 um
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
TOT-ICP06	Total Calculation for ICP06	
ME-GRA05	H2O/LOI by TGA furnace	TGA
ME-4ACD81	Base Metals by 4-acid dig.	ICP-AES
ME-MS42	Up to 34 elements by ICP-MS	ICP-MS
F-IC881	F – KOH fusion and IC	IC
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
F-XRF24	Overlimit F by fusion XRF	XRF
ME-XRF24	Phosphate by Fusion/XRF	XRF
ME-ICP06	Whole Rock Package – ICP-AES	ICP-AES
ME-MS81	Lithium Borate Fusion ICP-MS	ICP-MS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 - A
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	ME-MS42 Bi ppm	ME-MS42 Hg ppm	ME-MS42 Te ppm	F-IC881 F ppm	Au-AA26 Au ppm	ME-MS81 Ba ppm	ME-MS81 Be ppm	ME-MS81 Ce ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm
		0.02	0.01	0.01	0.005	0.01	20	0.01	0.5	1	0.1	5	0.01	0.05	0.03	0.02
URC03001		0.31	98.0	1.36	0.016	0.01			141.0	3	70.7	19	9.70	9.12	6.90	0.36
URC03002		0.33	99.0	7.24	0.007	0.01			104.0	11	57.8	15	22.2	14.45	10.60	0.10
URC03003		0.32	99.0	5.02	0.007	<0.01			86.9	5	62.2	19	28.7	18.40	13.15	0.11
URC03004		0.30		2.22	0.005	0.01			150.5	6	61.7	21	17.50	15.60	11.65	0.11
URC03013		0.33		7.51	0.005	<0.01			37.9	20	57.3	24	22.2	15.85	10.90	0.16
URC03015		0.35		7.45	0.008	0.01			59.2	9	71.2	17	24.8	18.55	13.40	0.20
URC03015Z		Not Recvd														
URC03017		0.36		6.60	0.008	<0.01			49.1	6	82.2	10	15.90	18.30	13.15	0.18
URC03134		0.32		4.96	<0.005	<0.01			15.0	10	64.4	23	23.4	17.10	12.35	0.06
URC03136		0.30		1.24	<0.005	<0.01			14.6	9	69.6	19	23.2	16.00	11.35	0.05
URC03137		0.29		1.43	<0.005	<0.01			14.5	8	62.0	20	21.7	15.50	11.35	0.04
URC03138		0.31		1.57	<0.005	<0.01			13.6	8	59.8	23	24.1	16.15	11.65	0.04
URC03139		0.45		0.55	0.011	0.01			205	1	68.8	21	8.82	5.50	3.65	0.49
URC03140		0.43		1.32	0.006	0.01			423	4	124.5	16	15.50	12.85	8.08	0.75
URC03155		0.49		1.41	<0.005	<0.01			32.8	3	50.0	18	15.85	13.65	10.20	0.09
URC03156		0.55		6.99	0.005	0.01			31.7	4	48.7	18	18.85	12.45	9.10	0.11
URC03157		0.53		2.76	0.005	<0.01			38.5	4	47.8	17	16.80	13.15	9.70	0.04
URC03273		0.66		8.96	0.006	0.01			12.2	11	73.9	15	28.5	16.55	11.55	0.04
URC03285		0.58		4.59	<0.005	<0.01			14.8	9	62.1	15	24.6	15.85	11.55	0.04
URC03286		0.46		4.88	<0.005	<0.01			16.4	10	63.2	18	23.5	18.00	12.50	0.05
URC03287		0.51		1.72	<0.005	<0.01			16.8	10	62.6	17	23.3	16.50	12.30	0.05
URC03288		0.57		1.94	<0.005	<0.01			15.0	9	68.7	17	25.1	17.00	12.20	0.06
URC03289		0.57		1.78	<0.005	0.01			14.6	11	68.4	16	24.2	18.15	11.85	0.08
URC03289X		0.33		0.13	<0.005	<0.01			2890	3	90.0	8	6.68	3.63	1.12	1.32
URC03329		0.52		0.87	<0.005	<0.01			17.3	17	62.0	14	17.30	16.65	12.00	0.08
URC03337		0.38		1.20	<0.005	<0.01	9280		24.7	6	55.6	11	20.1	15.85	11.20	0.09
URC03338		0.46		1.44	<0.005	<0.01	8330		23.2	6	62.3	10	22.7	15.15	10.55	0.09
URC03339		0.49		1.84	<0.005	<0.01	8250		20.4	12	59.6	10	19.70	16.50	11.95	0.07
URC03417		0.45		10.35	<0.005	0.01			15.3	22	61.4	19	23.6	18.05	12.10	0.05
URC03418		0.48		9.19	<0.005	0.02			15.0	10	60.9	19	23.0	17.70	12.35	0.08
URC03419		0.45		4.09	<0.005	0.01			18.5	10	60.2	18	22.4	17.20	12.60	0.07
URC03420		0.44		2.13	<0.005	0.01			18.2	14	58.2	19	24.7	16.15	12.20	0.08
URC03421		0.48		1.68	<0.005	<0.01			21.1	12	53.6	16	20.9	17.50	12.40	0.10
URC03467		0.50		28.9	<0.005	0.01			150.5	3	74.5	12	16.80	7.89	5.12	0.38
URC03471		0.39		195.5	<0.005	0.05	10450		171.0	3	135.0	10	24.8	12.05	7.00	0.65
URC03472		0.51		>250	<0.005	0.03	3050		91.9	2	104.0	14	7.35	10.80	6.31	0.56
URC03473		0.56		>250	<0.005	0.02	1890		164.0	2	104.0	14	10.90	11.90	7.24	0.47
URC03476		0.44		3.69	<0.005	<0.01	10850		321	3	94.2	12	11.50	8.38	4.96	0.52
URC03477		0.41		7.99	<0.005	<0.01	13100		207	3	71.9	11	12.60	6.86	4.65	0.38
URC03568		0.45		10.25	<0.005	<0.01			220	8	120.0	15	11.60	10.90	6.86	0.53



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 - B
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOF

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ga	Gd	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.05	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	
URC03001		13.8	6.26	12.90	2.00	28.3	1.19	20.9	25.5	7.20	448	3.7	6.33	199.0	17.8	5.5	
URC03002		23.7	9.09	4.04	3.13	24.4	2.01	34.9	23.4	7.12	861	5.1	8.16	1425	13.0	10.8	
URC03003		25.7	10.80	4.46	3.86	26.5	2.41	39.0	25.8	7.94	998	6.2	9.83	1025	13.2	11.2	
URC03004		24.2	8.93	4.47	3.37	27.7	2.19	34.0	25.4	7.28	914	5.0	8.56	165.0	15.8	9.9	
URC03013		26.2	9.12	4.12	3.42	24.9	2.22	41.9	27.0	6.88	936	6.4	8.36	37.1	9.5	13.0	
URC03015		31.2	11.15	5.14	3.87	31.7	2.49	51.1	29.8	9.06	1125	7.2	10.85	103.5	11.8	17.4	
URC03015Z																	
URC03017		26.6	11.85	4.63	3.99	35.2	2.45	43.4	35.6	10.10	948	6.1	11.25	50.2	12.6	16.6	
URC03134		25.4	10.95	4.17	3.67	26.3	2.43	38.8	26.2	8.01	997	4.0	9.49	92.5	9.5	9.8	
URC03136		24.8	10.30	3.77	3.36	28.7	2.22	35.2	28.8	8.45	969	4.5	10.55	40.6	8.9	8.4	
URC03137		24.3	9.69	3.41	3.29	25.9	2.13	37.8	25.7	7.48	941	4.9	9.46	35.3	9.1	9.1	
URC03138		25.6	9.38	3.61	3.47	24.7	2.22	37.2	23.9	7.16	999	5.7	8.89	37.4	7.6	9.0	
URC03139		12.2	5.30	10.20	1.19	34.6	0.64	13.15	28.9	8.20	307	4.1	5.98	47.2	26.1	2.2	
URC03140		17.5	11.75	5.43	2.65	72.1	1.15	20.5	57.9	16.50	529	5.3	11.95	27.9	31.7	3.6	
URC03155		21.3	8.00	3.12	2.92	21.7	1.76	29.8	20.1	5.99	806	3.3	6.75	51.7	7.9	7.4	
URC03156		21.1	7.42	3.25	2.62	20.7	1.64	27.2	20.2	5.73	795	3.7	6.53	157.0	6.6	7.1	
URC03157		21.9	7.54	3.47	2.90	19.8	1.80	31.9	19.2	5.74	805	3.3	6.57	55.2	6.9	7.8	
URC03273		25.2	10.40	3.99	3.53	30.2	2.14	36.2	30.0	8.98	986	4.9	10.70	332	7.2	9.1	
URC03285		25.1	9.91	3.50	3.49	26.3	2.21	36.1	25.0	7.53	1020	5.8	9.60	34.7	5.7	9.0	
URC03286		26.0	10.55	4.05	3.80	27.0	2.37	37.4	27.1	7.88	990	4.3	9.71	31.2	7.0	9.2	
URC03287		25.2	9.93	4.21	3.63	26.2	2.24	38.5	25.2	7.68	1020	5.3	8.84	34.4	5.9	8.9	
URC03288		25.1	10.45	3.69	3.51	28.7	2.23	43.6	28.6	8.34	1040	4.9	9.58	33.7	6.4	11.4	
URC03289		25.4	11.30	3.59	3.71	28.2	2.24	38.3	28.8	8.45	998	5.2	10.50	32.5	7.0	9.3	
URC03289X		22.8	6.08	8.01	0.52	46.1	0.06	19.10	39.0	10.75	139.5	3.8	7.50	4.5	174.0	1.6	
URC03329		25.1	10.35	3.92	3.59	26.2	2.27	39.6	25.5	7.57	947	5.1	9.35	115.0	7.3	10.4	
URC03337		24.5	8.83	3.87	3.38	25.1	2.09	36.4	22.1	6.79	942	5.2	7.52	51.8	9.1	10.0	
URC03338		25.9	8.88	3.86	3.27	26.8	2.20	39.6	26.0	7.33	1095	5.9	8.23	43.9	9.2	10.6	
URC03339		25.0	10.25	3.77	3.57	25.7	2.20	38.4	24.2	7.11	970	4.9	8.52	42.1	8.8	10.4	
URC03417		24.3	9.83	3.48	3.56	25.5	2.20	33.8	24.9	6.90	951	4.8	9.09	30.3	7.2	8.0	
URC03418		24.4	10.15	4.21	3.73	25.9	2.27	34.8	26.0	7.57	941	4.1	9.46	27.3	6.2	8.2	
URC03419		24.0	10.55	3.99	3.59	26.1	2.31	32.8	25.0	7.28	910	4.7	8.95	26.9	7.3	7.5	
URC03420		24.5	9.77	3.70	3.49	26.3	2.28	32.9	23.5	7.19	965	4.7	8.54	28.5	6.2	7.1	
URC03421		23.1	9.80	3.59	3.71	23.5	2.25	30.4	22.4	6.71	918	4.2	8.24	28.6	6.2	6.8	
URC03467		26.1	6.28	4.52	1.74	37.9	0.82	19.35	29.2	8.44	317	5.3	5.95	125.0	14.3	3.1	
URC03471		19.4	11.00	4.14	2.40	67.0	0.93	19.00	53.2	15.90	434	4.7	12.35	222	9.7	2.7	
URC03472		9.7	9.53	2.42	2.14	48.7	0.88	8.28	44.3	12.35	255	1.6	10.50	98.6	5.1	1.1	
URC03473		14.8	9.21	3.43	2.51	49.3	1.02	13.50	42.4	11.25	427	3.1	10.05	63.5	8.8	1.9	
URC03476		17.7	7.50	4.78	1.67	43.8	0.65	18.30	37.9	10.55	549	4.8	7.99	45.0	10.8	2.7	
URC03477		16.2	5.65	3.71	1.41	34.1	0.61	14.15	28.2	8.18	426	3.9	6.00	143.0	7.7	2.3	
URC03568		17.4	9.31	4.84	2.17	56.3	0.89	19.15	46.4	13.45	484	5.2	9.76	15.8	26.2	3.1	



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 - C
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tb	Th	Ti	Tm	U	V	W	Y	Yb	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
		0.01	0.05	0.01	0.01	0.05	5	0.5	0.1	0.03	1	0.01	0.01	0.01	0.01	0.01
URC03001		1.32	19.10	0.16	1.11	8.14	22	3.0	62.0	8.20	444	81.7	8.10	1.96	0.10	0.13
URC03002		2.12	21.4	0.04	1.93	18.90	8	11.4	99.7	13.80	67	72.6	12.20	1.58	1.65	0.20
URC03003		2.60	22.7	0.03	2.26	17.60	6	10.8	122.5	17.10	67	70.1	12.50	1.76	1.58	0.18
URC03004		2.22	22.9	0.03	1.95	22.0	7	5.6	103.5	14.75	70	73.0	12.45	1.34	1.58	0.23
URC03013		2.28	24.4	0.03	2.06	12.15	<5	13.1	109.0	14.10	59	74.8	13.30	1.48	0.20	0.14
URC03015		2.70	28.5	0.03	2.24	13.00	6	8.5	123.0	17.20	70	71.3	15.15	1.88	0.15	0.16
URC03015Z																
URC03017		2.66	25.7	0.02	2.34	29.7	<5	4.4	133.5	17.50	63	72.8	12.95	1.16	1.22	0.15
URC03134		2.45	25.5	0.02	2.12	30.7	<5	5.5	115.5	16.45	61	72.3	12.55	1.60	1.14	0.04
URC03136		2.48	25.2	0.02	2.08	31.5	<5	5.0	108.5	15.40	54	74.5	12.30	1.50	0.84	0.03
URC03137		2.32	22.4	0.02	1.92	32.3	<5	5.1	107.0	15.00	50	72.8	11.95	1.56	0.94	0.04
URC03138		2.24	22.8	0.02	2.04	28.5	<5	5.7	111.0	15.55	55	73.1	12.40	1.64	0.81	0.03
URC03139		0.93	24.1	0.18	0.54	5.30	23	1.8	33.1	4.13	360	84.6	7.85	2.17	0.09	0.14
URC03140		2.01	44.1	0.11	1.22	14.05	13	3.4	81.0	8.46	163	75.0	10.20	3.33	1.02	0.31
URC03155		1.96	18.70	0.02	1.62	25.7	<5	3.1	94.1	12.25	44	78.0	10.35	1.14	0.89	0.07
URC03156		1.76	17.80	0.01	1.53	26.0	<5	4.8	86.8	11.40	51	78.4	9.79	1.30	1.00	0.07
URC03157		1.82	20.1	0.02	1.66	21.7	<5	4.4	95.1	12.95	49	78.9	10.40	1.50	1.11	0.08
URC03273		2.39	26.2	0.02	2.09	31.3	<5	6.5	112.5	15.50	57	72.1	12.55	1.62	0.85	0.03
URC03285		2.31	23.0	0.02	2.00	30.2	<5	6.4	111.5	15.55	55	71.5	12.30	1.58	0.87	0.04
URC03286		2.56	24.4	0.02	2.23	34.5	<5	5.7	122.0	16.70	58	74.2	12.55	1.65	0.98	0.04
URC03287		2.35	24.6	0.02	2.15	37.0	<5	5.7	114.5	15.80	61	75.5	12.70	1.72	0.88	0.04
URC03288		2.50	25.6	0.02	2.07	32.4	<5	5.8	116.0	15.80	55	74.6	13.25	1.72	0.91	0.04
URC03289		2.68	23.8	0.02	2.07	36.5	<5	5.9	119.0	15.55	54	72.7	12.75	1.72	0.93	0.05
URC03289X		0.82	15.30	0.11	0.10	5.76	<5	2.0	15.8	0.60	290	68.3	14.70	3.57	1.48	0.24
URC03329		2.39	24.4	0.02	2.08	35.8	<5	5.6	113.5	15.90	57	72.6	12.65	1.46	1.36	0.05
URC03337		2.33	22.5	0.02	1.91	30.5	<5	4.2	109.5	14.95	56	74.6	12.40	1.30	1.35	0.09
URC03338		2.23	22.6	0.02	1.90	27.3	<5	4.8	105.5	14.05	56	75.0	12.90	1.28	1.22	0.10
URC03339		2.36	23.4	0.02	2.01	23.6	<5	5.0	115.5	15.45	56	73.5	12.15	1.33	1.15	0.09
URC03417		2.46	22.5	0.02	2.09	32.5	<5	5.2	117.0	16.20	55	74.8	12.15	1.52	1.02	0.05
URC03418		2.43	25.4	0.02	2.14	32.2	<5	4.8	120.0	17.10	62	76.1	11.90	1.50	0.80	0.05
URC03419		2.49	22.6	0.02	2.12	30.4	<5	4.6	116.0	16.45	58	76.0	11.95	1.44	0.81	0.05
URC03420		2.32	22.4	0.02	2.10	32.7	<5	5.0	115.0	15.85	56	74.1	12.45	1.47	1.20	0.05
URC03421		2.39	21.9	0.02	2.07	30.4	<5	4.5	119.5	16.65	58	76.1	11.60	1.39	0.91	0.07
URC03467		1.22	36.3	0.10	0.76	21.0	8	8.2	50.6	5.49	132	71.8	12.85	3.88	0.90	0.44
URC03471		1.96	37.0	0.09	1.00	19.20	6	7.0	75.3	7.04	121	75.8	9.47	2.71	1.51	0.30
URC03472		1.69	15.75	0.04	0.95	8.47	<5	6.0	76.1	6.17	68	86.8	4.68	1.21	0.49	0.12
URC03473		1.87	25.8	0.07	1.13	14.35	5	6.5	89.9	7.25	94	83.7	7.80	1.36	0.33	0.23
URC03476		1.28	34.2	0.09	0.70	17.05	6	5.3	46.8	4.51	154	75.4	9.90	1.63	1.72	0.32
URC03477		1.02	27.7	0.07	0.66	13.80	5	6.4	42.4	4.42	111	78.4	8.15	1.46	2.05	0.25
URC03568		1.64	39.2	0.10	0.95	20.1	6	5.4	59.8	6.54	142	74.8	10.80	2.45	0.44	0.30



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 - D
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	TOT-ICP06	ME-GRA05	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	Total	LOI	Ag	As	Cd	Co	Cu
		%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.002	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.5	5	0.5	1	1
URC03001		0.26	3.20	0.003	0.27	0.03	0.03	0.01	0.02	97.78	1.97	<0.5	<5	<0.5	3	9
URC03002		2.19	5.21	0.003	0.07	0.02	0.03	0.01	0.01	97.21	1.44	<0.5	<5	<0.5	2	12
URC03003		1.62	5.52	0.003	0.05	0.02	0.03	0.01	0.01	94.97	1.59	<0.5	<5	<0.5	1	11
URC03004		2.23	5.42	0.004	0.05	0.02	0.03	<0.01	0.02	97.73	1.36	<0.5	<5	<0.5	1	11
URC03013		0.20	5.44	0.003	0.04	0.01	0.02	0.01	<0.01	98.14	2.50	<0.5	<5	<0.5	1	18
URC03015		0.10	6.75	0.002	0.04	0.02	0.03	0.01	0.01	98.17	2.57	<0.5	<5	<0.5	1	26
URC03015Z																
URC03017		1.22	5.62	0.002	0.03	0.01	0.03	<0.01	0.01	96.89	1.69	<0.5	<5	<0.5	1	41
URC03134		2.39	5.12	0.003	0.03	0.02	0.04	<0.01	<0.01	96.20	0.97	<0.5	<5	<0.5	<1	13
URC03136		2.59	5.24	0.003	0.03	0.02	0.03	0.01	<0.01	97.89	0.80	<0.5	<5	<0.5	<1	9
URC03137		2.23	5.08	0.003	0.03	0.02	0.03	0.01	<0.01	95.57	0.88	<0.5	<5	<0.5	<1	9
URC03138		2.37	5.36	0.004	0.03	0.02	0.03	0.01	<0.01	96.71	0.91	<0.5	<5	<0.5	<1	12
URC03139		0.11	3.20	0.003	0.31	0.02	0.04	0.01	0.02	101.65	3.09	<0.5	<5	<0.5	2	7
URC03140		0.41	4.81	0.003	0.18	0.01	0.07	0.01	0.05	97.67	2.27	<0.5	<5	<0.5	2	7
URC03155		1.76	4.77	0.003	0.03	0.01	0.03	<0.01	<0.01	97.77	0.72	<0.5	<5	<0.5	<1	4
URC03156		1.52	4.43	0.003	0.02	0.01	0.03	<0.01	<0.01	97.38	0.81	<0.5	<5	<0.5	<1	5
URC03157		1.72	4.78	0.003	0.02	0.02	0.03	0.01	<0.01	99.37	0.80	<0.5	<5	<0.5	1	4
URC03273		2.49	5.35	0.003	0.03	0.03	0.03	0.01	<0.01	95.98	0.89	<0.5	<5	<0.5	<1	13
URC03285		2.22	5.49	0.002	0.03	0.02	0.04	0.01	<0.01	94.98	0.88	<0.5	<5	<0.5	<1	8
URC03286		2.31	5.57	0.003	0.03	0.02	0.03	0.01	<0.01	98.32	0.93	<0.5	<5	<0.5	<1	10
URC03287		2.20	5.71	0.003	0.03	0.02	0.03	<0.01	<0.01	99.75	0.92	<0.5	<5	<0.5	<1	10
URC03288		2.48	5.86	0.003	0.03	0.02	0.03	0.01	<0.01	99.82	0.87	<0.5	<5	<0.5	<1	9
URC03289		2.32	5.62	0.003	0.03	0.03	0.03	0.01	<0.01	97.12	0.93	<0.5	<5	<0.5	<1	9
URC03289X		3.85	3.85	0.002	0.19	0.04	0.08	0.02	0.34	98.44	1.78	<0.5	<5	<0.5	1	5
URC03329		2.56	5.45	0.002	0.03	0.02	0.04	0.01	<0.01	97.18	0.95	<0.5	<5	<0.5	<1	5
URC03337		2.35	5.45	0.002	0.03	0.02	0.03	0.01	<0.01	98.61	0.98	<0.5	<5	<0.5	<1	5
URC03338		2.31	5.62	<0.002	0.03	0.02	0.03	<0.01	<0.01	99.40	0.89	<0.5	<5	<0.5	<1	5
URC03339		2.14	5.20	0.002	0.03	0.02	0.03	0.01	<0.01	96.60	0.95	<0.5	<5	<0.5	<1	5
URC03417		2.39	5.21	0.002	0.03	0.02	0.01	<0.01	<0.01	98.02	0.82	<0.5	<5	<0.5	<1	8
URC03418		2.34	5.30	0.003	0.03	0.02	0.03	0.01	<0.01	98.84	0.76	<0.5	<5	<0.5	<1	6
URC03419		2.39	5.21	0.003	0.03	0.02	0.03	0.01	<0.01	98.69	0.75	<0.5	<5	<0.5	<1	6
URC03420		2.61	5.49	0.003	0.03	0.02	0.03	0.01	<0.01	98.32	0.86	<0.5	<5	<0.5	<1	12
URC03421		2.20	5.22	0.002	0.03	0.02	0.03	0.01	<0.01	98.40	0.82	<0.5	<5	<0.5	<1	42
URC03467		3.82	2.73	0.002	0.17	0.04	0.07	0.01	0.02	98.13	1.40	<0.5	<5	<0.5	3	596
URC03471		0.34	3.78	0.002	0.15	0.02	0.10	0.01	0.02	96.09	1.88	<0.5	<5	<0.5	4	796
URC03472		<0.01	2.66	0.002	0.06	0.01	0.05	0.01	0.01	96.64	0.54	<0.5	<5	<0.5	2	1315
URC03473		0.01	4.44	0.002	0.11	0.01	0.06	0.01	0.02	98.85	0.77	<0.5	<5	<0.5	2	713
URC03476		0.08	5.86	0.002	0.15	0.01	0.08	<0.01	0.04	96.64	1.45	<0.5	<5	<0.5	1	192
URC03477		0.06	4.24	0.002	0.12	0.01	0.07	<0.01	0.02	96.35	1.52	<0.5	<5	<0.5	3	88
URC03568		1.42	5.26	0.002	0.16	0.03	0.09	<0.01	0.02	96.66	0.89	<0.5	<5	<0.5	2	9



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 - E
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	F-XRF24
		Li	Mo	Ni	Pb	Tl	Zn	F
		ppm	ppm	ppm	ppm	ppm	ppm	%
		10	1	1	2	10	2	0.1
URC03001		20	<1	6	13	<10	59	
URC03002		30	1	6	17	<10	54	
URC03003		40	1	3	16	10	43	
URC03004		20	1	4	18	<10	31	
URC03013		20	2	4	21	<10	23	
URC03015		40	3	7	24	10	26	
URC03015Z								
URC03017		20	1	4	38	10	18	
URC03134		80	3	3	21	<10	28	
URC03136		80	4	2	32	<10	24	
URC03137		70	3	2	60	<10	24	
URC03138		80	4	2	116	<10	32	
URC03139		10	1	6	16	<10	132	
URC03140		20	2	5	27	<10	37	
URC03155		40	2	3	15	<10	17	
URC03156		40	2	2	10	<10	15	
URC03157		50	3	2	14	<10	16	
URC03273		110	4	1	52	10	36	
URC03285		80	2	1	26	<10	31	
URC03286		80	4	2	35	10	30	
URC03287		70	5	2	17	10	29	
URC03288		90	4	2	18	10	31	
URC03289		80	3	2	16	<10	31	
URC03289X		30	3	2	19	<10	107	
URC03329		50	4	3	15	10	15	
URC03337		50	2	2	12	10	13	
URC03338		50	2	2	18	<10	14	
URC03339		60	2	2	30	10	15	
URC03417		90	4	2	20	<10	26	
URC03418		90	6	2	20	10	23	
URC03419		70	6	2	16	10	20	
URC03420		70	8	2	13	10	19	
URC03421		60	6	2	19	10	17	
URC03467		30	3	3	11	<10	36	
URC03471		20	3	2	42	<10	30	
URC03472		20	2	2	27	<10	9	
URC03473		20	3	3	34	<10	11	
URC03476		20	2	3	8	<10	40	
URC03477		20	3	7	14	<10	22	
URC03568		20	3	4	30	<10	31	



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 - A
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	ME-MS42 Bi ppm	ME-MS42 Hg ppm	ME-MS42 Te ppm	F-IC881 F ppm	Au-AA26 Au ppm	ME-MS81 Ba ppm	ME-MS81 Be ppm	ME-MS81 Ce ppm	ME-MS81 Cr ppm	ME-MS81 Cs ppm	ME-MS81 Dy ppm	ME-MS81 Er ppm	ME-MS81 Eu ppm
		0.02	0.01	0.01	0.005	0.01	20	0.01	0.5	1	0.1	5	0.01	0.05	0.03	0.02
URC03569		0.49		0.47	<0.005	<0.01			209	10	129.0	16	12.10	11.20	6.84	0.56
URC03569Z		0.08		1.42	0.017	0.14			1010	2	73.3	55	10.30	5.58	3.10	1.50
URC03570	Not Recvd															
URC03571		0.63	98.0	0.37	<0.005	<0.01			226	9	116.0	17	10.95	10.75	6.58	0.57
URC03572		0.40		0.53	0.011	<0.01			204	8	109.0	16	19.25	11.40	7.35	0.52
URC03596		0.45		118.0	0.021	<0.01	3310		401	3	96.0	11	18.00	5.88	3.64	0.39
URC03719		0.42		0.72	<0.005	<0.01			309	2	95.1	15	10.20	11.70	7.81	0.46
URC03720		0.60		0.71	<0.005	<0.01			267	3	99.4	15	13.25	9.61	5.46	0.31
URC03721		0.50		0.59	<0.005	<0.01			239	5	115.5	16	15.10	11.00	6.87	0.37
URC03722		0.48		0.55	<0.005	<0.01			247	7	98.2	17	13.90	10.55	6.56	0.50
URC03723		0.56		0.91	<0.005	<0.01			335	4	106.0	14	13.10	10.65	6.89	0.47
URC03736		0.50		0.31	<0.005	<0.01			379	3	142.0	10	13.05	11.05	6.99	0.69
URC03739		0.47		0.84	<0.005	<0.01			210	3	109.0	9	35.6	10.90	6.90	0.67
URC03751		0.46		0.60	0.006	<0.01	8410		417	3	106.5	7	14.20	9.84	6.08	0.53
URC03789		0.49		5.37	<0.005	<0.01	5860		241	4	106.5	12	17.05	10.00	6.37	0.69
URC03790		0.55		33.6	<0.005	<0.01	>20000		114.0	3	87.6	14	10.10	9.77	6.23	0.46
URC03790D		0.53		37.6	<0.005	<0.01			126.5	3	90.4	13	9.70	10.05	6.01	0.53
URC03791		0.49		1.08	<0.005	<0.01			297	4	149.0	15	12.60	12.40	7.56	0.77
URC03860		0.51		0.61	<0.005	<0.01	2040		200	4	90.2	16	7.15	8.46	5.27	0.45
URC03864		0.49		0.62	<0.005	<0.01	6850		162.0	4	74.8	13	6.79	6.69	4.24	0.34
URC03865		0.44		0.31	<0.005	<0.01	3590		212	7	109.5	17	8.91	9.85	6.11	0.50
URC03871		0.48		0.23	<0.005	<0.01			240	8	131.0	16	9.74	11.90	7.22	0.62
URC03872		0.48		0.41	<0.005	<0.01			210	8	112.0	18	10.50	10.95	6.88	0.56
URC03873		0.52		0.49	<0.005	<0.01			230	8	134.5	15	9.77	10.40	6.40	0.66
URC03874		0.49		0.25	<0.005	<0.01			217	6	127.5	16	10.00	11.85	7.21	0.64
URC03875		0.50		0.91	<0.005	<0.01			221	6	135.5	19	9.05	9.95	6.14	0.65
URC03875X		0.39		0.12	0.006	<0.01			3040	3	94.0	5	6.29	4.04	1.03	1.22
URC03878		0.53		6.01	<0.005	<0.01			275	4	158.0	12	31.5	14.00	8.94	0.67
URC03879		0.50		1.96	<0.005	<0.01			234	8	201	8	17.65	14.20	9.20	0.74
URC03880		0.49		1.03	<0.005	<0.01			197.5	3	155.0	7	15.20	12.30	8.11	0.59
URC03882		0.55		8.36	<0.005	<0.01			193.5	3	124.0	6	14.90	11.05	6.57	0.63
URC03890D		0.49		4.25	<0.005	<0.01			197.5	5	163.0	10	20.2	11.85	7.01	0.48
URC03891		0.51		5.46	<0.005	<0.01			184.5	3	162.5	12	15.25	12.45	7.70	0.59
URC03894		0.60		0.79	<0.005	<0.01			181.5	4	155.5	12	14.50	11.60	7.05	0.57
URC03900		0.53		1.44	<0.005	<0.01			203	3	158.0	9	18.25	11.55	7.09	0.55
URC03902		0.51		1.76	<0.005	<0.01			177.5	4	151.5	10	13.40	11.00	7.21	0.50
URC03902Z		0.08		1.72	0.020	0.19			466	1	50.2	76	3.99	3.48	1.78	0.96
URC03920		0.47		0.79	<0.005	<0.01			191.0	4	163.5	11	14.10	11.85	7.54	0.58
URC03922		0.45		6.90	<0.005	<0.01			165.5	4	165.0	10	34.4	13.70	9.30	0.59
URC03924		0.50		10.25	<0.005	<0.01			162.0	4	153.5	9	27.3	11.55	7.28	0.59



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 - B
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Ga	Gd	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.05	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1
URC03569		17.8	9.40	5.47	2.28	61.5	0.82	20.6	50.2	14.25	479	6.2	10.75	15.8	24.5	3.1
URC03569Z		19.6	7.03	7.10	1.10	34.6	0.40	13.00	34.4	8.61	161.5	9.7	7.41	4.8	208	1.3
URC03570																
URC03571		18.4	9.56	5.24	2.25	54.8	0.88	19.15	46.7	12.75	463	5.0	9.97	16.8	26.7	3.1
URC03572		16.6	9.76	4.48	2.34	49.9	0.86	18.50	43.8	12.65	444	5.4	10.30	14.4	27.7	2.8
URC03596		16.4	5.32	4.33	1.25	47.2	0.53	16.20	35.4	10.45	493	5.0	6.57	73.7	48.0	2.5
URC03719		12.6	9.53	3.35	2.48	46.6	1.04	13.45	37.9	10.25	387	3.0	8.33	12.4	14.0	2.4
URC03720		16.2	8.09	3.90	1.94	46.0	0.80	17.95	38.9	10.75	522	4.4	8.28	17.4	14.6	3.0
URC03721		18.7	9.35	4.87	2.30	52.3	0.94	20.5	45.9	12.90	581	5.7	10.30	17.8	20.0	3.3
URC03722		18.2	8.21	4.50	2.11	44.5	0.92	18.35	38.6	10.90	568	5.2	8.97	23.5	18.0	3.0
URC03723		18.2	8.90	4.27	2.15	49.1	0.91	18.10	41.4	11.65	558	5.7	9.88	22.2	20.1	2.9
URC03736		19.6	9.66	5.83	2.36	78.4	0.88	20.5	50.4	14.65	500	7.1	9.87	20.1	63.4	3.1
URC03739		23.0	9.35	5.91	2.23	50.8	0.89	19.75	42.9	12.30	684	5.2	9.38	85.5	20.4	3.0
URC03751		18.8	8.47	4.91	2.06	50.0	0.77	19.10	41.6	11.75	471	6.3	8.75	20.0	29.7	3.0
URC03789		17.1	9.38	4.32	2.04	50.5	0.86	16.05	42.3	11.85	535	4.9	10.25	37.7	11.9	2.5
URC03790		11.1	7.73	3.99	1.93	43.3	0.73	13.70	34.4	9.59	276	3.8	7.92	33.9	6.2	2.2
URC03790D		11.2	8.32	3.51	2.14	44.0	0.84	14.10	34.7	10.15	281	3.7	7.28	55.1	6.1	2.3
URC03791		18.1	11.40	5.28	2.60	72.7	1.04	20.2	57.8	16.45	487	5.5	11.50	30.4	17.8	2.9
URC03860		14.4	7.16	3.87	1.68	42.4	0.71	14.95	34.4	9.82	371	5.0	7.78	16.2	24.0	2.3
URC03864		12.0	5.93	2.75	1.45	35.9	0.57	12.05	29.6	8.61	334	3.3	6.67	12.2	19.8	1.8
URC03865		17.2	8.71	4.83	2.22	52.4	0.81	18.50	45.4	11.85	477	5.2	10.10	17.3	26.8	2.8
URC03871		17.6	10.30	4.76	2.35	61.3	0.88	19.80	50.4	14.35	470	4.7	10.80	17.2	28.8	3.2
URC03872		18.2	9.63	4.93	2.22	52.8	0.81	18.85	44.7	12.60	489	5.7	9.07	19.2	21.6	3.1
URC03873		18.8	9.51	4.91	2.19	66.4	0.76	19.30	54.3	14.35	503	6.2	11.55	18.6	25.6	2.9
URC03874		19.3	10.50	4.71	2.42	61.9	0.95	21.1	51.6	14.95	507	5.3	11.50	16.4	30.2	3.3
URC03875		18.3	9.94	4.78	2.18	67.2	0.87	18.75	54.9	14.75	483	5.0	11.70	21.2	24.5	3.0
URC03875X		23.0	6.26	8.30	0.53	46.3	0.07	19.60	39.7	10.65	148.0	4.1	8.13	4.1	181.5	1.7
URC03878		22.0	11.65	6.70	2.90	75.4	1.24	22.8	62.0	17.55	717	5.8	12.80	282	26.1	3.6
URC03879		23.9	13.40	6.79	2.87	96.3	1.22	25.7	76.1	21.8	790	6.3	16.25	39.0	21.4	4.1
URC03880		20.5	10.70	5.88	2.60	72.4	1.02	22.4	59.6	16.95	665	4.7	12.35	79.2	21.7	3.7
URC03882		23.1	9.84	5.76	2.10	57.5	0.89	22.1	46.6	13.80	689	5.3	9.79	70.3	23.6	3.5
URC03890D		21.6	10.60	6.19	2.33	75.5	0.99	26.2	60.6	17.65	649	5.5	12.85	231	27.9	4.1
URC03891		21.5	11.45	5.86	2.64	78.4	1.05	24.5	62.3	17.60	618	6.6	12.60	39.0	28.2	3.8
URC03894		21.1	11.00	5.71	2.36	75.3	0.94	24.2	59.7	17.15	593	6.2	12.45	30.0	25.4	3.7
URC03900		21.9	10.60	6.39	2.37	77.9	1.06	25.9	62.1	17.30	673	6.0	12.50	73.7	25.7	3.7
URC03902		19.7	10.55	5.41	2.38	71.6	0.92	22.0	58.6	16.55	573	6.4	12.00	31.4	23.9	3.4
URC03902Z		16.1	4.14	4.79	0.70	24.8	0.27	7.58	23.8	6.08	67.2	9.6	4.63	2.1	200.0	0.7
URC03920		21.5	11.10	5.95	2.44	76.9	1.06	23.9	62.5	17.70	619	5.6	12.30	31.3	23.3	3.8
URC03922		20.9	11.00	5.49	2.89	81.1	1.22	23.2	62.6	17.90	789	6.5	12.50	186.5	14.5	3.5
URC03924		21.9	10.20	6.00	2.26	72.7	0.95	22.7	58.0	16.55	698	6.3	12.50	124.5	17.0	3.3



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 - C
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tb	Th	Ti	Tm	U	V	W	Y	Yb	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
		0.01	0.05	0.01	0.01	0.05	5	0.5	0.1	0.03	1	0.01	0.01	0.01	0.01	0.01
URC03569		1.74	41.0	0.10	1.00	22.8	6	6.2	62.8	6.44	165	72.7	10.85	2.80	0.56	0.34
URC03569Z		0.96	14.80	0.38	0.44	5.07	78	14.7	29.4	2.91	275	67.3	15.15	5.03	2.63	1.42
URC03570																
URC03571		1.69	38.3	0.10	0.96	19.20	6	6.8	62.0	6.07	153	77.6	11.05	2.61	0.43	0.29
URC03572		1.84	36.7	0.09	1.03	18.20	5	11.0	65.5	6.29	140	78.0	10.20	2.81	0.40	0.19
URC03596		0.94	33.0	0.08	0.57	13.60	5	6.3	32.4	3.58	132	79.4	9.26	2.10	0.48	0.23
URC03719		1.71	22.8	0.06	1.13	12.60	<5	4.6	79.8	6.76	98	81.3	7.70	1.82	0.66	0.30
URC03720		1.50	32.0	0.08	0.81	20.2	5	4.2	51.9	5.45	110	76.7	10.25	1.99	0.61	0.26
URC03721		1.72	39.0	0.09	1.03	29.5	6	4.6	61.8	6.33	146	77.4	11.80	2.35	0.82	0.27
URC03722		1.60	34.5	0.08	1.02	23.8	5	4.8	60.3	6.35	131	74.8	11.10	2.00	0.48	0.28
URC03723		1.64	34.0	0.08	1.06	25.5	5	4.8	59.7	6.26	131	76.6	11.10	2.52	1.11	0.29
URC03736		1.74	43.8	0.11	1.07	31.1	7	4.2	63.6	6.62	177	75.2	12.40	2.99	0.11	0.29
URC03739		1.72	45.4	0.11	1.00	13.55	9	7.5	58.4	6.35	177	78.4	11.50	2.51	0.07	0.38
URC03751		1.45	38.7	0.10	0.88	16.55	6	3.5	56.3	5.63	154	75.0	11.10	2.41	1.44	0.39
URC03789		1.56	35.3	0.08	0.94	13.60	7	8.1	59.8	5.89	128	79.4	10.05	1.48	0.98	0.35
URC03790		1.42	28.2	0.07	0.84	12.25	6	7.5	72.8	5.57	123	79.0	5.23	1.78	7.04	0.21
URC03790D		1.50	29.3	0.08	0.95	14.35	5	8.4	77.9	5.69	109	76.0	5.50	1.81	8.74	0.21
URC03791		1.99	41.6	0.10	1.12	18.30	6	6.4	69.0	6.83	163	78.2	11.35	2.91	0.74	0.40
URC03860		1.30	29.6	0.07	0.75	14.40	5	6.5	45.7	4.75	118	80.8	9.24	2.22	0.47	0.24
URC03864		1.06	23.7	0.06	0.60	9.91	<5	4.9	37.3	3.75	85	83.9	8.04	1.82	1.20	0.16
URC03865		1.62	35.1	0.09	0.92	21.8	5	6.8	60.9	6.11	140	77.3	10.95	2.53	0.70	0.22
URC03871		1.82	39.5	0.10	1.06	18.75	6	7.3	64.9	6.47	147	76.4	11.30	2.66	0.67	0.26
URC03872		1.70	37.0	0.09	1.02	18.80	6	7.2	61.0	5.90	140	77.5	11.05	2.60	0.56	0.22
URC03873		1.73	36.2	0.10	0.96	20.8	5	6.8	67.1	6.01	144	75.6	11.25	2.72	1.65	0.27
URC03874		1.82	42.7	0.11	1.00	20.2	5	6.6	68.9	6.71	154	76.1	11.85	2.78	0.59	0.25
URC03875		1.67	35.7	0.10	0.96	17.40	5	5.5	64.0	6.02	142	74.9	10.95	2.75	0.70	0.25
URC03875X		0.81	15.85	0.12	0.10	6.27	<5	2.3	15.8	0.48	330	70.2	15.50	3.69	1.57	0.24
URC03878		2.10	58.1	0.12	1.32	12.20	14	21.3	84.0	8.43	205	75.7	12.10	2.80	1.62	0.48
URC03879		2.28	63.8	0.12	1.40	11.95	8	9.6	90.7	9.02	207	75.7	12.75	1.88	0.83	0.57
URC03880		1.84	57.2	0.11	1.16	12.80	7	6.7	76.8	7.64	181	76.9	11.60	1.82	0.70	0.43
URC03882		1.73	58.7	0.10	0.99	18.10	6	4.8	58.3	6.08	175	77.0	12.20	2.03	0.67	0.28
URC03890D		1.81	63.4	0.12	1.08	19.45	6	6.7	64.8	6.66	190	75.2	12.45	2.78	0.76	0.38
URC03891		1.92	61.4	0.12	1.17	17.10	5	6.1	74.3	7.41	187	74.1	11.95	2.60	0.67	0.30
URC03894		1.88	59.7	0.11	1.03	22.8	<5	5.8	67.1	6.87	174	76.9	12.10	2.60	0.65	0.26
URC03900		1.93	62.5	0.13	1.06	23.0	5	5.9	68.5	7.03	182	75.1	12.30	2.62	0.81	0.20
URC03902		1.86	57.3	0.10	1.04	22.7	5	6.0	67.3	6.83	171	73.8	11.95	2.71	1.01	0.24
URC03902Z		0.64	7.72	0.29	0.26	2.39	78	238	19.4	1.67	185	52.0	11.70	8.92	6.17	3.22
URC03920		1.94	64.7	0.11	1.13	23.8	6	6.4	71.4	6.94	187	73.8	12.00	2.66	1.20	0.27
URC03922		2.14	61.6	0.11	1.37	28.3	6	7.4	89.2	9.15	165	74.6	12.10	3.05	0.73	0.34
URC03924		1.79	59.9	0.11	1.06	23.2	6	7.3	64.7	6.86	172	76.6	12.25	3.28	0.73	0.27



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 - D
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	TOT-ICP06	ME-GRA05	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	Total	LOI	Ag	As	Cd	Co	Cu
		%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.002	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.5	5	0.5	1	1
URC03569		1.34	5.23	0.002	0.16	0.03	0.09	<0.01	0.02	95.11	0.99	<0.5	<5	<0.5	1	12
URC03569Z		2.85	3.73	0.008	0.63	0.05	0.20	0.03	0.11	100.28	1.14	1.4	24	0.5	9	2640
URC03570																
URC03571		1.53	5.27	0.003	0.16	0.02	0.09	<0.01	0.02	99.87	0.80	<0.5	<5	<0.5	1	11
URC03572		1.00	4.87	0.002	0.15	0.02	0.09	<0.01	0.02	98.90	1.15	<0.5	<5	<0.5	<1	12
URC03596		0.08	5.08	0.002	0.14	0.01	0.07	0.01	0.05	98.04	1.13	<0.5	5	<0.5	1	823
URC03719		0.07	4.00	0.002	0.10	0.02	0.08	<0.01	0.03	97.19	1.11	<0.5	<5	<0.5	1	6
URC03720		0.50	5.46	0.002	0.13	0.02	0.09	<0.01	0.03	97.11	1.07	<0.5	<5	<0.5	1	6
URC03721		1.21	6.02	0.002	0.15	0.03	0.09	0.01	0.03	101.22	1.04	<0.5	<5	<0.5	1	5
URC03722		0.97	5.89	0.002	0.14	0.02	0.08	<0.01	0.03	96.73	0.94	<0.5	<5	<0.5	1	6
URC03723		0.68	6.03	0.002	0.14	0.02	0.08	0.01	0.04	99.89	1.27	<0.5	<5	<0.5	1	6
URC03736		0.10	5.74	0.002	0.18	0.01	0.10	0.01	0.04	99.50	2.33	<0.5	<5	<0.5	1	29
URC03739		0.07	4.71	<0.002	0.19	0.02	0.05	<0.01	0.02	99.64	1.72	<0.5	<5	<0.5	<1	17
URC03751		0.32	5.52	<0.002	0.17	0.02	0.09	0.01	0.05	98.51	1.99	<0.5	<5	<0.5	<1	5
URC03789		0.21	5.44	0.002	0.14	0.01	0.07	<0.01	0.03	99.42	1.26	<0.5	<5	<0.5	2	58
URC03790		0.18	2.49	0.002	0.12	0.02	0.06	<0.01	0.01	98.00	1.86	<0.5	<5	<0.5	1	253
URC03790D		0.23	2.68	0.002	0.12	0.02	0.06	<0.01	0.01	97.02	1.64	<0.5	<5	<0.5	2	305
URC03791		1.16	5.56	0.002	0.17	0.03	0.09	<0.01	0.03	101.75	1.11	<0.5	<5	<0.5	2	15
URC03860		1.34	4.31	0.002	0.12	0.02	0.07	<0.01	0.02	99.61	0.76	<0.5	<5	<0.5	1	17
URC03864		1.30	3.86	0.002	0.10	0.02	0.06	0.01	0.02	101.25	0.76	<0.5	<5	<0.5	1	17
URC03865		1.72	5.25	0.002	0.15	0.02	0.08	0.01	0.02	99.82	0.87	<0.5	<5	<0.5	2	7
URC03871		1.55	5.33	0.002	0.16	0.03	0.09	0.01	0.03	99.48	0.99	<0.5	<5	<0.5	2	7
URC03872		1.55	5.44	0.003	0.15	0.03	0.08	<0.01	0.02	100.01	0.81	<0.5	<5	<0.5	2	14
URC03873		1.67	5.48	0.002	0.15	0.02	0.08	0.01	0.02	100.18	1.26	<0.5	<5	<0.5	3	107
URC03874		2.08	5.42	0.002	0.17	0.03	0.09	0.01	0.02	100.24	0.85	<0.5	<5	<0.5	2	14
URC03875		1.68	5.39	0.002	0.15	0.03	0.09	0.01	0.02	97.81	0.89	<0.5	<5	<0.5	3	45
URC03875X		4.01	3.92	<0.002	0.20	0.04	0.06	0.02	0.35	101.57	1.77	<0.5	5	<0.5	2	4
URC03878		0.39	5.31	0.002	0.20	0.02	0.07	0.01	0.03	100.82	2.09	<0.5	8	<0.5	3	79
URC03879		0.56	6.39	<0.002	0.21	0.01	0.09	0.01	0.03	100.59	1.56	<0.5	<5	<0.5	1	19
URC03880		0.89	5.75	<0.002	0.18	0.01	0.08	<0.01	0.02	99.62	1.24	<0.5	<5	<0.5	1	16
URC03882		1.02	6.00	<0.002	0.17	0.01	0.08	0.01	0.02	100.79	1.30	<0.5	<5	<0.5	2	30
URC03890D		1.40	6.14	<0.002	0.20	0.03	0.10	0.01	0.02	100.80	1.33	<0.5	<5	<0.5	1	107
URC03891		1.70	5.78	<0.002	0.18	0.02	0.10	<0.01	0.02	98.52	1.10	<0.5	<5	<0.5	2	30
URC03894		1.98	5.65	<0.002	0.18	0.03	0.09	<0.01	0.02	101.58	1.12	<0.5	<5	<0.5	2	10
URC03900		1.76	5.77	<0.002	0.19	0.03	0.09	0.01	0.02	100.02	1.12	<0.5	<5	<0.5	2	24
URC03902		1.88	5.60	0.002	0.18	0.03	0.11	<0.01	0.02	98.72	1.19	<0.5	<5	<0.5	2	19
URC03902Z		3.79	1.52	0.010	0.44	0.10	0.13	0.02	0.05	95.52	7.45	<0.5	6930	<0.5	201	174
URC03920		1.86	5.74	0.002	0.18	0.02	0.10	<0.01	0.02	98.98	1.13	<0.5	5	<0.5	2	18
URC03922		0.80	5.64	0.002	0.18	0.03	0.11	<0.01	0.02	98.99	1.39	<0.5	5	<0.5	2	61
URC03924		1.20	5.63	0.002	0.19	0.04	0.11	<0.01	0.02	101.63	1.31	<0.5	6	<0.5	2	35



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 - E
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	F-XRF24
		Li	Mo	Ni	Pb	Tl	Zn	F
		ppm	ppm	ppm	ppm	ppm	ppm	%
		10	1	1	2	10	2	0.1
URC03569		20	3	2	23	<10	30	
URC03569Z		50	88	18	100	<10	174	
URC03570								
URC03571		20	2	3	25	<10	30	
URC03572		20	3	2	25	10	29	
URC03596		20	3	3	15	<10	18	
URC03719		30	3	2	20	<10	18	
URC03720		20	3	2	20	<10	19	
URC03721		20	3	2	32	<10	26	
URC03722		10	5	2	26	10	21	
URC03723		20	3	2	28	<10	25	
URC03736		10	3	2	23	<10	24	
URC03739		10	2	2	3	10	32	
URC03751		20	2	2	23	<10	31	
URC03789		20	2	2	9	<10	17	
URC03790		10	2	2	9	<10	19	4.4
URC03790D		10	3	2	12	<10	20	
URC03791		20	3	3	17	<10	36	
URC03860		20	3	2	26	<10	21	
URC03864		20	2	2	23	<10	18	
URC03865		20	2	2	31	<10	27	
URC03871		20	2	2	32	<10	28	
URC03872		20	3	3	29	<10	30	
URC03873		20	3	2	30	<10	27	
URC03874		20	3	3	38	<10	29	
URC03875		20	4	3	30	<10	28	
URC03875X		30	3	2	27	<10	120	
URC03878		20	2	3	19	<10	26	
URC03879		20	1	2	17	<10	17	
URC03880		20	1	2	18	<10	18	
URC03882		10	1	1	26	<10	85	
URC03890D		20	2	2	40	<10	31	
URC03891		20	3	2	49	<10	32	
URC03894		20	3	3	44	<10	42	
URC03900		20	2	2	49	<10	41	
URC03902		20	4	2	44	<10	39	
URC03902Z		30	4	56	16	<10	44	
URC03920		20	5	2	37	<10	29	
URC03922		30	4	2	29	<10	33	
URC03924		20	4	2	59	<10	34	



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 4 - A
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOF

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	ME-MS42	ME-MS42	ME-MS42	F-IC881	Au-AA26	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt.	Pass75um	Bi	Hg	Te	F	Au	Ba	Be	Ce	Cr	Cs	Dy	Er	Eu
		kg	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.005	0.01	20	0.01	0.5	1	0.1	5	0.01	0.05	0.03	0.02
URC03925		0.53		5.06	<0.005	<0.01			172.5	3	175.5	11	24.5	12.75	8.25	0.60
URC04022		0.45		0.27	<0.005	<0.01			113.0	6	105.0	18	13.10	14.00	9.54	0.58
URC04023		0.49		0.23	<0.005	<0.01			244	5	161.5	18	9.97	12.65	7.88	0.78
URC04024		0.56		0.70	<0.005	<0.01			239	5	157.5	17	10.70	13.60	8.48	0.77
URC04025		0.48	99.0	0.36	<0.005	<0.01			231	6	157.5	17	10.95	13.90	8.49	0.86
URC04026		0.52		0.83	<0.005	<0.01			204	5	140.0	16	19.75	11.20	6.90	0.75
URC04032		0.52		1.15	<0.005	<0.01			199.0	4	155.0	9	14.55	11.85	7.20	0.59
URC04034		0.55		0.85	<0.005	<0.01			199.5	3	160.0	9	16.95	12.30	7.60	0.64
URC04082		0.50		0.37	<0.005	<0.01			597	5	93.6	46	12.80	3.99	2.21	1.09
URC04084		0.51		5.21	<0.005	0.01			719	5	90.7	47	13.30	3.73	2.06	1.12
URC04132		0.50		0.49	<0.005	<0.01			456	5	85.2	45	11.10	4.52	3.05	1.05
URC04134		0.47		0.33	<0.005	<0.01			641	5	94.5	46	16.00	4.61	2.79	1.09
URC04142		0.55		0.62	<0.005	<0.01			573	5	79.7	45	7.46	3.05	1.89	0.96
URC04143		0.49		2.44	<0.005	<0.01			441	5	75.6	40	9.29	3.52	1.71	0.89
URC04144		0.49		1.71	<0.005	<0.01			444	7	79.6	43	8.16	3.39	2.04	0.91
URC04145		0.50		0.88	<0.005	<0.01			429	6	89.3	45	6.32	3.39	1.84	1.15
URC04146		0.49		0.38	<0.005	<0.01			536	5	97.7	48	7.58	3.89	2.10	1.16
URC04160D		0.48		0.27	<0.005	<0.01			364	2	53.1	76	7.46	2.94	1.76	0.60
URC04177		0.48		0.32	<0.005	<0.01			516	2	49.3	121	12.05	2.91	1.66	0.69
URC04178		0.56		0.32	<0.005	<0.01			519	3	50.9	121	10.40	2.77	1.70	0.65
URC04179		0.52		0.35	<0.005	0.01			508	2	54.6	131	13.70	3.22	1.98	0.72
URC04216		0.45		0.28	<0.005	<0.01			518	3	53.8	57	9.52	3.45	2.06	0.70
URC04230D		0.50		0.23	<0.005	<0.01			506	2	59.5	58	10.40	3.45	2.20	0.90
URC04232		0.49		0.43	<0.005	<0.01			410	2	62.9	58	8.91	3.43	1.94	0.79
URC04236		0.43		0.21	<0.005	<0.01			480	2	59.4	58	9.47	3.29	2.12	0.86
URC04241		0.54		0.24	<0.005	<0.01	3030	<0.01	527	2	55.5	57	9.16	3.66	2.19	0.90
URC04242		0.44		0.26	<0.005	<0.01			526	3	55.8	53	8.09	3.46	2.05	0.96
URC04243		0.47		0.24	<0.005	<0.01			508	3	61.8	54	9.47	3.33	2.04	0.86
URC04244		0.51		0.25	<0.005	<0.01		<0.01	414	2	51.4	52	12.15	2.80	1.94	0.73
URC04244Z		0.08		1.72	0.057	0.83			883	3	66.4	56	9.10	5.26	3.01	1.17
URC04256		0.52		0.43	<0.005	<0.01			375	2	70.2	45	5.61	3.00	1.85	0.66
URC04257		0.48		0.32	<0.005	<0.01			256	1	54.1	37	3.63	1.86	1.18	0.47
URC04258		0.52		0.29	<0.005	<0.01			437	2	62.1	48	5.35	2.75	1.52	0.75
URC04260D		0.58		0.24	<0.005	<0.01			486	2	68.5	56	7.68	3.31	2.00	0.86
URC04262		0.50		0.24	<0.005	<0.01			505	2	56.6	52	8.44	3.15	1.89	0.75
URC04274		0.46		0.33	<0.005	<0.01			589	3	59.2	92	11.40	3.09	2.18	0.86
URC04275		0.51		0.25	<0.005	<0.01			584	3	56.8	53	10.10	3.00	1.68	0.90
URC04296		0.49		0.28	0.005	<0.01			465	2	70.0	53	8.02	3.64	2.20	0.91
URC04299		0.50		1.04	<0.005	<0.01			345	3	93.0	72	5.46	2.92	1.84	0.82
URC04301		0.51		0.31	<0.005	<0.01			538	4	76.6	80	8.52	3.57	2.35	0.87



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 4 - B
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOF

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ga	Gd	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.05	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	
URC03925		21.9	12.25	6.38	2.54	85.2	1.08	24.7	67.3	19.35	734	6.5	14.00	65.7	15.8	3.7	
URC04022		18.6	10.35	4.06	3.05	48.0	1.26	22.1	43.7	11.90	530	5.8	10.90	8.7	14.0	4.0	
URC04023		18.9	11.55	5.60	2.67	77.9	1.00	21.5	63.7	17.95	536	5.8	13.70	10.4	14.8	2.8	
URC04024		19.2	12.00	5.90	2.81	72.3	1.14	21.7	62.2	17.40	518	6.3	13.85	12.6	14.2	3.1	
URC04025		17.8	12.80	5.55	2.77	73.3	1.06	20.8	65.6	17.45	516	5.7	13.30	17.7	12.1	3.0	
URC04026		18.2	11.10	4.97	2.34	64.6	0.87	19.85	56.8	15.75	523	5.9	12.40	11.6	7.7	2.8	
URC04032		20.1	10.70	5.78	2.31	74.5	1.04	23.5	58.3	16.65	594	6.1	12.20	38.2	28.8	3.5	
URC04034		20.6	11.40	6.42	2.52	79.4	1.04	24.3	61.5	17.65	616	6.1	13.15	37.1	31.9	3.7	
URC04082		21.2	5.83	5.39	0.81	46.0	0.27	11.25	39.2	10.65	348	16.0	7.36	5.5	46.2	1.2	
URC04084		20.7	5.50	5.24	0.70	45.6	0.23	11.50	37.0	10.10	327	15.6	6.94	6.2	86.1	1.2	
URC04132		20.5	5.12	5.38	1.02	42.6	0.42	10.90	35.5	9.60	296	13.7	6.84	19.0	85.8	1.1	
URC04134		20.9	5.86	5.28	0.95	48.5	0.33	11.55	38.9	10.45	275	15.6	6.64	81.8	126.5	1.1	
URC04142		18.8	4.32	4.57	0.62	39.1	0.22	9.86	32.7	8.79	233	11.7	5.35	12.2	77.2	1.0	
URC04143		20.1	4.26	4.23	0.68	39.2	0.28	10.00	31.9	8.69	356	13.0	5.78	22.3	53.1	0.9	
URC04144		18.8	4.79	4.49	0.64	40.1	0.26	10.65	33.3	8.96	277	13.8	6.22	7.5	65.3	1.7	
URC04145		19.4	5.03	5.15	0.67	44.8	0.24	10.40	35.8	9.78	281	14.0	6.43	6.3	101.5	1.0	
URC04146		21.0	5.66	4.62	0.76	50.6	0.23	10.00	40.1	10.95	378	14.1	7.42	9.5	51.1	1.1	
URC04160D		13.8	3.41	2.10	0.63	27.9	0.27	4.68	21.8	6.03	191.5	15.9	3.80	2.5	89.9	0.5	
URC04177		17.8	3.37	3.35	0.61	24.5	0.23	5.72	20.1	5.58	281	21.5	3.72	2.8	79.3	0.7	
URC04178		17.9	3.03	2.60	0.62	26.0	0.27	5.97	20.1	5.61	287	22.0	3.67	2.9	69.4	0.7	
URC04179		18.0	3.50	2.81	0.64	27.9	0.27	6.71	21.9	6.11	290	22.1	3.93	3.8	101.0	0.8	
URC04216		18.2	3.41	3.70	0.71	27.3	0.26	8.15	21.5	5.98	393	18.6	4.06	3.1	50.6	0.8	
URC04230D		19.2	4.02	3.48	0.73	30.3	0.27	7.11	25.0	6.75	290	22.3	4.41	3.2	59.7	0.8	
URC04232		19.2	3.63	3.14	0.69	33.0	0.28	6.32	25.0	6.97	330	20.7	4.57	3.1	32.7	0.7	
URC04236		20.1	3.66	3.19	0.66	29.2	0.28	7.14	23.8	6.39	414	22.1	4.68	2.8	44.4	0.7	
URC04241		19.7	3.48	3.33	0.72	28.3	0.26	7.46	22.0	6.31	341	21.8	4.25	3.0	81.0	0.8	
URC04242		19.4	3.83	3.30	0.70	28.8	0.28	7.13	22.2	6.22	314	23.1	4.30	2.7	59.0	0.8	
URC04243		18.2	3.63	3.25	0.74	32.5	0.34	7.27	26.3	6.52	247	19.6	4.40	2.2	98.2	0.7	
URC04244		17.4	3.11	3.28	0.58	25.6	0.27	6.80	22.1	5.83	264	21.0	4.08	2.6	62.3	0.7	
URC04244Z		19.9	5.95	5.60	1.05	32.1	0.37	10.75	31.6	7.92	146.5	9.7	6.77	5.1	218	0.9	
URC04256		14.8	3.45	2.68	0.57	34.5	0.28	5.11	26.2	7.56	259	15.3	4.61	2.3	30.8	0.5	
URC04257		10.9	2.23	1.44	0.40	26.0	0.13	3.62	21.1	5.74	180.5	11.8	3.38	1.4	16.4	0.3	
URC04258		14.8	3.03	3.84	0.53	31.1	0.24	5.82	24.5	6.47	282	13.2	4.31	1.8	28.0	0.5	
URC04260D		19.2	3.97	3.60	0.70	34.4	0.29	8.26	28.4	7.46	451	21.4	5.19	2.7	29.3	0.8	
URC04262		17.9	3.59	2.90	0.65	27.8	0.27	6.89	23.0	6.24	332	19.8	4.49	3.0	63.0	0.7	
URC04274		22.8	3.38	3.33	0.67	29.4	0.31	8.02	24.3	6.31	481	24.8	4.64	3.3	55.0	0.8	
URC04275		20.4	3.25	2.56	0.60	28.3	0.21	7.65	22.1	6.28	367	18.9	4.16	2.9	47.6	0.8	
URC04296		20.8	4.13	5.44	0.77	35.1	0.37	8.13	27.3	7.71	351	22.2	4.88	3.2	53.4	0.8	
URC04299		18.0	3.75	3.92	0.63	49.4	0.29	8.10	36.4	10.00	225	16.8	5.38	2.0	51.3	0.8	
URC04301		20.8	4.22	4.39	0.79	39.6	0.32	9.61	31.8	8.41	238	19.3	5.35	2.8	85.9	0.9	



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 4 - C
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOF

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tb	Th	Ti	Tm	U	V	W	Y	Yb	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
		0.01	0.05	0.01	0.01	0.05	5	0.5	0.1	0.03	1	0.01	0.01	0.01	0.01	0.01
URC03925		2.06	64.3	0.12	1.23	23.2	7	8.9	74.7	7.51	190	75.0	12.10	3.19	0.51	0.32
URC04022		1.96	35.0	0.05	1.46	25.0	<5	5.0	84.5	8.86	101	76.5	11.65	2.14	0.11	0.26
URC04023		1.96	47.4	0.09	1.12	17.45	<5	4.6	71.7	7.15	157	74.1	11.15	2.58	0.11	0.42
URC04024		2.06	48.3	0.09	1.24	15.40	5	4.5	78.1	7.56	170	76.8	10.85	2.46	0.09	0.42
URC04025		2.21	44.4	0.09	1.18	15.45	5	4.7	76.3	7.26	159	79.8	10.35	2.16	0.09	0.40
URC04026		1.87	42.9	0.08	1.02	9.99	5	5.0	63.7	6.27	150	79.6	10.40	2.68	0.08	0.46
URC04032		1.90	59.9	0.11	1.12	14.00	5	3.5	70.1	6.97	182	73.6	11.50	1.50	0.50	0.17
URC04034		1.96	60.9	0.11	1.13	16.90	5	4.7	69.2	7.24	199	76.2	12.05	2.16	0.58	0.21
URC04082		0.75	20.2	0.33	0.30	3.24	94	6.1	21.1	1.84	211	68.0	14.40	6.37	1.47	2.22
URC04084		0.71	19.45	0.32	0.28	3.31	90	3.7	19.2	1.72	216	66.2	13.80	5.96	1.62	2.04
URC04132		0.76	18.40	0.32	0.39	2.58	89	4.7	26.0	2.56	207	65.5	13.85	5.79	1.42	2.13
URC04134		0.79	18.70	0.33	0.40	2.92	93	6.8	24.8	2.39	217	65.4	14.85	6.18	1.76	2.14
URC04142		0.57	17.00	0.28	0.28	2.72	82	6.5	16.6	1.67	184	70.3	12.50	5.36	1.50	1.80
URC04143		0.59	14.70	0.29	0.24	2.91	78	4.4	18.1	1.58	163	72.8	12.35	5.20	2.40	1.77
URC04144		0.63	16.10	0.27	0.26	3.04	79	5.3	18.2	1.59	179	70.5	12.50	5.12	1.46	2.12
URC04145		0.59	17.70	0.30	0.26	2.64	87	4.4	17.8	1.68	200	66.5	13.50	5.47	2.62	1.97
URC04146		0.75	17.70	0.30	0.30	2.86	87	4.5	20.7	1.63	186	68.3	13.45	5.60	1.61	1.80
URC04160D		0.56	8.26	0.16	0.27	1.96	86	2.0	18.2	1.52	86	48.2	10.90	5.30	10.45	3.58
URC04177		0.48	10.50	0.19	0.24	2.55	107	2.7	16.6	1.58	126	59.8	14.80	6.75	3.72	4.09
URC04178		0.45	10.70	0.19	0.24	2.42	106	1.9	16.2	1.74	105	60.7	14.20	6.71	2.90	3.83
URC04179		0.52	13.55	0.22	0.27	3.44	118	2.9	17.2	1.78	114	56.2	15.40	6.82	4.14	4.15
URC04216		0.54	12.10	0.23	0.31	2.73	102	83.7	18.0	1.90	141	60.9	13.70	6.66	2.49	2.88
URC04230D		0.58	11.75	0.26	0.32	2.44	122	1.9	19.7	2.11	137	57.2	14.60	7.67	3.37	3.83
URC04232		0.57	10.25	0.24	0.28	2.47	124	5.6	18.2	1.84	117	61.7	14.20	8.17	1.98	3.86
URC04236		0.59	10.70	0.26	0.28	2.36	128	7.9	18.4	1.98	120	58.4	14.90	8.57	2.31	3.37
URC04241		0.58	11.55	0.28	0.31	2.72	131	2.8	20.0	2.09	127	60.4	15.05	7.86	3.03	3.47
URC04242		0.55	10.65	0.26	0.27	2.62	121	3.7	19.0	1.89	130	59.2	14.30	7.78	2.37	3.49
URC04243		0.55	12.40	0.27	0.32	2.58	119	1.7	19.8	2.09	117	62.9	15.15	7.95	2.06	4.39
URC04244		0.48	11.35	0.25	0.26	2.08	116	2.1	16.8	1.80	122	60.1	14.30	7.93	1.76	4.08
URC04244Z		0.91	12.55	0.34	0.41	4.41	86	11.5	27.7	2.41	220	63.8	14.25	5.85	2.64	1.53
URC04256		0.48	8.68	0.19	0.28	2.60	87	3.3	15.9	1.66	98	68.2	10.35	6.37	1.79	2.18
URC04257		0.33	6.09	0.13	0.16	1.60	62	3.7	10.8	0.85	55	78.4	7.45	5.05	1.20	1.48
URC04258		0.46	10.40	0.21	0.24	2.31	89	3.7	14.9	1.48	142	71.2	10.90	6.57	1.76	2.27
URC04260D		0.64	12.80	0.30	0.33	2.86	126	7.8	20.4	2.00	125	62.6	14.50	8.49	2.00	3.00
URC04262		0.52	12.00	0.26	0.29	3.51	113	2.3	17.8	1.79	122	61.0	13.95	7.55	1.85	3.20
URC04274		0.50	10.30	0.32	0.29	3.14	143	4.2	18.2	2.26	123	54.6	17.25	8.23	2.50	3.51
URC04275		0.52	10.75	0.29	0.26	2.73	130	3.2	16.8	1.68	88	60.4	14.60	7.78	1.83	3.31
URC04296		0.64	12.90	0.29	0.37	2.98	127	2.9	20.8	2.29	209	60.1	14.40	8.07	1.60	3.05
URC04299		0.51	11.10	0.29	0.27	2.32	104	3.5	19.6	1.68	146	64.0	11.80	6.24	4.33	2.52
URC04301		0.61	14.95	0.34	0.35	2.78	120	3.1	21.5	2.11	167	60.6	15.75	7.61	1.36	3.42



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 4 - D
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	TOT-ICP06	ME-GRA05	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	Total	LOI	Ag	As	Cd	Co	Cu
		%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.002	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.5	5	0.5	1	1
URC03925		1.18	5.75	0.002	0.19	0.03	0.10	<0.01	0.02	99.52	1.13	<0.5	<5	<0.5	2	61
URC04022		1.63	6.23	0.003	0.09	0.02	0.04	<0.01	0.01	99.29	0.61	<0.5	<5	<0.5	2	8
URC04023		1.22	5.84	0.003	0.15	0.02	0.05	<0.01	0.03	96.44	0.77	<0.5	<5	<0.5	2	8
URC04024		0.99	5.77	0.002	0.16	0.02	0.06	<0.01	0.03	98.49	0.84	<0.5	<5	<0.5	2	7
URC04025		0.55	5.78	0.002	0.15	0.01	0.06	<0.01	0.03	100.28	0.90	<0.5	<5	<0.5	1	14
URC04026		0.27	6.11	0.002	0.15	0.02	0.05	<0.01	0.03	100.77	0.92	<0.5	<5	<0.5	2	4
URC04032		1.68	5.56	<0.002	0.17	0.01	0.09	<0.01	0.02	95.81	1.01	<0.5	<5	<0.5	2	21
URC04034		1.76	5.72	<0.002	0.18	0.01	0.10	<0.01	0.02	100.18	1.19	<0.5	<5	<0.5	3	25
URC04082		1.44	3.37	0.006	0.53	0.07	0.11	0.01	0.07	100.83	2.76	<0.5	<5	<0.5	14	13
URC04084		1.53	3.06	0.006	0.51	0.08	0.12	0.01	0.08	97.66	2.64	<0.5	<5	<0.5	15	23
URC04132		1.71	2.98	0.007	0.52	0.08	0.13	0.01	0.05	96.75	2.57	<0.5	<5	<0.5	15	24
URC04134		1.75	3.15	0.006	0.53	0.09	0.13	0.01	0.07	98.51	2.44	<0.5	<5	0.6	16	41
URC04142		1.54	2.73	0.006	0.45	0.07	0.11	0.01	0.07	98.75	2.30	<0.5	<5	<0.5	14	23
URC04143		1.39	2.88	0.006	0.44	0.07	0.10	0.01	0.05	101.97	2.50	0.5	<5	1.1	16	136
URC04144		1.72	2.68	0.006	0.43	0.06	0.10	0.01	0.05	99.07	2.31	<0.5	<5	<0.5	13	18
URC04145		2.05	2.64	0.007	0.47	0.07	0.12	0.01	0.05	98.08	2.60	<0.5	<5	<0.5	15	25
URC04146		1.52	3.31	0.006	0.48	0.07	0.13	0.01	0.06	98.80	2.45	<0.5	<5	<0.5	13	35
URC04160D		0.96	2.54	0.011	0.25	0.10	0.06	0.01	0.04	94.35	11.95	<0.5	<5	0.5	18	49
URC04177		1.39	3.55	0.017	0.31	0.10	0.07	0.01	0.06	99.77	5.10	<0.5	<5	<0.5	24	135
URC04178		1.34	3.49	0.017	0.31	0.10	0.07	0.01	0.06	98.36	4.62	<0.5	<5	<0.5	25	139
URC04179		1.28	3.35	0.018	0.34	0.12	0.07	0.01	0.06	96.88	4.92	<0.5	<5	<0.5	27	52
URC04216		0.80	4.03	0.008	0.37	0.11	0.08	0.01	0.06	96.24	4.14	<0.5	<5	<0.5	24	132
URC04230D		0.69	3.59	0.008	0.42	0.13	0.09	0.01	0.06	96.88	5.21	<0.5	<5	<0.5	28	32
URC04232		0.79	3.59	0.008	0.38	0.11	0.09	0.01	0.05	99.11	4.17	<0.5	<5	0.6	27	80
URC04236		0.54	4.15	0.008	0.42	0.13	0.08	0.01	0.06	97.48	4.53	<0.5	<5	<0.5	28	45
URC04241		1.25	3.67	0.008	0.44	0.13	0.07	0.01	0.06	99.70	4.25	<0.5	<5	<0.5	26	41
URC04242		1.16	3.68	0.007	0.42	0.12	0.06	0.01	0.06	96.86	4.20	<0.5	<5	<0.5	26	47
URC04243		1.78	3.05	0.007	0.43	0.11	0.07	0.01	0.06	101.87	3.90	<0.5	<5	<0.5	26	33
URC04244		1.40	2.91	0.007	0.42	0.11	0.06	0.01	0.05	97.06	3.92	<0.5	<5	<0.5	26	32
URC04244Z		2.59	3.41	0.008	0.58	0.05	0.18	0.03	0.10	96.55	1.53	1.8	28	0.6	16	5260
URC04256		0.55	2.66	0.006	0.31	0.08	0.04	<0.01	0.04	95.87	3.29	<0.5	<5	<0.5	17	38
URC04257		0.39	1.98	0.005	0.22	0.06	0.04	<0.01	0.03	98.53	2.22	<0.5	<5	<0.5	13	51
URC04258		0.67	3.07	0.007	0.33	0.09	0.05	<0.01	0.05	100.12	3.15	<0.5	<5	<0.5	18	28
URC04260D		0.42	4.22	0.007	0.47	0.12	0.08	0.01	0.06	100.15	4.17	<0.5	<5	<0.5	25	51
URC04262		0.91	3.50	0.007	0.43	0.11	0.07	0.01	0.06	96.37	3.72	<0.5	<5	<0.5	25	30
URC04274		1.04	4.51	0.012	0.49	0.15	0.06	0.02	0.06	97.30	4.87	<0.5	<5	<0.5	27	58
URC04275		0.91	3.77	0.007	0.48	0.10	0.07	0.01	0.07	97.27	3.93	<0.5	<5	<0.5	24	19
URC04296		0.57	3.88	0.007	0.46	0.11	0.07	<0.01	0.05	96.15	3.78	<0.5	<5	0.5	26	127
URC04299		1.23	2.49	0.010	0.46	0.07	0.05	<0.01	0.04	96.73	3.49	<0.5	<5	0.8	18	65
URC04301		1.80	3.03	0.011	0.56	0.08	0.06	0.01	0.06	97.73	3.38	<0.5	<5	<0.5	22	24



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 4 - E
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	F-XRF24
		Li	Mo	Ni	Pb	Tl	Zn	F
		ppm	ppm	ppm	ppm	ppm	ppm	%
		10	1	1	2	10	2	0.1
URC03925		20	3	4	32	<10	33	
URC04022		10	5	2	31	<10	30	
URC04023		20	4	2	22	<10	32	
URC04024		20	3	2	19	<10	30	
URC04025		20	3	2	17	<10	23	
URC04026		20	3	2	11	<10	26	
URC04032		10	2	3	38	<10	55	
URC04034		10	2	4	39	<10	87	
URC04082		60	1	19	7	<10	65	
URC04084		50	1	19	19	<10	77	
URC04132		50	1	19	46	<10	133	
URC04134		50	1	20	46	<10	146	
URC04142		40	2	18	33	<10	91	
URC04143		40	2	16	56	<10	207	
URC04144		50	1	17	23	<10	92	
URC04145		40	2	19	23	<10	78	
URC04146		50	1	18	18	<10	86	
URC04160D		60	1	32	14	<10	83	
URC04177		70	1	47	15	<10	70	
URC04178		70	1	47	17	<10	74	
URC04179		60	1	54	25	<10	90	
URC04216		60	1	34	38	<10	189	
URC04230D		80	1	38	22	<10	128	
URC04232		80	1	38	21	<10	270	
URC04236		70	1	39	15	<10	267	
URC04241		70	1	36	23	<10	200	
URC04242		70	1	36	23	<10	164	
URC04243		70	1	33	17	<10	98	
URC04244		80	1	35	19	<10	98	
URC04244Z		50	331	48	81	<10	260	
URC04256		70	2	25	15	<10	91	
URC04257		60	2	19	16	<10	52	
URC04258		50	2	26	18	<10	102	
URC04260D		70	1	36	14	<10	142	
URC04262		60	1	35	16	<10	227	
URC04274		70	1	50	34	<10	125	
URC04275		70	1	35	71	<10	113	
URC04296		60	1	35	9	<10	345	
URC04299		60	3	46	27	<10	517	
URC04301		60	1	40	11	<10	187	



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 5 - A
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	ME-MS42	ME-MS42	ME-MS42	F-IC881	Au-AA26	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Recvd Wt. kg	Pass75um %	Bi ppm	Hg ppm	Te ppm	F ppm	Au ppm	Ba ppm	Be ppm	Ce ppm	Cr ppm	Cs ppm	Dy ppm	Er ppm	Eu ppm
		0.02	0.01	0.01	0.005	0.01	20	0.01	0.5	1	0.1	5	0.01	0.05	0.03	0.02
URC04302		0.48		0.96	<0.005	0.03			830	4	89.3	81	6.82	4.45	2.85	1.08
URC04303		0.35		0.26	<0.005	<0.01			535	3	55.2	67	8.57	2.78	1.67	0.66
URC04304		0.50		0.33	<0.005	<0.01			490	3	55.9	63	8.93	2.79	1.88	0.66
URC04308		0.50		1.82	<0.005	<0.01			294	2	46.9	45	5.55	2.08	1.34	0.43
URC04334		0.45		0.69	<0.005	<0.01	810		419	3	57.9	45	6.75	3.38	2.19	0.69
URC04335		0.49		0.56	<0.005	<0.01	1000		421	3	65.8	53	8.67	3.77	2.35	0.89
URC04339		0.49		0.65	<0.005	<0.01			561	3	78.4	65	10.05	3.93	2.38	0.93
URC04340		0.46	95.0	0.50	<0.005	<0.01			509	3	70.9	53	9.17	3.64	2.37	0.93
URC04341		0.46		0.32	<0.005	<0.01			554	3	65.9	55	9.83	3.96	2.48	0.74
URC04342		0.54		0.81	<0.005	<0.01			562	3	76.0	58	8.19	3.96	2.36	0.87
URC04343		0.53		0.34	<0.005	<0.01			483	2	63.6	51	6.06	2.99	2.14	0.74
URC04344		0.48		0.45	<0.005	<0.01			578	3	74.5	59	8.16	3.65	2.27	1.02
URC04344X		0.34		0.11	0.006	<0.01			2930	3	95.3	<5	6.33	3.83	0.92	1.39
URC04351		0.56		0.16	<0.005	<0.01			407	2	50.8	82	7.98	2.58	1.52	0.58
URC04352		0.46		0.22	<0.005	<0.01			496	2	44.4	101	7.06	3.18	2.10	0.74
URC04354		0.47		0.15	<0.005	<0.01			485	2	43.5	95	5.19	2.73	1.82	0.57
URC04355		0.52		0.23	<0.005	<0.01			446	2	51.2	109	9.45	3.31	2.19	0.81
URC04380		0.46		0.26	<0.005	<0.01			536	2	58.9	153	10.70	3.14	2.02	0.75
URC04381		0.53		0.25	<0.005	<0.01			451	2	52.2	139	9.92	3.20	2.08	0.78
URC04382		0.42		0.22	<0.005	<0.01			426	2	54.7	150	11.15	3.21	2.05	0.73
URC04383		0.51		0.22	<0.005	<0.01			402	2	49.1	139	10.85	2.80	1.95	0.66
URC04420		Not Recvd														
URC04421		Not Recvd														
URC04422		0.50		0.24	<0.005	<0.01			508	2	59.1	164	9.29	3.15	2.00	0.82
URC04423		0.51		0.29	<0.005	0.01			463	3	47.8	170	11.05	3.15	1.96	0.81
URC04424		0.57		0.32	<0.005	<0.01			379	3	89.7	150	6.10	3.31	1.89	0.94
URC04425		0.48		0.28	<0.005	<0.01			361	3	51.9	159	8.52	2.85	1.72	0.77
URC04426		0.51		0.23	<0.005	<0.01			395	3	52.8	166	10.25	2.92	2.01	0.70
URC04427		0.50		0.27	<0.005	<0.01			396	3	46.2	152	9.93	3.34	2.32	0.71
URC04428		0.52		0.28	<0.005	<0.01			449	2	55.4	142	8.96	3.15	2.10	0.71
URC04460D		0.53		0.24	<0.005	0.01			398	2	51.8	146	8.45	3.33	2.05	0.71
URC04461		0.52		0.24	<0.005	<0.01			406	2	52.0	139	7.14	2.95	2.00	0.73
URC04462		0.52		0.24	<0.005	<0.01			361	2	51.4	153	8.70	3.43	2.09	0.77
URC04463		0.49		0.39	<0.005	0.01			354	2	51.6	161	8.49	3.13	1.92	0.75
URC04464		0.48		0.44	<0.005	0.01			392	2	49.7	166	9.78	3.06	1.90	0.72
URC04570		0.52		1.28	<0.005	0.01	7400		22.4	21	68.7	13	20.5	16.75	12.30	0.06
URC04570Z		0.08		0.68	0.011	0.18			881	2	68.5	72	8.37	5.17	2.70	1.32
URC04610		0.47		0.74	<0.005	0.01			33.8	12	96.1	17	29.5	19.00	14.00	0.16
URC04611		0.50		0.63	<0.005	<0.01			32.8	10	88.9	15	26.1	18.10	13.25	0.15
URC04612		0.52		0.49	<0.005	<0.01			35.0	9	77.9	14	25.6	19.45	14.10	0.25



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 5 - B
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOF

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Ga	Gd	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.05	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1
URC04302		24.5	5.10	5.56	0.96	44.7	0.34	10.65	36.8	9.97	235	16.0	6.55	3.1	88.0	1.1
URC04303		19.2	3.10	4.73	0.62	28.2	0.27	8.25	23.7	6.07	335	17.7	4.31	2.8	39.1	0.8
URC04304		19.4	3.30	2.94	0.57	27.9	0.28	8.03	22.2	6.17	427	22.1	3.63	3.1	27.1	0.8
URC04308		16.0	2.66	3.05	0.45	24.8	0.23	6.41	19.0	5.12	236	14.9	3.53	2.9	17.4	0.7
URC04334		17.0	3.65	3.47	0.66	28.2	0.31	6.47	23.1	6.28	366	17.2	4.02	2.9	28.3	0.7
URC04335		18.2	4.20	4.19	0.82	32.3	0.33	7.94	27.5	7.47	391	19.7	5.10	3.0	40.3	0.9
URC04339		19.4	4.73	4.53	0.77	39.7	0.33	9.07	31.6	8.59	380	18.4	5.76	3.3	39.4	0.9
URC04340		19.1	4.43	3.76	0.72	33.6	0.35	8.48	28.4	7.79	281	16.8	5.20	4.2	71.9	0.8
URC04341		20.9	4.40	4.23	0.82	31.1	0.33	9.06	27.2	7.35	267	17.6	5.27	4.1	62.8	1.0
URC04342		20.7	4.34	4.38	0.76	36.8	0.33	8.99	30.3	8.49	276	18.1	5.86	3.8	66.2	1.0
URC04343		16.0	3.77	4.56	0.68	31.7	0.32	7.12	26.2	7.04	259	14.4	4.66	2.7	56.5	0.7
URC04344		19.7	4.63	3.90	0.77	36.9	0.30	8.16	29.8	8.30	299	17.6	5.48	3.4	81.0	0.9
URC04344X		22.1	6.09	7.87	0.53	46.4	0.07	18.90	41.6	11.00	152.5	4.5	7.83	4.3	178.5	1.6
URC04351		15.3	2.94	2.17	0.49	24.5	0.24	5.00	20.9	5.76	216	16.2	4.10	2.3	91.4	0.5
URC04352		17.2	3.46	2.95	0.66	21.8	0.28	6.22	19.2	4.97	396	20.3	3.84	2.6	64.1	0.7
URC04354		14.6	2.97	2.77	0.54	21.1	0.23	5.62	18.2	4.83	292	18.0	3.47	2.5	79.9	0.6
URC04355		18.2	3.58	4.05	0.69	24.6	0.33	6.74	21.4	5.63	199.5	23.4	3.73	3.5	98.1	0.7
URC04380		16.8	3.62	2.82	0.62	29.9	0.28	6.76	23.1	6.36	276	22.8	4.26	3.5	84.7	0.7
URC04381		17.8	3.53	2.81	0.70	25.1	0.30	6.49	21.6	5.93	224	24.4	4.09	3.0	97.5	0.7
URC04382		18.6	3.37	2.78	0.67	27.2	0.28	6.75	22.1	6.01	211	22.7	3.97	2.8	96.3	0.8
URC04383		16.8	3.27	2.66	0.65	24.2	0.27	6.01	19.2	5.52	210	21.0	4.13	2.8	83.6	0.7
URC04420																
URC04421																
URC04422		18.5	3.66	3.16	0.70	29.8	0.30	7.05	23.8	6.42	361	23.7	4.21	3.2	47.2	0.8
URC04423		18.2	3.15	2.85	0.66	24.6	0.32	6.18	20.3	5.54	322	23.6	3.69	3.0	65.6	0.7
URC04424		17.6	4.02	3.12	0.65	48.8	0.34	6.07	34.8	9.63	306	21.9	5.49	2.5	38.1	0.6
URC04425		18.0	3.34	2.87	0.59	26.6	0.23	6.14	21.5	5.73	278	21.1	4.14	3.0	54.6	0.7
URC04426		18.2	3.26	3.35	0.60	27.8	0.30	6.42	21.8	5.84	285	23.0	4.02	3.5	78.8	0.7
URC04427		16.6	3.35	2.73	0.71	23.7	0.39	5.80	19.2	5.18	256	22.1	3.82	3.6	81.8	0.8
URC04428		15.5	3.40	3.38	0.68	28.6	0.35	6.12	23.1	6.25	269	21.9	4.17	3.3	62.5	0.8
URC04460D		18.0	3.73	3.27	0.72	26.0	0.30	6.72	22.0	6.04	185.5	22.6	4.37	2.9	100.0	0.8
URC04461		17.8	3.74	3.20	0.64	26.6	0.29	6.09	22.4	5.74	192.5	19.3	4.20	2.9	92.6	0.8
URC04462		18.2	3.76	3.32	0.69	25.9	0.32	6.99	21.3	5.79	167.5	23.3	3.94	3.1	93.1	0.8
URC04463		17.4	3.56	3.08	0.69	25.9	0.30	6.35	21.2	5.98	188.0	24.7	4.19	3.0	97.6	0.8
URC04464		16.8	3.40	2.83	0.67	25.6	0.28	6.07	20.5	5.69	224	23.3	3.94	2.7	86.1	0.8
URC04570		25.1	9.68	3.89	3.73	29.3	2.37	34.6	27.1	8.17	954	5.9	9.08	26.3	7.9	7.7
URC04570Z		19.6	6.42	6.10	1.03	33.3	0.37	10.40	33.1	8.23	137.5	10.0	7.00	3.8	131.0	1.0
URC04610		22.5	12.35	5.28	4.29	44.0	2.36	30.3	38.1	10.80	852	4.7	10.85	23.8	9.0	6.3
URC04611		20.9	11.80	4.31	4.17	41.1	2.24	28.5	35.9	10.25	807	3.9	11.10	22.3	7.4	5.5
URC04612		20.8	12.75	5.15	4.23	37.4	2.25	29.1	34.9	9.38	819	4.5	10.80	21.9	6.8	5.7



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 5 - C
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOF

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06
		Tb	Th	Ti	Tm	U	V	W	Y	Yb	Zr	SiO2	Al2O3	Fe2O3	CaO	MgO
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%
		0.01	0.05	0.01	0.01	0.05	5	0.5	0.1	0.03	1	0.01	0.01	0.01	0.01	0.01
URC04302		0.75	17.40	0.32	0.39	3.84	92	4.3	25.8	2.53	208	65.7	16.00	5.99	0.92	2.37
URC04303		0.44	10.90	0.31	0.30	3.16	113	3.1	16.4	1.94	176	64.1	14.00	7.24	0.57	2.98
URC04304		0.48	11.45	0.30	0.25	2.73	127	4.3	16.2	1.90	109	65.0	14.60	7.91	0.60	2.99
URC04308		0.38	12.00	0.22	0.20	2.64	84	6.3	14.1	1.46	119	70.2	11.15	6.72	1.16	2.20
URC04334		0.53	12.05	0.22	0.30	5.20	92	6.3	19.9	1.74	125	66.8	11.85	5.95	1.98	2.09
URC04335		0.65	15.30	0.27	0.34	3.68	112	5.0	21.9	2.25	149	61.9	14.30	7.23	2.26	2.89
URC04339		0.69	16.25	0.29	0.36	3.78	111	3.4	22.5	2.25	173	63.4	14.90	6.90	1.56	2.87
URC04340		0.66	15.30	0.26	0.32	3.06	100	2.9	20.4	2.06	143	63.5	14.85	7.11	1.67	3.17
URC04341		0.64	16.50	0.28	0.36	3.27	98	3.9	22.0	2.34	152	62.9	15.05	6.80	1.56	3.38
URC04342		0.60	17.50	0.28	0.37	3.83	101	3.2	21.8	2.09	168	64.3	14.25	6.42	1.99	3.04
URC04343		0.53	14.00	0.24	0.30	3.55	89	3.1	16.7	1.76	165	65.7	12.00	5.82	2.71	2.18
URC04344		0.63	15.45	0.28	0.31	3.21	108	2.4	21.2	2.03	141	63.0	14.70	6.93	2.72	2.76
URC04344X		0.80	15.95	0.11	0.10	6.01	<5	1.9	15.7	0.46	307	68.3	14.65	3.47	1.50	0.24
URC04351		0.40	9.92	0.16	0.24	1.18	96	2.0	13.0	1.46	83	55.8	12.40	5.52	6.73	4.28
URC04352		0.55	10.55	0.20	0.31	1.34	117	3.2	18.4	1.87	107	58.4	14.45	5.98	4.38	3.37
URC04354		0.44	10.40	0.18	0.28	1.26	105	1.5	15.8	1.64	101	59.0	13.95	6.08	5.36	3.94
URC04355		0.53	11.75	0.21	0.29	1.59	120	1.7	18.7	1.92	153	59.5	14.95	6.69	5.07	3.97
URC04380		0.51	11.20	0.21	0.27	2.83	122	2.1	16.5	1.78	103	58.0	15.05	7.09	2.70	4.41
URC04381		0.53	10.90	0.20	0.30	2.68	112	2.7	19.4	1.80	110	58.3	15.40	6.81	4.71	4.20
URC04382		0.50	13.25	0.22	0.29	2.90	122	3.1	18.4	1.72	109	57.7	15.45	6.93	4.92	4.30
URC04383		0.53	10.55	0.20	0.27	2.36	110	2.4	16.5	1.62	97	59.1	15.65	7.02	4.59	4.46
URC04420																
URC04421																
URC04422		0.54	12.60	0.23	0.30	2.78	127	4.6	19.6	1.92	125	57.7	14.80	7.54	3.29	3.84
URC04423		0.52	10.90	0.21	0.29	2.38	122	2.7	18.5	1.86	110	56.2	15.05	7.70	3.36	4.35
URC04424		0.58	9.77	0.21	0.33	2.48	113	5.5	21.1	2.15	112	58.3	14.40	8.94	3.53	3.47
URC04425		0.48	10.40	0.20	0.26	2.38	115	5.0	16.1	1.64	101	58.3	14.35	7.69	2.49	4.06
URC04426		0.49	11.30	0.21	0.26	4.14	121	4.3	16.7	1.70	114	57.9	15.25	7.36	4.24	4.40
URC04427		0.49	11.30	0.18	0.35	6.26	106	2.9	21.4	2.61	92	59.2	14.70	6.35	4.40	4.00
URC04428		0.51	12.10	0.20	0.31	2.80	109	3.7	19.4	2.05	122	62.6	13.40	6.53	3.20	3.75
URC04460D		0.57	10.90	0.22	0.30	2.43	116	3.1	20.3	1.92	119	59.4	15.65	6.75	5.69	4.12
URC04461		0.51	12.05	0.20	0.26	2.60	112	2.7	17.5	1.76	109	58.5	15.50	6.45	5.44	3.87
URC04462		0.54	11.70	0.23	0.30	2.86	123	3.5	20.1	2.12	120	58.4	15.05	7.10	5.57	4.24
URC04463		0.48	11.60	0.22	0.27	2.15	118	2.2	19.0	1.82	112	57.6	15.30	6.85	5.37	4.28
URC04464		0.52	11.00	0.20	0.27	2.45	116	1.9	18.5	1.74	103	57.6	14.95	6.74	4.49	4.31
URC04570		2.37	26.3	0.02	2.16	32.7	<5	5.3	110.0	15.25	57	74.6	12.30	1.38	1.13	0.09
URC04570Z		0.86	12.40	0.34	0.41	4.31	81	23.0	27.3	2.47	223	60.8	13.85	6.85	3.48	2.95
URC04610		2.67	39.6	0.04	2.35	32.1	<5	5.5	132.0	15.90	100	75.1	12.05	1.62	0.81	0.11
URC04611		2.62	38.0	0.03	2.33	32.4	<5	5.3	128.5	14.75	84	74.9	11.20	1.51	0.71	0.13
URC04612		2.76	42.1	0.04	2.34	50.7	<5	5.0	134.0	15.80	97	75.4	11.35	1.47	0.70	0.17



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 5 - D
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOF

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	ME-ICP06	TOT-ICP06	ME-GRA05	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81
		Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SiO	BaO	Total	LOI	Ag	As	Cd	Co	Cu
		%	%	%	%	%	%	%	%	%	%	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.002	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.5	5	0.5	1	1
URC04302		1.70	3.49	0.011	0.53	0.07	0.10	0.01	0.10	99.72	2.73	<0.5	<5	<0.5	16	28
URC04303		0.19	3.67	0.009	0.49	0.09	0.06	0.01	0.06	97.14	3.67	<0.5	<5	<0.5	23	22
URC04304		0.11	4.03	0.008	0.48	0.09	0.06	<0.01	0.05	99.35	3.42	<0.5	<5	0.6	24	40
URC04308		0.60	2.80	0.006	0.35	0.06	0.06	<0.01	0.03	98.21	2.87	<0.5	<5	<0.5	14	122
URC04334		0.71	3.28	0.006	0.35	0.09	0.07	<0.01	0.05	96.89	3.66	0.5	<5	0.8	18	21
URC04335		1.11	3.51	0.007	0.44	0.10	0.07	<0.01	0.05	98.24	4.37	0.6	<5	0.5	22	24
URC04339		1.30	3.78	0.008	0.45	0.10	0.08	0.01	0.06	99.49	4.07	<0.5	<5	<0.5	22	39
URC04340		1.33	3.37	0.008	0.45	0.10	0.08	0.01	0.06	99.59	3.88	<0.5	<5	<0.5	22	26
URC04341		1.22	3.33	0.008	0.47	0.09	0.09	0.01	0.06	98.72	3.75	<0.5	<5	<0.5	20	16
URC04342		1.08	3.40	0.008	0.44	0.09	0.08	0.01	0.06	98.99	3.82	<0.5	<5	<0.5	19	26
URC04343		0.90	3.14	0.007	0.39	0.09	0.07	0.01	0.06	96.90	3.82	<0.5	<5	<0.5	18	23
URC04344		1.10	3.91	0.008	0.46	0.11	0.08	0.01	0.07	99.81	3.95	<0.5	<5	0.5	21	28
URC04344X		3.65	3.65	<0.002	0.18	0.04	0.06	0.02	0.33	97.93	1.84	<0.5	<5	<0.5	1	3
URC04351		0.91	2.63	0.011	0.27	0.08	0.04	0.01	0.05	97.05	8.32	<0.5	<5	<0.5	20	11
URC04352		1.02	3.82	0.013	0.31	0.10	0.07	0.01	0.05	97.97	6.00	<0.5	<5	<0.5	20	23
URC04354		1.17	3.62	0.013	0.31	0.10	0.06	0.01	0.06	100.13	6.46	<0.5	<5	<0.5	22	17
URC04355		1.26	2.77	0.015	0.34	0.11	0.06	0.01	0.05	99.33	4.53	<0.5	<5	<0.5	26	41
URC04380		1.68	3.62	0.021	0.35	0.12	0.06	0.01	0.06	97.22	4.05	<0.5	<5	<0.5	28	47
URC04381		1.47	3.04	0.019	0.34	0.12	0.07	0.01	0.05	97.92	3.38	<0.5	<5	<0.5	28	40
URC04382		1.41	2.94	0.019	0.36	0.11	0.06	0.01	0.05	97.41	3.15	<0.5	<5	<0.5	28	35
URC04383		1.52	3.17	0.020	0.35	0.12	0.06	0.01	0.05	99.37	3.25	<0.5	<5	<0.5	28	37
URC04420																
URC04421																
URC04422		1.10	3.80	0.021	0.37	0.12	0.06	0.01	0.05	98.05	5.35	<0.5	<5	<0.5	25	53
URC04423		1.30	3.84	0.023	0.34	0.13	0.06	0.01	0.05	97.56	5.15	<0.5	<5	<0.5	28	66
URC04424		1.14	3.93	0.021	0.34	0.13	0.06	0.01	0.05	99.69	5.37	<0.5	<5	<0.5	26	235
URC04425		1.64	3.16	0.021	0.33	0.11	0.06	0.01	0.04	96.82	4.56	<0.5	<5	<0.5	27	41
URC04426		1.60	3.37	0.022	0.35	0.12	0.07	0.01	0.05	99.61	4.87	<0.5	<5	<0.5	28	37
URC04427		2.27	3.03	0.020	0.30	0.11	0.05	0.01	0.04	99.87	5.39	<0.5	<5	<0.5	24	42
URC04428		1.46	3.17	0.018	0.33	0.10	0.06	0.01	0.05	99.44	4.76	<0.5	<5	<0.5	24	55
URC04460D		1.40	2.64	0.019	0.35	0.11	0.07	0.01	0.04	98.94	2.69	<0.5	<5	<0.5	27	36
URC04461		1.45	2.77	0.018	0.33	0.10	0.07	0.01	0.05	97.99	3.43	<0.5	<5	<0.5	26	37
URC04462		1.34	2.43	0.020	0.37	0.11	0.07	0.01	0.04	97.70	2.95	<0.5	<5	<0.5	29	35
URC04463		1.43	2.63	0.021	0.35	0.11	0.07	0.01	0.04	97.16	3.10	<0.5	<5	<0.5	29	40
URC04464		1.56	3.02	0.022	0.33	0.11	0.06	0.01	0.04	96.76	3.52	<0.5	<5	<0.5	29	53
URC04570		2.23	5.22	0.002	0.03	0.02	0.02	<0.01	<0.01	98.33	1.31	<0.5	<5	<0.5	1	4
URC04570Z		2.22	3.39	0.009	0.57	0.06	0.18	0.02	0.10	98.98	4.50	<0.5	1415	<0.5	26	68
URC04610		2.21	5.39	0.002	0.06	0.02	0.03	<0.01	<0.01	98.22	0.82	<0.5	<5	<0.5	1	2
URC04611		1.90	5.16	0.002	0.06	0.01	0.03	<0.01	<0.01	96.70	1.09	<0.5	<5	<0.5	1	2
URC04612		1.77	5.43	0.002	0.06	0.01	0.03	<0.01	<0.01	97.40	1.01	<0.5	<5	<0.5	1	2



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 5 - E
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 31-DEC-2025
Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

Sample Description	Method Analyte Units LOD	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	F-XRF24
		Li	Mo	Ni	Pb	Tl	Zn	F
		ppm	ppm	ppm	ppm	ppm	ppm	%
		10	1	1	2	10	2	0.1
URC04302		50	1	33	15	<10	119	
URC04303		60	1	36	22	<10	166	
URC04304		70	1	36	67	<10	281	
URC04308		70	2	26	4	<10	52	
URC04334		50	1	27	81	<10	265	
URC04335		70	1	32	53	<10	214	
URC04339		60	1	38	40	<10	215	
URC04340		60	1	34	30	<10	172	
URC04341		60	1	32	25	<10	174	
URC04342		60	2	32	19	<10	257	
URC04343		50	2	29	31	<10	206	
URC04344		70	1	34	26	<10	448	
URC04344X		30	2	1	23	<10	117	
URC04351		70	1	36	112	<10	137	
URC04352		70	1	39	86	<10	139	
URC04354		70	<1	40	27	<10	147	
URC04355		60	1	47	19	<10	93	
URC04380		80	1	60	26	<10	126	
URC04381		60	1	55	25	<10	107	
URC04382		60	1	56	19	<10	82	
URC04383		60	2	57	24	<10	118	
URC04420								
URC04421								
URC04422		70	1	54	13	<10	99	
URC04423		70	2	62	11	<10	107	
URC04424		60	1	56	9	<10	106	
URC04425		70	1	59	13	<10	90	
URC04426		70	1	60	23	<10	141	
URC04427		60	1	52	26	<10	115	
URC04428		70	2	47	11	<10	80	
URC04460D		60	1	52	25	<10	84	
URC04461		60	1	54	29	<10	102	
URC04462		50	2	57	21	<10	112	
URC04463		60	1	61	21	<10	109	
URC04464		70	1	61	37	<10	131	
URC04570		60	3	1	24	<10	29	
URC04570Z		50	3	29	18	<10	67	
URC04610		70	3	1	43	<10	21	
URC04611		50	3	1	44	<10	16	
URC04612		40	3	2	28	<10	16	

***** See Appendix Page for comments regarding this certificate *****

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD

OFFICES 209-210

20 CONVENTION CENTRE PLACE

SOUTH WHARF VIC 3006

Project: BY

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 31-DEC-2025

Account: UROCOP

CERTIFICATE OF ANALYSIS AD25362104

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
Au-AA26 ME-MS42

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Luis Flores, XRF Manager
ME-GRA05

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 29 & 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 19 Integrity Way, Wangara, WA, Australia
Au-AA26 F-IC881 F-XRF24 ME-4ACD81
ME-GRA05 ME-ICP06 ME-MS42 ME-MS81
ME-XRF24 TOT-ICP06

Applies to Method:

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.
LEV-01 LOG-22 LOG-24 PUL-31h
PUL-QC WEI-21