



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Page: 1

Total # Pages: 7 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2025

This copy reported on 29-OCT-2025

Account: UROCOP

QC CERTIFICATE AD25304223

Project: BY

This report is for 69 samples of RC Drill Chip submitted to our lab in Adelaide, SA, Australia on 2-OCT-2025.

The following have access to data associated with this certificate:

ANDRE COFFA
JUSTIN ORR

EUGENE FERLA

TAYLOR OGDEN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
PUL-32m	Pulverize 500g - 85%<75um
CRU-21	Crush entire sample
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS42	Up to 34 elements by ICP-MS	ICP-MS
F-IC881	F - KOH fusion and IC	IC
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
ME-MS81	Lithium Borate Fusion ICP-MS	ICP-MS
ME-4ACD81	Base Metals by 4-acid dig.	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 – A
Total # Pages: 7 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Ba	Be	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Nb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	1	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05	0.05	0.01	0.1	0.05
STANDARDS															
ECRM 884-1															
ECRM 884-1															
ECRM 884-1															
Target Range – Lower Bound															
Upper Bound															
EMOG-17															
Target Range – Lower Bound															
Upper Bound															
G317-2															
Target Range – Lower Bound															
Upper Bound															
GBM321-8															
GBM321-8															
Target Range – Lower Bound															
Upper Bound															
IMS-247															
Target Range – Lower Bound															
Upper Bound															
ISA-24															
Target Range – Lower Bound															
Upper Bound															
JR-1															
JR-1															
JR-1															
JR-1															
Target Range – Lower Bound															
Upper Bound															
MRCA-21															
Target Range – Lower Bound															
Upper Bound															
MRCA-21															
Target Range – Lower Bound															
Upper Bound															

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	Tb	Th	Ti	Tm	U	V	W
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	0.01	0.05	0.01	0.01	0.05	5	0.5
STANDARDS																
ECRM 884-1																
ECRM 884-1																
ECRM 884-1																
Target Range - Lower Bound																
Upper Bound																
EMOG-17																
Target Range - Lower Bound																
Upper Bound																
G317-2																
Target Range - Lower Bound																
Upper Bound																
GBM321-8																
GBM321-8																
Target Range - Lower Bound																
Upper Bound																
IMS-247																
Target Range - Lower Bound																
Upper Bound																
ISA-24																
Target Range - Lower Bound																
Upper Bound																
JR-1																
JR-1																
JR-1																
JR-1																
Target Range - Lower Bound																
Upper Bound																
MRCA-21																
Target Range - Lower Bound																
Upper Bound																
MRCA-21																
Target Range - Lower Bound																
Upper Bound																

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 – C
Total # Pages: 7 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-MS42
		Y	Yb	Zr	Ag	As	Cd	Co	Cu	Li	Mo	Ni	Pb	Tl	Zn	Bi
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.03	1	0.5	5	0.5	1	1	10	1	1	2	10	2	0.01
STANDARDS																
ECRM 884-1																
ECRM 884-1																
ECRM 884-1																
Target Range – Lower Bound																
Upper Bound																
EMOG-17																
Target Range – Lower Bound																
Upper Bound																
G317-2																
Target Range – Lower Bound																
Upper Bound																
GBM321-8																
GBM321-8																
Target Range – Lower Bound																
Upper Bound																
IMS-247																
Target Range – Lower Bound																
Upper Bound																
ISA-24																
Target Range – Lower Bound																
Upper Bound																
JR-1																
JR-1																
JR-1																
JR-1																
Target Range – Lower Bound																
Upper Bound																
MRCA-21																
Target Range – Lower Bound																
Upper Bound																
MRCA-21																
Target Range – Lower Bound																
Upper Bound																

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 2 - D
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS42	ME-MS42	F-IC881	Au-AA26
		Hg	Te	F	Au
		ppm	ppm	ppm	ppm
		0.005	0.01	20	0.01
STANDARDS					
ECRM 884-1			4020		
ECRM 884-1			3980		
ECRM 884-1			3990		
Target Range - Lower Bound			3680		
Upper Bound			4550		
EMOG-17					
Target Range - Lower Bound					
Upper Bound					
G317-2				13.20	
Target Range - Lower Bound				12.20	
Upper Bound				13.75	
GBM321-8					
GBM321-8					
Target Range - Lower Bound					
Upper Bound					
IMS-247				4.04	
Target Range - Lower Bound				3.98	
Upper Bound				4.50	
ISA-24				0.32	
Target Range - Lower Bound				0.29	
Upper Bound				0.34	
JR-1			880		
JR-1			970		
JR-1			970		
JR-1			960		
Target Range - Lower Bound			870		
Upper Bound			1110		
MRCA-21					
Target Range - Lower Bound					
Upper Bound					
MRCA-21		0.068	0.14		
Target Range - Lower Bound		0.053	0.09		
Upper Bound		0.087	0.15		

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 – A
Total # Pages: 7 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOF

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Ba	Be	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Nb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	1	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05	0.05	0.01	0.1	0.01	0.05
STANDARDS																
OGAT-21																
OGAT-21																
Target Range – Lower Bound																
Upper Bound																
OREAS 147		1945	29	1190	79	244	8.90	2.71	10.25	17.9	21.0	5.64	1.34	716	0.23	1230
Target Range – Lower Bound		1760	29	1080	62	211	7.62	2.33	9.16	17.3	19.55	4.86	1.10	628	0.19	1065
Upper Bound		2150	37	1320	90	257	9.42	2.91	11.25	21.3	24.0	6.05	1.36	768	0.25	1300
OREAS 20b																
Target Range – Lower Bound																
Upper Bound																
OREAS 20b		1040	3	74.6	58	11.20	5.59	2.97	1.38	19.7	6.81	6.99	1.10	35.3	0.43	12.65
Target Range – Lower Bound		937	<1	71.9	50	10.50	5.31	2.73	1.29	19.1	6.24	6.21	1.00	34.9	0.35	12.00
Upper Bound		1145	5	88.1	76	12.90	6.61	3.41	1.62	23.5	7.74	7.71	1.24	42.9	0.45	14.80
OREAS 262b																
Target Range – Lower Bound																
Upper Bound																
OREAS 460		856	2	1885	394	3.95	19.70	5.57	22.3	24.7	50.4	11.25	2.77	1385	0.46	721
Target Range – Lower Bound		727	<1	1620	349	3.30	17.75	5.38	20.4	23.8	45.0	10.55	2.48	1230	0.46	628
Upper Bound		889	5	1980	437	4.06	21.8	6.64	25.0	29.3	55.1	13.05	3.06	1505	0.58	768
OREAS 503e																
Target Range – Lower Bound																
Upper Bound																
OREAS 520C																
Target Range – Lower Bound																
Upper Bound																
OREAS-45h																
Target Range – Lower Bound																
Upper Bound																
SY-5		6660	5	475	144	0.53	11.15	5.22	7.59	20.7	19.15	15.10	2.13	225	0.71	21.5
Target Range – Lower Bound		5830	2	413	131	0.54	10.15	4.81	6.86	18.7	17.75	13.70	1.83	202	0.62	19.95
Upper Bound		7130	7	505	172	0.68	12.50	5.95	8.42	23.1	21.8	16.90	2.25	248	0.78	24.5

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	Tb	Th	Ti	Tm	U	V	W
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	0.01	0.05	0.01	0.01	0.05	5	0.5
STANDARDS																
OGAT-21																
OGAT-21																
Target Range – Lower Bound																
Upper Bound																
OREAS 147		381	123.5	1195	10.9	48.2	773	287	17.1	2.16	92.5	0.50	0.30	15.60	68	5.1
Target Range – Lower Bound		341	110.0	1065	9.1	43.1	687	272	15.9	1.89	85.5	0.42	0.26	14.15	54	4.7
Upper Bound		417	134.0	1305	12.3	52.7	841	332	19.7	2.33	104.5	0.54	0.34	17.45	80	7.3
OREAS 20b																
Target Range – Lower Bound																
Upper Bound																
OREAS 20b		36.2	8.60	171.5	8.9	7.69	5.4	152.0	1.1	0.96	14.30	0.36	0.41	4.39	64	11.7
Target Range – Lower Bound		32.8	8.39	158.0	7.8	6.98	3.9	144.0	0.9	0.93	14.15	0.33	0.38	4.22	55	9.9
Upper Bound		40.3	10.30	194.0	10.7	8.60	6.5	176.0	1.4	1.15	17.45	0.42	0.48	5.26	81	13.3
OREAS 262b																
Target Range – Lower Bound																
Upper Bound																
OREAS 460		846	235	75.9	30.7	111.0	16.9	304	12.9	4.87	114.0	1.28	0.66	4.18	271	5.2
Target Range – Lower Bound		739	220	67.3	27.2	96.3	13.9	274	12.2	4.35	104.5	1.07	0.62	3.74	235	3.8
Upper Bound		903	268	82.7	34.4	117.5	18.1	336	15.2	5.33	127.5	1.33	0.78	4.68	299	6.3
OREAS 503e																
Target Range – Lower Bound																
Upper Bound																
OREAS 520C																
Target Range – Lower Bound																
Upper Bound																
OREAS-45h																
Target Range – Lower Bound																
Upper Bound																
SY-5		207	56.1	75.1	12.7	30.8	2.3	3140	1.0	2.28	25.0	1.08	0.72	5.14	138	<0.5
Target Range – Lower Bound		187.0	49.8	69.0	10.6	28.0	1.4	2790	0.8	2.02	22.6	0.94	0.64	4.53	125	<0.5
Upper Bound		229	60.9	84.8	14.1	34.2	3.7	3410	1.3	2.50	27.8	1.18	0.81	5.65	163	1.6

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-MS42
		Y	Yb	Zr	Ag	As	Cd	Co	Cu	Li	Mo	Ni	Pb	Tl	Zn	Bi
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.03	1	0.5	5	0.5	1	1	10	1	1	2	10	2	0.01
STANDARDS																
OGAT-21					65.2	544	19.5	702	7610	30	937	7020	7890	<10	8190	
OGAT-21					65.1	549	19.6	700	7580	30	941	7120	8000	<10	8300	
Target Range – Lower Bound					58.2	490	17.5	635	7110	<10	841	6300	7170	<10	7340	
Upper Bound					72.2	610	22.5	779	8190	50	1030	7700	8770	20	8980	
OREAS 147		27.4	1.53	236												
Target Range – Lower Bound		24.7	1.44	206												
Upper Bound		30.5	1.82	254												
OREAS 20b																1.06
Target Range – Lower Bound																0.74
Upper Bound																0.92
OREAS 20b		31.0	2.66	254												
Target Range – Lower Bound		28.3	2.39	228												
Upper Bound		34.8	2.99	280												
OREAS 262b																0.64
Target Range – Lower Bound																0.61
Upper Bound																0.77
OREAS 460		61.3	3.69	491												
Target Range – Lower Bound		53.9	3.49	424												
Upper Bound		66.1	4.33	520												
OREAS 503e																
Target Range – Lower Bound																
Upper Bound																
OREAS 520C																
Target Range – Lower Bound																
Upper Bound																
OREAS-45h																0.10
Target Range – Lower Bound																0.10
Upper Bound																0.16
SY-5		56.0	4.53	816												
Target Range – Lower Bound		50.6	4.15	727												
Upper Bound		62.0	5.13	891												

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD

OFFICES 209-210

20 CONVENTION CENTRE PLACE

SOUTH WHARF VIC 3006

Project: BY

Page: 3 - D

Total # Pages: 7 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2025

Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS42	ME-MS42	F-IC881	Au-AA26
		Hg	Te	F	Au
		ppm	ppm	ppm	ppm
		0.005	0.01	20	0.01
STANDARDS					
OGAT-21					
OGAT-21					
Target Range – Lower Bound					
Upper Bound					
OREAS 147					
Target Range – Lower Bound					
Upper Bound					
OREAS 20b		<0.005	0.02		
Target Range – Lower Bound		<0.005	<0.01		
Upper Bound		0.010	0.05		
OREAS 20b					
Target Range – Lower Bound					
Upper Bound					
OREAS 262b		0.065	0.10		
Target Range – Lower Bound		0.040	0.07		
Upper Bound		0.072	0.11		
OREAS 460					
Target Range – Lower Bound					
Upper Bound					
OREAS 503e					0.70
Target Range – Lower Bound					0.66
Upper Bound					0.76
OREAS 520C				790	
Target Range – Lower Bound				610	
Upper Bound				790	
OREAS-45h		0.031	0.10		
Target Range – Lower Bound		0.012	0.02		
Upper Bound		0.036	0.06		
SY-5					
Target Range – Lower Bound					
Upper Bound					

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 4 – A
Total # Pages: 7 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Ba	Be	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	1	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05	0.05	0.01	0.1	0.01
BLANKS															
BLANK															
BLANK															
Target Range – Lower Bound															
Upper Bound															
BLANK															
BLANK															
BLANK															
BLANK															
Target Range – Lower Bound															
Upper Bound															
BLANK															
BLANK															
BLANK															
Target Range – Lower Bound															
Upper Bound															
BLANK															
BLANK															
Target Range – Lower Bound															
Upper Bound															
BLANK		3.0	<1	0.1	<5	0.01	<0.05	<0.03	<0.02	<0.1	<0.05	<0.05	<0.01	0.1	<0.01
BLANK		5.8	<1	<0.1	<5	<0.01	<0.05	0.03	0.02	<0.1	<0.05	<0.05	0.01	<0.1	0.01
Target Range – Lower Bound		<0.5		<0.1	<5	<0.01	<0.05	<0.03	<0.02	<0.1	<0.05	<0.05	<0.01	<0.1	<0.01
Upper Bound		1.0		0.2	10	0.02	0.10	0.06	0.04	0.2	0.10	0.10	0.02	0.2	0.02
DUPLICATES															
ORIGINAL															
DUP															
Target Range – Lower Bound															
Upper Bound															
URC03812															
DUP															
Target Range – Lower Bound															
Upper Bound															

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	Tb	Th	Ti	Tm	U	V	W
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	0.01	0.05	0.01	0.01	0.05	5	0.5
BLANKS																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK		<0.1	<0.02	<0.2	<0.5	<0.03	<0.5	0.1	<0.1	<0.01	<0.05	<0.01	<0.01	<0.05	<5	<0.5
BLANK		<0.1	<0.02	<0.2	<0.5	<0.03	<0.5	0.2	<0.1	0.01	<0.05	<0.01	0.01	<0.05	<5	0.5
Target Range – Lower Bound		<0.1	<0.02	<0.2		<0.03	<0.5	<0.1	<0.1	<0.01	<0.05	<0.01	<0.01	<0.05	<5	<0.5
Upper Bound		0.2	0.04	0.4		0.06	1.0	0.2	0.2	0.02	0.10	0.02	0.02	0.10	10	1.0
DUPLICATES																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
URC03812																
DUP																
Target Range – Lower Bound																
Upper Bound																

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD

OFFICES 209-210

20 CONVENTION CENTRE PLACE

SOUTH WHARF VIC 3006

Project: BY

Page: 4 - D

Total # Pages: 7 (A - D)

Plus Appendix Pages

Finalized Date: 28-OCT-2025

Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS42 Hg ppm 0.005	ME-MS42 Te ppm 0.01	F-IC881 F ppm 20	Au-AA26 Au ppm 0.01
BLANKS					
BLANK					<0.01
BLANK					<0.01
Target Range - Lower Bound					<0.01
Upper Bound					0.02
BLANK				<20	
BLANK				<20	
BLANK				<20	
BLANK				<20	
Target Range - Lower Bound				<20	
Upper Bound				40	
BLANK					
BLANK					
BLANK					
Target Range - Lower Bound					
Upper Bound					
BLANK		0.005	<0.01		
BLANK		<0.005	<0.01		
Target Range - Lower Bound		<0.005	<0.01		
Upper Bound		0.010	0.02		
BLANK					
BLANK					
Target Range - Lower Bound					
Upper Bound					
DUPLICATES					
ORIGINAL					
DUP					
Target Range - Lower Bound					
Upper Bound					
URC03812				1420	
DUP				1470	
Target Range - Lower Bound				1350	
Upper Bound				1540	

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOF

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ba	Be	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Nb	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	1	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05	0.05	0.01	0.1	0.01	0.01	0.05
URC04158 DUP Target Range – Lower Bound Upper Bound		DUPLICATES															
URC04223 DUP Target Range – Lower Bound Upper Bound		360 376 349 387	2 2 <1 3	59.7 56.3 55.0 61.0	46 48 40 54	7.74 7.99 7.46 8.27	2.15 2.34 2.08 2.41	1.27 1.32 1.20 1.39	0.62 0.65 0.58 0.69	15.2 15.9 14.7 16.4	2.41 2.58 2.32 2.67	2.20 2.24 2.06 2.38	0.47 0.44 0.42 0.49	30.1 28.8 27.9 31.0	0.18 0.22 0.18 0.22	4.76 4.84 4.51 5.09	
URC04239 DUP Target Range – Lower Bound Upper Bound																	
URC04333 DUP Target Range – Lower Bound Upper Bound																	
URC04337 DUP Target Range – Lower Bound Upper Bound		488 521 479 530	2 3 <1 4	75.6 79.0 73.3 81.3	49 50 42 57	7.23 7.44 6.96 7.71	3.41 3.77 3.36 3.82	1.99 2.09 1.91 2.17	0.79 0.78 0.73 0.84	17.7 19.4 17.5 19.6	3.62 3.76 3.46 3.92	3.82 3.92 3.63 4.11	0.73 0.75 0.69 0.79	37.8 39.7 36.7 40.8	0.32 0.30 0.28 0.34	7.64 8.00 7.38 8.26	
URC04338 DUP Target Range – Lower Bound Upper Bound																	
URC03474 DUP Target Range – Lower Bound Upper Bound																	
URC03582X DUP Target Range – Lower Bound Upper Bound		3030 3010 2870 3170	3 3 2 4	91.7 90.1 86.3 95.5	<5 <5 <5 10	6.53 6.23 6.05 6.71	3.77 3.61 3.46 3.92	0.93 0.95 0.86 1.02	1.31 1.20 1.17 1.34	21.8 21.4 20.4 22.8	6.09 5.90 5.65 6.34	7.68 8.06 7.43 8.31	0.51 0.48 0.46 0.53	45.1 44.9 42.7 47.4	0.05 0.06 0.04 0.07	18.90 18.65 17.80 19.75	

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 5 – B
Total # Pages: 7 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOF

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	Tb	Th	Ti	Tm	U	V	W
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	0.01	0.05	0.01	0.01	0.05	5	0.5
URC04158 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
URC04223 DUP Target Range – Lower Bound Upper Bound		21.7 21.1 20.2 22.6	6.65 6.23 6.10 6.78	287 298 278 307	15.4 14.8 13.8 16.4	3.61 3.62 3.40 3.83	2.2 2.3 1.6 2.9	22.2 23.4 21.6 24.0	0.5 0.5 0.4 0.6	0.38 0.37 0.35 0.40	8.15 8.44 7.83 8.76	0.17 0.18 0.16 0.19	0.19 0.18 0.17 0.20	2.08 2.16 1.96 2.28	85 88 77 96	3.4 3.5 2.8 4.1
URC04239 DUP Target Range – Lower Bound Upper Bound																
URC04333 DUP Target Range – Lower Bound Upper Bound																
URC04337 DUP Target Range – Lower Bound Upper Bound		27.9 29.5 27.2 30.2	8.22 8.71 8.02 8.91	323 344 317 350	16.8 18.9 16.5 19.2	4.46 4.93 4.43 4.96	3.4 3.5 2.8 4.1	24.6 24.7 23.3 26.0	0.9 0.8 0.7 1.0	0.64 0.58 0.57 0.65	13.75 15.15 13.70 15.20	0.26 0.27 0.24 0.29	0.30 0.32 0.28 0.34	2.91 3.35 2.92 3.34	98 100 89 109	3.3 4.3 3.1 4.5
URC04338 DUP Target Range – Lower Bound Upper Bound																
URC03474 DUP Target Range – Lower Bound Upper Bound																
URC03582X DUP Target Range – Lower Bound Upper Bound		39.9 39.9 37.8 42.0	10.40 10.30 9.81 10.90	149.0 142.0 138.0 153.0	4.9 4.2 3.8 5.3	7.97 8.08 7.59 8.46	3.9 4.0 3.3 4.6	181.5 176.0 169.5 188.0	1.4 1.5 1.3 1.6	0.80 0.80 0.75 0.85	15.15 14.95 14.25 15.85	0.12 0.12 0.10 0.14	0.11 0.12 0.10 0.13	6.13 6.00 5.71 6.42	<5 <5 <5 10	2.1 2.1 1.5 2.7

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-MS42
		Y	Yb	Zr	Ag	As	Cd	Co	Cu	Li	Mo	Ni	Pb	Tl	Zn	Bi
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.03	1	0.5	5	0.5	1	1	10	1	1	2	10	2	0.01
URC04158 DUP Target Range - Lower Bound Upper Bound		DUPLICATES														0.12 0.13 0.11 0.14
URC04223 DUP Target Range - Lower Bound Upper Bound		12.8 13.1 12.2 13.7	1.26 1.34 1.21 1.40	84 85 79 90												
URC04239 DUP Target Range - Lower Bound Upper Bound																
URC04333 DUP Target Range - Lower Bound Upper Bound					<0.5 <0.5 <0.5 1.0	<5 <5 <0.5 10	<0.5 <0.5 <0.5 1.0	22 21 19 24	23 21 20 24	70 70 60 80	1 1 <1 2	37 35 33 39	67 67 62 72	<10 <10 <10 20	178 164 160 182	
URC04337 DUP Target Range - Lower Bound Upper Bound		20.2 20.8 19.4 21.6	2.03 1.96 1.87 2.12	161 155 149 167												
URC04338 DUP Target Range - Lower Bound Upper Bound																
URC03474 DUP Target Range - Lower Bound Upper Bound																87.4 93.0 85.7 94.7
URC03582X DUP Target Range - Lower Bound Upper Bound		16.8 15.8 15.4 17.2	0.55 0.57 0.50 0.62	311 311 294 328												

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD

OFFICES 209-210

20 CONVENTION CENTRE PLACE

SOUTH WHARF VIC 3006

Project: BY

Page: 5 – D

Total # Pages: 7 (A – D)

Plus Appendix Pages

Finalized Date: 28-OCT-2025

Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS42 Hg ppm 0.005	ME-MS42 Te ppm 0.01	F-IC881 F ppm 20	Au-AA26 Au ppm 0.01
URC04158 DUP Target Range – Lower Bound Upper Bound		0.006 0.006 <0.005 0.010	0.02 0.02 <0.01 0.03	DUPLICATES	
URC04223 DUP Target Range – Lower Bound Upper Bound					
URC04239 DUP Target Range – Lower Bound Upper Bound				>20000 >20000 19000 >20000	
URC04333 DUP Target Range – Lower Bound Upper Bound					
URC04337 DUP Target Range – Lower Bound Upper Bound					
URC04338 DUP Target Range – Lower Bound Upper Bound				3580 3640 3410 3810	
URC03474 DUP Target Range – Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010	0.02 0.01 <0.01 0.02		
URC03582X DUP Target Range – Lower Bound Upper Bound					

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Ba	Be	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Lu	Nb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	1	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05	0.05	0.01	0.1	0.01	0.05
URC03771 DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
URC03893 DUP Target Range - Lower Bound Upper Bound																
URC03901 DUP Target Range - Lower Bound Upper Bound		163.0 172.5 159.0 176.5	4 4 3 5	146.5 155.0 143.0 158.5	10 10 <5 16	30.6 32.4 29.9 33.1	10.75 11.25 10.40 11.60	6.57 7.02 6.43 7.16	0.57 0.55 0.51 0.61	21.2 22.2 20.5 22.9	10.80 11.05 10.35 11.50	5.86 5.91 5.54 6.23	2.25 2.38 2.19 2.44	69.6 73.1 67.7 75.0	0.92 1.04 0.92 1.04	23.9 24.9 23.1 25.7
LB_20250908_009S DUP Target Range - Lower Bound Upper Bound																
RR07 DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD

OFFICES 209-210

20 CONVENTION CENTRE PLACE

SOUTH WHARF VIC 3006

Project: BY

Page: 6 – B

Total # Pages: 7 (A – D)

Plus Appendix Pages

Finalized Date: 28-OCT-2025

Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	Tb	Th	Ti	Tm	U	V	W
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	0.01	0.05	0.01	0.01	0.05	5	0.5
URC03771 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
URC03893 DUP Target Range – Lower Bound Upper Bound																
URC03901 DUP Target Range – Lower Bound Upper Bound		58.3 61.7 56.9 63.1	15.70 16.70 15.35 17.05	731 747 702 776	5.9 5.5 4.9 6.5	12.10 12.95 11.85 13.20	113.0 131.5 115.5 129.0	16.6 17.2 16.0 17.8	3.3 3.6 3.2 3.7	1.76 1.92 1.74 1.94	58.7 62.6 57.6 63.7	0.11 0.12 0.10 0.13	1.02 1.04 0.97 1.09	31.4 32.6 30.4 33.7	6 7 <5 10	5.9 6.3 5.3 6.9
LB_20250908_009S DUP Target Range – Lower Bound Upper Bound																
RR07 DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD

OFFICES 209-210

20 CONVENTION CENTRE PLACE

SOUTH WHARF VIC 3006

Project: BY

Page: 6 – D

Total # Pages: 7 (A – D)

Plus Appendix Pages

Finalized Date: 28-OCT-2025

Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS42	ME-MS42	F-IC881	Au-AA26
		Hg	Te	F	Au
		ppm	ppm	ppm	ppm
		0.005	0.01	20	0.01
DUPLICATES					
URC03771				1310	
DUP				1310	
Target Range – Lower Bound				1220	
Upper Bound				1400	
URC03893					
DUP					
Target Range – Lower Bound					
Upper Bound					
URC03901					
DUP					
Target Range – Lower Bound					
Upper Bound					
LB_20250908_009S				<0.01	
DUP				<0.01	
Target Range – Lower Bound				<0.01	
Upper Bound				0.02	
RR07				<0.01	
DUP				<0.01	
Target Range – Lower Bound				<0.01	
Upper Bound				0.02	
ORIGINAL				<0.01	
DUP				<0.01	
Target Range – Lower Bound				<0.01	
Upper Bound				0.02	
ORIGINAL				0.01	
DUP				0.01	
Target Range – Lower Bound				<0.01	
Upper Bound				0.02	
ORIGINAL				0.02	
DUP				0.02	
Target Range – Lower Bound				<0.01	
Upper Bound				0.03	

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 7 – A
Total # Pages: 7 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Ba	Be	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	Ho	La	Nb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.5	1	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05	0.05	0.01	0.1	0.05
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES													

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 7 – B
Total # Pages: 7 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	Tb	Th	Ti	Tm	U	V
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	0.01	0.05	0.01	0.01	0.05	5
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES													

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD
OFFICES 209-210
20 CONVENTION CENTRE PLACE
SOUTH WHARF VIC 3006

Project: BY

Page: 7 – C
Total # Pages: 7 (A – D)
Plus Appendix Pages
Finalized Date: 28-OCT-2025
Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-4ACD81	ME-MS42
		Y	Yb	Zr	Ag	As	Cd	Co	Cu	Li	Mo	Ni	Pb	Tl	Zn	Bi
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.03	1	0.5	5	0.5	1	1	10	1	1	2	10	2	0.01
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES														

Comments: Total sample weighed in Au-AA26 as indicated in Wt. Sample

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: URO CORPORATION PTY LTD

OFFICES 209-210

20 CONVENTION CENTRE PLACE

SOUTH WHARF VIC 3006

Project: BY

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 28-OCT-2025

Account: UROCOP

QC CERTIFICATE OF ANALYSIS AD25304223

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
Au-AA26 ME-MS42

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 29 & 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 19 Integrity Way, Wangara, WA, Australia
Au-AA26 F-IC881 ME-4ACD81 ME-MS42
ME-MS81

Applies to Method:

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.
CRU-21 LEV-01 LOG-22 PUL-32m
PUL-QC WEI-21