



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 1

Total # Pages: 9 (A – D)

Plus Appendix Pages

Finalized Date: 19-FEB-2026

This copy reported on 26-FEB-2026

Account: CASTCOP

CERTIFICATE AD26005966

Project: Harts

This report is for 314 samples of Percussion submitted to our lab in Adelaide, SA, Australia on 30-DEC-2025.

The following have access to data associated with this certificate:

KEVIN DAS

JOEL LOGAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample – Split/Retain
SPL-21	Split sample – riffle splitter
PUL-32m	Pulverize 500g – 85%<75um
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS89L	Super Trace DL Na2O2 by ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

Signature:

Andrey Tairov, Technical Manager, Ireland



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – A
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	PUL-QC Pass75um %	WEI-21 Recvd Wt. kg	ME-MS89L Ag ppm	ME-MS89L As ppm	ME-MS89L Ba ppm	ME-MS89L Be ppm	ME-MS89L Bi ppm	ME-MS89L Ca %	ME-MS89L Cd ppm	ME-MS89L CeO2 ppm	ME-MS89L Co ppm	ME-MS89L Cs ppm	ME-MS89L Cu ppm	ME-MS89L Dy2O3 ppm	ME-MS89L Er2O3 ppm
		0.01	0.02	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00001		98.0	0.98	<5	5	448	1.9	0.3	5.8	<0.8	61.5	26.9	2.6	40	6.21	4.06
NFM00002		96.0	0.93	<5	<4	403	2.0	0.4	15.5	<0.8	52.6	12.5	3.9	20	4.25	2.79
NFM00003		91.0	1.69	<5	4	601	2.1	0.2	5.3	<0.8	72.6	21.7	2.8	40	5.61	3.30
NFM00004			2.86	<5	<4	471	1.7	0.2	8.5	<0.8	68.7	13.0	3.8	30	4.85	2.89
NFM00005			3.09	<5	4	464	1.9	0.4	7.8	<0.8	91.6	14.8	5.2	30	6.15	3.65
NFM00006			4.36	<5	4	361	0.7	0.2	>25.0	<0.8	44.3	7.3	1.2	<20	3.37	2.08
NFM00007			1.46	<5	4	387	0.7	0.3	>25.0	<0.8	44.0	7.4	1.7	<20	3.34	2.22
NFM00008			1.04	<5	4	380	0.6	0.3	>25.0	<0.8	42.4	5.8	3.6	<20	2.82	1.60
NFM00009			1.62	<5	4	262	1.9	0.2	5.9	<0.8	71.9	12.6	3.2	30	4.60	2.73
NFM00010			1.91	<5	5	162	1.2	0.3	12.2	<0.8	52.6	25.5	2.7	60	4.94	3.13
NFM00011			2.27	<5	4	179	2.0	0.4	8.1	<0.8	59.9	36.6	1.9	60	6.99	4.45
NFM00012			1.55	<5	5	295	1.4	0.2	7.4	<0.8	78.4	29.7	1.5	30	5.30	3.35
NFM00013			1.61	<5	<4	589	2.2	0.1	2.5	<0.8	115.0	23.2	2.2	40	5.89	3.42
NFM00014			1.66	<5	<4	556	3.1	0.1	1.4	<0.8	114.5	24.0	3.0	50	6.15	3.77
NFM00015			1.95	<5	<4	553	3.4	<0.1	1.2	<0.8	137.5	24.0	2.9	30	6.19	3.72
NFM00915			2.21	<5	<4	488	1.5	0.2	15.6	<0.8	87.2	14.5	2.8	20	5.04	3.01
NFM00916			2.94	<5	4	479	1.9	0.2	5.2	<0.8	76.4	21.5	2.9	30	6.43	3.98
NFM00917			3.02	<5	4	474	1.8	0.2	5.8	<0.8	79.4	12.0	3.9	30	5.00	2.97
NFM00918			2.50	<5	4	434	1.6	0.2	7.7	<0.8	78.5	13.3	4.6	30	4.20	2.44
NFM00919			3.50	<5	<4	461	1.9	0.3	6.2	<0.8	88.4	12.7	5.4	20	5.03	2.98
NFM00920			4.58	<5	4	389	0.7	0.2	>25.0	<0.8	44.2	5.6	1.3	<20	2.98	1.77
NFM00921			0.93	<5	<4	52	<0.4	0.1	21.8	<0.8	1.0	<0.5	<0.1	<20	0.07	0.03
NFM00922			<0.02	<5	5	2990	10.8	0.2	0.2	<0.8	636	33.1	7.7	40	6.74	1.72
NFM00923			2.90	<5	<4	318	1.1	0.4	19.4	<0.8	63.5	14.9	2.4	<20	4.60	2.60
NFM00924			3.27	<5	5	233	2.0	0.4	4.4	<0.8	73.7	24.3	2.9	30	7.60	4.38
NFM00925			2.19	<5	6	170	1.5	0.3	7.5	<0.8	59.0	25.2	2.1	40	6.86	3.91
NFM00926			2.24	<5	5	447	1.5	0.2	7.4	<0.8	83.5	20.6	3.5	40	6.22	3.10
NFM00927			2.24	<5	5	506	2.5	0.1	2.3	<0.8	98.4	23.2	2.0	40	6.16	3.05
NFM00928			2.43	<5	4	535	3.0	0.1	1.1	<0.8	132.5	25.6	3.0	100	7.62	4.16
NFM00929			2.27	<5	5	546	2.7	0.1	1.0	<0.8	144.5	26.5	2.8	70	6.93	3.54
NFM00930			2.30	<5	4	559	2.3	0.1	0.9	<0.8	132.0	25.1	2.4	<20	6.28	3.10
NFM00931			2.37	<5	4	548	2.4	0.1	0.8	<0.8	130.0	26.3	2.4	<20	6.92	3.42
NFM00932			2.08	<5	<4	553	2.9	0.2	0.9	<0.8	141.5	22.2	2.7	20	6.34	3.27
NFM00933			1.91	<5	<4	520	3.1	0.1	1.2	<0.8	152.5	23.4	2.8	20	6.84	3.29
NFM00934			2.31	<5	<4	499	2.8	0.1	1.1	<0.8	164.5	25.6	3.0	30	7.32	3.50
NFM00935			2.07	<5	<4	501	2.9	0.1	0.9	<0.8	139.5	23.5	2.6	<20	6.19	3.17
NFM00936			2.07	<5	<4	515	2.9	0.3	1.0	<0.8	137.5	23.5	3.3	60	6.46	3.65
NFM00937			2.30	<5	<4	516	2.4	0.2	1.6	<0.8	118.0	20.6	5.4	60	6.20	3.76
NFM00938			1.89	<5	<4	387	<0.4	0.3	>25.0	<0.8	48.3	6.4	1.7	<20	3.35	1.83
NFM00016			1.03	<5	<4	284	0.4	0.1	1.2	<0.8	52.0	10.8	2.3	20	3.78	2.88

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 - B
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1
NFM00001		1.46	5.67	18.9	6.34	2.1	1.33	<0.3	1.24	26.6	16	0.51	3.25	990	<2	13
NFM00002		0.94	3.18	13.1	4.76	1.9	0.94	<0.3	1.01	22.2	12	0.39	3.10	650	<2	11
NFM00003		1.31	5.42	19.0	6.33	2.2	1.15	<0.3	1.81	32.8	20	0.44	2.58	710	<2	13
NFM00004		1.25	3.77	15.2	5.58	1.7	1.05	<0.3	1.78	31.1	16	0.39	2.06	570	<2	16
NFM00005		1.49	3.99	17.3	7.20	2.2	1.31	<0.3	2.03	40.6	22	0.48	2.39	650	<2	19
NFM00006		0.69	1.76	6.6	3.80	1.3	0.73	<0.3	0.72	19.05	6	0.26	1.56	430	<2	7
NFM00007		0.79	1.91	8.3	3.64	2.2	0.72	<0.3	0.83	18.55	6	0.31	1.60	460	<2	10
NFM00008		0.71	1.77	8.0	3.15	2.4	0.61	<0.3	0.95	18.70	8	0.24	1.43	430	<2	7
NFM00009		1.18	3.34	15.2	5.46	2.8	0.97	<0.3	1.32	31.9	18	0.33	1.84	420	<2	14
NFM00010		1.38	5.29	15.6	5.34	2.9	1.15	<0.3	0.87	21.8	20	0.38	4.36	850	<2	10
NFM00011		1.98	5.06	15.8	7.79	1.9	1.45	<0.3	1.01	25.0	16	0.56	3.11	710	<2	10
NFM00012		1.41	6.47	18.4	6.11	1.7	1.16	<0.3	1.52	35.3	13	0.44	4.18	1240	<2	14
NFM00013		1.60	5.93	21.4	7.33	2.2	1.19	<0.3	2.70	50.8	19	0.44	1.97	1100	<2	20
NFM00014		1.53	6.47	27.9	7.23	2.2	1.33	<0.3	3.12	57.6	25	0.49	1.99	900	<2	23
NFM00015		1.64	6.57	27.9	7.81	1.8	1.31	<0.3	3.29	67.4	24	0.43	2.02	620	<2	21
NFM00915		1.10	3.67	13.9	5.47	1.4	1.07	<0.3	1.41	39.5	11	0.41	1.92	690	<2	14
NFM00916		1.33	4.83	18.8	6.47	1.9	1.40	<0.3	1.89	33.4	20	0.51	2.32	660	<2	14
NFM00917		1.16	3.38	15.6	5.97	2.0	1.04	<0.3	2.04	34.9	19	0.34	2.19	550	<2	17
NFM00918		1.13	3.65	15.6	5.11	1.9	0.87	<0.3	1.85	35.3	11	0.32	2.05	530	<2	16
NFM00919		1.18	3.75	15.4	6.33	1.8	1.08	<0.3	2.11	39.5	18	0.36	2.42	590	<2	17
NFM00920		0.58	1.51	5.7	3.48	1.1	0.63	<0.3	0.80	19.20	5	0.26	1.37	380	<2	7
NFM00921		<0.03	0.05	0.8	0.12	1.0	0.02	<0.3	0.05	0.45	<2	<0.06	13.50	30	<2	<1
NFM00922		8.88	20.5	23.4	20.00	3.3	0.88	0.5	4.73	246	520	0.16	1.08	5900	43	581
NFM00923		1.29	3.77	12.3	5.59	1.1	0.95	<0.3	1.04	27.8	12	0.32	2.10	700	<2	12
NFM00924		1.99	5.41	19.9	8.37	2.3	1.52	<0.3	1.46	33.0	22	0.68	2.61	700	2	16
NFM00925		1.88	5.15	16.7	7.19	2.5	1.39	<0.3	1.01	26.0	23	0.58	3.73	730	2	12
NFM00926		1.75	4.97	17.7	7.72	2.0	1.20	<0.3	1.93	35.9	17	0.49	3.57	820	<2	18
NFM00927		1.73	5.50	20.1	7.54	1.4	1.17	<0.3	2.22	45.6	16	0.42	1.73	930	<2	18
NFM00928		1.83	6.42	29.6	8.84	1.9	1.48	<0.3	3.08	69.1	36	0.57	1.94	700	<2	22
NFM00929		1.77	6.57	30.2	8.90	1.6	1.37	<0.3	2.93	73.3	29	0.44	1.98	640	<2	22
NFM00930		1.78	6.81	31.3	8.22	1.3	1.15	<0.3	2.85	68.8	26	0.33	1.94	690	<2	21
NFM00931		1.74	7.09	31.7	8.48	1.6	1.27	<0.3	2.83	67.9	24	0.39	1.98	720	<2	23
NFM00932		1.85	6.71	29.9	8.26	1.5	1.35	0.3	3.00	70.3	22	0.40	1.86	720	<2	19
NFM00933		1.92	6.77	29.1	9.16	1.2	1.34	<0.3	2.87	74.8	25	0.36	2.07	720	<2	19
NFM00934		2.06	6.74	29.5	9.00	1.4	1.36	<0.3	2.81	82.4	26	0.38	2.26	770	<2	21
NFM00935		1.78	6.83	29.3	8.43	1.3	1.24	<0.3	2.73	72.7	27	0.39	2.01	730	<2	19
NFM00936		1.78	6.81	30.0	8.59	1.9	1.29	0.3	2.95	71.0	30	0.50	1.98	750	<2	21
NFM00937		1.75	5.72	25.6	7.19	1.9	1.33	0.3	3.15	59.2	25	0.49	1.74	940	<2	21
NFM00938		0.72	1.71	6.5	3.65	<0.5	0.70	<0.3	0.90	23.2	9	0.25	1.40	360	<2	9
NFM00016		0.88	4.82	15.8	3.76	2.0	0.92	<0.3	1.65	25.2	15	0.42	0.67	1090	<2	9

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – C
Total # Pages: 9 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00001		28.9	40	10.6	6.79	78.8	0.01	0.8	<3	6.37	7	170	0.93	1.10	<0.5
NFM00002		23.4	20	12.8	5.72	65.0	0.01	<0.3	<3	4.85	7	790	0.94	0.81	<0.5
NFM00003		31.4	30	7.9	7.68	103.0	<0.01	<0.3	<3	6.63	7	370	0.84	0.97	<0.5
NFM00004		30.1	20	9.2	7.31	101.0	<0.01	<0.3	3	5.76	9	580	0.87	0.84	<0.5
NFM00005		39.7	30	10.8	9.69	115.5	<0.01	<0.3	<3	7.70	9	480	1.34	1.08	<0.5
NFM00006		19.20	10	6.8	4.75	34.4	<0.01	<0.3	3	3.88	6	2040	0.55	0.61	<0.5
NFM00007		18.55	10	9.8	4.53	43.0	<0.01	0.8	3	3.90	8	1770	0.73	0.60	<0.5
NFM00008		17.85	10	13.6	4.49	48.2	<0.01	<0.3	<3	3.65	7	1950	0.46	0.51	<0.5
NFM00009		30.1	20	9.8	7.70	76.3	<0.01	<0.3	<3	6.19	7	390	0.84	0.82	<0.5
NFM00010		24.4	40	7.0	5.76	35.8	<0.01	<0.3	4	5.66	7	640	0.74	0.90	<0.5
NFM00011		28.9	40	8.0	6.51	42.2	0.01	<0.3	3	6.91	8	450	0.72	1.17	<0.5
NFM00012		32.1	80	9.5	8.08	82.2	0.01	<0.3	3	6.29	9	170	0.79	0.92	<0.5
NFM00013		47.9	40	18.0	12.00	157.0	0.01	<0.3	<3	8.91	7	230	0.87	1.08	<0.5
NFM00014		46.9	50	16.2	11.45	188.5	<0.01	<0.3	<3	8.43	12	150	1.10	1.06	<0.5
NFM00015		54.7	50	13.4	14.00	198.0	0.01	<0.3	<3	9.89	11	140	1.01	1.13	<0.5
NFM00915		35.7	30	12.8	8.94	85.5	<0.01	<0.3	<3	6.83	7	800	0.81	0.87	<0.5
NFM00916		33.8	30	7.3	8.10	109.0	<0.01	<0.3	<3	7.22	7	300	0.76	1.06	<0.5
NFM00917		34.5	30	10.8	8.23	105.5	<0.01	<0.3	<3	6.81	7	460	1.03	0.85	<0.5
NFM00918		31.6	20	9.2	8.03	113.0	<0.01	<0.3	<3	6.41	7	570	0.78	0.75	<0.5
NFM00919		37.9	20	10.7	9.19	118.0	0.01	<0.3	<3	7.68	7	450	1.11	0.94	<0.5
NFM00920		18.60	10	7.3	4.54	40.2	<0.01	0.4	<3	3.64	6	2020	0.53	0.51	<0.5
NFM00921		0.35	<10	0.7	0.11	<0.5	<0.01	<0.3	<3	0.06	4	40	<0.05	0.02	<0.5
NFM00922		413	70	69.8	101.5	271	<0.01	0.6	3	40.9	48	140	15.25	2.06	<0.5
NFM00923		28.7	30	14.8	6.82	56.5	<0.01	2.0	<3	5.74	9	1270	0.66	0.82	<0.5
NFM00924		32.8	40	11.2	8.41	83.7	0.01	0.7	4	7.09	6	230	1.07	1.34	<0.5
NFM00925		25.3	50	6.8	6.68	58.9	<0.01	0.4	5	6.26	5	360	0.88	1.16	<0.5
NFM00926		35.1	40	9.8	9.25	128.5	<0.01	0.3	<3	7.60	4	350	0.88	1.13	<0.5
NFM00927		38.8	140	14.2	10.55	151.0	<0.01	0.3	<3	7.49	4	210	0.82	1.13	<0.5
NFM00928		50.2	60	13.5	13.95	217	<0.01	<0.3	<3	9.10	7	140	0.96	1.36	<0.5
NFM00929		53.5	60	11.3	15.25	208	<0.01	<0.3	3	9.68	8	120	0.89	1.31	<0.5
NFM00930		48.2	60	14.4	13.80	189.5	<0.01	<0.3	<3	8.45	8	110	0.99	1.20	<0.5
NFM00931		46.9	60	11.4	13.40	187.5	<0.01	<0.3	3	8.35	10	100	1.00	1.23	<0.5
NFM00932		57.6	50	17.2	16.05	174.5	0.01	0.7	5	11.45	7	130	0.98	1.15	0.7
NFM00933		63.5	60	15.2	17.50	168.5	0.02	0.6	6	12.10	6	150	1.17	1.20	<0.5
NFM00934		67.1	80	12.6	18.55	170.0	0.01	0.8	8	12.35	6	140	0.96	1.22	0.6
NFM00935		58.3	60	12.4	15.95	165.5	0.02	0.5	6	10.65	6	120	0.88	1.09	0.5
NFM00936		57.6	60	14.4	15.80	177.0	0.01	0.8	6	11.25	7	120	1.01	1.15	0.5
NFM00937		50.3	50	21.5	13.45	199.5	0.01	0.8	7	9.24	6	190	1.17	1.12	0.7
NFM00938		21.3	20	8.0	5.72	44.0	0.01	0.6	4	4.35	<3	1870	0.73	0.54	0.5
NFM00016		21.9	30	10.8	5.80	93.5	0.01	1.1	6	4.23	3	100	0.37	0.59	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – D
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00001		0.598	0.43	0.51	2.1	185	1.1	38.9	3.64	180
NFM00002		0.306	0.34	0.37	3.1	111	1.6	29.2	2.62	70
NFM00003		0.491	0.43	0.46	2.0	157	1.1	36.2	3.29	60
NFM00004		0.379	0.42	0.39	2.4	110	1.8	30.4	2.70	50
NFM00005		0.428	0.52	0.50	3.2	122	3.3	37.7	3.31	50
NFM00006		0.207	0.16	0.30	2.7	62	1.0	21.6	2.03	30
NFM00007		0.233	0.21	0.31	2.8	66	1.5	22.4	1.98	100
NFM00008		0.173	0.23	0.24	1.9	62	1.5	18.5	1.59	40
NFM00009		0.376	0.35	0.38	1.7	96	1.3	28.7	2.57	40
NFM00010		0.604	0.18	0.42	3.5	196	1.1	31.6	2.82	60
NFM00011		0.687	0.27	0.55	3.2	198	1.4	44.3	4.03	60
NFM00012		0.591	0.43	0.49	1.9	179	0.9	34.5	3.28	90
NFM00013		0.566	0.75	0.48	1.2	138	1.0	34.9	3.03	90
NFM00014		0.481	0.90	0.51	1.9	121	1.5	38.7	3.63	90
NFM00015		0.449	0.91	0.46	1.8	114	1.0	41.5	3.11	90
NFM00915		0.351	0.43	0.42	2.4	101	1.3	33.3	2.88	80
NFM00916		0.511	0.46	0.55	2.1	153	1.0	41.8	3.80	50
NFM00917		0.368	0.48	0.41	2.8	98	1.5	30.6	2.80	50
NFM00918		0.388	0.47	0.32	2.4	111	1.3	27.2	2.33	50
NFM00919		0.365	0.54	0.38	2.6	99	1.6	30.4	2.81	50
NFM00920		0.187	0.22	0.25	2.7	49	1.0	18.9	1.71	30
NFM00921		<0.005	<0.02	0.01	0.2	4	<0.4	0.9	0.05	<10
NFM00922		0.318	0.99	0.18	11.7	131	4.3	22.5	1.14	300
NFM00923		0.350	0.32	0.33	2.7	103	7.4	27.6	2.39	60
NFM00924		0.598	0.45	0.69	2.1	190	2.9	44.3	3.88	80
NFM00925		0.613	0.26	0.59	2.2	198	1.8	39.2	3.61	70
NFM00926		0.495	0.57	0.47	2.5	139	1.1	34.7	2.95	60
NFM00927		0.502	0.69	0.46	1.1	133	2.0	33.3	2.76	100
NFM00928		0.468	0.96	0.59	1.7	128	1.3	44.6	3.60	110
NFM00929		0.467	0.83	0.49	1.7	126	1.1	39.6	2.88	120
NFM00930		0.465	0.81	0.41	1.5	114	1.0	34.0	2.43	120
NFM00931		0.475	0.87	0.47	1.5	119	1.1	38.2	2.66	120
NFM00932		0.451	0.78	0.47	1.7	100	1.3	38.5	2.88	120
NFM00933		0.449	0.75	0.50	2.0	101	1.1	38.5	2.94	110
NFM00934		0.449	0.75	0.50	2.5	110	1.3	42.0	2.92	110
NFM00935		0.468	0.71	0.43	1.8	102	0.9	36.3	2.53	120
NFM00936		0.472	0.74	0.57	2.0	106	1.6	40.4	3.52	120
NFM00937		0.414	0.96	0.54	2.8	95	1.8	37.8	3.33	100
NFM00938		0.232	0.25	0.29	3.2	47	1.8	20.1	1.94	30
NFM00016		0.221	0.40	0.46	1.3	77	1.4	26.7	3.05	70

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – A
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	PUL-QC Pass75um %	WEI-21 Recvd Wt. kg	ME-MS89L Ag ppm	ME-MS89L As ppm	ME-MS89L Ba ppm	ME-MS89L Be ppm	ME-MS89L Bi ppm	ME-MS89L Ca %	ME-MS89L Cd ppm	ME-MS89L CeO2 ppm	ME-MS89L Co ppm	ME-MS89L Cs ppm	ME-MS89L Cu ppm	ME-MS89L Dy2O3 ppm	ME-MS89L Er2O3 ppm
		0.01	0.02	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00017			0.51	<5	<4	579	0.8	0.1	1.8	<0.8	83.2	14.5	3.9	<20	6.12	4.54
NFM00018		99.0	0.39	<5	<4	552	1.0	0.1	2.0	<0.8	73.8	14.9	4.3	<20	5.76	3.99
NFM00019			1.58	<5	<4	640	2.0	<0.1	2.6	<0.8	95.0	18.8	6.9	<20	5.81	3.77
NFM00020			2.58	<5	<4	649	2.5	<0.1	2.9	<0.8	94.0	19.8	7.6	<20	4.85	3.10
NFM00021			3.36	<5	<4	533	3.2	<0.1	2.7	<0.8	84.6	20.8	7.8	<20	4.28	2.37
NFM00022			1.22	<5	<4	578	1.1	<0.1	1.7	<0.8	48.2	12.6	5.5	<20	3.03	1.81
NFM00023			1.75	<5	<4	682	1.5	<0.1	2.2	<0.8	71.9	14.3	6.7	<20	3.90	2.26
NFM00024			1.97	<5	<4	431	2.5	0.4	3.5	<0.8	92.1	17.2	8.9	<20	5.23	2.93
NFM00025			3.43	<5	4	255	3.9	0.1	1.8	<0.8	51.7	9.3	5.6	<20	4.22	2.64
NFM00026			1.34	<5	<4	230	3.2	<0.1	1.4	<0.8	29.0	5.1	4.5	<20	2.92	2.04
NFM00027			0.76	<5	<4	56	<0.4	<0.1	21.7	<0.8	1.4	<0.5	<0.1	<20	0.09	0.03
NFM00028			2.49	<5	<4	203	4.4	<0.1	1.5	<0.8	21.9	3.7	4.1	<20	6.28	5.53
NFM00029			<0.02	<5	4	2570	10.1	<0.1	0.2	<0.8	693	29.0	6.7	30	7.40	1.62
NFM00030			1.46	<5	<4	291	2.7	0.1	1.4	<0.8	32.8	5.6	4.8	20	13.60	11.45
NFM00031			2.01	<5	<4	336	1.8	0.1	2.9	<0.8	46.9	14.7	6.1	<20	9.06	6.43
NFM00032			3.54	<5	<4	324	1.3	0.1	3.6	<0.8	54.7	18.8	7.5	<20	8.14	5.40
NFM00033			3.21	<5	<4	549	1.8	<0.1	2.6	<0.8	95.9	15.6	5.7	<20	10.35	8.06
NFM00034			2.86	<5	<4	446	1.8	<0.1	2.1	<0.8	85.7	11.8	4.5	<20	11.95	9.55
NFM00035			1.74	<5	<4	371	1.6	<0.1	1.6	<0.8	30.0	5.3	3.8	<20	8.84	8.23
NFM00036			0.86	<5	4	194	1.8	0.1	1.2	<0.8	8.8	1.8	2.0	<20	1.31	1.12
NFM00037			2.00	<5	<4	175	0.9	<0.1	1.2	<0.8	11.2	2.1	2.3	<20	2.00	1.58
NFM00038			1.58	<5	<4	356	1.5	0.2	2.4	<0.8	51.1	13.0	6.6	<20	5.73	4.00
NFM00039			2.08	<5	<4	340	1.0	0.3	3.7	<0.8	74.7	29.2	11.6	<20	6.35	4.15
NFM00040			1.32	<5	<4	322	0.9	0.6	4.3	<0.8	58.5	39.9	9.6	20	6.35	3.85
NFM00041			2.33	<5	<4	464	0.9	0.1	3.5	<0.8	63.5	26.5	5.3	30	5.86	3.89
NFM00042			0.78	<5	<4	602	1.2	<0.1	2.4	<0.8	84.5	17.0	3.8	<20	8.14	5.32
NFM00043			1.26	<5	4	530	1.9	0.1	2.0	<0.8	65.1	14.7	4.5	<20	7.10	5.00
NFM00044			3.40	<5	4	470	1.0	0.1	1.9	<0.8	65.4	11.7	2.5	<20	8.94	6.54
NFM00045			1.30	<5	<4	279	1.1	0.1	1.9	<0.8	72.6	9.8	2.3	30	10.65	7.91
NFM00046			1.74	<5	<4	414	1.0	0.6	3.8	<0.8	84.5	25.7	5.3	90	7.59	4.41
NFM00047			2.86	<5	4	317	2.0	0.3	4.3	<0.8	99.6	22.0	3.1	20	6.42	3.81
NFM00048			0.39	<5	4	613	2.3	0.2	4.4	<0.8	101.5	21.4	6.8	20	5.95	3.42
NFM00049			2.85	<5	4	523	2.6	0.3	4.0	<0.8	99.4	22.0	7.0	<20	5.67	3.06
NFM00050			2.07	<5	4	526	0.4	0.2	1.3	<0.8	67.7	7.0	3.0	<20	7.44	4.47
NFM00051			3.72	<5	4	497	<0.4	0.1	0.6	<0.8	38.9	3.5	2.6	20	7.78	5.45
NFM00052			4.02	<5	4	467	<0.4	0.1	0.5	<0.8	27.4	2.0	2.6	20	2.85	1.68
NFM00053			3.85	<5	4	522	<0.4	0.3	1.8	<0.8	64.1	9.8	2.8	40	9.49	6.15
NFM00054			1.13	<5	<4	531	<0.4	0.2	1.8	<0.8	66.3	8.4	3.2	20	8.01	5.65
NFM00055			3.69	<5	4	496	1.4	0.4	3.1	<0.8	84.3	22.0	5.3	<20	6.43	4.15
NFM00056			3.19	<5	<4	459	0.7	0.4	2.8	<0.8	58.6	26.5	4.1	90	5.24	3.48

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – B
Total # Pages: 9 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Eu2O3	Fe	Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.03	0.01	0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1
NFM00017		1.12	5.75	21.1	5.41	2.6	1.42	<0.3	3.15	36.4	26	0.58	1.01	2750	<2	13
NFM00018		1.03	6.11	20.1	4.89	2.3	1.26	<0.3	3.09	33.0	27	0.49	1.08	2620	<2	14
NFM00019		1.29	6.51	23.5	6.35	2.4	1.31	<0.3	2.76	46.3	36	0.42	1.45	2410	<2	16
NFM00020		1.30	6.07	23.1	5.56	2.3	1.08	<0.3	2.54	45.9	39	0.33	1.59	1870	<2	17
NFM00021		1.12	7.00	24.5	5.06	2.7	0.92	<0.3	2.66	42.0	41	0.30	1.78	1670	<2	17
NFM00022		0.73	4.62	17.4	2.82	2.1	0.61	<0.3	3.48	24.7	27	0.30	1.02	880	<2	17
NFM00023		1.13	4.79	20.3	4.46	2.4	0.77	<0.3	3.59	36.1	30	0.32	1.26	1020	<2	18
NFM00024		1.19	5.22	23.3	6.27	2.7	1.08	<0.3	2.18	44.7	36	0.36	1.55	1300	<2	21
NFM00025		0.82	2.73	23.9	4.03	2.3	0.92	<0.3	3.15	25.6	23	0.42	0.81	640	<2	40
NFM00026		0.56	1.85	20.7	2.75	1.9	0.69	<0.3	3.43	15.20	13	0.32	0.50	380	<2	23
NFM00027		<0.03	0.06	0.7	0.12	0.7	0.02	<0.3	0.05	0.55	<2	<0.06	13.45	30	<2	<1
NFM00028		0.61	1.41	20.6	3.35	3.2	1.65	<0.3	3.95	11.50	12	1.35	0.41	420	<2	14
NFM00029		9.29	18.85	18.6	22.4	3.5	0.96	0.5	4.56	238	510	0.17	1.03	5600	38	526
NFM00030		0.91	1.75	21.0	7.92	1.8	3.55	<0.3	5.22	22.8	14	2.48	0.50	690	<2	34
NFM00031		1.25	4.96	18.0	6.48	2.4	2.06	<0.3	2.97	22.5	29	1.10	1.31	1200	<2	14
NFM00032		1.30	5.34	18.4	6.86	1.9	1.90	<0.3	2.77	24.4	33	0.80	1.54	1070	<2	11
NFM00033		1.34	6.82	23.2	8.29	2.3	2.63	<0.3	3.28	44.4	30	1.55	1.30	1620	<2	15
NFM00034		1.17	6.33	20.3	8.76	2.5	2.98	<0.3	3.16	44.4	23	1.88	1.01	2390	<2	15
NFM00035		0.71	2.19	17.2	5.11	2.0	2.36	<0.3	5.04	15.50	14	1.81	0.53	1010	<2	13
NFM00036		0.30	1.25	17.7	0.88	2.0	0.32	<0.3	3.72	3.92	9	0.27	0.18	290	<2	7
NFM00037		0.36	1.05	16.4	1.41	1.4	0.49	<0.3	3.32	5.75	10	0.39	0.30	410	<2	8
NFM00038		1.08	3.36	17.3	4.99	2.1	1.31	<0.3	2.99	24.9	26	0.67	1.32	960	<2	11
NFM00039		1.41	6.44	17.2	6.52	1.7	1.42	<0.3	2.34	35.7	39	0.51	2.55	1590	<2	10
NFM00040		1.46	8.48	18.8	6.06	2.0	1.35	<0.3	2.03	27.7	31	0.48	2.75	1870	<2	9
NFM00041		1.25	7.71	17.5	5.69	1.9	1.39	<0.3	2.37	31.8	26	0.53	2.06	2160	<2	9
NFM00042		1.37	7.05	20.0	7.42	2.4	1.86	<0.3	3.07	41.2	25	0.74	1.24	3120	<2	13
NFM00043		1.16	4.95	20.8	5.76	1.7	1.64	<0.3	3.15	31.5	19	0.75	1.06	2150	<2	14
NFM00044		1.30	4.57	17.3	6.25	1.7	2.03	<0.3	2.71	30.5	15	0.88	0.75	1770	<2	8
NFM00045		1.32	3.82	15.4	6.98	1.8	2.50	<0.3	1.92	33.8	13	1.03	0.64	1090	<2	7
NFM00046		1.90	5.56	19.4	7.35	1.9	1.55	<0.3	2.08	38.7	24	0.55	2.14	1200	<2	12
NFM00047		1.51	5.74	24.1	6.48	2.9	1.29	<0.3	1.88	46.4	25	0.52	1.58	1210	<2	15
NFM00048		1.55	5.50	22.7	6.44	2.5	1.23	<0.3	2.26	51.0	36	0.45	1.42	1410	<2	18
NFM00049		1.56	5.75	26.9	5.97	2.6	1.13	<0.3	2.02	45.5	38	0.43	1.53	1280	<2	17
NFM00050		1.39	1.89	14.2	6.24	2.4	1.51	<0.3	4.94	31.8	14	0.58	0.41	440	<2	7
NFM00051		1.18	1.10	12.2	4.81	2.7	1.76	<0.3	6.13	19.90	9	0.84	0.22	270	<2	4
NFM00052		1.02	0.80	10.9	2.44	2.2	0.61	<0.3	5.76	15.30	6	0.24	0.13	180	<2	4
NFM00053		1.66	3.07	16.4	7.73	2.4	2.05	<0.3	4.62	31.1	19	0.71	0.44	690	<2	10
NFM00054		1.32	2.18	14.4	6.04	2.3	1.83	<0.3	4.29	29.2	17	0.72	0.46	480	<2	5
NFM00055		1.56	6.96	21.9	6.07	2.4	1.41	<0.3	2.33	38.0	35	0.50	1.29	1950	<2	14
NFM00056		1.32	6.55	18.5	4.64	1.8	1.13	<0.3	1.88	28.4	28	0.52	1.66	1830	<2	11

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – C
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00017		30.1	30	18.8	8.19	190.5	0.01	0.6	4	6.13	3	120	0.61	0.96	0.6
NFM00018		28.0	30	18.6	7.74	187.0	<0.01	0.5	6	5.42	5	140	0.62	0.78	<0.5
NFM00019		38.7	40	16.7	10.60	191.0	0.01	0.5	7	7.48	4	200	0.85	0.94	<0.5
NFM00020		38.0	50	15.9	10.35	189.0	<0.01	0.6	6	7.11	5	300	0.94	0.82	<0.5
NFM00021		35.1	50	14.0	9.51	199.5	<0.01	0.5	5	6.90	5	280	1.22	0.71	0.5
NFM00022		19.35	30	22.6	5.47	175.5	<0.01	0.5	4	3.73	5	150	0.98	0.43	0.5
NFM00023		29.3	40	22.2	8.18	209	<0.01	0.3	5	5.79	6	150	1.21	0.70	<0.5
NFM00024		36.9	40	18.6	10.50	198.5	<0.01	0.4	3	7.14	4	130	1.92	0.85	<0.5
NFM00025		22.0	20	39.7	5.79	209	0.01	0.5	4	4.43	4	110	9.98	0.64	<0.5
NFM00026		12.40	10	45.8	3.36	184.5	<0.01	0.7	3	2.74	<3	100	5.25	0.44	<0.5
NFM00027		0.64	<10	0.7	0.15	<0.5	<0.01	<0.3	3	0.09	5	40	<0.05	0.02	<0.5
NFM00028		10.30	10	62.3	2.63	208	0.01	0.7	3	2.48	<3	100	2.30	0.73	<0.5
NFM00029		488	60	68.4	114.5	222	<0.01	0.4	8	50.9	41	130	14.35	2.07	0.6
NFM00030		20.2	20	69.3	5.35	252	0.01	1.3	3	5.90	3	100	10.05	1.69	0.5
NFM00031		22.2	20	21.0	5.45	162.5	0.01	0.6	4	5.51	4	150	2.83	1.17	0.5
NFM00032		24.0	20	17.6	6.24	168.5	0.01	0.6	6	6.12	<3	180	0.81	1.14	0.6
NFM00033		37.6	30	23.2	10.30	181.5	<0.01	0.7	3	7.62	3	140	1.11	1.43	<0.5
NFM00034		37.1	30	28.1	10.35	168.5	<0.01	0.7	4	7.98	4	110	1.51	1.61	0.6
NFM00035		14.25	20	60.2	3.70	222	<0.01	0.6	7	3.56	3	130	2.04	1.10	<0.5
NFM00036		3.24	<10	64.4	0.82	163.0	<0.01	<0.3	<3	0.80	6	110	0.88	0.15	<0.5
NFM00037		4.75	10	54.7	1.38	138.0	0.01	0.3	5	1.16	3	110	0.76	0.25	0.7
NFM00038		22.4	40	32.3	6.05	167.5	<0.01	0.5	6	4.87	3	150	1.15	0.83	<0.5
NFM00039		33.1	70	14.4	8.86	167.0	<0.01	0.3	5	6.74	<3	180	0.44	0.93	0.5
NFM00040		26.8	90	12.2	6.87	122.5	<0.01	0.4	6	5.91	3	310	0.40	0.92	0.5
NFM00041		28.0	60	15.4	7.44	121.5	<0.01	0.3	5	5.94	<3	200	0.45	0.86	<0.5
NFM00042		34.6	30	18.6	9.48	161.5	<0.01	0.4	5	7.39	3	150	0.57	1.28	<0.5
NFM00043		25.2	30	27.2	6.68	204	0.01	0.8	5	5.33	5	170	1.06	0.97	<0.5
NFM00044		23.8	30	18.0	6.67	150.0	0.01	0.8	3	5.06	3	160	0.38	1.14	<0.5
NFM00045		26.1	30	16.0	7.22	110.0	0.01	0.6	4	6.09	3	150	0.50	1.43	<0.5
NFM00046		34.1	60	14.8	9.08	117.5	<0.01	0.8	4	7.56	4	310	0.92	1.15	<0.5
NFM00047		36.0	40	10.4	10.25	130.0	<0.01	0.8	7	6.88	4	230	0.90	0.98	<0.5
NFM00048		38.6	50	15.2	10.75	202	0.01	1.2	3	7.24	7	140	2.11	0.99	<0.5
NFM00049		36.5	40	13.1	10.20	202	0.01	0.8	4	7.32	5	140	1.10	0.92	<0.5
NFM00050		25.1	20	30.0	6.93	253	<0.01	0.7	4	5.74	4	160	0.20	1.07	<0.5
NFM00051		14.60	10	35.8	4.04	289	<0.01	0.6	3	3.73	<3	140	0.16	0.98	<0.5
NFM00052		10.15	10	35.7	2.97	278	0.01	0.7	<3	2.44	4	140	0.06	0.40	<0.5
NFM00053		26.1	10	26.4	6.81	235	<0.01	0.8	3	6.37	4	170	0.81	1.35	<0.5
NFM00054		22.5	10	24.7	6.34	206	<0.01	1.2	3	5.40	<3	170	0.11	1.12	<0.5
NFM00055		30.4	30	13.1	8.39	175.0	<0.01	0.9	3	6.30	6	160	1.09	0.99	<0.5
NFM00056		22.5	50	13.4	6.07	109.5	<0.01	0.7	4	4.26	4	210	0.38	0.74	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – D
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00017		0.276	0.85	0.69	1.4	64	1.4	45.1	4.12	90
NFM00018		0.296	0.83	0.61	1.3	64	1.5	37.8	3.73	90
NFM00019		0.370	0.85	0.55	1.8	78	1.8	41.7	3.39	100
NFM00020		0.365	0.86	0.42	1.7	80	1.9	32.0	2.79	110
NFM00021		0.394	0.82	0.34	0.9	81	1.5	26.2	2.25	130
NFM00022		0.357	0.69	0.29	0.9	55	2.6	18.9	1.81	80
NFM00023		0.339	0.91	0.32	1.7	59	4.8	24.1	2.17	80
NFM00024		0.367	0.94	0.42	3.4	72	2.5	33.4	3.04	100
NFM00025		0.174	0.81	0.45	2.8	39	5.0	30.1	2.84	60
NFM00026		0.096	0.72	0.33	2.4	23	4.0	26.0	2.29	30
NFM00027		<0.005	<0.02	0.01	0.5	3	<0.4	0.9	0.06	<10
NFM00028		0.077	0.92	1.05	3.7	17	2.8	65.0	8.70	30
NFM00029		0.311	0.84	0.19	11.8	109	4.4	23.1	1.15	260
NFM00030		0.110	0.97	2.11	6.7	27	3.4	145.0	16.05	40
NFM00031		0.413	0.70	1.02	2.6	85	3.7	72.0	7.40	80
NFM00032		0.424	0.81	0.82	2.4	96	2.4	62.5	5.28	90
NFM00033		0.325	0.83	1.37	3.4	76	3.5	94.5	10.20	100
NFM00034		0.259	0.72	1.67	4.5	55	2.1	113.5	13.00	70
NFM00035		0.112	0.93	1.44	6.8	26	2.4	100.0	12.30	40
NFM00036		0.025	0.65	0.19	3.2	15	1.6	11.2	1.50	10
NFM00037		0.036	0.62	0.31	4.1	10	1.9	17.5	2.36	20
NFM00038		0.265	0.74	0.69	4.1	57	2.4	46.2	4.77	70
NFM00039		0.509	0.84	0.69	2.5	117	1.6	41.9	4.14	110
NFM00040		0.625	0.60	0.58	1.7	162	1.4	41.0	3.76	130
NFM00041		0.451	0.59	0.58	2.0	109	1.1	39.5	3.86	100
NFM00042		0.333	0.73	0.81	2.4	77	1.5	55.7	5.14	90
NFM00043		0.231	0.76	0.74	3.3	60	1.8	52.6	4.93	70
NFM00044		0.191	0.56	0.95	2.6	55	1.1	63.4	5.85	60
NFM00045		0.155	0.41	1.12	4.5	47	1.6	79.0	7.03	40
NFM00046		0.493	0.51	0.62	2.8	122	1.5	49.0	3.66	90
NFM00047		0.376	0.48	0.55	2.2	89	1.4	40.6	3.60	50
NFM00048		0.352	0.90	0.45	1.9	81	1.9	36.1	2.89	110
NFM00049		0.376	0.86	0.43	2.1	87	3.7	34.8	2.87	90
NFM00050		0.121	0.96	0.61	1.8	32	1.4	49.9	4.07	30
NFM00051		0.055	1.13	0.86	2.2	16	1.3	55.7	5.72	20
NFM00052		0.031	1.06	0.25	1.2	9	1.5	18.8	1.64	10
NFM00053		0.233	0.93	0.83	1.9	39	1.6	64.9	5.04	50
NFM00054		0.152	0.78	0.79	1.8	52	1.8	55.9	5.02	50
NFM00055		0.401	0.76	0.58	1.8	112	2.8	42.7	3.59	100
NFM00056		0.428	0.45	0.50	1.3	112	1.9	34.0	3.30	90

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – A
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	PUL-QC Pass75um %	WEI-21 Recvd Wt. kg	ME-MS89L Ag ppm	ME-MS89L As ppm	ME-MS89L Ba ppm	ME-MS89L Be ppm	ME-MS89L Bi ppm	ME-MS89L Ca %	ME-MS89L Cd ppm	ME-MS89L CeO2 ppm	ME-MS89L Co ppm	ME-MS89L Cs ppm	ME-MS89L Cu ppm	ME-MS89L Dy2O3 ppm	ME-MS89L Er2O3 ppm
		0.01	0.02	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00057			3.91	<5	4	541	0.9	0.4	3.0	<0.8	77.9	22.4	4.3	80	6.22	3.98
NFM00058		97.0	3.88	<5	<4	472	1.4	0.2	2.2	<0.8	90.2	18.6	3.6	<20	8.54	6.45
NFM00059			5.15	<5	<4	277	0.9	0.4	2.4	<0.8	65.0	18.8	5.1	<20	6.48	4.52
NFM00060			2.90	<5	4	370	0.4	0.2	0.8	<0.8	33.9	3.7	4.1	<20	3.53	2.23
NFM00061			3.62	<5	<4	145	3.3	0.2	1.0	<0.8	6.4	1.4	2.5	<20	2.38	2.14
NFM00062			0.95	<5	4	146	3.1	0.2	1.0	<0.8	6.6	1.7	2.6	<20	2.55	2.29
NFM00063			<0.02	<5	23	266	65.6	1.9	0.2	3.4	2860	1.7	4.8	20	182.0	101.5
NFM00064			3.77	<5	4	370	1.7	0.1	0.7	<0.8	16.5	3.8	5.0	<20	2.00	1.33
NFM00065			3.67	<5	5	81	6.3	0.1	1.4	<0.8	7.0	1.1	1.8	<20	2.56	1.99
NFM00066			0.95	<5	<4	169	<0.4	<0.1	21.6	<0.8	2.0	<0.5	0.2	<20	0.23	0.07
NFM00067			3.69	<5	5	70	10.2	0.1	2.0	<0.8	6.0	1.1	1.2	<20	15.00	14.35
NFM00068			3.58	<5	4	191	5.5	0.1	1.5	<0.8	15.2	2.4	4.2	<20	9.70	9.14
NFM00069			3.25	<5	4	328	3.4	0.4	5.0	<0.8	109.5	18.9	6.1	<20	8.57	5.48
NFM00070			2.41	<5	<4	440	2.6	0.2	3.2	<0.8	105.0	17.9	5.2	<20	8.18	5.71
NFM00071			2.76	<5	<4	520	1.8	0.2	3.7	<0.8	99.5	20.7	6.8	<20	8.23	5.64
NFM00072			2.69	<5	<4	680	1.8	<0.1	2.1	<0.8	109.5	17.5	5.8	<20	10.80	8.22
NFM00073			2.49	<5	<4	479	1.5	0.1	2.4	<0.8	118.0	17.7	7.4	<20	12.85	9.45
NFM00074			2.29	<5	4	573	2.1	0.6	3.6	<0.8	86.5	27.4	11.0	30	6.97	4.48
NFM00075			2.07	<5	<4	745	1.8	0.2	2.5	<0.8	113.5	15.0	8.0	<20	6.30	3.83
NFM00076			1.55	<5	<4	491	1.5	0.4	3.1	<0.8	89.6	16.9	6.1	<20	5.34	3.21
NFM00077			1.74	<5	<4	496	2.3	0.3	3.5	<0.8	88.6	19.8	5.7	<20	5.52	3.36
NFM00078			1.64	<5	4	571	2.2	0.1	2.7	<0.8	105.0	27.8	8.9	<20	5.21	3.05
NFM00079			1.91	<5	<4	547	2.2	0.1	3.2	<0.8	104.5	25.7	7.1	<20	4.97	2.72
NFM00080			2.04	<5	6	451	1.6	0.6	6.7	<0.8	100.5	21.3	9.2	<20	5.45	2.98
NFM00081			1.80	<5	4	437	1.9	0.5	5.3	<0.8	101.5	21.9	9.7	<20	5.46	3.06
NFM00082			1.71	<5	5	507	2.1	0.3	4.6	<0.8	104.0	26.2	8.5	<20	5.36	3.32
NFM00083			0.14	<5	4	466	1.6	0.3	4.4	<0.8	100.0	17.1	6.0	<20	5.58	3.38
NFM00084			0.76	<5	4	476	1.5	0.3	6.2	<0.8	90.0	15.4	5.1	<20	4.76	2.78
NFM00085			1.13	<5	<4	621	2.1	0.1	5.4	<0.8	101.0	18.4	5.0	<20	5.24	2.97
NFM00086			0.91	<5	4	580	0.9	0.1	2.4	<0.8	62.3	9.9	5.4	<20	4.77	2.72
NFM00087			0.84	<5	4	555	2.3	0.2	5.4	<0.8	112.5	17.4	4.7	<20	5.16	2.71
NFM00088			1.48	<5	<4	516	2.8	0.4	4.2	<0.8	78.4	19.7	4.8	<20	7.78	4.92
NFM00089			1.19	<5	<4	828	<0.4	0.1	0.7	<0.8	18.5	3.1	2.2	<20	1.43	1.05
NFM00090			2.95	<5	<4	650	0.9	0.1	1.8	<0.8	53.9	11.8	3.7	<20	3.83	2.53
NFM00091			3.20	<5	<4	354	1.1	0.2	3.9	<0.8	64.5	18.8	3.0	30	6.34	4.06
NFM00092			3.18	<5	<4	488	0.8	0.2	2.3	<0.8	52.1	10.1	4.4	<20	6.69	4.70
NFM00093			3.79	<5	<4	349	1.6	0.3	2.1	<0.8	56.8	14.0	8.1	<20	5.76	3.40
NFM00094			2.98	<5	<4	129	6.8	0.3	1.7	<0.8	11.4	2.2	1.8	<20	2.02	1.51
NFM00095			0.89	<5	<4	80	<0.4	0.1	22.2	<0.8	0.6	<0.5	<0.1	<20	0.08	0.09
NFM00096			1.52	<5	4	107	11.2	0.1	2.5	<0.8	3.3	0.7	1.4	<20	4.96	4.77

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – B
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Eu2O3	Fe	Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.03	0.01	0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1
NFM00057		1.48	6.44	18.9	5.99	2.2	1.32	<0.3	2.46	36.4	30	0.52	1.53	1940	2	13
NFM00058		1.41	6.84	22.1	7.33	2.2	1.99	<0.3	2.30	43.3	30	0.85	1.16	2320	<2	14
NFM00059		1.25	4.91	17.2	5.57	1.6	1.47	<0.3	2.66	30.1	26	0.63	1.23	1280	<2	13
NFM00060		0.98	1.22	12.4	3.22	1.7	0.77	<0.3	5.22	17.85	10	0.25	0.25	370	<2	7
NFM00061		0.35	0.77	18.2	1.35	2.1	0.61	<0.3	2.83	3.30	6	0.44	0.08	200	<2	9
NFM00062		0.34	1.18	18.6	1.42	2.4	0.64	<0.3	2.97	3.49	7	0.44	0.09	270	<2	11
NFM00063		6.44	5.02	164.5	193.5	7.2	35.9	<0.3	3.61	1810	330	11.35	0.15	3580	2	4290
NFM00064		0.49	1.26	17.5	1.69	2.2	0.44	<0.3	6.12	8.05	10	0.25	0.26	300	<2	11
NFM00065		0.42	0.67	23.3	1.59	2.8	0.62	<0.3	2.36	4.15	4	0.42	0.08	160	<2	10
NFM00066		<0.03	0.04	1.0	0.16	0.5	0.03	<0.3	<0.05	1.01	3	<0.06	13.10	20	<2	3
NFM00067		0.52	0.64	22.1	6.15	2.0	3.95	<0.3	1.15	3.35	3	3.83	0.09	150	<2	4
NFM00068		0.56	1.01	22.3	4.01	2.9	2.50	<0.3	3.77	7.22	8	2.38	0.16	280	<2	12
NFM00069		1.52	5.54	24.7	7.95	3.2	1.88	<0.3	2.20	51.6	35	0.74	1.30	1570	<2	18
NFM00070		1.39	5.00	22.2	7.09	2.4	1.86	<0.3	2.69	47.7	28	0.76	1.22	1580	<2	16
NFM00071		1.53	6.38	22.6	7.05	2.6	1.83	<0.3	2.43	46.7	37	0.76	1.39	1910	<2	16
NFM00072		1.46	6.58	21.2	8.13	2.3	2.61	<0.3	3.10	51.0	34	1.10	1.04	2950	<2	14
NFM00073		1.41	4.69	20.9	9.74	2.3	2.86	<0.3	3.31	55.5	34	1.22	1.13	1240	<2	16
NFM00074		1.67	5.63	19.2	6.20	2.0	1.49	<0.3	2.53	39.5	29	0.57	1.98	1270	<2	12
NFM00075		1.71	6.12	20.3	6.65	1.9	1.33	<0.3	2.50	54.5	35	0.53	1.08	2070	<2	15
NFM00076		1.46	5.19	18.4	5.47	1.9	1.11	<0.3	1.80	42.8	34	0.45	1.23	1590	<2	13
NFM00077		1.27	4.98	21.1	5.62	2.3	1.08	<0.3	2.91	42.7	29	0.53	1.37	1250	<2	18
NFM00078		1.56	6.49	24.4	6.13	1.8	1.00	<0.3	2.52	50.3	47	0.39	1.76	1730	<2	15
NFM00079		1.55	6.36	22.9	5.82	2.0	0.94	<0.3	2.74	50.0	50	0.36	1.66	1220	<2	15
NFM00080		1.41	5.51	21.1	5.76	2.4	1.01	<0.3	2.63	47.6	35	0.50	1.49	1130	<2	15
NFM00081		1.48	5.96	22.5	5.68	2.2	1.03	<0.3	2.53	48.9	35	0.51	1.52	1140	<2	15
NFM00082		1.63	6.16	22.2	6.28	2.6	1.11	<0.3	2.65	49.0	30	0.48	1.59	1610	<2	15
NFM00083		1.42	5.33	21.4	5.65	2.5	1.15	<0.3	2.46	44.4	24	0.50	0.97	1610	<2	15
NFM00084		1.33	4.50	18.0	5.05	2.3	0.94	<0.3	2.07	41.4	22	0.44	1.00	1860	<2	14
NFM00085		1.62	6.11	23.5	5.94	2.5	1.09	<0.3	2.50	48.2	33	0.40	1.43	1990	<2	16
NFM00086		1.12	3.17	16.6	4.35	2.0	0.96	<0.3	5.04	30.5	20	0.38	0.79	990	<2	9
NFM00087		1.42	5.94	22.6	6.44	2.3	1.01	<0.3	2.49	53.1	26	0.39	1.21	1780	<2	15
NFM00088		1.59	5.97	21.3	7.00	2.2	1.65	<0.3	2.10	37.3	28	0.60	1.38	1880	<2	13
NFM00089		1.17	2.14	10.1	1.27	2.0	0.31	<0.3	6.13	10.95	7	0.17	0.20	480	<2	4
NFM00090		1.23	4.79	16.9	3.34	2.1	0.86	<0.3	3.74	26.6	23	0.43	0.85	2670	<2	11
NFM00091		1.60	6.59	20.7	5.92	1.7	1.36	<0.3	1.57	30.5	26	0.55	1.17	1290	<2	11
NFM00092		1.48	4.52	16.9	5.58	2.0	1.42	<0.3	3.43	24.7	17	0.64	0.61	920	<2	10
NFM00093		1.29	4.31	19.8	5.35	1.9	1.12	<0.3	2.74	27.7	27	0.47	0.82	940	<2	37
NFM00094		0.49	0.96	20.4	1.64	1.8	0.45	<0.3	1.42	6.43	7	0.26	0.15	190	<2	11
NFM00095		<0.03	0.06	0.7	0.07	0.5	0.02	<0.3	0.05	0.27	2	<0.06	13.35	10	<2	2
NFM00096		0.36	0.46	26.1	2.03	2.6	1.32	<0.3	1.52	1.71	4	1.36	0.04	180	<2	2

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – C
Total # Pages: 9 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00057		30.3	60	15.8	7.98	157.5	<0.01	0.7	3	6.51	6	210	0.46	0.97	<0.5
NFM00058		33.0	40	15.3	8.92	159.5	0.01	0.6	<3	6.70	4	150	0.76	1.24	<0.5
NFM00059		25.7	40	28.0	6.61	184.0	0.01	0.7	4	5.44	4	180	0.84	0.93	<0.5
NFM00060		13.10	10	46.8	3.56	283	0.02	1.3	<3	2.96	4	110	0.34	0.52	<0.5
NFM00061		2.59	10	55.1	0.66	177.5	0.01	0.8	3	0.87	<3	90	1.61	0.28	<0.5
NFM00062		2.89	10	56.1	0.73	184.0	<0.01	0.8	<3	0.88	<3	90	1.86	0.28	<0.5
NFM00063		1080	10	215	321	1205	0.01	8.7	5	200	96	70	221	30.2	<0.5
NFM00064		6.58	10	75.0	1.72	350	<0.01	<0.3	<3	1.40	<3	110	2.54	0.31	<0.5
NFM00065		3.31	10	53.4	0.83	140.5	<0.01	<0.3	<3	0.90	<3	80	1.54	0.35	<0.5
NFM00066		0.86	10	1.8	0.22	1.8	<0.01	0.5	<3	0.14	<3	60	0.13	0.02	<0.5
NFM00067		3.34	10	35.1	0.76	56.9	<0.01	<0.3	<3	1.65	<3	110	1.09	1.74	<0.5
NFM00068		6.22	10	60.4	1.59	217	<0.01	0.6	3	2.06	<3	100	1.98	1.07	<0.5
NFM00069		41.3	40	15.5	11.20	181.0	<0.01	0.8	<3	8.22	5	160	1.39	1.27	<0.5
NFM00070		37.3	40	15.8	10.40	177.0	<0.01	0.7	3	7.61	4	180	0.83	1.21	<0.5
NFM00071		37.6	30	11.6	10.10	182.5	<0.01	0.6	3	7.62	6	330	0.88	1.17	<0.5
NFM00072		40.5	30	13.6	11.05	214	<0.01	0.8	3	8.33	4	170	0.51	1.53	<0.5
NFM00073		43.7	40	16.2	12.00	235	<0.01	0.7	3	9.11	4	190	0.76	1.74	<0.5
NFM00074		33.6	70	13.9	9.10	169.5	<0.01	0.8	<3	6.51	3	390	0.57	1.01	<0.5
NFM00075		38.6	30	11.7	11.15	147.5	<0.01	0.5	<3	7.14	4	280	0.70	0.98	<0.5
NFM00076		34.3	30	9.9	9.32	124.0	0.01	0.5	5	5.94	6	200	0.87	0.86	0.5
NFM00077		34.5	40	20.8	9.33	180.5	0.01	0.7	3	6.40	6	260	1.95	0.96	<0.5
NFM00078		39.7	50	24.2	11.20	174.5	0.01	0.7	4	6.86	5	420	1.17	0.96	<0.5
NFM00079		38.4	40	15.7	10.95	168.5	0.01	0.7	4	7.82	5	520	1.00	0.89	<0.5
NFM00080		37.2	50	15.3	10.30	167.0	<0.01	1.5	3	7.10	5	140	1.06	1.00	<0.5
NFM00081		39.0	40	14.2	10.45	161.5	0.02	1.2	4	7.10	5	230	0.99	0.91	<0.5
NFM00082		39.3	50	15.0	10.65	173.0	<0.01	1.2	4	7.48	5	210	1.00	0.98	<0.5
NFM00083		36.2	30	18.8	10.00	181.0	<0.01	2.4	4	7.13	5	150	0.99	0.91	<0.5
NFM00084		33.2	30	16.2	9.08	149.0	<0.01	1.6	4	6.12	7	160	1.23	0.81	<0.5
NFM00085		39.7	40	7.5	10.75	183.0	0.01	0.5	<3	7.04	5	180	1.05	0.97	<0.5
NFM00086		23.4	20	18.1	6.76	271	0.01	0.3	3	4.82	3	140	0.62	0.75	<0.5
NFM00087		41.3	30	10.1	11.90	173.5	<0.01	1.7	<3	7.62	5	140	0.96	0.92	0.5
NFM00088		32.8	20	12.4	8.85	136.5	0.01	0.4	3	7.58	5	160	1.66	1.37	0.5
NFM00089		6.93	<10	28.1	1.95	270	<0.01	0.4	4	1.18	5	120	0.12	0.21	<0.5
NFM00090		19.50	10	20.4	5.43	212	0.01	<0.3	4	3.98	4	120	0.63	0.69	<0.5
NFM00091		26.4	10	9.5	7.14	99.3	0.01	<0.3	4	5.84	4	170	0.53	0.98	<0.5
NFM00092		22.3	<10	26.1	5.64	187.0	0.01	<0.3	3	5.09	4	140	0.51	1.07	<0.5
NFM00093		22.2	10	21.7	6.09	206	0.01	<0.3	<3	5.51	3	120	10.15	0.96	0.5
NFM00094		5.18	<10	31.8	1.38	72.0	0.01	0.3	4	1.53	<3	80	3.04	0.36	<0.5
NFM00095		0.26	<10	1.8	0.07	0.8	<0.01	<0.3	4	<0.05	4	30	0.18	0.01	0.5
NFM00096		1.71	10	47.0	0.41	62.2	0.01	0.4	<3	1.01	<3	110	0.31	0.61	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – D
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00057		0.382	0.62	0.55	1.8	96	5.3	40.9	3.73	90
NFM00058		0.319	0.62	0.90	1.8	76	1.8	63.2	5.76	70
NFM00059		0.316	0.72	0.62	2.8	80	2.8	46.0	4.19	70
NFM00060		0.060	1.18	0.30	1.5	10	2.0	24.9	1.86	20
NFM00061		0.016	0.68	0.34	2.9	4	2.9	23.9	2.48	20
NFM00062		0.018	0.70	0.35	3.2	4	3.5	24.5	2.52	20
NFM00063		0.052	2.05	14.05	101.5	1	1.5	1110	86.8	2200
NFM00064		0.060	1.41	0.24	2.7	20	1.9	14.9	1.45	30
NFM00065		0.012	0.54	0.34	2.0	14	2.5	24.6	2.41	20
NFM00066		<0.005	<0.02	0.01	0.8	5	<0.4	1.5	0.13	20
NFM00067		0.013	0.22	2.78	7.2	12	1.5	174.0	21.4	10
NFM00068		0.035	0.86	1.67	7.0	10	2.4	109.5	13.10	30
NFM00069		0.325	0.76	0.77	4.0	72	2.0	60.4	4.94	70
NFM00070		0.321	0.79	0.83	2.7	72	1.4	59.6	5.32	70
NFM00071		0.376	0.87	0.83	2.7	93	2.1	55.7	5.34	100
NFM00072		0.283	0.94	1.22	2.9	70	1.8	83.7	7.65	110
NFM00073		0.259	1.04	1.40	3.4	65	2.4	94.7	8.82	90
NFM00074		0.511	0.79	0.62	3.8	121	2.0	46.6	3.95	110
NFM00075		0.382	0.68	0.53	3.5	64	1.6	40.0	3.39	80
NFM00076		0.348	0.50	0.41	3.3	73	2.3	34.4	2.88	60
NFM00077		0.308	0.67	0.42	5.0	78	3.5	34.5	3.02	70
NFM00078		0.439	0.62	0.45	6.5	115	1.5	32.3	2.84	110
NFM00079		0.444	0.56	0.38	2.7	112	1.8	30.6	2.56	120
NFM00080		0.390	0.53	0.46	3.1	94	2.0	34.2	2.87	80
NFM00081		0.421	0.58	0.40	2.6	103	1.8	32.8	2.87	100
NFM00082		0.429	0.57	0.46	2.2	115	1.9	34.9	3.05	90
NFM00083		0.346	0.72	0.50	2.7	81	1.9	35.9	3.30	90
NFM00084		0.319	0.66	0.38	2.5	70	1.9	31.0	2.77	60
NFM00085		0.399	0.68	0.41	1.2	84	1.3	34.3	2.61	30
NFM00086		0.196	1.12	0.33	0.9	39	1.0	29.5	2.21	20
NFM00087		0.347	0.65	0.40	2.1	77	1.8	32.9	2.60	40
NFM00088		0.374	0.57	0.64	2.1	75	1.9	51.4	4.25	70
NFM00089		0.053	1.17	0.14	0.7	15	1.1	9.9	1.00	50
NFM00090		0.232	0.87	0.35	1.3	54	1.3	25.3	2.46	60
NFM00091		0.490	0.36	0.55	1.4	78	1.3	42.8	3.73	70
NFM00092		0.324	0.76	0.61	1.2	30	1.4	46.0	3.95	40
NFM00093		0.312	0.75	0.46	2.0	57	4.9	37.2	2.92	50
NFM00094		0.047	0.27	0.24	1.2	10	2.8	18.5	1.75	<10
NFM00095		<0.005	<0.02	0.01	0.2	3	0.5	0.9	0.06	<10
NFM00096		0.006	0.24	0.89	2.1	4	0.9	60.6	7.60	20

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – A
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	PUL-QC Pass75um %	WEI-21 Recvd Wt. kg	ME-MS89L Ag ppm	ME-MS89L As ppm	ME-MS89L Ba ppm	ME-MS89L Be ppm	ME-MS89L Bi ppm	ME-MS89L Ca %	ME-MS89L Cd ppm	ME-MS89L CeO2 ppm	ME-MS89L Co ppm	ME-MS89L Cs ppm	ME-MS89L Cu ppm	ME-MS89L Dy2O3 ppm	ME-MS89L Er2O3 ppm
		0.01	0.02	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00097			<0.02	<5	6	2880	10.6	0.2	0.2	<0.8	765	31.4	7.8	40	8.10	1.74
NFM00098		99.0	3.56	<5	5	67	8.9	0.1	2.0	<0.8	21.9	4.2	3.5	<20	4.91	4.38
NFM00099			2.74	<5	<4	148	1.5	0.3	2.9	<0.8	81.2	27.6	11.6	<20	6.48	4.16
NFM00100			2.37	<5	<4	166	1.8	0.5	2.9	<0.8	87.0	27.2	11.6	20	5.97	3.61
NFM00101			4.27	<5	<4	142	0.9	0.3	2.2	<0.8	77.6	14.8	5.6	30	5.88	3.43
NFM00102			3.19	<5	<4	215	0.8	2.7	2.8	<0.8	79.2	23.0	6.0	3020	17.55	11.35
NFM00103			1.79	<5	<4	198	0.5	0.6	5.1	<0.8	42.4	46.2	2.4	540	5.90	3.30
NFM00104			2.69	<5	<4	261	0.6	1.5	3.7	<0.8	54.8	34.7	5.7	1090	6.42	4.33
NFM00105			4.53	<5	<4	183	0.6	1.0	2.3	<0.8	81.6	20.0	3.3	150	8.95	5.36
NFM00106			3.99	<5	<4	167	1.0	0.5	3.4	<0.8	82.3	23.6	3.3	90	6.38	4.25
NFM00107			3.63	<5	<4	316	2.8	0.8	3.0	<0.8	84.1	23.3	4.6	50	7.01	4.76
NFM00108			2.19	<5	<4	368	1.7	0.6	3.6	<0.8	80.3	24.5	6.6	30	5.42	3.42
NFM00109			2.43	<5	<4	170	1.9	0.5	2.0	<0.8	20.5	4.8	2.9	40	2.63	2.08
NFM00110			2.45	<5	<4	165	2.6	0.1	1.4	<0.8	8.6	2.4	2.1	20	1.42	1.27
NFM00111			Not Recvd													
NFM00112			3.93	<5	<4	150	2.1	0.1	1.2	<0.8	4.5	1.4	2.3	20	1.58	1.60
NFM00113			0.63	<5	<4	29	<0.4	0.1	22.1	<0.8	<0.2	<0.5	<0.1	<20	0.08	0.09
NFM00114			3.94	<5	<4	252	1.5	0.2	1.6	<0.8	40.5	3.3	2.9	40	7.36	6.91
NFM00115			3.46	<5	<4	232	0.4	0.2	0.7	<0.8	37.1	3.5	1.9	30	6.56	5.03
NFM00116			3.00	<5	<4	383	1.0	0.2	1.6	<0.8	90.4	12.0	4.7	<20	8.68	6.39
NFM00117			2.43	<5	<4	506	<0.4	0.2	0.9	<0.8	88.3	7.3	3.6	<20	8.54	7.54
NFM00118			3.01	<5	<4	470	0.5	0.5	1.8	<0.8	68.7	17.1	5.7	20	6.74	4.95
NFM00119			3.09	<5	<4	394	1.2	0.3	1.9	<0.8	54.9	9.1	3.3	40	5.52	4.30
NFM00120			2.98	<5	<4	338	0.8	0.6	3.6	<0.8	77.1	21.3	5.9	<20	5.68	3.68
NFM00121			3.86	<5	<4	396	2.0	0.6	5.3	<0.8	130.0	20.5	4.7	<20	10.30	6.45
NFM00122			3.38	<5	<4	537	2.5	0.4	5.1	<0.8	134.5	20.0	4.7	<20	8.95	5.96
NFM00123			1.40	<5	4	72	7.9	0.2	2.0	<0.8	28.9	6.2	4.7	<20	5.12	4.65
NFM00124			1.38	<5	<4	160	1.4	0.2	1.3	<0.8	4.8	1.6	2.5	20	1.61	1.64
NFM00125			0.10	<5	<4	317	2.3	0.4	2.6	<0.8	64.4	14.5	3.9	100	6.30	4.77
NFM00126			0.22	<5	<4	404	1.3	0.3	3.2	<0.8	66.2	11.7	4.7	40	5.13	3.38
NFM00127			0.54	<5	<4	539	1.7	0.3	4.4	<0.8	83.0	18.1	4.4	<20	4.63	2.98
NFM00128			1.28	<5	8	362	0.9	0.4	4.0	<0.8	64.0	25.8	4.3	<20	5.08	3.58
NFM00129			3.01	<5	<4	571	0.9	0.1	2.4	<0.8	64.0	16.1	3.6	20	5.11	2.93
NFM00130			3.51	<5	<4	455	0.6	0.2	2.4	<0.8	53.4	13.0	3.1	20	5.43	4.03
NFM00131			1.39	<5	<4	433	0.6	0.2	2.1	<0.8	61.8	12.3	3.1	20	7.31	4.99
NFM00132			2.13	<5	<4	439	1.1	0.1	2.8	<0.8	85.4	19.6	4.0	<20	5.55	3.93
NFM00133			2.10	<5	<4	341	1.3	0.1	2.2	<0.8	78.2	20.8	2.6	20	5.60	3.95
NFM00134			2.32	<5	<4	186	<0.4	0.1	0.9	<0.8	62.2	5.2	1.3	50	3.86	2.08
NFM00135			0.96	<5	<4	134	<0.4	<0.1	22.1	<0.8	0.6	<0.5	<0.1	<20	0.08	0.06
NFM00136			2.23	<5	<4	366	<0.4	0.1	1.1	<0.8	140.5	3.6	1.3	40	8.03	4.49

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – B
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Eu2O3	Fe	Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.03	0.01	0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1
NFM00097		11.10	19.50	20.1	23.7	3.3	1.02	0.6	4.68	253	520	0.19	1.04	5900	41	561
NFM00098		0.54	1.44	28.3	2.93	2.5	1.31	<0.3	1.22	9.34	14	0.92	0.34	360	<2	21
NFM00099		1.64	6.32	18.7	6.33	1.5	1.35	<0.3	1.86	37.6	32	0.61	2.34	950	<2	12
NFM00100		1.63	5.86	18.3	6.17	1.8	1.20	<0.3	1.96	41.5	37	0.45	2.49	1010	<2	11
NFM00101		1.49	3.88	13.5	6.13	1.8	1.24	<0.3	1.58	35.7	20	0.43	1.30	630	<2	8
NFM00102		1.59	4.91	15.5	13.70	1.8	3.79	<0.3	1.86	33.5	29	1.40	1.74	790	<2	15
NFM00103		1.41	10.65	18.5	5.35	1.9	1.17	<0.3	1.18	18.45	25	0.56	3.09	1760	<2	8
NFM00104		1.47	7.60	16.8	5.88	1.7	1.40	<0.3	2.36	24.7	42	0.56	2.47	1300	<2	9
NFM00105		1.51	5.15	15.3	8.05	1.7	1.88	<0.3	2.30	37.4	31	0.72	1.44	960	<2	10
NFM00106		1.67	6.58	18.0	6.15	2.2	1.35	<0.3	1.47	37.9	23	0.60	1.93	1210	<2	11
NFM00107		1.42	7.43	17.1	6.25	2.1	1.58	<0.3	1.84	38.1	28	0.66	1.64	1670	<2	10
NFM00108		1.40	6.76	21.5	5.21	2.4	1.19	<0.3	2.18	38.6	35	0.47	1.79	1290	<2	12
NFM00109		0.59	2.09	17.8	2.09	2.0	0.66	<0.3	3.42	9.89	9	0.47	0.32	340	<2	13
NFM00110		0.38	0.92	19.6	1.20	1.0	0.36	<0.3	3.94	3.99	5	0.25	0.15	160	<2	8
NFM00111																
NFM00112		0.31	0.64	19.6	0.90	1.5	0.45	<0.3	4.62	2.24	4	0.40	0.09	110	<2	8
NFM00113		0.03	0.05	0.6	0.05	<0.5	0.02	<0.3	<0.05	0.19	<2	<0.06	13.30	<10	<2	<1
NFM00114		1.00	0.98	20.3	5.03	2.0	2.08	<0.3	3.84	20.3	9	1.09	0.24	200	<2	10
NFM00115		0.79	1.14	10.0	4.47	2.0	1.67	<0.3	2.84	19.05	6	0.80	0.20	180	2	3
NFM00116		1.47	2.68	17.8	7.80	2.1	1.98	<0.3	4.22	45.0	22	0.81	0.82	620	<2	8
NFM00117		1.23	1.69	13.0	7.47	2.2	2.27	<0.3	5.43	43.7	19	1.08	0.67	500	<2	7
NFM00118		1.34	4.06	16.0	6.34	2.3	1.63	<0.3	4.09	34.8	28	0.73	1.20	1230	<2	7
NFM00119		1.42	2.93	16.0	5.24	2.3	1.37	<0.3	4.12	28.1	17	0.60	0.67	1180	<2	5
NFM00120		1.55	5.75	19.0	6.89	1.9	1.21	<0.3	2.96	39.3	28	0.44	1.34	1220	<2	6
NFM00121		2.23	5.45	23.8	10.55	2.4	2.30	<0.3	2.29	64.4	29	0.76	1.35	1260	<2	10
NFM00122		2.01	5.09	23.7	10.10	2.4	2.06	<0.3	2.92	66.6	31	0.67	1.38	1200	<2	14
NFM00123		0.59	1.72	26.9	3.62	1.8	1.33	<0.3	1.38	13.15	14	0.89	0.43	420	<2	19
NFM00124		0.35	0.66	18.7	0.97	1.9	0.41	<0.3	4.58	2.72	3	0.36	0.09	110	<2	7
NFM00125		1.15	3.76	19.6	6.09	1.6	1.57	<0.3	3.05	32.5	20	0.66	0.97	870	<2	11
NFM00126		1.25	3.61	19.8	5.46	2.5	1.20	<0.3	3.65	33.3	14	0.48	0.66	940	<2	9
NFM00127		1.27	5.11	21.3	5.06	2.1	1.04	<0.3	2.70	34.9	21	0.42	1.18	1460	<2	13
NFM00128		1.39	7.24	20.4	5.35	2.1	1.20	<0.3	1.48	31.4	24	0.47	1.60	2210	<2	10
NFM00129		1.30	5.15	17.8	4.86	1.9	1.12	<0.3	3.31	32.5	22	0.42	0.99	1740	<2	9
NFM00130		1.45	4.57	17.4	5.52	1.7	1.31	<0.3	3.39	27.1	17	0.49	0.78	1120	<2	8
NFM00131		1.53	4.55	16.5	7.07	1.7	1.70	<0.3	2.46	34.0	17	0.57	0.77	1060	<2	8
NFM00132		1.34	6.95	20.9	6.21	2.2	1.31	<0.3	2.18	42.1	31	0.50	1.25	2030	<2	10
NFM00133		1.37	6.83	19.2	5.81	1.8	1.24	<0.3	1.80	38.9	28	0.48	1.35	1910	<2	12
NFM00134		0.97	1.55	11.0	4.62	1.3	0.77	<0.3	1.92	34.6	11	0.27	0.36	290	<2	4
NFM00135		<0.03	0.05	0.5	<0.03	<0.5	0.02	<0.3	0.08	0.29	<2	<0.06	13.30	10	<2	1
NFM00136		1.79	1.14	11.5	10.55	2.0	1.70	<0.3	3.57	71.9	8	0.52	0.28	230	<2	2

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 5 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 19-FEB-2026

Account: CASTCOP

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te	ThO2
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5	0.1
NFM00097		497	60	69.5	121.0	257	<0.01	<0.3	3	51.3	43	130	14.75	2.54	<0.5	77.6
NFM00098		9.13	10	36.6	2.09	81.5	<0.01	<0.3	<3	2.23	7	100	4.55	0.71	<0.5	6.9
NFM00099		33.8	80	11.3	8.84	145.5	0.01	<0.3	3	7.34	3	200	0.88	1.12	<0.5	13.3
NFM00100		34.8	70	9.9	9.57	136.5	0.01	<0.3	5	6.93	3	190	0.73	0.97	<0.5	12.1
NFM00101		29.6	30	12.2	8.30	87.6	0.01	0.3	<3	6.55	<3	170	0.24	1.01	0.5	14.3
NFM00102		35.0	50	14.2	9.44	112.0	0.01	<0.3	3	10.75	<3	200	0.63	2.67	3.9	11.4
NFM00103		18.95	70	9.9	4.79	54.8	0.01	<0.3	<3	4.59	4	210	0.29	0.93	<0.5	3.2
NFM00104		22.6	60	11.4	6.18	167.0	0.01	<0.3	4	5.28	<3	180	0.34	1.06	1.4	7.6
NFM00105		32.8	50	10.9	8.99	131.5	<0.01	<0.3	<3	8.00	4	130	0.40	1.53	0.6	15.4
NFM00106		33.9	100	9.9	8.96	82.0	0.01	<0.3	3	6.61	3	180	0.39	1.07	0.5	10.8
NFM00107		31.7	40	11.4	8.93	118.5	0.01	<0.3	<3	6.91	<3	150	0.42	1.16	0.7	13.1
NFM00108		30.8	30	10.4	8.67	165.0	0.01	<0.3	3	6.00	4	160	0.73	0.91	0.6	11.0
NFM00109		8.22	<10	49.3	2.22	150.5	0.03	0.3	<3	2.02	<3	100	2.05	0.44	<0.5	3.5
NFM00110		3.72	10	59.2	0.95	166.0	<0.01	0.6	<3	1.02	5	120	1.68	0.22	<0.5	2.0
NFM00111																
NFM00112		1.92	10	66.1	0.49	196.5	<0.01	0.5	<3	0.56	4	120	1.76	0.21	<0.5	1.9
NFM00113		0.09	<10	1.4	0.06	1.0	<0.01	<0.3	3	0.08	<3	50	0.11	0.02	<0.5	0.1
NFM00114		16.10	<10	46.7	4.63	183.0	<0.01	0.3	5	3.56	4	150	1.33	1.00	<0.5	12.7
NFM00115		15.65	10	25.1	4.40	130.0	<0.01	0.3	<3	3.68	<3	90	0.60	0.87	0.5	11.5
NFM00116		36.4	<10	26.7	10.30	225	<0.01	<0.3	4	7.78	5	150	0.53	1.32	0.5	26.3
NFM00117		36.7	<10	19.6	10.15	247	<0.01	<0.3	4	7.24	<3	120	0.34	1.35	0.5	27.7
NFM00118		28.7	20	16.8	7.97	235	<0.01	<0.3	3	6.19	3	200	0.40	1.19	0.5	16.2
NFM00119		22.5	<10	21.6	6.27	203	<0.01	0.3	<3	4.81	<3	180	0.37	0.90	<0.5	11.9
NFM00120		32.3	<10	14.2	9.10	171.5	<0.01	<0.3	<3	6.84	<3	180	0.50	1.00	<0.5	17.6
NFM00121		53.9	10	13.8	15.15	153.5	<0.01	0.4	5	10.95	4	210	0.76	1.71	<0.5	25.3
NFM00122		56.3	20	14.0	15.20	183.5	<0.01	0.3	3	10.80	6	240	0.92	1.57	<0.5	24.6
NFM00123		12.40	<10	32.0	3.37	101.0	<0.01	0.5	3	3.13	3	120	4.64	0.74	0.5	9.3
NFM00124		2.17	<10	68.0	0.60	204	<0.01	<0.3	<3	0.74	<3	130	1.54	0.20	<0.5	2.3
NFM00125		27.8	10	24.8	7.47	163.5	<0.01	0.5	3	6.13	3	160	1.14	1.08	<0.5	14.0
NFM00126		28.3	10	32.4	7.79	228	<0.01	1.1	3	6.06	4	150	0.84	0.85	<0.5	12.3
NFM00127		30.7	20	12.2	8.67	164.5	<0.01	1.1	<3	6.29	4	150	0.99	0.81	<0.5	14.5
NFM00128		27.9	20	8.7	7.41	106.0	<0.01	0.4	<3	5.81	5	160	0.66	0.91	<0.5	8.9
NFM00129		27.5	10	17.8	7.43	171.5	<0.01	<0.3	<3	5.37	8	160	0.63	0.81	0.5	11.2
NFM00130		24.4	<10	20.5	6.48	153.5	<0.01	<0.3	<3	5.20	4	190	0.33	0.94	<0.5	6.9
NFM00131		28.5	<10	13.6	7.84	125.0	<0.01	0.8	<3	6.80	4	260	0.35	1.21	<0.5	6.9
NFM00132		35.2	10	11.0	9.73	130.5	<0.01	<0.3	<3	7.03	3	200	0.59	1.02	<0.5	16.5
NFM00133		31.8	40	9.4	8.81	99.7	<0.01	<0.3	3	5.94	5	160	0.79	0.97	<0.5	14.1
NFM00134		25.7	<10	15.0	7.19	64.7	<0.01	<0.3	<3	5.50	4	110	0.10	0.66	0.6	20.9
NFM00135		0.21	<10	0.7	0.09	0.7	<0.01	<0.3	3	0.07	4	40	0.11	0.02	<0.5	0.1
NFM00136		56.2	<10	20.2	16.20	117.5	<0.01	<0.3	3	11.60	<3	130	0.06	1.61	<0.5	43.1

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – D
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00097		0.312	0.96	0.19	11.9	119	4.3	25.4	1.18	270
NFM00098		0.063	0.29	0.74	4.0	25	4.2	49.5	6.17	20
NFM00099		0.519	0.67	0.56	2.4	111	1.5	40.4	4.09	40
NFM00100		0.521	0.59	0.46	2.4	114	1.4	36.6	2.97	50
NFM00101		0.314	0.36	0.47	2.4	66	2.6	37.5	3.06	30
NFM00102		0.391	0.45	1.44	2.8	95	1.5	120.0	8.82	40
NFM00103		0.757	0.22	0.55	0.8	194	0.8	35.7	3.27	110
NFM00104		0.536	0.63	0.53	2.1	141	1.0	45.2	3.64	70
NFM00105		0.314	0.42	0.73	3.1	75	1.3	56.9	4.82	40
NFM00106		0.501	0.31	0.63	2.2	111	1.0	45.5	3.94	50
NFM00107		0.453	0.46	0.67	2.0	109	1.4	51.9	4.67	60
NFM00108		0.478	0.65	0.46	2.6	110	1.3	38.6	3.10	90
NFM00109		0.130	0.60	0.37	6.7	18	2.8	21.3	2.57	100
NFM00110		0.043	0.61	0.21	6.1	9	2.3	11.3	1.66	30
NFM00111										
NFM00112		0.018	0.73	0.29	5.9	4	2.8	15.9	2.54	20
NFM00113		<0.005	<0.02	0.01	0.4	4	<0.4	0.9	0.05	10
NFM00114		0.057	0.72	1.11	5.9	14	3.4	68.3	7.32	20
NFM00115		0.047	0.44	0.79	3.4	12	2.6	52.8	5.09	20
NFM00116		0.211	0.81	0.90	5.3	53	2.8	63.9	5.60	50
NFM00117		0.137	0.92	1.21	6.1	24	1.6	66.7	7.01	70
NFM00118		0.252	0.99	0.79	3.1	63	1.9	49.4	4.68	60
NFM00119		0.152	0.79	0.63	2.6	37	1.9	43.9	3.77	40
NFM00120		0.474	0.76	0.45	2.8	140	1.5	37.2	3.10	70
NFM00121		0.398	0.65	0.94	3.7	92	1.5	69.3	5.32	70
NFM00122		0.356	0.76	0.80	3.7	78	3.5	63.7	4.75	60
NFM00123		0.087	0.38	0.79	4.4	22	4.5	48.9	5.66	20
NFM00124		0.020	0.74	0.26	5.4	4	3.5	14.7	2.03	10
NFM00125		0.248	0.60	0.72	4.0	56	3.0	48.3	4.69	80
NFM00126		0.230	0.92	0.50	2.4	52	1.6	36.7	3.06	160
NFM00127		0.330	0.61	0.41	2.0	65	1.4	32.5	2.60	110
NFM00128		0.472	0.50	0.54	1.7	91	1.4	35.4	3.29	110
NFM00129		0.281	0.77	0.49	1.5	66	1.8	33.0	2.92	90
NFM00130		0.332	0.67	0.59	1.5	51	2.0	39.2	3.64	50
NFM00131		0.342	0.57	0.64	1.5	34	1.8	48.6	4.12	80
NFM00132		0.411	0.53	0.53	1.5	81	1.1	39.6	3.54	90
NFM00133		0.409	0.38	0.51	1.4	76	1.3	38.2	3.34	40
NFM00134		0.104	0.21	0.27	1.7	19	2.3	23.1	1.88	10
NFM00135		<0.005	<0.02	<0.01	0.6	3	0.4	1.0	0.08	<10
NFM00136		0.066	0.40	0.58	3.3	15	2.4	49.4	3.42	10

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – A
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	PUL-QC Pass7Sum %	WEI-21 Recvd Wt. kg	ME-MS89L Ag ppm	ME-MS89L As ppm	ME-MS89L Ba ppm	ME-MS89L Be ppm	ME-MS89L Bi ppm	ME-MS89L Ca %	ME-MS89L Cd ppm	ME-MS89L CeO2 ppm	ME-MS89L Co ppm	ME-MS89L Cs ppm	ME-MS89L Cu ppm	ME-MS89L Dy2O3 ppm	ME-MS89L Er2O3 ppm
		0.01	0.02	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00137			2.33	<5	<4	440	0.5	0.5	2.6	<0.8	113.0	16.8	4.8	110	12.60	8.63
NFM00138		99.0	1.37	<5	<4	288	1.2	0.3	2.6	<0.8	104.0	19.2	4.7	20	7.62	5.09
NFM00139			2.19	<5	<4	310	1.1	<0.1	1.8	<0.8	77.3	10.6	3.6	<20	5.43	3.68
NFM00140			2.70	<5	<4	481	1.3	0.1	2.1	<0.8	85.3	15.4	5.6	<20	6.81	4.97
NFM00141			2.76	<5	<4	136	10.8	<0.1	2.5	<0.8	19.9	3.5	2.5	<20	4.61	4.76
NFM00142			<0.02	<5	7	2890	9.3	0.2	0.2	<0.8	781	32.8	7.4	40	9.43	1.81
NFM00143			2.84	<5	6	76	16.9	0.2	2.6	<0.8	92.7	7.9	7.1	<20	6.63	3.27
NFM00144			2.80	<5	<4	477	4.3	0.5	4.4	<0.8	126.5	17.3	7.9	<20	8.70	4.65
NFM00145			2.03	<5	<4	397	4.3	0.5	5.6	<0.8	134.5	18.6	6.6	<20	8.62	4.84
NFM00146			1.95	<5	<4	442	4.9	0.1	2.4	<0.8	104.0	17.4	6.5	<20	6.36	3.84
NFM00147			1.28	<5	<4	460	4.3	0.2	2.7	<0.8	107.5	20.3	7.0	<20	8.83	5.81
NFM00148			1.51	<5	<4	609	2.0	0.5	3.1	<0.8	90.0	18.5	8.3	80	6.67	4.17
NFM00149			2.43	<5	<4	591	2.7	0.4	3.0	<0.8	104.5	15.6	10.3	30	4.92	2.68
NFM00150			2.08	<5	<4	684	2.1	0.3	2.8	<0.8	85.7	15.8	8.6	<20	4.61	2.69
NFM00151			1.81	<5	<4	449	2.5	0.2	2.8	<0.8	83.7	18.4	6.7	<20	5.52	2.90
NFM00152			2.03	<5	<4	574	2.4	0.3	3.0	<0.8	98.1	18.6	5.2	<20	6.36	3.57
NFM00153			1.84	<5	<4	581	3.2	0.1	2.1	<0.8	104.0	22.2	6.2	<20	5.34	2.98
NFM00154			3.15	<5	<4	348	2.3	0.2	2.4	<0.8	92.5	21.3	6.6	<20	5.98	3.38
NFM00155			3.84	<5	5	195	3.2	0.2	1.6	<0.8	27.6	5.0	3.0	<20	3.27	2.54
NFM00156			1.96	<5	<4	142	4.4	0.3	1.8	<0.8	18.7	3.3	2.0	<20	2.50	1.90
NFM00157			0.87	<5	<4	18	<0.4	0.3	20.6	<0.8	0.5	<0.5	0.1	<20	<0.03	<0.02
NFM00158			1.51	<5	<4	410	1.5	0.2	0.7	<0.8	7.9	1.5	3.5	<20	0.77	0.50
NFM00159			<0.02	<5	20	252	67.4	1.8	0.2	2.8	2790	1.5	4.7	<20	177.5	94.3
NFM00160			2.12	<5	<4	125	6.5	0.3	3.3	<0.8	39.8	8.0	3.5	<20	2.38	1.19
NFM00161			2.90	<5	8	512	1.9	0.6	6.7	<0.8	105.0	26.6	5.8	<20	5.78	3.10
NFM00162			1.88	<5	7	410	1.7	0.9	8.5	<0.8	93.0	20.5	2.8	<20	5.07	2.81
NFM00163			2.13	<5	5	425	2.4	0.6	5.1	<0.8	110.0	26.2	7.1	<20	5.23	2.78
NFM00164			1.55	<5	5	419	2.2	0.6	5.5	<0.8	98.0	24.4	8.4	<20	5.22	2.90
NFM00165			1.94	<5	4	438	2.3	0.5	4.5	<0.8	108.0	21.8	8.7	<20	5.64	2.72
NFM00166			2.31	<5	5	493	2.4	0.6	5.5	<0.8	123.0	25.3	6.6	<20	5.60	2.95
NFM00167			2.23	<5	5	360	2.4	0.6	5.9	<0.8	91.8	21.1	6.2	<20	5.19	2.92
NFM00168			2.21	<5	<4	270	2.0	1.3	6.7	<0.8	120.0	17.9	3.1	<20	6.40	3.41
NFM00169			2.02	<5	<4	328	2.1	0.5	3.9	<0.8	112.0	18.5	5.1	<20	5.31	2.78
NFM00170			1.23	<5	5	522	1.3	0.5	5.4	<0.8	91.3	12.9	3.6	<20	5.61	2.89
NFM00171			3.03	<5	<4	570	2.0	0.6	3.5	<0.8	96.9	14.0	2.8	80	8.05	5.15
NFM00172			4.21	<5	<4	662	0.7	0.2	1.9	<0.8	64.5	7.7	2.8	<20	4.05	2.45
NFM00173			3.20	<5	<4	658	1.4	0.4	2.9	<0.8	86.4	12.9	4.4	160	15.90	9.54
NFM00174			2.24	<5	<4	297	1.2	0.3	4.0	<0.8	64.9	19.5	3.1	40	6.62	3.69
NFM00175			3.57	<5	<4	377	0.8	0.2	2.2	<0.8	51.5	9.0	2.4	<20	5.44	3.17
NFM00176			2.46	<5	<4	214	1.5	0.4	2.6	<0.8	59.5	15.9	4.2	<20	6.50	3.61

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – B
Total # Pages: 9 (A – D)
Plus Appendix Pages
Finalized Date: 19–FEB–2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1
NFM00137		1.98	3.69	14.8	10.75	2.0	3.00	<0.3	3.65	53.7	27	1.05	1.37	870	<2	7
NFM00138		1.68	4.97	21.9	7.55	2.2	1.76	<0.3	2.29	52.4	39	0.71	1.35	1320	<2	14
NFM00139		1.37	3.26	15.2	5.95	2.1	1.31	<0.3	2.78	39.4	22	0.47	0.76	740	<2	8
NFM00140		1.48	3.80	16.4	7.01	2.6	1.60	<0.3	3.19	42.1	30	0.65	1.09	1020	<2	8
NFM00141		0.53	1.07	28.6	3.22	1.9	1.31	<0.3	2.24	10.35	10	0.93	0.33	240	<2	12
NFM00142		12.25	18.35	21.5	27.9	3.9	1.12	0.5	4.40	256	480	0.20	0.99	5290	42	581
NFM00143		1.20	2.22	39.9	8.96	1.9	1.19	<0.3	1.54	43.3	21	0.76	0.60	480	<2	73
NFM00144		1.48	5.09	24.3	8.90	3.2	1.68	<0.3	3.20	56.9	31	0.63	1.41	1280	<2	22
NFM00145		1.85	5.83	25.0	8.83	3.3	1.70	<0.3	2.68	60.9	40	0.65	1.49	1620	<2	19
NFM00146		1.34	5.40	21.0	6.71	2.6	1.29	<0.3	2.78	48.0	39	0.59	1.52	1710	<2	16
NFM00147		1.32	5.98	23.0	7.77	2.7	1.78	<0.3	3.23	49.6	41	0.76	1.59	1600	<2	16
NFM00148		1.48	6.50	19.2	6.56	2.8	1.41	<0.3	3.03	41.9	32	0.60	1.49	2240	<2	13
NFM00149		1.44	5.41	20.4	5.83	2.2	0.97	<0.3	2.12	49.1	29	0.36	1.37	1620	<2	14
NFM00150		1.41	6.50	20.9	5.39	2.3	0.93	<0.3	2.45	39.8	31	0.38	1.34	2030	<2	15
NFM00151		1.17	5.67	22.1	5.73	2.6	1.03	<0.3	2.73	38.7	33	0.44	1.45	1360	<2	15
NFM00152		1.22	5.54	23.7	6.96	2.8	1.26	<0.3	2.72	46.4	35	0.49	1.45	1210	<2	17
NFM00153		1.45	6.09	25.1	6.35	3.1	1.11	<0.3	3.18	48.0	42	0.43	1.89	1440	<2	18
NFM00154		1.52	6.75	22.7	6.29	2.4	1.17	<0.3	2.47	42.0	40	0.48	2.06	1190	<2	16
NFM00155		0.52	1.88	22.9	2.52	1.9	0.74	<0.3	3.20	12.35	17	0.49	0.45	370	<2	24
NFM00156		0.46	1.49	24.3	1.69	2.5	0.60	<0.3	2.33	8.54	14	0.43	0.33	300	<2	18
NFM00157		<0.03	0.07	0.7	<0.03	0.8	<0.01	<0.3	<0.05	0.28	4	<0.06	13.45	30	<2	3
NFM00158		0.32	0.86	16.4	0.59	3.0	0.15	<0.3	7.26	3.59	7	0.10	0.12	140	<2	4
NFM00159		5.87	5.06	162.5	184.5	7.9	34.4	<0.3	3.77	1740	330	11.20	0.16	3690	2	4150
NFM00160		0.59	2.43	25.0	2.49	2.6	0.41	<0.3	1.49	18.55	19	0.17	0.58	640	<2	18
NFM00161		1.49	6.36	23.6	6.42	3.2	1.08	<0.3	2.35	46.7	32	0.39	1.74	2120	<2	18
NFM00162		1.34	6.00	21.2	5.73	3.4	0.96	<0.3	1.96	41.6	17	0.41	1.38	1990	<2	14
NFM00163		1.49	7.17	23.1	6.43	3.3	1.02	<0.3	2.45	49.4	41	0.41	1.85	1710	<2	17
NFM00164		1.34	6.66	21.3	6.17	3.0	1.07	<0.3	2.61	43.3	39	0.39	1.84	1350	<2	16
NFM00165		1.35	5.97	21.0	6.64	2.7	1.09	<0.3	2.72	48.7	37	0.42	1.72	1120	<2	15
NFM00166		1.68	6.67	21.9	7.01	2.7	1.11	<0.3	2.35	54.4	34	0.36	1.81	1790	<2	16
NFM00167		1.22	6.24	21.6	5.81	2.8	1.01	<0.3	2.39	41.4	23	0.40	1.66	1410	<2	14
NFM00168		1.39	5.94	21.4	6.95	3.5	1.20	<0.3	1.38	53.1	13	0.47	1.74	1330	<2	15
NFM00169		1.38	5.25	21.8	6.62	2.7	0.99	<0.3	1.87	49.4	18	0.40	2.19	1100	<2	18
NFM00170		1.25	4.94	18.9	5.96	3.3	1.08	<0.3	3.56	40.2	18	0.40	1.11	1700	2	14
NFM00171		1.46	5.81	18.6	7.46	2.2	1.64	<0.3	1.65	43.0	28	0.80	1.35	2110	<2	15
NFM00172		1.17	3.19	13.2	3.99	2.5	0.85	<0.3	5.23	29.9	16	0.33	0.72	1310	<2	9
NFM00173		1.71	4.18	17.3	12.10	2.8	3.34	<0.3	5.41	36.1	30	0.98	1.20	1290	2	15
NFM00174		1.57	7.61	20.6	6.48	1.9	1.35	<0.3	1.47	28.5	29	0.50	1.21	1390	<2	12
NFM00175		1.29	4.33	14.9	4.97	2.1	1.15	<0.3	2.75	23.9	16	0.42	0.61	930	2	9
NFM00176		1.39	5.68	17.6	5.49	1.7	1.28	<0.3	1.62	27.0	28	0.50	1.17	940	2	9

Comments: AMENDMENT TO CERTIFICATE ISSUED 09–Feb–2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – C
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te	ThO2
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5	0.1
NFM00137		50.2	30	21.2	13.35	160.5	<0.01	<0.3	4	10.85	<3	230	0.28	1.91	0.5	24.9
NFM00138		43.3	30	13.2	12.15	171.5	<0.01	0.3	<3	8.31	4	150	0.78	1.34	<0.5	20.3
NFM00139		31.3	<10	19.8	9.03	147.0	<0.01	<0.3	<3	6.33	4	120	0.32	1.00	<0.5	17.6
NFM00140		35.8	10	20.2	9.89	184.5	<0.01	<0.3	<3	7.73	3	160	0.34	1.22	<0.5	20.3
NFM00141		9.21	<10	41.6	2.42	114.0	<0.01	<0.3	<3	2.13	<3	130	2.98	0.68	<0.5	5.9
NFM00142		514	70	64.5	126.5	263	<0.01	<0.3	<3	54.4	41	140	14.65	2.62	<0.5	75.3
NFM00143		37.7	20	31.4	10.20	138.5	<0.01	<0.3	<3	9.29	5	150	25.3	1.29	<0.5	27.0
NFM00144		49.0	20	18.2	13.30	197.5	<0.01	1.0	3	10.05	3	200	5.18	1.36	<0.5	27.9
NFM00145		51.8	30	13.1	14.30	191.5	<0.01	0.6	<3	10.20	4	230	2.06	1.39	<0.5	20.7
NFM00146		39.5	30	10.3	10.85	174.5	<0.01	0.6	<3	7.34	4	350	1.20	1.02	<0.5	17.4
NFM00147		41.1	30	10.9	11.45	193.0	<0.01	2.2	<3	8.05	5	330	1.07	1.28	<0.5	20.3
NFM00148		36.7	30	13.1	9.87	209	<0.01	0.5	<3	6.86	5	230	0.76	1.02	<0.5	15.0
NFM00149		37.7	20	10.4	10.70	143.0	<0.01	0.7	<3	6.92	3	280	0.87	0.87	<0.5	13.9
NFM00150		33.7	20	11.1	9.09	146.5	<0.01	0.6	3	6.34	4	280	1.03	0.75	<0.5	12.5
NFM00151		32.1	30	9.9	8.73	169.5	<0.01	0.6	<3	5.95	4	520	0.96	0.82	<0.5	13.8
NFM00152		40.0	30	7.9	10.55	168.5	<0.01	0.6	<3	7.53	5	280	0.84	1.00	<0.5	15.0
NFM00153		40.9	30	10.2	11.35	189.5	<0.01	0.5	<3	7.53	4	250	0.95	0.93	<0.5	16.2
NFM00154		36.5	30	11.8	10.05	181.5	<0.01	0.3	<3	7.25	4	180	0.74	0.93	<0.5	13.7
NFM00155		10.85	10	40.9	3.04	165.5	<0.01	0.4	<3	2.52	4	130	4.26	0.44	<0.5	6.4
NFM00156		7.65	<10	34.5	2.04	114.5	<0.01	1.3	<3	1.62	3	130	1.71	0.31	<0.5	4.4
NFM00157		0.24	<10	1.5	0.05	1.5	<0.01	1.2	<3	<0.05	5	50	0.35	<0.01	<0.5	<0.1
NFM00158		3.14	<10	82.4	0.82	310	<0.01	0.5	3	0.61	<3	140	0.42	0.09	<0.5	1.7
NFM00159		1090	<10	194.5	323	1220	<0.01	4.0	<3	197.0	94	60	227	29.4	<0.5	331
NFM00160		15.55	10	26.6	4.28	101.5	<0.01	0.7	<3	2.82	3	150	1.66	0.35	<0.5	5.7
NFM00161		41.1	50	19.4	11.15	173.5	<0.01	1.7	3	7.63	6	160	0.92	0.92	<0.5	14.3
NFM00162		35.7	30	17.7	9.71	99.0	<0.01	2.8	<3	6.76	4	160	0.74	0.79	<0.5	13.4
NFM00163		41.8	40	14.3	11.55	151.0	<0.01	1.5	<3	7.93	5	490	0.92	0.90	<0.5	18.0
NFM00164		38.4	40	14.2	10.40	153.5	<0.01	2.0	<3	7.44	4	260	0.84	0.92	<0.5	14.8
NFM00165		41.3	40	13.3	11.45	159.0	<0.01	1.6	<3	7.50	4	450	0.94	0.90	<0.5	16.3
NFM00166		48.9	50	11.6	13.45	146.5	<0.01	2.8	<3	8.85	6	450	0.82	0.96	<0.5	16.2
NFM00167		35.7	40	14.8	9.88	137.0	<0.01	2.2	<3	7.12	4	340	0.81	0.86	<0.5	14.8
NFM00168		46.4	30	9.4	12.80	87.8	<0.01	1.2	<3	8.58	5	280	0.85	0.99	<0.5	18.4
NFM00169		44.0	50	8.5	12.05	119.0	<0.01	0.7	<3	8.04	5	290	1.05	0.92	<0.5	18.9
NFM00170		36.2	20	12.6	9.56	172.0	<0.01	1.7	<3	6.83	5	190	0.77	0.86	<0.5	14.6
NFM00171		38.3	10	9.1	10.30	117.0	<0.01	0.6	<3	8.49	4	170	0.73	1.22	<0.5	13.1
NFM00172		24.6	10	24.6	6.67	231	<0.01	0.6	3	4.77	3	170	0.35	0.63	<0.5	12.5
NFM00173		39.9	20	22.6	9.98	246	<0.01	0.5	<3	10.40	3	210	1.01	2.28	0.6	9.1
NFM00174		28.2	<10	6.8	7.13	93.3	<0.01	0.3	<3	6.51	4	170	0.50	1.09	<0.5	5.3
NFM00175		22.0	<10	14.6	5.75	121.5	<0.01	0.4	<3	5.13	<3	140	0.32	0.78	<0.5	4.8
NFM00176		24.7	10	9.4	6.55	117.0	<0.01	0.5	<3	5.89	3	160	0.35	0.96	<0.5	6.6

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – D
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00137		0.336	0.66	1.21	3.5	71	1.6	88.6	6.80	50
NFM00138		0.345	0.72	0.81	3.3	72	1.9	55.0	4.59	90
NFM00139		0.199	0.62	0.53	2.0	40	1.9	36.8	3.13	40
NFM00140		0.249	0.74	0.66	2.2	54	1.4	47.4	4.05	50
NFM00141		0.059	0.39	0.81	2.7	15	2.8	51.4	5.67	10
NFM00142		0.296	0.99	0.25	11.9	126	4.5	28.6	1.32	300
NFM00143		0.159	0.42	0.57	3.7	37	5.3	46.4	4.45	50
NFM00144		0.343	0.74	0.66	2.4	83	1.3	56.5	4.41	80
NFM00145		0.368	0.67	0.67	2.5	77	2.1	56.4	4.83	140
NFM00146		0.339	0.59	0.57	1.4	79	1.0	43.7	4.11	90
NFM00147		0.381	0.68	0.81	2.0	95	2.0	60.8	5.31	90
NFM00148		0.353	0.84	0.64	2.2	82	2.8	47.2	4.24	100
NFM00149		0.437	0.54	0.35	2.4	83	2.6	32.0	2.56	90
NFM00150		0.431	0.55	0.40	2.2	81	1.8	29.5	2.52	90
NFM00151		0.391	0.58	0.43	1.8	93	1.3	33.3	3.12	90
NFM00152		0.362	0.53	0.51	2.0	81	1.9	42.5	3.51	160
NFM00153		0.412	0.56	0.45	1.9	92	2.1	32.3	3.12	100
NFM00154		0.517	0.61	0.49	5.5	126	1.4	38.6	3.37	80
NFM00155		0.107	0.52	0.39	15.6	25	4.5	26.5	3.29	30
NFM00156		0.074	0.33	0.32	13.7	19	3.8	21.6	2.81	20
NFM00157		<0.005	<0.02	<0.01	0.4	7	0.9	0.3	<0.02	10
NFM00158		0.026	1.06	0.08	3.4	10	1.5	6.9	0.79	60
NFM00159		0.054	1.84	14.00	91.0	4	2.3	1125	83.8	2060
NFM00160		0.141	0.33	0.17	3.8	38	1.9	15.6	1.30	60
NFM00161		0.430	0.53	0.45	5.5	102	1.4	34.7	3.05	100
NFM00162		0.381	0.29	0.39	5.7	108	1.3	31.6	2.68	80
NFM00163		0.479	0.53	0.38	3.8	116	1.3	32.3	2.62	110
NFM00164		0.450	0.51	0.42	3.4	118	1.4	35.2	2.89	110
NFM00165		0.427	0.49	0.41	2.4	101	1.6	33.9	2.96	90
NFM00166		0.468	0.49	0.42	2.2	121	1.5	33.7	2.66	100
NFM00167		0.419	0.42	0.41	2.4	107	1.4	32.3	2.96	90
NFM00168		0.336	0.24	0.50	3.4	87	1.8	40.8	3.45	70
NFM00169		0.491	0.35	0.38	2.5	98	3.2	32.3	2.74	50
NFM00170		0.309	0.65	0.41	2.1	65	1.9	34.7	2.62	270
NFM00171		0.377	0.42	0.80	1.8	58	1.8	54.7	5.57	90
NFM00172		0.184	0.84	0.34	1.2	41	1.9	27.6	2.40	50
NFM00173		0.321	0.95	1.29	1.5	57	2.0	107.0	7.29	80
NFM00174		0.617	0.41	0.55	0.9	88	1.6	42.5	3.70	140
NFM00175		0.319	0.44	0.46	0.9	28	2.3	35.9	3.15	80
NFM00176		0.441	0.43	0.53	1.2	66	1.9	43.0	3.46	60

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 - A
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	PUL-QC Pass75um %	WEI-21 Recvd Wt. kg	ME-MS89L Ag ppm	ME-MS89L As ppm	ME-MS89L Ba ppm	ME-MS89L Be ppm	ME-MS89L Bi ppm	ME-MS89L Ca %	ME-MS89L Cd ppm	ME-MS89L CeO2 ppm	ME-MS89L Co ppm	ME-MS89L Cs ppm	ME-MS89L Cu ppm	ME-MS89L Dy2O3 ppm	ME-MS89L Er2O3 ppm
		0.01	0.02	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00177			2.23	<5	<4	144	1.8	0.8	3.1	<0.8	55.4	22.9	8.3	<20	7.15	4.15
NFM00178			<0.02	<5	18	250	66.8	1.7	0.3	4.1	2940	1.5	4.4	40	189.5	106.0
NFM00179		90.0	0.71	<5	<4	70	<0.4	<0.1	22.6	1.1	7.6	<0.5	0.1	20	0.47	0.26
NFM00180			2.28	<5	4	41	7.5	0.3	1.7	1.0	14.6	1.8	2.3	30	4.01	3.58
NFM00181			1.69	<5	<4	203	6.0	0.2	1.6	1.0	20.1	2.8	2.8	40	4.34	2.86
NFM00182			2.05	<5	<4	361	2.2	<0.1	1.8	1.1	76.4	13.5	4.3	30	5.08	3.91
NFM00183			2.42	<5	<4	425	1.2	<0.1	1.9	1.1	91.8	11.8	1.7	30	5.65	3.61
NFM00184			2.71	<5	<4	170	1.2	<0.1	1.4	1.0	52.3	11.5	1.1	30	4.34	2.94
NFM00185			2.42	<5	<4	536	1.7	<0.1	2.0	1.1	99.3	14.6	2.5	30	6.85	4.44
NFM00186			2.18	<5	<4	604	1.3	<0.1	2.1	1.0	96.6	15.2	2.8	30	7.33	4.76
NFM00187			1.00	<5	<4	516	1.6	<0.1	2.0	1.1	89.1	14.8	2.7	30	6.60	4.52
NFM00188			1.34	<5	<4	477	1.2	<0.1	1.9	1.0	84.5	13.4	2.5	30	8.63	6.40
NFM00189			1.70	<5	<4	578	2.0	<0.1	2.3	1.1	94.0	14.6	3.6	30	6.45	4.07
NFM00190			3.26	<5	<4	481	1.0	<0.1	1.9	1.0	93.7	10.6	3.4	30	10.45	7.97
NFM00191			3.32	<5	<4	558	0.7	<0.1	1.4	1.0	72.4	10.2	3.4	30	8.71	6.91
NFM00192			3.35	<5	<4	578	1.5	<0.1	1.7	1.0	66.7	8.9	4.0	30	5.68	3.91
NFM00193			1.76	<5	<4	419	0.5	<0.1	1.5	1.0	45.8	5.0	3.1	30	3.94	2.78
NFM00194			1.24	<5	<4	122	19.8	<0.1	3.3	1.0	59.6	4.3	2.5	50	5.14	3.28
NFM00195			2.38	<5	<4	236	10.4	0.1	3.3	1.0	269	16.4	8.2	30	13.10	7.60
NFM00196			1.37	<5	<4	446	5.2	0.1	4.8	1.0	114.5	18.9	7.3	30	5.27	2.81
NFM00197			2.87	<5	<4	484	3.8	0.1	4.5	1.0	113.5	19.8	6.4	30	5.92	3.14
NFM00198			3.40	<5	<4	402	1.9	<0.1	3.0	1.0	98.9	17.0	4.8	30	5.95	3.62
NFM00199			5.65	<5	<4	519	3.8	<0.1	2.9	1.0	114.0	19.8	5.7	30	6.07	3.62
NFM00200			1.44	<5	<4	254	5.0	0.1	1.4	1.1	18.4	2.9	3.2	40	3.58	2.24
NFM00201			1.31	<5	<4	660	1.6	0.2	3.2	1.0	85.7	14.6	3.5	70	8.99	5.77
NFM00202			1.73	<5	<4	398	1.4	0.4	3.0	1.0	70.5	19.0	2.7	50	6.35	4.08
NFM00203			1.76	<5	<4	533	1.3	<0.1	1.9	1.0	96.8	13.0	3.1	30	8.62	6.22
NFM00204			1.62	<5	<4	512	2.2	<0.1	2.8	1.1	104.0	15.8	5.1	30	8.23	5.50
NFM00205			1.42	<5	<4	444	4.7	<0.1	2.9	1.0	110.5	24.3	7.5	30	10.20	7.81
NFM00206			1.55	<5	<4	520	2.7	0.3	3.6	1.0	104.0	22.9	9.6	40	6.50	4.04
NFM00207			1.39	<5	<4	595	2.4	0.3	3.3	1.1	86.5	19.2	10.8	30	4.99	3.01
NFM00208			1.46	<5	<4	708	2.4	<0.1	3.1	1.0	112.0	18.6	6.8	30	5.76	3.53
NFM00209			3.50	<5	<4	608	2.3	<0.1	2.9	1.0	98.5	21.6	6.6	30	4.89	2.78
NFM00210			2.92	<5	<4	491	2.4	<0.1	3.1	1.0	103.0	19.8	5.8	30	5.76	3.27
NFM00211			4.17	<5	<4	535	2.0	0.1	2.2	<0.8	109.5	12.4	4.7	<20	8.67	5.56
NFM00212			3.63	<5	<4	502	2.7	0.1	3.0	<0.8	116.5	17.6	4.8	<20	6.68	3.90
NFM00213			2.81	<5	<4	497	6.5	0.1	3.5	<0.8	102.0	22.6	4.1	<20	5.26	2.79
NFM00214			3.62	<5	<4	525	2.6	0.1	2.8	<0.8	90.7	21.2	5.2	<20	5.22	3.26
NFM00215			3.02	<5	<4	478	2.7	0.1	2.6	<0.8	93.6	19.0	4.9	<20	6.29	3.81
NFM00216			2.53	<5	<4	545	3.2	<0.1	2.2	<0.8	97.7	21.5	6.8	<20	5.66	3.14

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 – B
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Eu2O3	Fe	Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.03	0.01	0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1
NFM00177		1.31	7.05	19.5	6.09	1.6	1.45	<0.3	1.90	22.2	41	0.57	2.06	1110	<2	8
NFM00178		6.87	5.15	161.5	211	8.2	38.0	0.3	3.79	1745	340	12.95	0.16	3650	2	4160
NFM00179		0.07	0.05	2.1	0.50	0.7	0.11	0.3	<0.05	4.20	5	0.06	14.00	30	<2	10
NFM00180		0.56	1.04	26.7	3.08	4.6	1.10	0.4	1.01	8.83	8	0.71	0.24	340	2	15
NFM00181		0.78	1.44	27.2	3.82	3.9	0.95	0.4	3.12	13.35	11	0.45	0.44	290	2	9
NFM00182		1.10	6.28	21.4	5.35	2.7	1.24	0.4	1.50	33.7	28	0.65	1.16	2230	<2	16
NFM00183		1.11	7.89	24.7	5.28	3.1	1.17	0.4	1.24	39.6	17	0.58	0.63	1660	<2	9
NFM00184		0.79	9.59	23.8	3.70	2.1	0.96	0.4	1.01	23.7	13	0.49	0.49	1070	<2	5
NFM00185		1.20	8.40	21.9	6.55	2.1	1.49	0.4	2.48	44.4	29	0.73	1.14	2000	<2	15
NFM00186		1.37	8.21	21.6	6.74	2.4	1.64	0.4	3.12	44.2	30	0.71	1.12	2350	<2	13
NFM00187		1.26	8.19	21.1	6.19	2.0	1.53	0.4	2.76	42.1	28	0.65	1.08	2220	<2	14
NFM00188		1.25	7.72	19.2	7.30	2.2	2.10	0.4	2.87	38.9	26	0.94	0.93	2020	2	12
NFM00189		1.31	6.74	19.2	6.44	2.1	1.43	0.4	2.55	43.2	30	0.65	1.14	2960	2	14
NFM00190		1.38	4.89	17.8	8.18	1.9	2.50	0.5	4.24	42.8	23	1.15	0.87	1620	2	11
NFM00191		1.20	5.17	16.0	6.64	2.0	2.16	0.4	4.86	33.8	19	1.00	0.70	1530	2	9
NFM00192		1.05	5.27	16.4	4.93	2.3	1.33	0.4	4.05	31.2	30	0.63	0.79	1950	2	10
NFM00193		0.88	2.68	13.2	3.37	2.4	0.88	0.4	4.79	21.3	16	0.53	0.39	1330	3	6
NFM00194		0.90	1.91	34.5	5.35	3.1	1.12	0.4	1.24	26.5	18	0.66	0.32	480	<2	14
NFM00195		2.10	3.99	32.6	16.15	2.8	2.63	0.4	2.64	114.0	43	1.13	1.38	1070	<2	52
NFM00196		1.31	5.85	28.0	7.03	2.9	1.07	0.4	2.71	52.2	42	0.42	1.48	1520	<2	42
NFM00197		1.35	5.69	25.3	7.01	2.5	1.19	0.4	2.32	50.8	42	0.42	1.58	1470	<2	19
NFM00198		1.16	5.34	19.4	6.17	1.6	1.33	0.4	2.53	44.9	32	0.51	1.37	1380	<2	15
NFM00199		1.51	5.91	21.0	7.04	1.3	1.35	0.4	2.56	51.6	35	0.56	1.73	1800	<2	17
NFM00200		0.76	1.45	22.5	3.35	2.4	0.80	0.4	3.99	12.65	9	0.38	0.38	280	2	6
NFM00201		1.55	5.06	19.6	8.25	2.3	2.06	0.4	3.77	36.1	24	0.69	1.07	1610	<2	14
NFM00202		1.39	7.00	19.8	6.32	1.7	1.44	0.4	2.02	30.3	28	0.55	1.25	2100	<2	10
NFM00203		1.40	5.72	17.6	7.53	2.1	2.00	0.4	3.32	43.3	26	0.91	1.04	2260	2	11
NFM00204		1.39	7.58	21.3	7.65	2.2	1.89	0.4	3.11	47.0	29	0.89	1.24	2720	<2	16
NFM00205		1.31	6.56	27.0	8.58	2.0	2.41	0.5	2.80	50.2	39	1.71	1.72	1640	2	39
NFM00206		1.56	6.91	21.6	7.00	2.0	1.42	0.4	2.55	48.8	36	0.52	1.88	1950	2	16
NFM00207		1.46	6.43	19.2	5.62	1.4	1.10	0.4	2.39	38.8	28	0.42	1.75	1790	2	13
NFM00208		1.53	6.32	20.3	6.83	1.9	1.21	0.4	2.65	49.8	28	0.48	1.56	1970	2	15
NFM00209		1.37	6.21	21.6	6.10	1.6	1.09	0.4	2.53	43.9	30	0.44	1.60	1560	2	15
NFM00210		1.41	5.85	21.1	6.73	1.8	1.21	0.4	2.46	46.4	30	0.48	1.54	1150	2	15
NFM00211		1.57	4.31	23.8	8.46	3.0	1.88	<0.3	2.31	50.2	32	0.81	1.03	940	3	17
NFM00212		1.69	5.67	24.9	7.50	2.8	1.39	<0.3	2.56	52.9	36	0.59	1.31	1280	2	15
NFM00213		1.60	6.64	26.0	6.26	3.0	1.02	<0.3	2.44	46.3	41	0.42	1.66	1620	<2	16
NFM00214		1.53	6.54	25.1	6.32	2.7	1.13	<0.3	2.66	41.2	43	0.51	1.77	1440	<2	17
NFM00215		1.62	5.82	25.5	6.82	2.9	1.31	<0.3	2.52	43.3	42	0.56	1.66	1260	<2	18
NFM00216		1.51	6.10	25.3	6.60	3.0	1.17	<0.3	3.19	44.4	41	0.41	1.84	1270	<2	16

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 - C
Total # Pages: 9 (A - D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00177		23.4	20	10.0	6.02	168.0	<0.01	0.3	<3	5.88	<3	170	0.27	1.07	<0.5
NFM00178		1105	10	197.5	342	1180	<0.01	4.1	<3	202	91	60	234	34.0	<0.5
NFM00179		2.38	<10	1.1	0.78	3.7	<0.01	0.7	3	0.57	3	60	0.55	0.09	<0.5
NFM00180		7.34	10	44.8	1.99	55.2	<0.01	0.7	<3	2.06	3	70	6.23	0.64	<0.5
NFM00181		12.05	10	49.1	3.15	144.0	<0.01	0.8	<3	2.62	3	100	2.87	0.66	<0.5
NFM00182		27.4	30	15.0	8.08	129.0	<0.01	0.3	3	5.74	4	110	1.78	0.85	<0.5
NFM00183		30.3	40	11.4	9.30	63.6	<0.01	0.3	<3	6.06	4	130	0.59	0.92	<0.5
NFM00184		17.55	20	8.9	5.24	44.7	<0.01	<0.3	<3	3.54	3	110	0.34	0.63	<0.5
NFM00185		35.7	30	12.0	10.55	145.5	<0.01	0.3	<3	7.03	6	130	0.93	1.14	<0.5
NFM00186		35.2	40	15.5	10.30	182.0	<0.01	0.3	<3	6.84	4	150	0.78	1.13	<0.5
NFM00187		31.6	30	14.5	9.23	164.5	<0.01	<0.3	<3	6.38	6	140	0.92	1.06	<0.5
NFM00188		30.9	30	15.2	8.92	150.0	<0.01	0.3	<3	6.53	5	130	0.67	1.31	<0.5
NFM00189		35.3	40	11.0	10.00	153.0	<0.01	0.3	3	7.00	5	130	0.83	1.04	<0.5
NFM00190		33.9	20	18.0	10.10	199.0	<0.01	0.4	<3	7.46	5	130	0.83	1.52	<0.5
NFM00191		26.9	20	19.6	7.81	226	<0.01	<0.3	3	5.86	3	130	0.54	1.28	<0.5
NFM00192		24.6	20	18.5	7.20	196.5	<0.01	0.3	<3	5.38	3	120	0.65	0.90	<0.5
NFM00193		16.00	20	22.8	4.88	197.0	<0.01	<0.3	<3	3.25	3	120	0.32	0.60	<0.5
NFM00194		21.8	20	31.4	6.19	77.8	<0.01	0.6	<3	5.06	<3	130	4.44	0.87	<0.5
NFM00195		94.1	30	23.6	28.0	217	<0.01	0.3	<3	19.25	6	160	16.95	2.49	<0.5
NFM00196		41.9	40	12.6	12.40	196.0	<0.01	0.5	<3	8.63	7	170	12.70	1.01	<0.5
NFM00197		41.3	40	10.4	12.30	174.0	<0.01	0.4	<3	7.79	4	210	2.86	1.04	<0.5
NFM00198		35.5	30	9.4	10.45	169.0	0.01	0.3	<3	6.70	4	260	1.21	1.02	<0.5
NFM00199		41.4	40	9.2	12.35	158.5	0.01	0.3	<3	8.26	6	380	1.12	1.14	<0.5
NFM00200		11.05	10	51.1	2.88	178.0	0.01	0.5	<3	2.67	<3	100	2.70	0.56	<0.5
NFM00201		33.1	20	15.3	9.13	181.0	<0.01	0.5	<3	7.72	3	160	1.39	1.46	<0.5
NFM00202		27.3	20	9.5	7.57	118.0	<0.01	<0.3	<3	6.06	4	170	0.59	1.07	<0.5
NFM00203		35.6	20	15.6	10.45	164.5	<0.01	0.3	<3	7.38	3	140	0.72	1.32	<0.5
NFM00204		37.7	30	14.0	11.25	181.5	<0.01	<0.3	<3	7.75	4	140	2.08	1.27	<0.5
NFM00205		40.7	70	11.0	12.15	191.0	<0.01	0.4	<3	8.21	8	350	7.99	1.57	<0.5
NFM00206		37.9	50	10.7	11.05	184.5	<0.01	0.3	<3	7.56	5	240	1.05	1.06	<0.5
NFM00207		32.5	40	9.5	9.34	140.0	<0.01	0.4	<3	6.23	4	270	0.81	0.90	<0.5
NFM00208		41.5	30	12.1	11.90	147.5	<0.01	0.5	3	7.95	4	240	1.03	1.04	<0.5
NFM00209		36.4	50	8.5	10.25	139.5	<0.01	0.3	<3	6.71	5	360	0.92	0.91	<0.5
NFM00210		37.8	40	6.5	11.05	146.5	<0.01	<0.3	<3	7.48	6	500	0.95	0.99	<0.5
NFM00211		44.4	30	8.2	12.35	121.0	0.01	<0.3	6	8.77	5	250	1.25	1.42	0.6
NFM00212		46.8	40	8.9	13.05	150.0	<0.01	<0.3	7	8.80	5	220	1.12	1.07	0.6
NFM00213		39.7	50	10.1	11.40	149.0	<0.01	0.4	5	7.57	5	150	1.25	0.91	0.6
NFM00214		36.3	40	9.2	10.05	144.5	<0.01	<0.3	5	6.59	5	130	1.16	0.94	0.6
NFM00215		38.5	30	10.3	10.65	156.0	<0.01	0.3	5	7.71	5	240	1.34	1.00	0.7
NFM00216		39.2	40	9.5	11.10	183.5	<0.01	0.3	4	7.66	5	400	1.15	1.00	0.7

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 – D
Total # Pages: 9 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02
									10
NFM00177		0.532	0.65	0.61	1.3	119	1.3	46.7	4.00
NFM00178		0.056	2.14	16.45	98.7	<1	1.9	1115	100.5
NFM00179		<0.005	<0.02	0.05	0.5	4	0.5	3.3	0.26
NFM00180		0.040	0.18	0.61	2.8	11	2.9	39.0	4.38
NFM00181		0.069	0.49	0.45	1.8	15	2.1	35.6	2.84
NFM00182		0.294	0.51	0.67	1.2	63	1.8	37.2	4.55
NFM00183		0.221	0.21	0.62	1.4	68	1.4	32.8	3.75
NFM00184		0.177	0.13	0.49	1.7	81	1.8	30.9	3.15
NFM00185		0.316	0.56	0.72	1.7	74	1.8	46.2	4.57
NFM00186		0.306	0.72	0.80	2.0	75	1.6	48.6	5.14
NFM00187		0.295	0.61	0.75	1.8	73	2.0	45.7	4.79
NFM00188		0.263	0.57	1.06	2.1	70	2.0	63.2	6.95
NFM00189		0.328	0.59	0.72	2.4	67	2.0	42.8	4.44
NFM00190		0.234	0.82	1.29	4.0	46	2.3	74.4	8.06
NFM00191		0.212	0.92	1.11	3.9	50	2.0	69.3	7.08
NFM00192		0.191	0.84	0.70	3.9	39	2.4	39.1	4.37
NFM00193		0.134	0.82	0.46	2.8	21	2.5	28.2	3.37
NFM00194		0.063	0.27	0.55	10.5	15	1.8	35.8	4.09
NFM00195		0.254	0.94	1.14	15.4	53	2.1	78.1	7.53
NFM00196		0.382	0.83	0.42	3.1	79	3.2	31.0	2.72
NFM00197		0.377	0.72	0.47	2.7	82	1.9	33.4	2.96
NFM00198		0.349	0.79	0.62	2.1	74	1.4	38.7	3.92
NFM00199		0.390	0.72	0.64	2.4	90	1.3	40.8	3.95
NFM00200		0.070	0.65	0.35	1.8	14	1.8	28.4	2.15
NFM00201		0.334	0.75	0.86	2.1	60	1.8	57.4	4.96
NFM00202		0.426	0.46	0.63	1.3	87	1.5	40.3	4.03
NFM00203		0.283	0.61	1.01	1.9	64	1.5	59.2	6.39
NFM00204		0.319	0.81	0.93	2.2	75	1.6	58.4	6.10
NFM00205		0.430	0.75	1.46	2.8	107	5.9	84.3	10.45
NFM00206		0.465	0.86	0.61	2.7	106	2.8	39.4	3.97
NFM00207		0.481	0.66	0.49	2.9	92	2.3	31.4	2.97
NFM00208		0.433	0.65	0.54	2.7	87	1.9	34.9	3.37
NFM00209		0.432	0.59	0.47	2.1	105	1.6	30.1	2.93
NFM00210		0.412	0.57	0.51	2.1	94	2.4	33.5	3.17
NFM00211		0.312	0.50	0.87	3.4	60	1.6	58.3	5.39
NFM00212		0.402	0.55	0.57	2.2	82	1.3	40.9	3.59
NFM00213		0.451	0.49	0.42	1.7	99	0.6	31.4	2.54
NFM00214		0.478	0.57	0.50	2.5	103	0.8	32.8	3.47
NFM00215		0.421	0.58	0.56	3.4	83	1.1	38.7	3.47
NFM00216		0.442	0.64	0.47	3.4	91	0.9	34.9	2.73

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 – A
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	PUL-QC Pass7Sum %	WEI-21 Recvd Wt. kg	ME-MS89L Ag ppm	ME-MS89L As ppm	ME-MS89L Ba ppm	ME-MS89L Be ppm	ME-MS89L Bi ppm	ME-MS89L Ca %	ME-MS89L Cd ppm	ME-MS89L CeO2 ppm	ME-MS89L Co ppm	ME-MS89L Cs ppm	ME-MS89L Cu ppm	ME-MS89L Dy2O3 ppm	ME-MS89L Er2O3 ppm
		0.01	0.02	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00217			1.65	<5	<4	592	2.8	0.1	2.1	<0.8	111.0	20.6	7.0	<20	5.99	3.43
NFM00218		98.0	3.97	<5	<4	312	2.9	<0.1	1.8	<0.8	47.5	9.7	4.3	<20	2.96	1.99
NFM00219			1.46	<5	<4	251	4.0	<0.1	1.5	<0.8	20.1	2.6	2.3	<20	1.87	1.41
NFM00220			0.63	<5	<4	131	<0.4	0.1	22.3	<0.8	0.6	<0.5	0.2	<20	<0.03	0.09
NFM00221			<0.02	<5	5	2980	11.2	0.1	0.2	<0.8	751	31.1	7.3	30	8.37	1.90
NFM00222			2.21	<5	6	186	2.9	0.1	1.6	<0.8	9.6	2.0	2.1	<20	2.00	1.74
NFM00223			2.23	<5	4	148	5.9	<0.1	2.4	<0.8	9.1	1.2	2.1	<20	1.15	1.17
NFM00224			2.69	<5	<4	457	3.2	<0.1	2.5	<0.8	100.5	25.4	8.5	<20	4.64	2.38
NFM00225			3.24	<5	<4	423	2.4	0.1	3.1	<0.8	101.0	26.3	5.8	<20	4.96	2.73
NFM00226			3.66	<5	<4	524	2.4	0.1	3.0	<0.8	90.8	23.1	5.5	<20	4.83	2.65
NFM00227			1.36	<5	<4	503	3.2	0.1	3.7	<0.8	87.6	21.9	5.3	<20	3.97	2.12
NFM00228			2.12	<5	<4	618	3.4	<0.1	2.6	<0.8	92.6	26.0	7.5	<20	4.05	1.94
NFM00229			0.02	<5	18	266	69.9	1.6	0.2	3.0	3010	1.9	4.8	<20	175.5	96.4
NFM00230			2.56	<5	6	499	3.4	0.1	2.7	<0.8	93.5	27.6	6.3	<20	4.67	2.44
NFM00231			2.20	<5	<4	567	2.6	0.1	2.3	<0.8	98.4	27.6	7.0	<20	4.74	2.78
NFM00232			2.67	<5	<4	816	1.4	0.1	1.8	<0.8	61.5	13.4	5.5	<20	3.08	1.81
NFM00233			2.35	<5	<4	488	1.6	0.2	3.4	<0.8	80.5	20.5	8.3	<20	3.98	2.22
NFM00234			1.66	<5	4	509	2.1	0.5	5.2	<0.8	95.2	21.4	8.4	<20	4.79	2.64
NFM00235			1.48	<5	4	402	2.4	0.5	4.7	<0.8	98.9	23.1	7.6	<20	5.65	3.26
NFM00236			1.41	<5	<4	654	2.1	0.2	3.2	<0.8	102.0	18.2	6.7	<20	5.13	3.16
NFM00237			1.37	<5	<4	175	2.6	<0.1	1.5	<0.8	8.6	1.6	2.0	<20	1.42	1.49
NFM00238			1.24	<5	<4	758	1.7	0.1	2.0	<0.8	65.1	15.2	5.5	<20	3.23	1.76
NFM00239			1.36	<5	<4	347	1.2	0.6	4.7	<0.8	66.6	22.4	3.2	80	6.45	3.91
NFM00240			3.81	<5	<4	399	0.5	0.7	2.9	<0.8	39.8	12.4	2.7	130	6.77	4.31
NFM00241			2.47	<5	<4	391	1.0	0.2	3.0	<0.8	50.0	14.6	3.8	20	5.46	3.42
NFM00242			1.04	<5	<4	214	0.7	0.4	2.2	<0.8	34.6	10.2	2.8	<20	3.99	2.48
NFM00243			2.55	<5	<4	221	1.8	0.3	2.1	<0.8	28.9	8.2	3.5	<20	5.75	4.24
NFM00244			2.87	<5	<4	144	5.2	0.1	1.1	<0.8	6.5	1.8	2.8	<20	5.24	4.89
NFM00245			<0.02	<5	29	254	65.6	1.5	0.3	3.2	2740	1.8	4.8	20	198.5	114.5
NFM00246			0.54	<5	<4	34	<0.4	0.1	21.3	<0.8	1.2	<0.5	<0.1	<20	0.08	0.11
NFM00247			2.71	<5	<4	181	3.9	<0.1	0.7	<0.8	4.1	1.3	4.1	<20	2.25	1.90
NFM00248			3.01	<5	<4	195	4.5	0.2	1.4	<0.8	33.7	6.1	5.6	<20	5.39	4.99
NFM00249			2.69	<5	<4	584	1.7	<0.1	2.2	<0.8	96.2	16.2	5.0	<20	6.71	4.30
NFM00250			2.13	<5	<4	745	1.7	<0.1	2.0	<0.8	98.0	16.4	4.2	<20	6.93	4.36
NFM00251			2.85	<5	<4	601	1.8	<0.1	2.2	<0.8	97.2	16.9	4.0	<20	7.98	5.41
NFM00252			3.02	<5	<4	555	1.3	<0.1	1.4	<0.8	84.5	10.1	2.2	<20	5.81	3.76
NFM00253			2.83	<5	<4	529	1.3	<0.1	1.6	<0.8	92.5	11.9	2.6	<20	7.75	5.36
NFM00254			2.67	<5	16	778	0.9	<0.1	1.5	<0.8	156.0	11.7	2.5	<20	10.10	7.73
NFM00255			2.66	<5	<4	460	1.3	<0.1	1.7	<0.8	83.2	13.2	3.1	<20	9.32	6.61
NFM00256			1.56	<5	<4	463	0.7	<0.1	1.5	<0.8	117.0	10.4	3.3	<20	9.09	5.74

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 – B
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Eu2O3	Fe	Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.03	0.01	0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1
NFM00217		1.60	6.17	25.4	7.20	2.9	1.21	<0.3	3.44	50.1	41	0.44	1.85	1240	<2	17
NFM00218		0.74	3.24	23.5	3.23	1.8	0.64	<0.3	3.31	21.8	22	0.40	0.87	580	<2	24
NFM00219		0.50	1.26	21.2	1.78	2.1	0.44	<0.3	3.91	9.43	8	0.30	0.20	230	2	7
NFM00220		0.07	0.06	0.9	0.09	0.7	0.01	<0.3	0.10	0.25	3	<0.06	13.90	30	<2	2
NFM00221		11.05	20.1	22.5	24.8	4.6	1.03	0.5	4.80	242	530	0.15	1.10	6160	39	559
NFM00222		0.41	0.84	22.4	1.42	2.4	0.54	<0.3	3.42	4.69	11	0.49	0.14	270	2	8
NFM00223		0.36	0.67	28.2	0.86	2.6	0.26	<0.3	2.37	4.47	8	0.31	0.13	160	2	13
NFM00224		1.40	6.44	25.3	5.87	2.9	0.89	<0.3	2.72	45.4	38	0.32	1.74	1450	<2	18
NFM00225		1.57	6.60	24.4	6.06	3.1	0.99	<0.3	2.40	46.3	39	0.35	1.76	1750	<2	16
NFM00226		1.41	6.09	23.4	5.77	3.2	0.95	<0.3	2.99	40.8	38	0.31	1.56	1490	2	13
NFM00227		1.26	6.21	22.8	5.03	2.9	0.72	<0.3	2.78	39.8	36	0.25	1.54	1580	<2	16
NFM00228		1.32	7.30	25.5	5.11	2.7	0.76	<0.3	2.92	42.9	46	0.25	1.82	1460	<2	19
NFM00229		6.25	5.33	161.5	192.0	7.7	34.6	<0.3	3.79	1825	350	11.95	0.16	3830	2	4360
NFM00230		1.62	6.83	29.6	6.13	3.0	1.00	<0.3	2.76	47.3	60	0.35	1.73	1540	<2	17
NFM00231		1.51	7.19	26.1	5.61	2.6	0.95	<0.3	3.24	45.5	44	0.35	1.78	1710	2	19
NFM00232		1.03	3.57	18.6	3.58	3.0	0.56	<0.3	5.19	28.9	26	0.25	0.86	950	<2	11
NFM00233		1.16	5.53	21.2	4.82	3.3	0.79	<0.3	3.52	38.0	36	0.31	1.36	980	<2	14
NFM00234		1.40	5.74	22.3	5.58	2.9	0.96	<0.3	3.36	43.6	32	0.38	1.54	1010	2	16
NFM00235		1.51	6.54	22.1	6.17	2.9	1.16	<0.3	2.38	45.2	34	0.41	1.73	1230	<2	15
NFM00236		1.53	6.53	22.2	6.17	2.7	1.11	<0.3	2.53	47.1	30	0.38	1.52	2060	2	15
NFM00237		0.31	0.84	18.0	1.09	1.8	0.37	<0.3	3.27	4.01	7	0.31	0.11	210	2	9
NFM00238		1.15	4.19	19.0	3.77	3.2	0.58	<0.3	4.97	30.1	29	0.23	1.02	1080	<2	10
NFM00239		1.55	6.82	20.5	6.32	2.4	1.40	<0.3	1.69	29.4	21	0.49	1.40	1360	2	11
NFM00240		1.33	4.10	15.4	5.57	2.5	1.48	<0.3	3.91	17.35	15	0.53	0.81	1090	2	8
NFM00241		1.46	5.97	19.3	5.03	2.6	1.15	<0.3	2.70	22.5	23	0.43	0.88	1080	<2	9
NFM00242		1.25	3.89	15.5	3.88	2.5	0.87	<0.3	2.36	17.25	19	0.33	0.58	710	<2	6
NFM00243		0.98	2.72	19.5	4.26	3.1	1.33	<0.3	2.38	12.10	17	0.64	0.59	620	<2	10
NFM00244		0.43	0.98	25.6	2.58	4.6	1.28	<0.3	2.72	3.37	9	1.18	0.20	420	<2	35
NFM00245		7.03	5.01	162.0	209	5.9	38.6	<0.3	3.67	1745	350	12.20	0.16	3580	2	4130
NFM00246		0.07	0.05	0.6	0.10	1.0	0.03	<0.3	<0.05	0.55	2	0.08	12.85	20	<2	<1
NFM00247		0.31	0.70	13.6	1.34	1.9	0.53	<0.3	3.04	2.87	14	0.38	0.10	140	<2	11
NFM00248		0.57	1.80	21.9	3.95	1.9	1.31	<0.3	2.05	17.00	17	1.17	0.57	750	<2	13
NFM00249		1.49	6.41	20.6	6.92	1.3	1.31	<0.3	2.41	46.8	33	0.55	1.31	3490	<2	14
NFM00250		1.54	6.88	20.8	7.11	1.4	1.45	<0.3	2.55	47.5	35	0.66	1.14	2850	<2	14
NFM00251		1.67	6.10	20.3	7.47	1.2	1.70	<0.3	2.02	45.6	34	0.89	1.26	3080	<2	15
NFM00252		1.25	4.09	15.4	6.07	1.4	1.27	<0.3	3.68	42.0	19	0.44	0.60	1630	<2	10
NFM00253		1.37	5.32	16.1	7.16	1.3	1.74	<0.3	3.18	44.1	24	0.74	0.76	1760	<2	10
NFM00254		1.38	6.10	18.2	7.78	1.4	2.23	<0.3	3.88	39.1	24	1.07	0.69	1780	<2	10
NFM00255		1.32	6.70	18.7	6.94	1.4	2.06	<0.3	3.28	40.0	26	0.96	0.88	1380	<2	11
NFM00256		1.59	4.48	16.0	8.52	1.4	1.92	<0.3	4.20	55.5	22	0.69	0.68	1160	<2	10

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 – C
Total # Pages: 9 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te	ThO2
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5	0.1
NFM00217		44.9	40	9.5	12.60	193.5	<0.01	<0.3	6	8.26	5	390	1.23	1.05	0.6	18.4
NFM00218		18.65	20	34.5	5.25	187.0	0.02	0.4	4	3.63	4	120	2.87	0.47	0.6	9.0
NFM00219		8.58	10	56.5	2.36	158.0	0.01	0.3	4	1.76	<3	130	1.44	0.30	0.6	4.6
NFM00220		0.30	10	1.6	0.07	1.4	<0.01	<0.3	3	0.06	3	50	0.53	0.01	0.7	0.1
NFM00221		524	60	71.8	127.0	246	<0.01	0.3	3	53.6	41	140	15.45	2.39	0.6	75.7
NFM00222		3.92	<10	52.4	1.14	168.0	<0.01	0.7	4	0.94	<3	120	1.27	0.28	<0.5	2.4
NFM00223		3.92	10	46.7	1.05	106.5	<0.01	0.6	5	0.83	4	130	2.42	0.16	0.6	2.3
NFM00224		39.8	50	19.2	10.95	206	<0.01	<0.3	5	7.55	6	150	1.33	0.77	0.7	17.2
NFM00225		39.1	50	14.2	11.15	151.5	<0.01	<0.3	5	7.47	5	130	1.14	0.85	0.6	17.3
NFM00226		36.2	50	19.1	10.10	165.0	<0.01	0.3	5	6.85	4	130	1.00	0.81	0.6	14.8
NFM00227		34.6	60	18.9	10.05	154.5	<0.01	0.5	5	6.30	6	140	1.25	0.67	0.7	15.0
NFM00228		36.4	60	14.2	10.20	163.5	<0.01	0.3	5	6.44	5	160	1.45	0.70	0.7	17.5
NFM00229		1195	30	207	363	1175	<0.01	4.0	10	221	95	60	229	30.0	0.6	346
NFM00230		35.5	60	12.8	10.05	174.0	<0.01	0.7	3	6.15	4	210	1.14	0.85	<0.5	18.7
NFM00231		39.3	60	13.4	11.00	175.5	<0.01	0.3	4	7.62	5	240	1.48	0.79	0.6	16.6
NFM00232		22.7	30	33.7	6.66	237	<0.01	0.3	4	4.15	3	210	0.96	0.46	0.7	11.0
NFM00233		31.5	40	21.5	8.94	194.0	<0.01	0.4	4	6.01	5	130	0.99	0.68	0.6	14.0
NFM00234		37.2	40	18.8	10.70	173.5	<0.01	1.1	4	6.97	6	180	1.20	0.82	0.6	15.5
NFM00235		39.2	50	15.4	11.05	142.5	<0.01	1.1	4	7.99	4	230	1.03	0.96	0.5	16.2
NFM00236		39.8	40	12.2	11.20	144.0	<0.01	1.6	4	7.36	5	230	1.06	0.87	0.5	16.2
NFM00237		3.58	10	48.5	0.91	137.0	<0.01	0.3	3	0.97	<3	100	1.47	0.20	0.6	1.8
NFM00238		24.4	40	29.8	6.94	222	<0.01	0.3	5	4.92	3	210	0.76	0.51	0.8	11.3
NFM00239		28.2	20	11.9	7.56	93.7	<0.01	0.4	4	6.68	3	180	0.77	1.02	0.7	8.9
NFM00240		17.95	20	20.1	4.66	167.5	<0.01	0.3	5	4.60	3	150	2.08	0.98	0.7	3.8
NFM00241		21.4	10	13.8	5.68	125.5	<0.01	<0.3	5	4.86	3	160	0.70	0.82	0.6	4.1
NFM00242		15.40	10	15.2	4.13	122.0	<0.01	<0.3	4	3.66	<3	150	0.32	0.62	0.7	3.6
NFM00243		12.65	10	31.4	3.38	146.0	<0.01	<0.3	6	3.54	<3	120	2.08	0.83	0.8	3.5
NFM00244		3.65	10	42.5	0.87	151.5	<0.01	0.4	5	1.39	3	70	7.09	0.60	0.7	2.5
NFM00245		1040	10	213	325	1225	0.01	4.1	14	196.5	92	60	236	34.4	<0.5	379
NFM00246		0.56	10	1.2	0.19	<0.5	0.01	<0.3	3	0.19	<3	50	0.12	0.02	<0.5	0.2
NFM00247		2.72	10	40.7	0.67	175.0	0.02	0.8	<3	0.70	<3	70	3.63	0.30	<0.5	1.3
NFM00248		13.75	20	47.1	3.76	144.5	0.01	0.9	<3	3.39	<3	120	2.94	0.76	<0.5	7.3
NFM00249		37.9	30	15.2	10.50	155.5	<0.01	0.6	<3	7.33	4	180	0.96	1.14	<0.5	18.4
NFM00250		37.6	30	14.0	10.65	159.5	0.01	0.6	<3	7.57	4	160	0.88	1.17	<0.5	17.8
NFM00251		38.7	30	10.7	10.55	136.5	<0.01	0.5	<3	7.46	4	150	0.98	1.28	<0.5	17.5
NFM00252		33.2	30	19.8	8.93	167.5	<0.01	0.6	3	6.37	4	140	0.55	0.97	<0.5	20.9
NFM00253		35.6	30	16.8	9.91	158.5	<0.01	0.6	<3	6.67	3	140	0.61	1.23	<0.5	22.8
NFM00254		31.3	20	23.8	8.63	173.5	<0.01	0.8	<3	6.73	5	170	0.51	1.54	<0.5	19.6
NFM00255		31.8	30	11.8	8.70	176.0	<0.01	0.6	<3	6.52	3	140	0.63	1.37	<0.5	17.8
NFM00256		44.9	20	16.2	12.45	209	<0.01	0.6	<3	8.67	4	130	0.45	1.38	<0.5	30.7

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 – D
Total # Pages: 9 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00217		0.427	0.69	0.48	2.9	88	1.0	37.0	2.88	90
NFM00218		0.200	0.65	0.34	10.5	45	4.3	22.1	2.30	50
NFM00219		0.048	0.57	0.27	9.7	9	1.4	15.5	1.95	100
NFM00220		0.005	<0.02	<0.01	0.5	6	<0.4	0.8	0.03	<10
NFM00221		0.332	0.94	0.23	12.0	118	3.7	26.8	1.28	270
NFM00222		0.024	0.53	0.33	13.0	15	2.9	18.8	2.56	30
NFM00223		0.025	0.33	0.19	8.3	8	3.2	11.8	1.71	10
NFM00224		0.451	0.80	0.35	4.8	110	2.1	27.7	2.44	100
NFM00225		0.456	0.55	0.38	2.4	99	1.1	30.5	2.48	100
NFM00226		0.405	0.64	0.39	2.2	94	1.1	29.6	2.52	80
NFM00227		0.428	0.54	0.31	2.0	95	1.0	24.5	1.94	100
NFM00228		0.517	0.60	0.25	1.8	119	1.1	22.9	1.69	100
NFM00229		0.059	1.88	14.05	102.0	3	1.1	1175	85.7	2040
NFM00230		0.451	0.70	0.38	1.8	134	1.0	27.3	2.36	110
NFM00231		0.464	0.59	0.35	1.4	122	0.9	29.8	2.46	90
NFM00232		0.237	0.83	0.29	1.9	55	1.3	18.5	1.75	50
NFM00233		0.393	0.72	0.30	2.0	91	1.6	25.3	2.08	80
NFM00234		0.409	0.56	0.39	2.7	93	1.8	30.7	2.52	110
NFM00235		0.433	0.46	0.45	2.5	107	1.3	35.0	2.87	80
NFM00236		0.428	0.51	0.46	2.6	85	1.3	35.3	2.87	90
NFM00237		0.022	0.44	0.23	12.4	6	2.4	15.0	1.80	20
NFM00238		0.277	0.74	0.25	2.0	62	1.3	19.8	1.80	60
NFM00239		0.538	0.34	0.56	1.5	141	0.9	43.4	3.47	90
NFM00240		0.323	0.56	0.61	1.3	74	0.8	44.8	3.84	50
NFM00241		0.481	0.52	0.45	0.9	64	0.9	35.3	3.07	80
NFM00242		0.274	0.43	0.34	1.3	54	0.8	29.0	2.29	60
NFM00243		0.217	0.53	0.61	2.0	45	1.6	45.3	4.08	50
NFM00244		0.046	0.49	0.93	3.8	19	5.2	56.4	7.06	20
NFM00245		0.052	2.02	15.55	103.5	1	1.8	1165	90.3	2220
NFM00246		<0.005	<0.02	0.02	0.4	4	<0.4	0.6	0.03	10
NFM00247		0.023	0.56	0.32	2.6	6	2.0	21.3	1.96	20
NFM00248		0.090	0.57	0.86	4.4	22	2.5	50.5	6.35	50
NFM00249		0.281	0.55	0.57	2.2	70	1.6	39.4	3.34	100
NFM00250		0.293	0.57	0.59	2.2	72	1.4	42.7	3.81	140
NFM00251		0.344	0.48	0.85	1.8	71	1.1	49.7	4.89	90
NFM00252		0.211	0.58	0.50	1.5	49	1.6	34.5	3.17	50
NFM00253		0.226	0.49	0.79	1.9	56	1.3	49.0	4.40	50
NFM00254		0.203	0.50	1.11	1.9	57	2.0	68.4	6.74	60
NFM00255		0.227	0.66	1.02	2.2	63	1.5	62.0	6.08	60
NFM00256		0.181	0.74	0.81	2.6	47	1.9	56.3	4.70	50

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 – A
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	PUL-QC Pass75um %	WEI-21 Recvd Wt. kg	ME-MS89L Ag ppm	ME-MS89L As ppm	ME-MS89L Ba ppm	ME-MS89L Be ppm	ME-MS89L Bi ppm	ME-MS89L Ca %	ME-MS89L Cd ppm	ME-MS89L CeO2 ppm	ME-MS89L Co ppm	ME-MS89L Cs ppm	ME-MS89L Cu ppm	ME-MS89L Dy2O3 ppm	ME-MS89L Er2O3 ppm
		0.01	0.02	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00257			1.54	<5	<4	498	1.3	<0.1	2.4	<0.8	91.5	15.1	3.4	<20	9.09	7.14
NFM00258			1.43	<5	<4	438	3.5	<0.1	3.9	<0.8	96.7	19.7	6.0	<20	5.49	3.03
NFM00259			1.60	<5	<4	123	1.6	0.1	0.5	<0.8	4.7	1.5	2.2	<20	1.51	1.20
NFM00261			1.24	<5	<4	393	0.8	0.3	3.1	<0.8	52.7	16.8	3.3	90	8.22	4.84
NFM00262			1.66	<5	<4	327	1.0	0.1	2.3	<0.8	48.6	12.3	2.9	30	7.84	4.95
NFM00263			1.78	<5	<4	548	1.1	<0.1	2.0	<0.8	106.5	13.2	3.3	<20	7.98	5.08
NFM00264			2.35	<5	<4	512	1.0	<0.1	1.8	<0.8	121.0	11.8	3.8	<20	8.75	5.18
NFM00265			1.91	<5	<4	515	1.7	<0.1	2.0	<0.8	82.3	13.4	5.6	<20	8.37	6.17
NFM00266			2.94	<5	<4	409	3.8	0.1	3.1	<0.8	452	29.0	12.1	<20	29.3	15.30
NFM00267			2.24	<5	<4	308	5.9	<0.1	1.7	<0.8	105.5	28.4	11.1	<20	7.40	4.81
NFM00268			1.77	<5	<4	528	2.9	0.3	3.6	<0.8	94.3	22.5	8.0	<20	7.71	5.44
NFM00269			1.47	<5	<4	518	2.7	0.7	3.6	<0.8	94.8	24.6	11.0	<20	9.24	6.74
NFM00270			1.39	<5	<4	662	2.0	<0.1	3.1	<0.8	84.1	19.7	6.3	<20	5.12	3.24
NFM00271			1.43	<5	<4	467	2.1	<0.1	2.9	<0.8	96.8	20.2	5.6	<20	7.14	4.20
NFM00272			1.40	<5	<4	531	2.5	<0.1	2.7	<0.8	96.7	23.2	5.6	<20	6.86	3.81
NFM00273			2.97	<5	<4	507	2.4	<0.1	2.9	<0.8	94.1	25.1	7.0	<20	5.78	3.36
NFM00274			3.17	<5	<4	387	1.9	<0.1	3.4	<0.8	93.0	22.6	5.8	<20	5.83	3.37
NFM00275			3.41	<5	<4	392	2.0	1.4	5.3	<0.8	95.1	21.0	5.8	<20	6.58	4.11
NFM00276			2.84	<5	<4	485	2.6	0.2	2.3	<0.8	68.7	18.2	5.2	<20	4.49	3.05
NFM00277			2.29	<5	<4	322	2.8	<0.1	1.7	<0.8	30.1	8.0	3.6	<20	3.27	2.74
NFM00278		98.0	3.53	<5	<4	165	1.4	0.1	0.9	<0.8	6.8	1.8	1.8	<20	1.31	1.17
NFM00279			<0.02	<5	4	3010	11.4	0.3	0.2	<0.8	739	30.1	7.7	30	9.06	1.97
NFM00280			3.84	<5	<4	206	5.3	0.2	2.2	<0.8	4.7	1.3	2.4	<20	0.87	0.81
NFM00281			0.46	<5	<4	22	<0.4	0.2	22.1	<0.8	1.1	<0.5	<0.1	<20	0.08	0.08
NFM00282			1.49	<5	<4	331	2.3	0.4	1.4	<0.8	5.9	1.4	3.2	<20	1.23	1.07
NFM00283			2.25	<5	<4	319	4.3	0.4	2.6	<0.8	58.1	14.3	5.5	<20	3.37	2.05
NFM00284			2.55	<5	<4	419	3.3	0.1	2.7	<0.8	87.6	21.0	6.3	<20	4.82	2.63
NFM00285			1.54	<5	<4	512	3.3	0.1	2.7	<0.8	106.5	24.3	6.9	<20	5.75	3.10
NFM00286			2.42	<5	<4	540	4.2	0.2	2.7	<0.8	106.5	26.2	6.9	<20	5.20	2.66
NFM00287			1.40	<5	5	501	2.3	0.4	4.9	<0.8	88.3	24.1	5.8	<20	4.92	2.81
NFM00288			1.54	<5	<4	486	1.7	0.3	3.1	<0.8	90.0	19.4	6.9	<20	5.11	2.98
NFM00289			1.61	<5	<4	412	2.0	0.3	3.2	<0.8	80.2	21.5	7.7	<20	4.94	2.84
NFM00290			1.42	<5	<4	317	5.3	0.4	2.4	<0.8	913	36.2	17.7	<20	59.5	32.4
NFM00291			1.70	<5	<4	150	4.8	0.1	2.2	<0.8	5.4	1.6	1.8	<20	0.99	0.88

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 – B
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Eu2O3	Fe	Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.03	0.01	0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1
NFM00257		1.34	6.58	19.3	8.25	1.6	2.19	<0.3	3.20	43.7	31	0.93	1.02	2390	2	12
NFM00258		1.38	5.22	23.1	6.14	1.6	1.08	<0.3	3.12	47.4	37	0.35	1.39	1380	2	26
NFM00259		0.24	0.95	8.1	1.06	1.9	0.34	<0.3	1.85	2.94	4	0.25	0.10	180	<2	8
NFM00261		1.60	5.15	18.4	7.00	1.2	1.74	<0.3	2.70	23.9	20	0.61	0.95	1100	<2	10
NFM00262		1.47	3.71	16.0	6.12	1.2	1.59	<0.3	2.76	22.5	24	0.58	0.79	710	2	9
NFM00263		1.66	5.89	19.1	8.28	1.8	1.71	<0.3	3.44	51.5	24	0.69	0.81	2000	<2	10
NFM00264		1.30	5.90	16.8	8.96	1.8	1.84	<0.3	3.66	56.9	23	0.60	0.79	2590	<2	11
NFM00265		1.27	6.29	20.6	7.10	1.9	1.88	<0.3	4.03	39.5	27	0.83	0.92	2230	2	17
NFM00266		4.02	8.51	36.4	37.1	2.7	5.14	<0.3	3.01	205	51	2.47	1.91	2770	2	110
NFM00267		1.24	8.23	36.0	9.06	1.8	1.49	<0.3	2.82	51.4	45	0.94	1.79	2110	<2	127
NFM00268		1.51	6.59	21.8	7.51	1.8	1.65	<0.3	2.52	45.4	37	0.65	1.57	2030	<2	18
NFM00269		1.67	6.11	19.9	7.90	1.8	2.06	<0.3	2.52	44.8	31	0.81	1.89	1780	2	13
NFM00270		1.45	6.97	20.3	5.77	1.7	1.04	<0.3	2.48	40.7	26	0.42	1.39	2570	<2	14
NFM00271		1.56	5.65	21.1	7.51	1.7	1.41	<0.3	2.24	45.7	30	0.61	1.36	1300	2	15
NFM00272		1.62	6.11	23.7	7.13	2.1	1.32	<0.3	2.79	45.9	39	0.51	1.75	1180	<2	17
NFM00273		1.48	6.50	25.6	6.30	2.0	1.11	<0.3	3.07	46.1	39	0.34	1.95	970	<2	17
NFM00274		1.25	5.71	21.6	6.75	2.0	1.17	<0.3	2.34	43.9	36	0.40	1.65	1060	<2	15
NFM00275		1.48	5.81	25.7	7.38	2.8	1.31	<0.3	2.00	45.5	31	0.52	1.47	1360	<2	18
NFM00276		1.15	4.55	21.0	5.00	1.8	0.96	<0.3	3.07	32.6	27	0.48	1.12	730	<2	17
NFM00277		0.66	2.12	19.4	2.73	1.7	0.82	<0.3	4.26	14.55	14	0.48	0.50	350	<2	12
NFM00278		0.30	0.83	11.8	0.82	1.3	0.32	<0.3	3.10	3.42	6	0.27	0.11	130	<2	6
NFM00279		11.80	19.45	21.7	27.5	4.0	1.16	0.5	4.79	256	530	0.19	1.07	6030	40	555
NFM00280		0.31	0.64	23.7	0.56	1.9	0.23	<0.3	3.18	2.70	5	0.16	0.10	130	2	5
NFM00281		<0.03	0.07	<0.5	0.12	<0.5	0.02	<0.3	0.06	0.38	4	<0.06	13.40	30	<2	4
NFM00282		0.39	0.70	20.8	0.77	2.7	0.31	<0.3	6.05	2.99	8	0.20	0.10	140	<2	6
NFM00283		0.95	4.08	27.9	4.16	2.1	0.65	<0.3	2.29	29.1	29	0.31	1.00	830	2	26
NFM00284		1.34	5.62	25.2	6.18	2.2	1.01	<0.3	2.61	42.7	36	0.38	1.46	1150	<2	14
NFM00285		1.67	6.53	25.0	7.08	2.2	1.10	<0.3	2.85	51.8	45	0.39	1.68	1120	<2	15
NFM00286		1.47	6.76	23.4	6.41	1.9	0.99	<0.3	2.77	52.3	49	0.34	1.76	1360	2	16
NFM00287		1.31	6.27	23.0	5.92	2.4	1.02	<0.3	2.46	41.9	42	0.35	1.67	1750	<2	16
NFM00288		1.41	5.48	22.5	6.44	2.1	1.03	<0.3	3.01	44.4	41	0.42	1.46	1030	<2	14
NFM00289		1.33	6.01	20.8	5.45	1.9	1.00	<0.3	2.78	39.6	39	0.39	1.63	1000	<2	14
NFM00290		6.62	13.15	49.5	77.0	3.3	11.40	<0.3	3.35	441	66	6.25	2.55	3250	2	245
NFM00291		0.32	0.67	21.5	0.69	1.5	0.23	<0.3	2.50	3.11	6	0.20	0.10	120	2	7

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 - C
Total # Pages: 9 (A - D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00257		35.6	40	17.3	9.83	180.0	0.01	0.5	<3	7.57	4	130	0.77	1.45	<0.5
NFM00258		37.9	40	13.8	10.55	194.0	0.01	0.8	<3	6.93	4	180	6.04	0.97	<0.5
NFM00259		2.86	10	23.2	0.70	103.0	<0.01	<0.3	<3	0.70	<3	50	1.68	0.18	<0.5
NFM00261		22.7	20	16.3	5.89	147.0	<0.01	0.5	<3	5.23	<3	170	0.74	1.27	0.6
NFM00262		20.8	20	14.3	5.31	135.0	0.01	0.7	<3	4.92	3	150	0.51	1.28	0.5
NFM00263		40.8	30	16.0	11.40	174.0	0.01	0.4	<3	8.57	3	150	0.61	1.34	<0.5
NFM00264		45.5	30	20.7	12.70	192.0	<0.01	0.5	<3	8.56	5	130	0.60	1.44	<0.5
NFM00265		32.3	30	34.6	9.07	239	0.01	0.5	<3	6.89	4	120	2.60	1.27	0.5
NFM00266		185.0	50	18.4	48.1	297	<0.01	0.7	<3	42.0	7	130	32.2	5.55	<0.5
NFM00267		42.7	50	14.8	11.55	278	<0.01	0.6	<3	8.86	10	150	37.7	1.40	<0.5
NFM00268		37.0	40	11.8	10.15	176.5	<0.01	0.8	<3	7.19	5	300	2.12	1.19	<0.5
NFM00269		37.9	60	12.2	10.40	169.5	<0.01	0.7	<3	7.54	3	260	1.15	1.40	<0.5
NFM00270		32.2	40	12.6	9.19	139.0	<0.01	0.6	<3	6.31	3	280	0.96	0.89	0.5
NFM00271		38.1	40	9.1	10.50	134.5	<0.01	0.5	<3	6.98	4	290	1.03	1.15	<0.5
NFM00272		39.4	40	9.8	10.60	172.0	<0.01	0.4	<3	7.02	5	220	1.18	1.10	<0.5
NFM00273		37.4	60	10.4	10.20	192.0	<0.01	0.4	<3	6.67	6	430	1.14	1.01	<0.5
NFM00274		36.2	40	11.0	10.00	159.5	<0.01	0.4	<3	6.89	5	200	1.04	1.05	<0.5
NFM00275		38.3	40	16.2	10.40	160.0	<0.01	0.6	<3	6.92	5	200	1.17	1.19	0.5
NFM00276		27.8	30	34.1	7.33	189.0	0.07	0.6	<3	4.80	4	170	1.73	0.79	<0.5
NFM00277		12.05	20	58.9	3.25	198.5	0.05	0.6	<3	2.45	<3	140	1.86	0.53	<0.5
NFM00278		2.71	10	46.0	0.77	128.5	0.05	0.6	<3	0.79	<3	90	0.92	0.21	<0.5
NFM00279		519	50	68.3	119.0	270	<0.01	<0.3	<3	50.8	45	150	15.10	2.59	<0.5
NFM00280		2.15	10	54.4	0.48	128.5	<0.01	0.6	<3	0.57	<3	150	1.15	0.12	<0.5
NFM00281		0.55	<10	1.9	0.12	0.6	<0.01	<0.3	<3	0.06	3	40	0.18	0.02	<0.5
NFM00282		2.41	<10	82.4	0.67	269	<0.01	0.4	3	0.66	3	140	0.94	0.16	<0.5
NFM00283		23.3	20	29.7	6.12	168.5	<0.01	0.3	<3	4.41	7	160	5.54	0.59	<0.5
NFM00284		34.1	40	17.9	9.35	164.0	<0.01	<0.3	<3	6.34	4	320	1.53	0.83	<0.5
NFM00285		43.0	40	12.9	11.40	172.0	<0.01	<0.3	<3	7.65	7	350	1.25	1.00	<0.5
NFM00286		41.8	70	12.5	11.20	171.5	<0.01	<0.3	<3	7.31	6	190	1.15	0.87	<0.5
NFM00287		35.7	40	13.2	9.47	157.5	<0.01	<0.3	3	6.20	7	150	1.22	0.84	<0.5
NFM00288		35.3	30	17.8	9.55	172.5	<0.01	<0.3	<3	6.32	6	160	1.25	0.84	<0.5
NFM00289		31.6	40	16.1	8.54	169.0	<0.01	<0.3	<3	6.11	6	160	0.89	0.78	<0.5
NFM00290		365	50	19.9	95.8	401	<0.01	<0.3	3	81.6	14	100	77.4	11.00	<0.5
NFM00291		2.41	10	47.6	0.55	99.6	<0.01	0.5	<3	0.49	4	130	1.82	0.14	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 – D
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00257		0.279	0.69	1.01	2.7	65	1.8	64.9	5.97	100
NFM00258		0.316	0.79	0.41	2.2	71	1.9	30.5	2.57	90
NFM00259		0.029	0.41	0.15	1.3	8	1.8	14.2	1.29	20
NFM00261		0.384	0.59	0.66	1.4	74	1.0	48.6	3.94	100
NFM00262		0.263	0.51	0.67	1.5	51	1.4	45.5	3.77	60
NFM00263		0.239	0.65	0.66	2.1	61	1.6	49.4	4.07	60
NFM00264		0.234	0.78	0.71	2.0	53	1.5	51.2	4.28	100
NFM00265		0.265	0.96	0.87	2.4	57	1.5	57.9	5.20	100
NFM00266		0.500	1.19	2.24	7.0	111	2.0	172.5	15.05	170
NFM00267		0.548	1.08	0.78	2.5	125	2.6	45.0	5.28	150
NFM00268		0.397	0.72	0.71	2.5	101	2.1	48.6	4.30	90
NFM00269		0.456	0.77	0.88	2.7	104	2.9	59.9	5.57	100
NFM00270		0.445	0.56	0.47	2.4	87	1.6	31.1	2.68	90
NFM00271		0.403	0.51	0.61	2.5	92	1.9	37.7	3.52	90
NFM00272		0.453	0.64	0.51	2.6	104	1.5	35.2	3.23	100
NFM00273		0.440	0.76	0.45	2.4	104	1.1	31.5	2.52	110
NFM00274		0.369	0.59	0.43	2.6	86	1.0	32.6	2.69	90
NFM00275		0.382	0.63	0.54	16.2	94	1.5	36.1	3.39	100
NFM00276		0.299	1.05	0.43	16.2	67	1.9	26.5	2.89	70
NFM00277		0.121	0.89	0.47	23.3	26	2.1	23.6	3.22	40
NFM00278		0.022	0.53	0.24	11.9	5	2.6	10.0	1.43	10
NFM00279		0.320	1.01	0.24	11.7	121	4.4	28.3	1.33	290
NFM00280		0.023	0.44	0.15	24.9	5	2.0	7.5	1.10	30
NFM00281		<0.005	<0.02	0.01	0.7	4	0.4	0.9	0.05	<10
NFM00282		0.020	0.91	0.18	46.0	6	2.0	9.3	1.17	40
NFM00283		0.297	0.61	0.27	10.0	69	2.8	21.3	1.88	60
NFM00284		0.384	0.61	0.40	5.9	91	1.6	29.0	2.41	60
NFM00285		0.458	0.61	0.45	4.0	106	1.5	32.9	2.66	70
NFM00286		0.466	0.60	0.37	3.4	114	1.9	30.0	2.23	80
NFM00287		0.430	0.53	0.40	2.0	97	2.1	30.7	2.54	90
NFM00288		0.385	0.61	0.41	2.1	88	2.1	30.6	2.45	90
NFM00289		0.404	0.58	0.40	1.8	104	2.1	30.2	2.38	80
NFM00290		0.825	1.62	5.31	14.3	163	2.6	410	38.1	230
NFM00291		0.029	0.32	0.15	23.8	6	2.4	8.1	1.14	30

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **19-FEB-2026**
Account: **CASTCOP**

Project: Harts

CERTIFICATE OF ANALYSIS AD26005966

	CERTIFICATE COMMENTS
	LABORATORY ADDRESSES Applies to Method: Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia. BAG-01 BAG-21 LEV-01 LOG-22 LOG-24 PUL-23 PUL-32m PUL-QC SPL-21 WEI-21 Applies to Method: Processed at ALS Loughrea located at Dublin Road, Loughrea, Co. Galway, Ireland. ME-MS89L