



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 1

Total # Pages: 6 (A – D)

Plus Appendix Pages

Finalized Date: 19-FEB-2026

This copy reported on 26-FEB-2026

Account: CASTCOP

QC CERTIFICATE AD26005966

Project: Harts

This report is for 314 samples of Percussion submitted to our lab in Adelaide, SA, Australia on 30-DEC-2025.

The following have access to data associated with this certificate:

KEVIN DAS

JOEL LOGAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample – Split/Retain
SPL-21	Split sample – riffle splitter
PUL-32m	Pulverize 500g – 85%<75um
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS89L	Super Trace DL Na2O2 by ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

Signature:

Andrey Tairov, Technical Manager, Ireland



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – A
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ag	As	Ba	Be	Bi	Ca	Cd	CeO2	Co	Cs	Cu	Dy2O3	Er2O3	Eu2O3	Fe
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02	0.03	0.01
STANDARDS																
AMIS0343		<5	17	82	234	2.9	0.3	<0.8		2.6	351	60				0.84
AMIS0343		<5	16	78	238	2.6	0.3	<0.8		2.6	359	60				0.84
AMIS0343		<5	14	80	242	2.8	0.4	<0.8		2.6	345	70				0.88
AMIS0343		<5	18	79	242	2.7	0.3	<0.8		2.6	349	50				0.85
AMIS0343		<5	17	78	250	2.5	0.4	<0.8		2.5	357	50				0.89
AMIS0343		<5	15	78	234	2.8	0.3	<0.8		2.6	341	50				0.86
Target Range – Lower Bound		<5	<4	68	209	2.2	<0.1	<0.8		1.5	309	<20				0.76
Upper Bound		10	22	87	257	2.9	0.5	1.6		3.7	377	90				0.95
AMIS0684		<5	<4	30	125.5	0.9	0.2	<0.8		1.5	34.6	<20				0.82
AMIS0684		<5	<4	25	134.0	0.7	0.2	<0.8		1.8	36.1	<20				0.80
AMIS0684		<5	<4	28	133.5	0.9	0.2	0.9		1.4	34.6	30				0.83
AMIS0684		<5	<4	27	133.0	0.9	0.2	<0.8		1.4	34.3	<20				0.80
AMIS0684		<5	<4	29	131.0	0.8	0.2	<0.8		1.3	35.4	<20				0.79
AMIS0684		<5	<4	27	132.0	0.8	0.2	<0.8		1.4	35.4	<20				0.82
Target Range – Lower Bound		<5	<4	23	120.5	0.6	<0.1	<0.8		<0.5	31.2	<20				0.73
Upper Bound		10	8	34	148.0	1.0	0.4	2.7		2.5	38.3	70				0.91
GTA-02		<5	<4	58	191.0	1.2	0.4	<0.8		0.6	181.0	<20				0.51
GTA-02		<5	<4	58	186.5	1.5	0.3	<0.8		0.7	174.0	<20				0.51
GTA-02		<5	<4	57	188.0	1.2	0.3	<0.8		0.7	177.0	<20				0.47
GTA-02		<5	4	60	188.5	1.5	0.4	<0.8		0.8	179.5	<20				0.50
Target Range – Lower Bound		<5	<4	48	161.5	1.1	<0.1	<0.8		<0.5	157.0	<20				0.46
Upper Bound		14	10	63	198.5	1.7	0.5	2.0		1.6	192.0	40				0.58
OREAS 148		<5	64	1020	38.2	18.4	0.9	<0.8		6.9	313	340				2.99
OREAS 148		<5	65	997	37.5	18.2	0.9	<0.8		7.0	318	340				2.97
OREAS 148		<5	59	1000	37.8	18.8	0.9	<0.8		6.4	302	320				3.14
OREAS 148		<5	68	971	37.6	18.6	0.9	<0.8		6.6	296	330				3.01
OREAS 148		<5	64	990	39.9	17.5	1.0	<0.8		5.9	310	310				3.16
OREAS 148		<5	59	993	38.9	18.6	0.9	<0.8		6.3	317	310				3.04
OREAS 148		<5	61	1020	37.3	17.8	0.8	<0.8		6.3	308	320				3.06
Target Range – Lower Bound		<5	48	906	34.5	17.3	0.7	<0.8		5.0	280	290				2.74
Upper Bound		15	70	1110	43.1	21.3	1.1	2.1		7.6	342	410				3.38
SY-5		<5	<4	6430	4.6	0.2	5.0	<0.8		23.0	0.6	40				7.25
SY-5		<5	<4	7120	4.6	0.1	5.0	<0.8		25.1	0.7	40				7.44
SY-5		<5	<4	6200	4.8	0.1	4.9	<0.8		21.5	0.5	30				7.44
SY-5		<5	<4	6450	4.7	0.1	4.8	<0.8		23.1	0.6	30				7.27
SY-5		<5	<4	6560	4.7	0.2	4.8	<0.8		21.8	0.5	30				7.24
SY-5		<5	5	6520	5.0	0.2	4.9	<0.8		23.8	0.5	40				7.29
Target Range – Lower Bound		<5	<4	5830	3.6	<0.1	4.5	<0.8		20.3	0.4	<20				6.67
Upper Bound		10	8	7130	5.7	0.2	5.7	1.6		25.9	0.8	80				8.17

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – B
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5	Nd2O3	Ni
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1	0.08	10
STANDARDS																
AMIS0343		46.8		7.5		<0.3	2.48		7140		0.13	950	4			20
AMIS0343		42.8		7.6		<0.3	2.51		7280		0.13	960	4			<10
AMIS0343		46.1		7.9		0.3	2.58		7350		0.14	990	4			20
AMIS0343		45.0		7.7		<0.3	2.50		7390		0.14	970	4			20
AMIS0343		43.2		7.1		<0.3	2.59		7530		0.14	990	4			20
AMIS0343		47.0		7.3		<0.3	2.44		7230		0.13	970	4			20
Target Range – Lower Bound		39.7		6.6		<0.3	2.16		6430		0.09	840	<2			<10
Upper Bound		49.7		9.4		0.7	2.76		7870		0.15	1040	8			30
AMIS0684		27.5		5.0		<0.3	2.84		4280		0.10	390	2			20
AMIS0684		27.6		4.9		<0.3	3.00		4610		0.09	390	2			<10
AMIS0684		27.4		5.3		0.3	3.08		4600		0.11	420	2			20
AMIS0684		27.7		5.3		<0.3	2.99		4620		0.10	400	2			10
AMIS0684		25.6		4.6		<0.3	2.94		4490		0.10	370	2			10
AMIS0684		29.3		4.8		<0.3	3.00		4640		0.10	410	2			10
Target Range – Lower Bound		24.3		4.5		<0.3	2.67		4240		0.07	360	<2			<10
Upper Bound		30.8		7.1		0.6	3.38		5180		0.12	460	6			30
GTA-02		53.2		6.9		<0.3	2.69		1870		0.03	730	2			<10
GTA-02		57.1		7.8		<0.3	2.59		1860		0.01	700	2			10
GTA-02		55.2		6.4		<0.3	2.46		1820		0.02	700	2			10
GTA-02		56.3		6.4		<0.3	2.64		1840		0.02	730	2			<10
Target Range – Lower Bound		49.5		6.2		<0.3	2.19		1615		<0.01	630	<2			<10
Upper Bound		61.7		9.0		0.6	2.79		1975		0.04	790	6			40
OREAS 148		28.5		4.7		3.7	1.54		4750		0.48	360	9			30
OREAS 148		26.3		4.6		3.9	1.51		4690		0.47	350	9			20
OREAS 148		27.8		4.9		4.2	1.52		4740		0.50	370	9			30
OREAS 148		26.6		4.5		3.7	1.53		4710		0.48	360	9			30
OREAS 148		25.9		4.5		3.6	1.56		4920		0.50	370	9			20
OREAS 148		27.3		4.7		3.5	1.56		4820		0.49	390	9			20
OREAS 148		27.6		4.8		4.0	1.51		4790		0.47	370	10			30
Target Range – Lower Bound		25.8		3.1		3.4	1.30		4280		0.41	330	6			<10
Upper Bound		32.6		5.5		5.0	1.70		5240		0.53	430	15			50
SY-5		21.7		1.4		<0.3	3.46		47		1.96	990	9			80
SY-5		21.7		1.7		<0.3	3.45		48		1.93	1000	9			90
SY-5		22.7		2.1		<0.3	3.59		54		2.00	1020	9			70
SY-5		20.8		1.9		<0.3	3.46		46		1.96	1040	9			80
SY-5		19.7		1.5		<0.3	3.51		46		1.95	1040	9			70
SY-5		20.8		1.4		<0.3	3.46		50		1.95	990	12			90
Target Range – Lower Bound		18.9		0.8		<0.3	3.06		43		1.75	880	4			60
Upper Bound		24.3		3.0		0.6	3.86		56		2.16	1100	13			100

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – C
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te	ThO2	Ti	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5	0.1	0.005	0.02
STANDARDS																
AMIS0343		6.6		3880	<0.01	7.0	<3		77	40			<0.5		0.005	32.0
AMIS0343		6.2		3950	<0.01	7.0	<3		79	20			<0.5		0.005	31.7
AMIS0343		6.6		3730	<0.01	7.2	<3		75	30			<0.5		0.005	32.6
AMIS0343		6.6		3700	0.01	7.1	<3		84	30			<0.5		0.005	32.9
AMIS0343		6.3		3650	<0.01	7.0	<3		79	30			<0.5		0.006	32.2
AMIS0343		6.6		3760	0.01	7.2	<3		81	30			<0.5		<0.005	32.2
Target Range – Lower Bound		5.1		3280	<0.01	6.0	<3		74	<20			<0.5		<0.005	27.5
Upper Bound		7.7		4000	0.03	8.0	9		97	60			1.5		0.021	33.7
AMIS0684		19.0		878	<0.01	1.6	4		52	50			<0.5		0.005	5.34
AMIS0684		18.6		915	<0.01	1.1	3		58	40			<0.5		0.006	5.41
AMIS0684		18.2		910	<0.01	1.4	<3		53	40			<0.5		0.006	5.54
AMIS0684		20.7		913	<0.01	1.5	<3		58	50			<0.5		0.005	5.71
AMIS0684		17.4		910	<0.01	1.2	<3		58	40			<0.5		0.005	5.02
AMIS0684		19.4		916	<0.01	1.5	<3		57	40			<0.5		0.005	5.49
Target Range – Lower Bound		16.5		815	<0.01	0.6	<3		48	<20			<0.5		<0.005	4.90
Upper Bound		21.3		997	0.02	2.0	10		66	80			1.0		0.016	6.04
GTA-02		13.9		3930	<0.01	0.3	<3		369	40			<0.5		<0.005	31.1
GTA-02		13.2		3950	<0.01	0.4	4		393	40			0.7		<0.005	29.3
GTA-02		14.0		3940	<0.01	0.3	<3		386	30			<0.5		<0.005	30.8
GTA-02		14.2		3990	<0.01	0.5	<3		398	40			<0.5		<0.005	33.0
Target Range – Lower Bound		11.5		3510	<0.01	<0.3	<3		353	<20			<0.5		<0.005	27.4
Upper Bound		15.1		4290	0.03	1.0	11		438	80			2.1		0.010	33.6
OREAS 148		23.0		1375	<0.01	15.1	5		1170	220			<0.5		0.336	12.15
OREAS 148		22.9		1350	<0.01	16.2	6		1160	210			<0.5		0.351	11.90
OREAS 148		21.5		1360	<0.01	16.3	4		1200	200			<0.5		0.347	12.05
OREAS 148		23.7		1355	<0.01	15.9	4		1090	210			<0.5		0.351	11.90
OREAS 148		21.7		1320	<0.01	17.0	<3		1190	200			<0.5		0.362	12.05
OREAS 148		25.2		1350	<0.01	14.6	4		1195	190			<0.5		0.354	12.00
OREAS 148		23.0		1380	0.01	17.3	3		1185	210			<0.5		0.352	11.90
Target Range – Lower Bound		25.1		1225	<0.01	14.4	<3		1040	160			<0.5		0.294	11.05
Upper Bound		31.7		1500	0.02	18.2	6		1275	260			1.0		0.410	13.55
SY-5		59.6		76.8	0.01	0.9	5		3	3110			0.6		1.075	0.58
SY-5		59.6		83.3	<0.01	0.5	4		6	3230			<0.5		1.065	0.55
SY-5		55.4		79.4	<0.01	0.8	<3		5	2960			<0.5		1.040	0.55
SY-5		61.5		76.1	<0.01	0.5	5		5	2900			0.7		1.080	0.56
SY-5		60.0		79.3	<0.01	0.6	<3		5	3080			<0.5		1.085	0.58
SY-5		61.7		80.3	<0.01	1.0	<3		3	3140			<0.5		1.070	0.54
Target Range – Lower Bound		58.8		68.7		<0.3	<3		<3	2770			<0.5		0.896	0.53
Upper Bound		73.0		85.1		1.2	8		9	3430			1.0		1.225	0.70

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – D
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.4	0.3	0.02	10
STANDARDS								
AMIS0343				4				90
AMIS0343				5				80
AMIS0343				5				80
AMIS0343				7				90
AMIS0343				6				60
AMIS0343				5				80
Target Range – Lower Bound				3				60
Upper Bound				7				100
AMIS0684				2				110
AMIS0684				1				90
AMIS0684				2				90
AMIS0684				5				110
AMIS0684				10				90
AMIS0684				3				100
Target Range – Lower Bound				<1				70
Upper Bound				5				120
GTA-02				4				40
GTA-02				3				40
GTA-02				2				60
GTA-02				1				50
Target Range – Lower Bound				<1				30
Upper Bound				5				70
OREAS 148				56				180
OREAS 148				54				170
OREAS 148				56				160
OREAS 148				54				170
OREAS 148				50				140
OREAS 148				57				150
OREAS 148				58				170
Target Range – Lower Bound				49				130
Upper Bound				63				190
SY-5				133				130
SY-5				143				150
SY-5				134				130
SY-5				133				130
SY-5				131				130
SY-5				142				140
Target Range – Lower Bound				118				100
Upper Bound				146				160

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – A
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01
BLANKS																
BLANK		<5	<4	<2	<0.4	0.3	<0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	4	<0.4	<0.1	<0.1	<0.8		<0.5	0.1	<20				0.01
BLANK		<5	<4	3	<0.4	0.2	0.1	<0.8		<0.5	<0.1	<20				0.02
BLANK		<5	<4	<2	<0.4	0.2	<0.1	<0.8		<0.5	<0.1	<20				0.01
BLANK		<5	<4	3	<0.4	0.1	<0.1	<0.8		<0.5	<0.1	<20				0.01
BLANK		<5	<4	3	<0.4	0.1	<0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	<2	<0.4	<0.1	0.1	1.1	<0.5	<0.1	<20					<0.01
BLANK		<5	<4	<2	<0.4	<0.1	0.1	1.0	<0.5	<0.1	20					<0.01
BLANK		<5	<4	3	0.7	<0.1	<0.1	<0.8	<0.5	<0.1	<20					0.01
BLANK		<5	<4	3	<0.4	0.1	<0.1	<0.8	<0.5	<0.1	<20					<0.01
BLANK		<5	<4	3	<0.4	0.1	<0.1	<0.8	<0.5	<0.1	<20					<0.01
BLANK		<5	<4	<2	<0.4	0.2	<0.1	<0.8	<0.5	<0.1	<20					<0.01
BLANK		<5	<4	4	<0.4	0.1	<0.1	<0.8	<0.5	<0.1	<20					<0.01
BLANK		<5	<4	2	<0.4	0.1	0.1	<0.8	<0.5	<0.1	<20					<0.01
BLANK		<5	6	<2	<0.4	0.1	<0.1	<0.8	<0.5	<0.1	<20					<0.01
BLANK		<5	<4	3	<0.4	<0.1	0.1	<0.8	<0.5	<0.1	<20					<0.01
BLANK		<5	<4	<2	<0.4	0.1	0.1	<0.8	<0.5	<0.1	<20					<0.01
BLANK		<5	<4	2	<0.4	<0.1	<0.1	<0.8	<0.5	<0.1	<20					0.01
Target Range – Lower Bound		<5	<4	<2	<0.4	<0.1	<0.1	<0.8		<0.5	<0.1	<20				<0.01
Upper Bound		10	8	4	0.8	0.2	0.2	1.6		1.0	0.2	40				0.02
DUPLICATES																
NFM00011		<5	4	179	2.0	0.4	8.1	<0.8	59.9	36.6	1.9	60	6.99	4.45	1.98	5.06
DUP		<5	4	181	1.7	0.4	8.2	<0.8	60.6	35.3	1.9	60	7.07	4.37	1.98	5.10
Target Range – Lower Bound		<5	<4	169	1.4	0.3	7.6	<0.8	57.0	33.7	1.7	40	6.65	4.17	1.85	4.82
Upper Bound		10	8	191	2.3	0.5	8.7	1.6	63.5	38.2	2.1	80	7.41	4.65	2.11	5.34
NFM00021		<5	<4	533	3.2	<0.1	2.7	<0.8	84.6	20.8	7.8	<20	4.28	2.37	1.12	7.00
DUP		<5	<4	532	3.1	<0.1	2.8	<0.8	90.5	21.6	8.2	<20	4.25	2.14	1.17	6.92
Target Range – Lower Bound		<5	<4	504	2.6	<0.1	2.5	<0.8	83.0	19.6	7.5	<20	4.02	2.12	1.06	6.60
Upper Bound		10	8	561	3.7	0.2	3.0	1.6	92.1	22.8	8.5	40	4.51	2.39	1.23	7.32

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – B
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5	Nd2O3	Ni
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1	0.08	10
BLANKS																
BLANK		<0.5		<0.5		0.3	<0.05		2		0.01	<10	<2			10
BLANK		0.7		<0.5		<0.3	<0.05		4		0.01	<10	<2			10
BLANK		<0.5		<0.5		<0.3	0.09		<2		<0.01	<10	<2			<10
BLANK		0.7		<0.3		<0.3	<0.05		<2		<0.01	<10	<2			<10
BLANK		<0.5		0.5		<0.3	0.07		<2		0.01	<10	<2			20
BLANK		<0.5		<0.5		<0.3	<0.05		<2		0.01	<10	<2			<10
BLANK		0.7		0.6		0.4	<0.05		<2		<0.01	<10	<2			10
BLANK		0.7		0.5		0.4	<0.05		<2		0.01	<10	<2			10
BLANK		0.6		0.8		<0.3	<0.05		2		<0.01	<10	<2			<10
BLANK		<0.5		<0.5		<0.3	<0.05		3		0.01	<10	<2			10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		0.01	<10	<2			10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		<0.01	<10	<2			10
BLANK		<0.5		0.5		<0.3	<0.05		<2		<0.01	<10	<2			<10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		0.01	<10	<2			10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		<0.01	<10	<2			<10
BLANK		0.6		0.7		<0.3	0.06		<2		0.01	<10	<2			<10
BLANK		<0.5		<0.5		<0.3	0.05		<2		0.01	<10	<2			10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		0.01	<10	<2			10
Target Range – Lower Bound		<0.5		<0.5		<0.3	<0.05		<2			<10	<2			<10
Upper Bound		1.0		1.0		0.6	0.10		4			20	4			20
DUPLICATES																
NFM00011		15.8	7.79	1.9	1.45	<0.3	1.01	25.0	16	0.56	3.11	710	<2	10	28.9	40
DUP		16.9	7.50	2.4	1.47	<0.3	1.05	25.2	19	0.55	3.14	720	<2	10	29.0	40
Target Range – Lower Bound		15.0	7.23	1.5	1.38	<0.3	0.93	23.8	15	0.47	2.96	670	<2	9	27.4	30
Upper Bound		17.7	8.06	2.8	1.54	0.6	1.13	26.4	20	0.64	3.29	760	4	12	30.5	50
NFM00021		24.5	5.06	2.7	0.92	<0.3	2.66	42.0	41	0.30	1.78	1670	<2	17	35.1	50
DUP		24.3	5.19	3.1	0.93	<0.3	2.63	43.2	40	0.34	1.77	1680	<2	17	36.0	50
Target Range – Lower Bound		22.7	4.84	2.3	0.87	<0.3	2.46	40.4	36	0.24	1.68	1580	<2	15	33.7	40
Upper Bound		26.1	5.41	3.5	0.98	0.6	2.83	44.8	45	0.40	1.87	1770	4	19	37.4	60

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te	ThO2	Ti	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5	0.1	0.005	0.02
BLANKS																
BLANK		0.5		<0.5	0.02	0.6	4		<3	20			0.5		<0.005	<0.02
BLANK		<0.5		<0.5	<0.01	0.4	<3		<3	20			<0.5		<0.005	<0.02
BLANK		0.8		<0.5	0.02	<0.3	<3		<3	<20			<0.5		<0.005	<0.02
BLANK		0.5		<0.5	<0.01	0.4	5		4	<20			0.5		<0.005	<0.02
BLANK		<0.5		<0.5	<0.01	0.6	4		<3	20			<0.5		<0.005	<0.02
BLANK		<0.5		<0.5	0.01	0.4	<3		<3	20			<0.5		<0.005	0.02
BLANK		<0.5		<0.5	<0.01	0.3	<3		3	20			<0.5		<0.005	0.04
BLANK		<0.5	0.8	<0.01	<0.3	<3	<3		<3	20			<0.5		<0.005	<0.02
BLANK		<0.5	<0.5	<0.01	<0.3	6	<3		<3	20			0.7		<0.005	0.06
BLANK		0.7	<0.5	0.01	<0.3	4	<3		<3	20			<0.5		<0.005	0.04
BLANK		0.8	0.5	0.02	0.3	<3	<3		<3	20			<0.5		<0.005	<0.02
BLANK		0.8	<0.5	0.01	0.3	<3	<3		<3	<20			<0.5		<0.005	0.03
BLANK		0.9	<0.5	<0.01	<0.3	<3	<3		<3	<20			<0.5		<0.005	<0.02
BLANK		<0.5	<0.5	<0.01	<0.3	<3	<3		<3	20			<0.5		<0.005	<0.02
BLANK		<0.5	<0.5	<0.01	0.4	<3	<3		<3	<20			<0.5		<0.005	<0.02
BLANK		<0.5	<0.5	<0.01	<0.3	<3	<3		5	<20			<0.5		<0.005	<0.02
BLANK		0.8	<0.5	<0.01	0.5	<3	<3		3	20			<0.5		<0.005	<0.02
BLANK		<0.5	<0.5	0.01	0.4	<3	<3		4	<20			<0.5		<0.005	<0.02
Target Range - Lower Bound		<0.5		<0.5	<0.01	<0.3	<3		<3	<20			<0.5		<0.005	<0.02
Upper Bound		1.0		1.0	0.02	0.6	6		6	40			1.0		0.010	0.04
DUPLICATES																
NFM00011		8.0	6.51	42.2	0.01	<0.3	3	6.91	8	450	0.72	1.17	<0.5	9.3	0.687	0.27
DUP		7.8	6.60	40.6	0.01	<0.3	<3	6.99	8	430	0.85	1.20	<0.5	9.0	0.697	0.19
Target Range - Lower Bound		7.0	6.19	38.8	<0.01	<0.3	<3	6.55	5	400	0.70	1.12	<0.5	8.6	0.635	0.20
Upper Bound		8.8	6.92	44.0	0.02	0.6	6	7.35	11	480	0.87	1.25	1.0	9.7	0.749	0.26
NFM00021		14.0	9.51	199.5	<0.01	0.5	5	6.90	5	280	1.22	0.71	0.5	15.2	0.394	0.82
DUP		14.0	10.05	197.5	<0.01	<0.3	5	6.82	4	280	1.15	0.73	<0.5	15.9	0.400	0.85
Target Range - Lower Bound		12.8	9.25	188.0	<0.01	<0.3	<3	6.47	<3	250	1.08	0.67	<0.5	14.7	0.362	0.77
Upper Bound		15.2	10.30	209	0.02	0.6	6	7.25	6	310	1.29	0.77	1.0	16.4	0.432	0.90

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – D
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.4	0.3	0.02	10
BLANKS								
BLANK				1				10
BLANK				<1				10
BLANK				<1				<10
BLANK				2				10
BLANK				<1				<10
BLANK				2				<10
BLANK				<1				10
BLANK				<1				<10
BLANK				<1				<10
BLANK				<1				10
BLANK				<1				<10
BLANK				1				<10
BLANK				1				10
BLANK				1				<10
BLANK				<1				<10
BLANK				<1				10
BLANK				<1				<10
BLANK				<1				<10
Target Range – Lower Bound				<1				<10
Upper Bound				2				20
DUPLICATES								
NFM00011		0.55	3.2	198	1.4	44.3	4.03	60
DUP		0.55	3.1	187	1.5	42.2	3.99	50
Target Range – Lower Bound		0.51	2.8	182	1.0	40.8	3.79	40
Upper Bound		0.59	3.5	203	1.9	45.7	4.23	70
NFM00021		0.34	0.9	81	1.5	26.2	2.25	130
DUP		0.39	1.1	81	1.8	26.2	2.23	130
Target Range – Lower Bound		0.34	0.8	76	1.2	24.6	2.11	110
Upper Bound		0.39	1.3	86	2.1	27.8	2.37	150

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – A
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01
DUPLICATES																
NFM00033		<5	<4	549	1.8	<0.1	2.6	<0.8	95.9	15.6	5.7	<20	10.35	8.06	1.34	6.82
DUP		<5	<4	553	1.8	<0.1	2.7	<0.8	98.6	16.2	5.8	<20	10.50	7.89	1.48	6.87
Target Range – Lower Bound		<5	<4	521	1.3	<0.1	2.4	<0.8	92.2	14.6	5.4	<20	9.87	7.56	1.31	6.49
Upper Bound		10	8	581	2.3	0.2	2.9	1.6	102.5	17.2	6.1	40	11.00	8.39	1.51	7.20
NFM00055		<5	4	496	1.4	0.4	3.1	<0.8	84.3	22.0	5.3	<20	6.43	4.15	1.56	6.96
DUP		<5	<4	479	1.7	0.3	3.1	<0.8	84.4	20.4	4.9	<20	6.30	3.78	1.51	6.96
Target Range – Lower Bound		<5	<4	461	1.1	0.2	2.8	<0.8	79.9	19.6	4.7	<20	6.02	3.75	1.43	6.60
Upper Bound		10	8	514	2.0	0.5	3.4	1.6	88.8	22.8	5.5	40	6.71	4.18	1.64	7.32
NFM00088		<5	<4	516	2.8	0.4	4.2	<0.8	78.4	19.7	4.8	<20	7.78	4.92	1.59	5.97
DUP		<5	<4	516	3.0	0.4	4.4	<0.8	81.6	18.9	4.4	<20	7.99	4.56	1.44	6.09
Target Range – Lower Bound		<5	<4	488	2.4	0.3	4.0	<0.8	75.8	17.8	4.3	<20	7.46	4.48	1.41	5.72
Upper Bound		10	8	544	3.4	0.5	4.6	1.6	84.2	20.8	4.9	40	8.31	5.00	1.62	6.34
NFM00100		<5	<4	166	1.8	0.5	2.9	<0.8	87.0	27.2	11.6	20	5.97	3.61	1.63	5.86
DUP		<5	<4	161	1.3	0.6	2.9	<0.8	82.9	26.8	11.7	20	5.47	3.60	1.63	6.01
Target Range – Lower Bound		<5	<4	153	1.1	0.4	2.7	<0.8	80.5	25.2	11.0	<20	5.40	3.40	1.52	5.63
Upper Bound		10	8	174	2.0	0.7	3.1	1.6	89.4	28.9	12.3	40	6.04	3.81	1.74	6.24
NFM00123		<5	4	72	7.9	0.2	2.0	<0.8	28.9	6.2	4.7	<20	5.12	4.65	0.59	1.72
DUP		<5	4	71	8.4	<0.1	2.1	<0.8	28.7	5.9	4.4	<20	5.42	4.48	0.61	1.74
Target Range – Lower Bound		<5	<4	66	7.3	<0.1	1.8	<0.8	27.2	5.2	4.2	<20	4.98	4.32	0.54	1.63
Upper Bound		10	8	77	9.0	0.2	2.3	1.6	30.4	6.9	4.9	40	5.56	4.81	0.66	1.83
NFM00135		<5	<4	134	<0.4	<0.1	22.1	<0.8	0.6	<0.5	<0.1	<20	0.08	0.06	<0.03	0.05
DUP		<5	<4	127	<0.4	<0.1	21.7	<0.8	0.5	<0.5	<0.1	<20	0.09	0.06	<0.03	0.05
Target Range – Lower Bound		<5	<4	122	<0.4	<0.1	20.7	<0.8	0.3	<0.5	<0.1	<20	0.05	0.04	<0.03	0.04
Upper Bound		10	8	139	0.8	0.2	23.1	1.6	0.8	1.0	0.2	40	0.12	0.08	0.06	0.06
NFM00156		<5	<4	142	4.4	0.3	1.8	<0.8	18.7	3.3	2.0	<20	2.50	1.90	0.46	1.49
DUP		<5	<4	142	4.3	<0.1	1.9	<0.8	19.9	3.4	1.8	<20	2.36	1.85	0.43	1.46
Target Range – Lower Bound		<5	<4	133	3.7	<0.1	1.7	<0.8	18.1	2.7	1.7	<20	2.28	1.76	0.39	1.39
Upper Bound		10	8	151	5.0	0.3	2.0	1.6	20.5	4.0	2.1	40	2.58	1.99	0.50	1.56
NFM00168		<5	<4	270	2.0	1.3	6.7	<0.8	120.0	17.9	3.1	<20	6.40	3.41	1.39	5.94
DUP		<5	<4	243	2.1	1.2	6.8	<0.8	111.5	17.0	2.9	<20	6.19	3.36	1.30	5.90
Target Range – Lower Bound		<5	<4	242	1.5	1.1	6.3	<0.8	110.0	16.1	2.8	<20	5.95	3.20	1.25	5.61
Upper Bound		10	8	271	2.6	1.4	7.2	1.6	121.5	18.8	3.3	40	6.64	3.57	1.44	6.23

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – B
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1	ME-MS89L Nd2O3 ppm 0.08	ME-MS89L Ni ppm 10
DUPLICATES																
NFM00033		23.2	8.29	2.3	2.63	<0.3	3.28	44.4	30	1.55	1.30	1620	<2	15	37.6	30
DUP		23.4	7.99	2.7	2.49	<0.3	3.27	46.0	30	1.47	1.29	1640	<2	15	37.3	30
Target Range – Lower Bound		21.6	7.70	1.9	2.42	<0.3	3.06	42.9	27	1.37	1.22	1540	<2	13	35.5	20
Upper Bound		25.0	8.58	3.1	2.70	0.6	3.49	47.6	34	1.65	1.37	1720	4	17	39.4	40
NFM00055		21.9	6.07	2.4	1.41	<0.3	2.33	38.0	35	0.50	1.29	1950	<2	14	30.4	30
DUP		21.7	6.11	2.0	1.31	<0.3	2.36	38.0	36	0.45	1.32	1960	<2	12	31.4	40
Target Range – Lower Bound		20.2	5.76	1.6	1.28	<0.3	2.18	36.0	32	0.39	1.23	1850	<2	11	29.3	20
Upper Bound		23.4	6.42	2.8	1.44	0.6	2.51	40.0	39	0.56	1.38	2060	4	15	32.5	50
NFM00088		21.3	7.00	2.2	1.65	<0.3	2.10	37.3	28	0.60	1.38	1880	<2	13	32.8	20
DUP		19.5	7.11	2.1	1.63	<0.3	2.04	37.9	25	0.56	1.38	1890	<2	12	33.0	20
Target Range – Lower Bound		18.9	6.67	1.5	1.55	<0.3	1.92	35.6	23	0.49	1.30	1780	<2	11	31.2	<10
Upper Bound		21.9	7.44	2.8	1.73	0.6	2.22	39.6	30	0.67	1.46	1990	4	14	34.6	30
NFM00100		18.3	6.17	1.8	1.20	<0.3	1.96	41.5	37	0.45	2.49	1010	<2	11	34.8	70
DUP		17.2	6.18	1.4	1.12	<0.3	1.96	39.4	38	0.47	2.46	1010	<2	12	33.8	70
Target Range – Lower Bound		16.4	5.84	1.0	1.09	<0.3	1.81	38.3	34	0.38	2.34	950	<2	10	32.5	60
Upper Bound		19.1	6.51	2.2	1.23	0.6	2.11	42.6	41	0.54	2.61	1070	4	13	36.1	80
NFM00123		26.9	3.62	1.8	1.33	<0.3	1.38	13.15	14	0.89	0.43	420	<2	19	12.40	<10
DUP		24.6	3.79	2.5	1.33	<0.3	1.42	12.80	14	0.98	0.44	420	<2	19	12.65	<10
Target Range – Lower Bound		24.0	3.49	1.5	1.25	<0.3	1.28	12.25	11	0.83	0.40	390	<2	17	11.80	<10
Upper Bound		27.5	3.92	2.8	1.41	0.6	1.52	13.70	17	1.04	0.47	450	4	21	13.25	20
NFM00135		0.5	<0.03	<0.5	0.02	<0.3	0.08	0.29	<2	<0.06	13.30	10	<2	1	0.21	<10
DUP		0.5	<0.03	<0.5	0.02	<0.3	0.05	0.30	<2	<0.06	13.10	10	<2	<1	0.27	<10
Target Range – Lower Bound		<0.5	<0.03	<0.5	<0.01	<0.3	<0.05	0.19	<2	<0.06	12.55	<10	<2	<1	0.15	<10
Upper Bound		1.0	0.06	1.0	0.03	0.6	0.10	0.40	4	0.12	13.85	20	4	2	0.33	20
NFM00156		24.3	1.69	2.5	0.60	<0.3	2.33	8.54	14	0.43	0.33	300	<2	18	7.65	<10
DUP		21.1	1.72	1.6	0.54	<0.3	2.33	9.01	12	0.43	0.32	290	<2	18	8.20	<10
Target Range – Lower Bound		21.1	1.59	1.4	0.53	<0.3	2.16	8.25	10	0.35	0.30	270	<2	16	7.45	<10
Upper Bound		24.3	1.82	2.7	0.61	0.6	2.50	9.30	16	0.51	0.35	320	4	20	8.40	20
NFM00168		21.4	6.95	3.5	1.20	<0.3	1.38	53.1	13	0.47	1.74	1330	<2	15	46.4	30
DUP		19.4	6.90	2.3	1.18	<0.3	1.39	49.4	12	0.48	1.73	1330	<2	14	43.4	30
Target Range – Lower Bound		18.9	6.55	2.3	1.12	<0.3	1.27	48.6	10	0.39	1.64	1250	<2	13	42.6	20
Upper Bound		21.9	7.30	3.5	1.26	0.6	1.50	53.9	15	0.56	1.83	1410	4	16	47.2	40

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – C
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te	ThO2	Ti	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5	0.1	0.005	0.02
DUPLICATES																
NFM00033		23.2	10.30	181.5	<0.01	0.7	3	7.62	3	140	1.11	1.43	<0.5	20.9	0.325	0.83
DUP		23.8	10.70	183.5	<0.01	0.4	3	7.79	4	140	1.27	1.50	<0.5	21.3	0.331	0.79
Target Range – Lower Bound		21.8	9.94	173.0	<0.01	<0.3	<3	7.27	<3	110	1.08	1.38	<0.5	19.9	0.298	0.75
Upper Bound		25.2	11.05	192.0	0.02	0.6	6	8.14	6	170	1.30	1.55	1.0	22.3	0.358	0.87
NFM00055		13.1	8.39	175.0	<0.01	0.9	3	6.30	6	160	1.09	0.99	<0.5	11.7	0.401	0.76
DUP		13.1	8.33	165.5	0.01	0.6	<3	6.70	4	150	0.46	0.98	<0.5	12.5	0.420	0.73
Target Range – Lower Bound		11.9	7.90	161.0	<0.01	0.4	<3	6.13	<3	130	0.69	0.93	<0.5	11.4	0.375	0.69
Upper Bound		14.3	8.82	179.5	0.02	1.1	6	6.88	6	180	0.86	1.04	1.0	12.8	0.446	0.80
NFM00088		12.4	8.85	136.5	0.01	0.4	3	7.58	5	160	1.66	1.37	0.5	9.2	0.374	0.57
DUP		11.9	8.96	126.5	0.02	0.4	4	7.46	3	150	1.44	1.29	<0.5	9.1	0.381	0.54
Target Range – Lower Bound		11.0	8.42	124.5	<0.01	<0.3	<3	7.09	<3	130	1.42	1.25	<0.5	8.6	0.344	0.51
Upper Bound		13.3	9.39	138.5	0.02	0.6	6	7.95	6	180	1.68	1.41	1.0	9.7	0.411	0.60
NFM00100		9.9	9.57	136.5	0.01	<0.3	5	6.93	3	190	0.73	0.97	<0.5	12.1	0.521	0.59
DUP		9.7	9.02	136.0	0.01	<0.3	3	6.39	3	190	0.83	1.02	0.6	11.9	0.534	0.62
Target Range – Lower Bound		8.8	8.79	129.0	<0.01	<0.3	<3	6.28	<3	160	0.69	0.94	<0.5	11.3	0.483	0.55
Upper Bound		10.8	9.80	143.5	0.02	0.6	6	7.04	6	220	0.87	1.05	1.0	12.7	0.572	0.66
NFM00123		32.0	3.37	101.0	<0.01	0.5	3	3.13	3	120	4.64	0.74	0.5	9.3	0.087	0.38
DUP		31.8	3.32	95.5	<0.01	0.3	<3	2.97	<3	120	4.84	0.78	<0.5	8.9	0.090	0.37
Target Range – Lower Bound		29.8	3.14	92.8	<0.01	<0.3	<3	2.85	<3	90	4.45	0.71	<0.5	8.5	0.077	0.34
Upper Bound		34.0	3.55	103.5	0.02	0.6	6	3.25	6	150	5.03	0.81	1.0	9.7	0.100	0.41
NFM00135		0.7	0.09	0.7	<0.01	<0.3	3	0.07	4	40	0.11	0.02	<0.5	0.1	<0.005	<0.02
DUP		0.7	0.08	0.7	<0.01	<0.3	3	<0.05	<3	40	0.09	0.01	<0.5	0.1	<0.005	<0.02
Target Range – Lower Bound		<0.5	<0.04	<0.5	<0.01	<0.3	<3	<0.05	<3	<20	<0.05	<0.01	<0.5	<0.1	<0.005	<0.02
Upper Bound		1.0	0.13	1.0	0.02	0.6	6	0.10	6	60	0.16	0.02	1.0	0.2	0.010	0.04
NFM00156		34.5	2.04	114.5	<0.01	1.3	<3	1.62	3	130	1.71	0.31	<0.5	4.4	0.074	0.33
DUP		34.7	2.13	111.5	0.01	0.5	3	1.74	<3	130	1.90	0.29	<0.5	4.6	0.077	0.36
Target Range – Lower Bound		32.4	1.94	107.0	<0.01	0.6	<3	1.55	<3	100	1.66	0.28	<0.5	4.2	0.065	0.31
Upper Bound		36.8	2.23	119.0	0.02	1.2	6	1.81	6	160	1.95	0.33	1.0	4.8	0.086	0.38
NFM00168		9.4	12.80	87.8	<0.01	1.2	<3	8.58	5	280	0.85	0.99	<0.5	18.4	0.336	0.24
DUP		9.2	11.80	80.8	0.01	1.0	<3	8.52	5	260	0.79	1.00	<0.5	18.7	0.337	0.27
Target Range – Lower Bound		8.3	11.65	79.6	<0.01	0.7	<3	8.07	<3	240	0.73	0.94	<0.5	17.5	0.306	0.22
Upper Bound		10.3	12.95	89.0	0.02	1.5	6	9.03	6	300	0.91	1.05	1.0	19.6	0.367	0.29

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – D
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.4	0.3	0.02	10
DUPLICATES								
NFM00033		1.37	3.4	76	3.5	94.5	10.20	100
DUP		1.37	3.4	77	3.2	89.8	9.94	100
Target Range – Lower Bound		1.29	3.0	72	2.8	87.2	9.55	90
Upper Bound		1.45	3.8	81	3.9	97.1	10.60	120
NFM00055		0.58	1.8	112	2.8	42.7	3.59	100
DUP		0.56	1.8	104	2.6	40.3	3.45	100
Target Range – Lower Bound		0.53	1.5	102	2.2	39.1	3.32	90
Upper Bound		0.61	2.1	114	3.2	43.9	3.72	120
NFM00088		0.64	2.1	75	1.9	51.4	4.25	70
DUP		0.66	1.9	72	1.8	51.0	4.16	70
Target Range – Lower Bound		0.61	1.7	69	1.4	48.3	3.97	60
Upper Bound		0.69	2.3	78	2.3	54.1	4.44	80
NFM00100		0.46	2.4	114	1.4	36.6	2.97	50
DUP		0.46	2.4	112	1.4	37.0	3.03	50
Target Range – Lower Bound		0.43	2.1	106	0.9	34.7	2.83	40
Upper Bound		0.49	2.7	120	1.9	38.9	3.17	60
NFM00123		0.79	4.4	22	4.5	48.9	5.66	20
DUP		0.75	4.5	22	5.0	50.4	5.65	20
Target Range – Lower Bound		0.72	4.0	20	4.1	46.9	5.35	<10
Upper Bound		0.82	4.9	24	5.4	52.4	5.96	30
NFM00135		<0.01	0.6	3	0.4	1.0	0.08	<10
DUP		<0.01	0.6	2	<0.4	0.9	0.02	<10
Target Range – Lower Bound		<0.01	0.4	<1	<0.4	0.6	0.03	<10
Upper Bound		0.02	0.8	4	0.8	1.3	0.07	20
NFM00156		0.32	13.7	19	3.8	21.6	2.81	20
DUP		0.33	14.5	21	3.8	20.2	2.53	20
Target Range – Lower Bound		0.30	13.2	18	3.2	19.6	2.52	<10
Upper Bound		0.35	15.0	22	4.4	22.2	2.82	30
NFM00168		0.50	3.4	87	1.8	40.8	3.45	70
DUP		0.49	3.4	84	1.8	38.2	3.27	60
Target Range – Lower Bound		0.46	3.0	80	1.3	37.2	3.17	50
Upper Bound		0.53	3.8	91	2.3	41.8	3.55	80

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – A
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01
DUPLICATES																
NFM00190		<5	<4	481	1.0	<0.1	1.9	1.0	93.7	10.6	3.4	30	10.45	7.97	1.38	4.89
DUP		<5	<4	485	1.2	<0.1	2.0	1.0	97.0	11.3	3.6	30	10.55	7.67	1.42	4.93
Target Range – Lower Bound		<5	<4	457	0.6	<0.1	1.8	<0.8	90.4	9.9	3.2	<20	9.95	7.41	1.30	4.65
Upper Bound		10	8	509	1.6	0.2	2.1	1.6	100.5	12.0	3.8	40	11.05	8.23	1.50	5.17
NFM00202		<5	<4	398	1.4	0.4	3.0	1.0	70.5	19.0	2.7	50	6.35	4.08	1.39	7.00
DUP		<5	<4	393	1.4	0.4	3.0	1.0	70.9	18.4	2.7	50	6.96	4.22	1.44	7.01
Target Range – Lower Bound		<5	<4	374	0.9	0.3	2.8	<0.8	67.0	17.3	2.5	30	6.29	3.92	1.31	6.64
Upper Bound		10	8	417	1.9	0.5	3.3	1.6	74.4	20.1	2.9	70	7.02	4.38	1.52	7.37
NFM00223		<5	4	148	5.9	<0.1	2.4	<0.8	9.1	1.2	2.1	<20	1.15	1.17	0.36	0.67
DUP		<5	4	142	6.1	<0.1	2.5	<0.8	8.7	1.2	2.0	<20	1.07	1.11	0.37	0.70
Target Range – Lower Bound		<5	<4	136	5.3	<0.1	2.2	<0.8	8.3	0.6	1.8	<20	1.02	1.06	0.32	0.64
Upper Bound		10	8	154	6.7	0.2	2.7	1.6	9.5	1.8	2.3	40	1.20	1.22	0.41	0.73
NFM00235		<5	4	402	2.4	0.5	4.7	<0.8	98.9	23.1	7.6	<20	5.65	3.26	1.51	6.54
DUP		<5	4	379	2.4	0.4	4.7	<0.8	93.5	22.1	7.3	<20	5.45	2.96	1.54	6.34
Target Range – Lower Bound		<5	<4	369	1.9	0.3	4.4	<0.8	91.2	21.0	7.0	<20	5.24	2.93	1.42	6.11
Upper Bound		10	8	412	2.9	0.6	5.0	1.6	101.0	24.2	7.9	40	5.86	3.29	1.63	6.77
NFM00257		<5	<4	498	1.3	<0.1	2.4	<0.8	91.5	15.1	3.4	<20	9.09	7.14	1.34	6.58
DUP		<5	<4	497	1.5	<0.1	2.5	<0.8	92.7	14.7	3.5	<20	9.71	7.19	1.46	6.63
Target Range – Lower Bound		<5	<4	471	0.9	<0.1	2.2	<0.8	87.3	13.7	3.2	<20	8.90	6.79	1.30	6.26
Upper Bound		10	8	524	1.9	0.2	2.7	1.6	96.9	16.1	3.7	40	9.90	7.54	1.50	6.95
NFM00270		<5	<4	662	2.0	<0.1	3.1	<0.8	84.1	19.7	6.3	<20	5.12	3.24	1.45	6.97
DUP		<5	<4	664	2.0	0.2	3.1	<0.8	87.0	18.8	6.3	<20	5.28	3.18	1.47	6.99
Target Range – Lower Bound		<5	<4	628	1.5	<0.1	2.8	<0.8	81.1	17.8	5.9	<20	4.91	3.03	1.36	6.62
Upper Bound		10	8	698	2.5	0.2	3.4	1.6	90.0	20.7	6.7	40	5.49	3.39	1.56	7.34
NFM00291		<5	<4	150	4.8	0.1	2.2	<0.8	5.4	1.6	1.8	<20	0.99	0.88	0.32	0.67
DUP		<5	<4	152	5.0	0.1	2.2	<0.8	5.7	1.5	2.0	<20	0.90	0.81	0.27	0.66
Target Range – Lower Bound		<5	<4	141	4.3	<0.1	2.0	<0.8	5.1	1.0	1.7	<20	0.87	0.78	0.25	0.62
Upper Bound		10	8	161	5.5	0.2	2.4	1.6	6.0	2.1	2.1	40	1.02	0.91	0.34	0.71
NFM00303		<5	<4	314	5.1	1.6	4.7	<0.8	56.9	26.7	8.7	<20	6.27	3.72	1.35	6.46
DUP		<5	<4	308	5.4	1.0	4.8	<0.8	57.0	26.4	8.5	<20	5.95	3.54	1.35	6.47
Target Range – Lower Bound		<5	<4	293	4.6	1.1	4.4	<0.8	53.9	24.7	8.1	<20	5.77	3.43	1.25	6.13
Upper Bound		10	8	329	5.9	1.5	5.1	1.6	60.0	28.4	9.1	40	6.45	3.83	1.45	6.80

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1	ME-MS89L Nd2O3 ppm 0.08	ME-MS89L Ni ppm 10
DUPLICATES																
NFM00190		17.8	8.18	1.9	2.50	0.5	4.24	42.8	23	1.15	0.87	1620	2	11	33.9	20
DUP		16.6	8.18	2.2	2.53	0.4	4.24	43.4	22	1.16	0.89	1620	2	11	35.5	20
Target Range - Lower Bound		15.8	7.74	1.4	2.38	<0.3	3.98	40.9	19	1.04	0.83	1530	<2	9	32.9	<10
Upper Bound		18.6	8.62	2.7	2.65	0.6	4.50	45.3	26	1.27	0.93	1710	4	13	36.5	30
NFM00202		19.8	6.32	1.7	1.44	0.4	2.02	30.3	28	0.55	1.25	2100	<2	10	27.3	20
DUP		19.6	6.55	1.6	1.49	0.4	2.04	29.8	27	0.59	1.25	2120	<2	10	26.7	20
Target Range - Lower Bound		18.2	6.08	1.1	1.38	<0.3	1.88	28.5	24	0.48	1.18	1990	<2	9	25.6	<10
Upper Bound		21.2	6.79	2.2	1.55	0.6	2.18	31.6	31	0.66	1.32	2230	4	12	28.4	30
NFM00223		28.2	0.86	2.6	0.26	<0.3	2.37	4.47	8	0.31	0.13	160	2	13	3.92	10
DUP		26.4	0.85	2.5	0.30	<0.3	2.32	4.16	5	0.33	0.14	150	<2	12	3.39	10
Target Range - Lower Bound		25.4	0.78	1.9	0.26	<0.3	2.18	4.01	4	0.24	0.12	140	<2	11	3.39	<10
Upper Bound		29.2	0.93	3.2	0.30	0.6	2.51	4.62	9	0.40	0.15	170	4	14	3.92	20
NFM00235		22.1	6.17	2.9	1.16	<0.3	2.38	45.2	34	0.41	1.73	1230	<2	15	39.2	50
DUP		21.9	6.03	3.3	1.05	<0.3	2.34	42.1	32	0.41	1.70	1210	2	14	37.9	50
Target Range - Lower Bound		20.4	5.77	2.4	1.04	<0.3	2.19	41.4	29	0.33	1.62	1150	<2	13	36.5	40
Upper Bound		23.6	6.44	3.8	1.17	0.6	2.53	45.9	37	0.49	1.81	1290	4	16	40.6	60
NFM00257		19.3	8.25	1.6	2.19	<0.3	3.20	43.7	31	0.93	1.02	2390	2	12	35.6	40
DUP		19.2	8.09	2.3	2.10	<0.3	3.19	43.7	29	0.89	1.02	2350	2	12	36.6	30
Target Range - Lower Bound		17.8	7.73	1.4	2.03	<0.3	2.99	41.4	27	0.80	0.96	2240	<2	10	34.2	20
Upper Bound		20.7	8.61	2.5	2.26	0.6	3.40	46.0	34	1.02	1.08	2500	4	14	38.0	50
NFM00270		20.3	5.77	1.7	1.04	<0.3	2.48	40.7	26	0.42	1.39	2570	<2	14	32.2	40
DUP		19.8	5.71	1.7	1.07	<0.3	2.51	41.6	25	0.45	1.38	2540	2	14	33.1	40
Target Range - Lower Bound		18.5	5.42	1.1	0.99	<0.3	2.32	39.0	22	0.35	1.31	2420	<2	12	30.9	30
Upper Bound		21.6	6.06	2.3	1.12	0.6	2.67	43.3	29	0.52	1.46	2690	4	16	34.4	50
NFM00291		21.5	0.69	1.5	0.23	<0.3	2.50	3.11	6	0.20	0.10	120	2	7	2.41	10
DUP		21.8	0.62	1.7	0.25	<0.3	2.51	3.00	5	0.20	0.10	110	2	7	2.65	10
Target Range - Lower Bound		20.1	0.59	1.0	0.22	<0.3	2.33	2.81	3	0.13	0.09	100	<2	6	2.32	<10
Upper Bound		23.2	0.72	2.2	0.26	0.6	2.68	3.30	8	0.27	0.12	130	4	8	2.74	20
NFM00303		19.4	5.96	1.8	1.31	<0.3	3.17	26.9	46	0.42	1.98	1700	<2	7	23.1	20
DUP		19.4	6.07	1.8	1.28	<0.3	3.10	26.4	46	0.48	1.98	1670	<2	6	24.1	20
Target Range - Lower Bound		17.9	5.68	1.2	1.22	<0.3	2.93	25.2	42	0.37	1.87	1590	<2	5	22.3	<10
Upper Bound		20.9	6.35	2.4	1.37	0.6	3.34	28.1	50	0.53	2.09	1780	4	8	24.9	30

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – C
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Pb ppm 0.5	ME-MS89L Pr2O3 ppm 0.04	ME-MS89L Rb ppm 0.5	ME-MS89L Re ppm 0.01	ME-MS89L Sb ppm 0.3	ME-MS89L Se ppm 3	ME-MS89L Sm2O3 ppm 0.05	ME-MS89L Sn ppm 3	ME-MS89L Sr ppm 20	ME-MS89L Ta2O5 ppm 0.05	ME-MS89L Tb2O3 ppm 0.01	ME-MS89L Te ppm 0.5	ME-MS89L ThO2 ppm 0.1	ME-MS89L Ti % 0.005	ME-MS89L Tl ppm 0.02
DUPLICATES																
NFM00190		18.0	10.10	199.0	<0.01	0.4	<3	7.46	5	130	0.83	1.52	<0.5	21.6	0.234	0.82
DUP		20.6	10.40	204	<0.01	0.4	<3	7.39	6	130	1.12	1.50	<0.5	22.1	0.241	0.89
Target Range – Lower Bound		17.8	9.70	191.0	<0.01	<0.3	<3	7.00	<3	100	0.88	1.42	<0.5	20.7	0.215	0.79
Upper Bound		20.8	10.80	212	0.02	0.6	6	7.85	6	160	1.07	1.60	1.0	23.0	0.260	0.92
NFM00202		9.5	7.57	118.0	<0.01	<0.3	<3	6.06	4	170	0.59	1.07	<0.5	9.1	0.426	0.46
DUP		9.7	7.63	117.5	<0.01	<0.3	<3	5.55	4	170	0.68	1.12	<0.5	9.1	0.428	0.46
Target Range – Lower Bound		8.6	7.18	111.5	<0.01	<0.3	<3	5.46	<3	140	0.55	1.03	<0.5	8.5	0.390	0.42
Upper Bound		10.6	8.02	124.0	0.02	0.6	6	6.15	6	200	0.72	1.16	1.0	9.7	0.464	0.50
NFM00223		46.7	1.05	106.5	<0.01	0.6	5	0.83	4	130	2.42	0.16	0.6	2.3	0.025	0.33
DUP		46.3	0.96	103.5	<0.01	0.5	5	0.85	<3	140	2.19	0.15	0.6	2.3	0.026	0.32
Target Range – Lower Bound		43.7	0.91	99.3	<0.01	<0.3	<3	0.75	<3	110	2.14	0.14	<0.5	2.1	0.019	0.29
Upper Bound		49.3	1.10	111.0	0.02	0.6	6	0.93	6	160	2.47	0.17	1.0	2.5	0.032	0.36
NFM00235		15.4	11.05	142.5	<0.01	1.1	4	7.99	4	230	1.03	0.96	0.5	16.2	0.433	0.46
DUP		15.2	10.50	137.0	<0.01	1.0	4	7.13	4	210	0.98	0.93	0.6	15.5	0.429	0.44
Target Range – Lower Bound		14.0	10.20	132.5	<0.01	0.7	<3	7.13	<3	190	0.90	0.89	<0.5	15.0	0.394	0.41
Upper Bound		16.6	11.35	147.0	0.02	1.4	6	7.99	6	250	1.11	1.00	1.0	16.7	0.468	0.49
NFM00257		17.3	9.83	180.0	0.01	0.5	<3	7.57	4	130	0.77	1.45	<0.5	20.5	0.279	0.69
DUP		18.1	10.10	172.0	0.01	0.4	<3	7.49	4	120	0.73	1.44	<0.5	21.2	0.296	0.77
Target Range – Lower Bound		16.3	9.43	166.5	<0.01	<0.3	<3	7.10	<3	100	0.66	1.36	<0.5	19.7	0.261	0.67
Upper Bound		19.1	10.50	185.5	0.02	0.6	6	7.96	6	150	0.84	1.53	1.0	22.0	0.314	0.79
NFM00270		12.6	9.19	139.0	<0.01	0.6	<3	6.31	3	280	0.96	0.89	0.5	15.0	0.445	0.56
DUP		13.0	9.35	136.5	0.01	0.7	<3	5.81	4	280	0.90	0.93	<0.5	15.0	0.434	0.59
Target Range – Lower Bound		11.7	8.77	130.5	<0.01	<0.3	<3	5.71	<3	250	0.83	0.85	<0.5	14.2	0.402	0.53
Upper Bound		13.9	9.77	145.0	0.02	1.0	6	6.41	6	310	1.03	0.97	1.0	15.9	0.477	0.62
NFM00291		47.6	0.55	99.6	<0.01	0.5	<3	0.49	4	130	1.82	0.14	<0.5	1.5	0.029	0.32
DUP		48.1	0.67	101.0	<0.01	0.4	<3	0.51	<3	140	1.61	0.13	<0.5	1.4	0.029	0.33
Target Range – Lower Bound		45.0	0.54	94.8	<0.01	<0.3	<3	0.43	<3	110	1.58	0.12	<0.5	1.3	0.022	0.29
Upper Bound		50.7	0.68	106.0	0.02	0.6	6	0.58	6	160	1.85	0.15	1.0	1.6	0.036	0.36
NFM00303		13.4	6.20	221	<0.01	0.6	<3	5.10	4	270	0.59	0.94	<0.5	7.2	0.428	0.91
DUP		12.8	6.10	221	<0.01	<0.3	<3	5.33	<3	270	0.65	0.97	<0.5	6.9	0.422	0.87
Target Range – Lower Bound		11.9	5.80	209	<0.01	<0.3	<3	4.90	<3	240	0.54	0.90	<0.5	6.6	0.388	0.83
Upper Bound		14.3	6.50	233	0.02	0.6	6	5.53	6	300	0.70	1.01	1.0	7.5	0.462	0.95

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – D
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.4	0.3	0.02	10
DUPLICATES								
NFM00190		1.29	4.0	46	2.3	74.4	8.06	50
DUP		1.23	4.7	50	2.4	77.7	8.01	60
Target Range – Lower Bound		1.19	3.9	45	1.8	71.9	7.61	40
Upper Bound		1.33	4.8	51	2.9	80.2	8.46	70
NFM00202		0.63	1.3	87	1.5	40.3	4.03	70
DUP		0.67	1.5	83	1.5	42.3	4.19	60
Target Range – Lower Bound		0.61	1.1	80	1.0	38.9	3.88	50
Upper Bound		0.69	1.7	90	2.0	43.7	4.34	80
NFM00223		0.19	8.3	8	3.2	11.8	1.71	10
DUP		0.19	8.4	8	2.6	11.0	1.71	10
Target Range – Lower Bound		0.17	7.7	7	2.4	10.5	1.60	<10
Upper Bound		0.21	9.0	9	3.4	12.3	1.82	20
NFM00235		0.45	2.5	107	1.3	35.0	2.87	80
DUP		0.43	2.5	104	1.4	32.9	2.76	80
Target Range – Lower Bound		0.41	2.2	99	0.9	32.0	2.65	70
Upper Bound		0.47	2.8	112	1.8	35.9	2.98	90
NFM00257		1.01	2.7	65	1.8	64.9	5.97	100
DUP		1.03	2.8	63	1.6	61.7	6.05	90
Target Range – Lower Bound		0.96	2.4	60	1.2	59.8	5.69	80
Upper Bound		1.08	3.1	68	2.2	66.8	6.33	110
NFM00270		0.47	2.4	87	1.6	31.1	2.68	90
DUP		0.48	2.5	86	1.8	31.0	2.95	100
Target Range – Lower Bound		0.44	2.1	81	1.2	29.2	2.65	80
Upper Bound		0.51	2.8	92	2.2	32.9	2.98	110
NFM00291		0.15	23.8	6	2.4	8.1	1.14	30
DUP		0.16	23.9	6	2.4	8.0	1.17	40
Target Range – Lower Bound		0.14	22.5	5	1.9	7.3	1.08	20
Upper Bound		0.17	25.2	7	2.9	8.8	1.23	50
NFM00303		0.55	2.2	122	2.4	39.4	2.97	100
DUP		0.50	2.1	120	2.4	39.7	3.07	100
Target Range – Lower Bound		0.49	1.8	114	1.9	37.3	2.85	90
Upper Bound		0.56	2.5	128	2.9	41.8	3.19	120

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – A
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01
DUPLICATES																
NFM00616		<5	<4	597	4.0	0.1	1.3	<0.8	118.5	26.0	3.6	<20	5.80	3.69	1.71	8.23
DUP		<5	<4	587	3.8	0.1	1.3	<0.8	126.0	24.9	3.8	<20	5.80	3.58	1.69	8.24
Target Range – Lower Bound		<5	<4	560	3.3	<0.1	1.1	<0.8	116.0	23.7	3.4	<20	5.48	3.43	1.59	7.81
Upper Bound		10	8	624	4.5	0.2	1.5	1.6	128.5	27.2	4.0	40	6.12	3.84	1.82	8.66
NFM00785		<5	<4	246	2.2	3.8	11.6	<0.8	113.5	11.4	0.9	<20	5.27	3.40	1.47	6.22
DUP		<5	<4	246	2.3	3.9	11.7	<0.8	111.0	10.8	0.9	<20	5.24	3.30	1.55	6.23
Target Range – Lower Bound		<5	<4	232	1.7	3.6	11.0	<0.8	106.5	10.0	0.8	<20	4.96	3.16	1.40	5.90
Upper Bound		10	8	260	2.8	4.1	12.3	1.6	118.0	12.2	1.0	40	5.55	3.54	1.62	6.55
NFM00825		<5	<4	461	3.1	0.1	3.2	<0.8	106.5	23.2	6.2	<20	5.08	2.76	1.44	6.64
DUP		<5	<4	453	3.0	0.1	3.3	<0.8	106.5	22.4	6.0	<20	5.08	2.62	1.44	6.75
Target Range – Lower Bound		<5	<4	432	2.5	<0.1	3.0	<0.8	101.0	21.2	5.7	<20	4.80	2.54	1.34	6.35
Upper Bound		10	8	482	3.6	0.2	3.5	1.6	112.0	24.4	6.5	40	5.36	2.84	1.54	7.04
NFM00959		<5	11	421	2.1	0.5	9.6	<0.8	82.3	24.0	6.2	<20	4.89	2.58	1.35	5.61
DUP		<5	11	408	2.3	0.5	10.0	<0.8	82.9	22.0	6.1	<20	4.75	2.61	1.27	5.77
Target Range – Lower Bound		<5	6	392	1.7	0.4	9.2	<0.8	78.3	21.4	5.7	<20	4.55	2.45	1.21	5.40
Upper Bound		10	16	437	2.7	0.6	10.4	1.6	86.9	24.7	6.6	40	5.09	2.74	1.41	5.98

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – B
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1	ME-MS89L Nd2O3 ppm 0.08	ME-MS89L Ni ppm 10
DUPLICATES																
NFM00616		28.8	7.57	2.0	1.26	<0.3	3.22	56.8	27	0.39	1.71	1730	<2	16	43.2	50
DUP		28.7	7.28	2.4	1.31	<0.3	3.25	58.6	21	0.42	1.73	1750	<2	16	46.3	60
Target Range – Lower Bound		26.8	7.02	1.6	1.21	<0.3	3.02	54.7	21	0.32	1.62	1640	<2	14	42.4	40
Upper Bound		30.7	7.83	2.8	1.36	0.6	3.45	60.7	27	0.49	1.82	1840	4	18	47.1	70
NFM00785		27.2	6.48	3.3	1.17	<0.3	0.55	51.0	7	0.44	1.04	3450	2	19	40.1	50
DUP		27.2	6.42	3.1	1.17	<0.3	0.55	50.2	7	0.44	1.05	3440	2	19	38.1	40
Target Range – Lower Bound		25.3	6.10	2.5	1.10	<0.3	0.47	48.0	5	0.36	0.98	3260	<2	17	37.1	30
Upper Bound		29.1	6.80	3.9	1.24	0.6	0.63	53.2	9	0.52	1.11	3630	4	21	41.1	60
NFM00825		23.2	6.21	2.0	1.03	<0.3	2.73	51.7	28	0.40	1.89	1350	<2	16	40.6	50
DUP		22.9	6.10	2.1	0.94	<0.3	2.77	50.5	27	0.36	1.88	1340	2	16	40.8	50
Target Range – Lower Bound		21.4	5.82	1.4	0.93	<0.3	2.56	48.5	24	0.30	1.78	1270	<2	14	38.6	40
Upper Bound		24.7	6.49	2.7	1.04	0.6	2.94	53.7	31	0.46	1.99	1420	4	18	42.8	60
NFM00959		21.1	5.80	2.0	1.00	<0.3	2.37	40.2	26	0.36	1.52	1700	2	12	33.0	40
DUP		19.6	5.54	2.2	1.01	<0.3	2.42	40.3	23	0.35	1.57	1750	2	11	34.1	40
Target Range – Lower Bound		18.8	5.36	1.5	0.94	<0.3	2.23	38.1	21	0.28	1.46	1630	<2	10	31.8	30
Upper Bound		21.9	5.98	2.7	1.07	0.6	2.56	42.4	28	0.43	1.63	1820	4	13	35.3	50

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – C
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

Sample Description	Method Analyte Units LOD	ME-MS89L Pb ppm 0.5	ME-MS89L Pr2O3 ppm 0.04	ME-MS89L Rb ppm 0.5	ME-MS89L Re ppm 0.01	ME-MS89L Sb ppm 0.3	ME-MS89L Se ppm 3	ME-MS89L Sm2O3 ppm 0.05	ME-MS89L Sn ppm 3	ME-MS89L Sr ppm 20	ME-MS89L Ta2O5 ppm 0.05	ME-MS89L Tb2O3 ppm 0.01	ME-MS89L Te ppm 0.5	ME-MS89L ThO2 ppm 0.1	ME-MS89L Ti % 0.005	ME-MS89L Tl ppm 0.02
DUPLICATES																
NFM00616		9.4	12.80	186.0	<0.01	0.4	<3	8.18	7	100	0.78	1.02	<0.5	19.5	0.456	0.71
DUP		9.5	13.75	179.5	<0.01	0.5	<3	8.20	7	110	0.70	1.12	<0.5	21.2	0.463	0.71
Target Range – Lower Bound		8.5	12.55	173.0	<0.01	<0.3	<3	7.73	4	80	0.65	1.01	<0.5	19.2	0.420	0.65
Upper Bound		10.4	14.00	192.5	0.02	0.6	6	8.65	10	130	0.83	1.13	1.0	21.5	0.499	0.77
NFM00785		7.9	12.35	37.2	<0.01	2.4	<3	7.58	7	190	1.04	0.93	<0.5	16.5	0.353	0.18
DUP		8.0	11.95	37.6	<0.01	2.1	<3	6.99	6	190	0.90	0.93	<0.5	16.8	0.360	0.19
Target Range – Lower Bound		7.1	11.50	35.0	<0.01	1.8	<3	6.87	<3	160	0.87	0.87	<0.5	15.7	0.325	0.16
Upper Bound		8.8	12.80	39.8	0.02	2.7	6	7.70	10	220	1.07	0.99	1.0	17.6	0.388	0.21
NFM00825		15.8	11.20	179.5	0.01	<0.3	<3	7.33	5	120	0.83	0.87	<0.5	17.0	0.453	0.76
DUP		15.6	11.20	177.0	<0.01	<0.3	<3	7.25	5	120	0.94	0.87	<0.5	16.7	0.456	0.81
Target Range – Lower Bound		14.4	10.60	169.0	<0.01	<0.3	<3	6.88	<3	90	0.79	0.82	<0.5	15.9	0.415	0.73
Upper Bound		17.0	11.80	187.5	0.02	0.6	6	7.70	6	150	0.98	0.92	1.0	17.8	0.494	0.84
NFM00959		15.4	9.26	142.0	<0.01	1.7	<3	6.24	<3	140	0.79	0.83	<0.5	14.0	0.398	0.45
DUP		14.9	9.37	129.5	<0.01	1.6	<3	6.26	3	130	0.79	0.79	<0.5	14.5	0.414	0.52
Target Range – Lower Bound		13.9	8.81	128.5	<0.01	1.3	<3	5.89	<3	110	0.70	0.76	<0.5	13.4	0.371	0.44
Upper Bound		16.4	9.82	143.0	0.02	2.0	6	6.61	6	160	0.88	0.86	1.0	15.1	0.441	0.53

Comments: AMENDMENT TO CERTIFICATE ISSUED 09-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Project: Harts

Page: 6 – D
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.4	0.3	0.02	10
		DUPLICATES						
NFM00616		0.46	1.8	112	1.9	37.2	2.72	90
DUP		0.47	1.9	105	2.0	38.4	3.09	80
Target Range – Lower Bound		0.43	1.6	102	1.5	35.6	2.74	70
Upper Bound		0.50	2.1	115	2.4	40.0	3.07	100
NFM00785		0.43	3.7	103	5.3	35.6	3.06	60
DUP		0.46	4.0	101	5.0	34.4	2.99	50
Target Range – Lower Bound		0.41	3.5	96	4.5	33.0	2.85	40
Upper Bound		0.48	4.2	108	5.8	37.1	3.20	70
NFM00825		0.41	1.4	94	0.6	30.0	2.53	110
DUP		0.41	1.3	91	0.8	29.7	2.49	100
Target Range – Lower Bound		0.38	1.1	87	<0.4	28.1	2.36	90
Upper Bound		0.44	1.6	98	0.8	31.6	2.66	120
NFM00959		0.39	2.0	105	0.8	31.0	2.77	110
DUP		0.39	2.1	95	0.9	29.0	2.55	100
Target Range – Lower Bound		0.36	1.7	94	<0.4	28.2	2.51	90
Upper Bound		0.42	2.4	106	1.3	31.8	2.81	120

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **19-FEB-2026**
Account: **CASTCOP**

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005966

	CERTIFICATE COMMENTS			
Applies to Method:	LABORATORY ADDRESSES			
	Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.			
Applies to Method:	BAG-01	BAG-21	LEV-01	LOG-22
	LOG-24	PUL-23	PUL-32m	PUL-QC
	SPL-21	WEI-21		
Applies to Method:	Processed at ALS Loughrea located at Dublin Road, Loughrea, Co. Galway, Ireland.			
	ME-MS89L			