



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 1

Total # Pages: 9 (A – D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

This copy reported on 26-FEB-2026

Account: CASTCOP

CERTIFICATE AD26005982

Project: Harts

This report is for 311 samples of Percussion submitted to our lab in Adelaide, SA, Australia on 30-DEC-2025.

The following have access to data associated with this certificate:

KEVIN DAS

JOEL LOGAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag
SPL-21	Split sample – riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS89L	Super Trace DL Na2O2 by ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Andrey Tairov, Technical Manager, Ireland



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 2 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02
NFM00292		0.73	99.0	<5	<4	696	1.0	0.6	2.6	<0.8	61.5	12.7	4.5	20	8.10	4.89
NFM00293		2.53	90.0	<5	<4	536	1.5	1.0	3.5	<0.8	64.6	17.4	5.5	<20	7.88	4.85
NFM00294		2.66	91.0	<5	<4	386	1.6	0.9	3.6	<0.8	69.2	21.6	6.2	<20	6.79	4.11
NFM00295		2.52		<5	8	691	1.6	0.4	2.8	<0.8	106.0	16.4	4.7	<20	5.31	2.70
NFM00296		1.35		<5	<4	447	1.8	0.4	3.0	<0.8	98.1	17.1	5.3	<20	5.12	2.65
NFM00297		1.43		<5	<4	192	4.3	0.4	2.0	<0.8	33.4	5.9	4.7	<20	5.84	6.27
NFM00298		1.35		<5	<4	139	7.4	0.4	1.2	<0.8	13.8	2.8	3.7	<20	3.23	2.49
NFM00299		0.99		<5	<4	102	6.8	0.4	2.4	<0.8	18.5	4.8	1.7	<20	7.47	6.70
NFM00300		1.95		<5	<4	430	0.7	0.5	2.0	<0.8	95.3	7.5	3.0	<20	6.85	4.33
NFM00301		1.74		<5	<4	505	1.0	0.2	1.7	<0.8	112.5	3.1	2.5	<20	9.49	5.79
NFM00302		1.71		<5	<4	739	0.8	0.2	1.8	<0.8	88.9	3.5	3.2	<20	7.91	4.60
NFM00303		2.31		<5	<4	314	5.1	1.6	4.7	<0.8	56.9	26.7	8.7	<20	6.27	3.72
NFM00304		1.89		<5	<4	371	3.9	0.4	2.9	<0.8	67.4	16.2	5.2	<20	5.10	2.92
NFM00305		3.54		<5	<4	423	2.3	0.4	3.3	<0.8	61.1	18.7	6.6	<20	4.07	2.47
NFM00306		3.84		<5	<4	318	0.9	0.4	2.5	<0.8	45.3	8.5	3.9	<20	3.59	2.07
NFM00307		2.83		<5	<4	353	3.5	0.6	2.6	<0.8	61.8	13.2	5.8	20	5.83	3.62
NFM00308		1.81		<5	<4	592	1.4	0.1	2.1	<0.8	85.3	12.9	4.0	<20	5.92	4.04
NFM00309		1.79		<5	<4	533	2.0	0.3	3.9	<0.8	95.7	16.8	5.5	<20	5.90	3.59
NFM00310		1.84		<5	<4	555	3.7	0.3	3.2	<0.8	95.8	18.3	6.0	<20	6.48	4.11
NFM00311		2.04		<5	<4	429	2.0	0.5	2.9	<0.8	108.5	16.6	7.0	<20	13.50	10.25
NFM00312		1.43		<5	<4	308	1.0	0.2	2.1	<0.8	38.9	5.4	3.0	20	3.19	2.01
NFM00313		1.82		<5	<4	370	1.5	0.3	2.5	<0.8	81.7	12.6	2.8	20	6.86	3.95
NFM00314		2.11		<5	<4	360	0.7	0.3	2.3	<0.8	51.2	9.4	3.2	80	7.76	4.99
NFM00315		2.58		<5	<4	347	2.7	0.5	3.0	<0.8	72.7	16.3	6.6	<20	7.51	4.48
NFM00316		2.08		<5	<4	568	1.7	0.2	2.1	<0.8	86.4	11.5	5.1	<20	6.39	4.12
NFM00317		2.60		<5	5	469	5.4	0.1	2.2	<0.8	89.1	16.4	6.4	<20	6.42	4.11
NFM00318		2.54		<5	<4	244	10.2	0.1	2.7	<0.8	75.5	17.3	9.8	<20	5.62	3.48
NFM00319		1.82		<5	5	44	17.7	0.1	2.8	<0.8	6.9	0.9	1.1	<20	7.72	8.20
NFM00320		2.68		<5	<4	290	7.3	0.2	2.8	<0.8	63.8	6.9	4.4	<20	5.05	3.53
NFM00321		3.18		<5	<4	638	3.1	0.3	3.4	<0.8	108.0	17.5	7.0	<20	6.28	4.16
NFM00322		2.68		<5	<4	499	4.1	0.2	2.7	<0.8	107.5	22.2	6.6	<20	6.84	4.44
NFM00323		1.58		<5	<4	557	2.2	0.5	3.2	<0.8	113.5	17.5	7.1	<20	9.84	6.91
NFM00324		2.08		<5	<4	672	2.2	0.4	3.4	<0.8	95.9	16.3	7.5	<20	5.81	3.54
NFM00325		1.78		<5	<4	514	2.0	0.2	4.4	<0.8	99.1	20.0	5.1	<20	5.66	3.38
NFM00326		1.60		<5	<4	556	2.4	0.1	2.5	<0.8	99.7	18.5	5.5	<20	6.32	3.73
NFM00327		2.02		<5	<4	562	2.8	0.1	2.5	<0.8	116.0	21.0	6.2	<20	6.14	3.34
NFM00328		1.37		<5	<4	548	2.7	0.1	2.7	<0.8	115.5	21.3	6.2	<20	6.45	3.24
NFM00329		2.60		<5	<4	532	2.3	0.4	3.8	<0.8	109.5	20.8	4.5	<20	5.76	3.22
NFM00330		2.45		<5	<4	581	2.0	0.3	3.6	<0.8	105.0	22.9	4.1	<20	5.24	2.96
NFM00331		4.48		<5	<4	371	1.6	0.2	1.8	<0.8	23.8	5.7	2.5	<20	2.08	1.62



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – B
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Eu2O3	Fe	Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.03	0.01	0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1
NFM00292		1.41	4.23	17.9	7.25	1.8	1.68	<0.3	4.40	29.0	23	0.52	0.85	1060	<2	10
NFM00293		1.47	5.59	20.6	7.16	1.9	1.72	<0.3	2.27	31.9	31	0.60	1.25	1360	<2	13
NFM00294		1.29	5.79	21.2	6.49	1.9	1.42	<0.3	2.10	32.8	42	0.51	1.60	1560	2	16
NFM00295		1.46	4.60	20.0	6.73	2.1	1.07	<0.3	3.35	52.0	33	0.30	1.23	1310	2	14
NFM00296		1.40	5.19	21.4	6.29	2.3	1.00	<0.3	2.20	48.6	38	0.32	1.45	1540	<2	15
NFM00297		0.63	2.23	22.5	3.56	2.6	1.74	<0.3	1.84	16.90	17	1.69	0.52	1260	<2	12
NFM00298		0.37	1.39	17.8	2.17	2.3	0.74	<0.3	1.93	7.60	10	0.59	0.21	390	2	17
NFM00299		0.69	2.30	22.7	4.40	1.8	1.94	<0.3	1.14	10.05	12	1.59	0.30	610	2	5
NFM00300		1.33	2.81	14.6	7.10	1.7	1.51	<0.3	4.33	46.4	15	0.59	0.50	820	2	6
NFM00301		1.44	1.17	13.4	9.43	2.0	2.05	<0.3	5.06	55.0	9	0.72	0.26	340	<2	5
NFM00302		1.33	1.25	14.2	7.32	2.0	1.65	<0.3	5.98	43.4	9	0.50	0.26	350	<2	3
NFM00303		1.35	6.46	19.4	5.96	1.8	1.31	<0.3	3.17	26.9	46	0.42	1.98	1700	<2	7
NFM00304		1.20	4.63	19.1	5.30	2.1	1.04	<0.3	2.79	32.7	35	0.38	1.30	1220	<2	13
NFM00305		1.11	4.69	17.8	4.47	2.0	0.87	<0.3	3.41	29.9	39	0.31	1.54	1320	<2	9
NFM00306		1.03	2.43	15.4	3.47	2.0	0.73	<0.3	3.63	22.8	23	0.25	0.77	740	2	7
NFM00307		1.22	4.81	19.1	5.72	2.2	1.27	<0.3	2.92	28.7	31	0.42	1.18	1540	2	10
NFM00308		1.17	7.02	18.4	6.03	2.2	1.31	<0.3	3.34	41.0	29	0.58	1.04	2640	<2	12
NFM00309		1.31	5.67	20.9	6.54	2.3	1.25	<0.3	3.34	46.8	36	0.48	1.55	1930	<2	15
NFM00310		1.25	6.07	21.8	6.71	2.1	1.41	<0.3	3.13	45.7	36	0.52	1.56	2160	<2	15
NFM00311		1.39	4.48	19.1	9.81	2.2	3.17	<0.3	2.91	51.8	31	1.52	1.26	1380	<2	13
NFM00312		1.05	1.83	14.0	3.10	2.2	0.62	<0.3	3.84	19.30	17	0.25	0.51	540	<2	5
NFM00313		1.35	4.37	19.4	6.77	2.4	1.36	<0.3	2.19	36.7	25	0.49	1.08	1010	<2	12
NFM00314		1.31	3.05	15.6	6.85	2.2	1.70	<0.3	3.67	21.9	21	0.61	0.76	680	3	7
NFM00315		1.34	4.47	19.2	7.15	2.3	1.57	<0.3	3.69	31.5	46	0.52	1.40	1280	<2	12
NFM00316		1.19	6.20	19.0	6.39	2.5	1.40	<0.3	2.71	39.8	32	0.56	1.08	2250	<2	13
NFM00317		1.09	8.13	34.3	7.35	2.7	1.34	<0.3	3.55	40.0	32	0.75	1.01	2370	6	62
NFM00318		0.86	5.85	41.4	6.24	2.3	1.17	<0.3	2.52	33.1	38	0.75	1.26	1480	2	105
NFM00319		0.44	0.57	36.6	3.35	2.0	2.15	<0.3	0.63	3.72	7	2.13	0.13	140	<2	4
NFM00320		0.91	2.40	25.2	4.75	2.5	1.15	<0.3	3.18	29.7	16	0.67	0.56	720	3	19
NFM00321		1.27	5.43	22.9	6.98	2.5	1.33	<0.3	3.72	48.9	29	0.56	1.40	1730	2	17
NFM00322		1.32	6.53	24.6	7.31	2.2	1.42	<0.3	2.99	48.6	37	0.65	1.63	1670	4	19
NFM00323		1.37	6.51	21.6	8.43	2.2	2.25	<0.3	2.89	50.1	34	0.99	1.41	1930	2	15
NFM00324		1.29	6.35	19.8	6.39	2.0	1.19	<0.3	2.40	42.6	27	0.48	1.42	2040	2	13
NFM00325		1.48	6.16	21.2	6.86	1.6	1.18	<0.3	2.06	44.0	27	0.41	1.77	1500	3	15
NFM00326		1.55	6.04	23.3	7.32	2.2	1.24	<0.3	2.52	44.9	32	0.49	1.69	1230	2	18
NFM00327		1.49	6.37	24.1	7.68	2.0	1.21	<0.3	3.14	53.6	36	0.44	1.86	1070	<2	17
NFM00328		1.48	6.68	24.2	7.54	2.0	1.19	<0.3	3.13	51.8	37	0.39	1.93	1130	<2	17
NFM00329		1.34	6.06	23.7	6.95	2.2	1.12	<0.3	2.71	48.4	33	0.35	1.77	1090	<2	16
NFM00330		1.55	6.57	23.1	6.45	2.0	1.08	<0.3	2.33	45.9	30	0.38	1.90	950	<2	14
NFM00331		0.58	1.84	19.0	1.90	1.4	0.50	<0.3	5.12	10.95	9	0.32	0.45	280	<2	9



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – C
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te	ThO2
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5	0.1
NFM00292		26.5	10	21.8	6.78	189.0	<0.01	<0.3	<3	6.06	3	160	0.67	1.22	1.9	8.6
NFM00293		28.7	10	12.9	7.29	157.5	<0.01	<0.3	3	6.69	4	180	0.96	1.21	<0.5	8.2
NFM00294		29.0	30	11.5	7.43	173.5	<0.01	<0.3	<3	6.60	6	140	1.55	1.08	0.5	9.2
NFM00295		40.6	80	15.5	11.10	194.5	<0.01	<0.3	<3	7.46	6	140	0.88	0.97	<0.5	20.8
NFM00296		39.4	30	11.5	10.75	181.0	<0.01	<0.3	<3	7.27	6	130	0.94	0.90	<0.5	17.9
NFM00297		13.80	10	41.6	3.59	123.5	<0.01	<0.3	3	2.89	3	80	1.88	0.70	<0.5	7.7
NFM00298		6.14	<10	35.5	1.69	110.0	<0.01	<0.3	<3	1.45	<3	60	10.80	0.45	<0.5	4.1
NFM00299		9.63	<10	33.0	2.25	65.4	<0.01	<0.3	<3	2.66	<3	100	1.00	0.93	<0.5	5.0
NFM00300		37.2	<10	22.9	10.25	182.5	<0.01	<0.3	<3	7.84	4	150	0.37	1.12	<0.5	23.3
NFM00301		44.2	<10	29.3	11.70	185.5	<0.01	<0.3	<3	9.36	4	170	0.22	1.47	<0.5	31.7
NFM00302		34.2	<10	34.0	9.25	228	<0.01	<0.3	<3	7.29	<3	190	0.28	1.20	<0.5	23.2
NFM00303		23.1	20	13.4	6.20	221	<0.01	0.6	<3	5.10	4	270	0.59	0.94	<0.5	7.2
NFM00304		26.4	20	9.8	7.36	185.0	<0.01	<0.3	<3	5.38	4	240	1.03	0.81	<0.5	11.5
NFM00305		24.1	30	10.9	6.45	219	<0.01	<0.3	<3	4.70	<3	170	0.61	0.70	<0.5	10.9
NFM00306		17.20	10	16.7	4.62	183.0	<0.01	<0.3	<3	3.49	3	160	0.35	0.55	<0.5	7.4
NFM00307		25.0	10	13.4	6.34	178.0	<0.01	<0.3	<3	5.44	3	170	0.62	0.90	1.3	9.0
NFM00308		32.2	20	16.6	8.75	187.5	<0.01	<0.3	<3	6.26	4	170	0.68	0.91	<0.5	16.5
NFM00309		38.1	30	15.1	10.15	191.5	<0.01	<0.3	<3	7.40	5	180	0.90	0.99	<0.5	17.6
NFM00310		37.4	30	12.2	10.00	176.5	<0.01	<0.3	<3	7.10	4	290	1.03	0.96	<0.5	16.3
NFM00311		41.6	20	14.1	11.35	186.0	<0.01	<0.3	3	8.86	3	180	0.77	1.80	<0.5	25.4
NFM00312		14.15	<10	18.8	4.03	174.5	<0.01	<0.3	<3	2.88	<3	150	0.21	0.47	<0.5	6.0
NFM00313		28.8	20	10.7	8.50	126.5	0.01	0.4	<3	6.22	4	140	0.60	1.15	<0.5	15.0
NFM00314		19.65	10	21.0	5.76	180.5	0.01	1.7	<3	5.23	<3	150	0.31	1.30	<0.5	7.4
NFM00315		26.4	20	13.4	7.92	233	<0.01	0.7	<3	6.16	<3	150	1.04	1.29	<0.5	12.1
NFM00316		30.6	20	14.4	9.03	176.5	<0.01	0.4	<3	6.20	4	140	1.44	1.05	<0.5	14.3
NFM00317		32.0	30	43.5	9.32	242	0.01	2.6	<3	6.67	6	120	17.10	1.15	<0.5	18.5
NFM00318		27.2	30	32.9	7.89	242	<0.01	1.3	<3	6.25	5	130	30.5	1.01	<0.5	17.1
NFM00319		2.97	10	40.3	0.82	27.8	0.01	0.5	<3	1.16	<3	140	0.85	0.92	<0.5	3.2
NFM00320		22.0	20	32.4	6.66	155.0	<0.01	1.2	3	4.57	4	140	4.19	0.79	<0.5	14.8
NFM00321		38.1	40	15.6	11.35	217	<0.01	0.5	3	7.44	4	180	1.59	1.04	<0.5	19.5
NFM00322		38.1	50	17.6	11.00	190.5	<0.01	1.7	<3	7.32	6	270	1.28	1.17	<0.5	19.1
NFM00323		38.1	30	13.6	11.70	181.0	<0.01	0.4	<3	7.91	5	180	1.03	1.47	<0.5	23.6
NFM00324		32.3	30	11.7	9.70	134.5	0.01	0.8	<3	6.23	3	260	0.78	1.00	<0.5	17.5
NFM00325		36.0	40	16.8	10.35	111.5	<0.01	1.0	<3	7.03	3	270	0.84	1.06	<0.5	15.5
NFM00326		36.7	40	9.6	10.50	152.5	0.01	0.4	<3	7.17	6	180	0.89	1.09	<0.5	17.0
NFM00327		41.6	40	9.4	12.25	179.5	<0.01	0.4	<3	8.04	5	180	1.29	1.14	<0.5	20.3
NFM00328		41.3	40	9.3	12.15	181.0	<0.01	0.4	<3	8.13	5	180	1.10	1.10	<0.5	19.7
NFM00329		38.0	40	11.6	11.45	160.0	<0.01	0.5	<3	7.50	4	190	1.03	1.04	<0.5	19.0
NFM00330		37.2	50	13.0	11.00	123.0	<0.01	0.5	<3	7.38	3	260	0.82	0.99	<0.5	15.0
NFM00331		9.09	20	70.3	2.64	208	0.01	0.4	<3	1.90	<3	180	1.54	0.30	<0.5	4.1



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – D
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ti %	ME-MS89L Ti ppm	ME-MS89L Tm2O3 ppm	ME-MS89L U3O8 ppm	ME-MS89L V ppm	ME-MS89L WO3 ppm	ME-MS89L Y2O3 ppm	ME-MS89L Yb2O3 ppm	ME-MS89L Zn ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00292		0.305	0.74	0.67	2.0	46	2.1	51.2	3.44	70
NFM00293		0.445	0.65	0.69	2.1	76	2.6	53.1	4.09	80
NFM00294		0.444	0.73	0.57	1.9	80	2.8	44.6	3.21	100
NFM00295		0.311	0.76	0.40	1.8	63	2.9	32.3	2.28	80
NFM00296		0.346	0.78	0.37	2.0	71	2.1	29.8	2.20	80
NFM00297		0.120	0.52	1.19	3.2	25	2.4	61.2	9.41	30
NFM00298		0.049	0.41	0.45	6.1	12	2.5	32.3	3.39	40
NFM00299		0.133	0.23	1.21	2.7	17	1.8	80.4	9.10	20
NFM00300		0.209	0.69	0.63	2.1	33	1.4	46.0	3.83	20
NFM00301		0.066	0.71	0.80	2.6	13	1.3	60.7	4.66	20
NFM00302		0.084	0.88	0.62	2.2	17	1.1	48.8	3.76	30
NFM00303		0.428	0.91	0.55	2.2	122	2.4	39.4	2.97	100
NFM00304		0.328	0.77	0.41	2.1	71	3.4	31.0	2.38	60
NFM00305		0.296	0.89	0.35	1.8	70	2.5	26.9	2.05	70
NFM00306		0.164	0.72	0.29	1.3	33	1.8	22.5	1.74	50
NFM00307		0.330	0.79	0.50	1.5	52	2.3	37.7	2.94	70
NFM00308		0.280	0.82	0.58	1.9	58	1.4	40.8	3.69	90
NFM00309		0.348	0.85	0.51	2.2	70	2.1	37.0	3.06	90
NFM00310		0.368	0.80	0.59	2.1	77	2.0	41.0	3.68	80
NFM00311		0.270	0.81	1.58	3.2	69	3.9	106.5	10.10	80
NFM00312		0.117	0.71	0.25	1.1	21	1.9	21.0	1.74	40
NFM00313		0.280	0.48	0.59	1.9	48	2.3	40.6	3.33	70
NFM00314		0.222	0.71	0.75	1.4	45	1.4	52.2	4.02	60
NFM00315		0.343	0.93	0.65	2.6	72	2.1	49.3	3.68	70
NFM00316		0.245	0.77	0.58	2.1	49	1.4	42.5	3.55	80
NFM00317		0.289	0.99	0.67	2.9	74	1.5	45.2	4.58	130
NFM00318		0.309	0.87	0.59	4.4	66	2.5	40.1	4.32	120
NFM00319		0.017	0.09	1.53	2.5	6	0.8	92.6	11.80	20
NFM00320		0.128	0.62	0.59	2.2	28	1.6	42.3	4.04	40
NFM00321		0.332	0.83	0.57	2.2	69	3.7	45.1	3.62	80
NFM00322		0.421	0.76	0.67	2.2	102	1.9	46.1	4.35	80
NFM00323		0.331	0.75	1.07	3.4	74	3.2	70.9	6.55	90
NFM00324		0.387	0.57	0.49	2.6	77	4.5	37.8	3.10	90
NFM00325		0.498	0.48	0.48	2.4	102	1.3	34.5	2.90	120
NFM00326		0.443	0.60	0.56	2.8	100	1.6	40.0	3.40	100
NFM00327		0.421	0.66	0.47	2.7	91	1.3	37.8	2.88	100
NFM00328		0.427	0.66	0.47	2.5	92	1.0	36.8	2.73	130
NFM00329		0.409	0.57	0.46	3.5	90	1.5	35.6	2.77	90
NFM00330		0.471	0.51	0.41	2.9	111	1.1	31.4	2.56	90
NFM00331		0.113	0.78	0.25	9.8	28	1.4	15.7	1.88	40



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 3 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02
NFM00332		1.36		<5	<4	185	1.4	0.1	1.2	<0.8	8.5	2.1	1.8	<20	2.25	1.90
NFM00333		2.04		<5	<4	196	1.3	0.1	1.0	<0.8	4.8	1.6	2.4	<20	1.49	1.33
NFM00334		3.04		<5	<4	189	1.6	0.1	1.0	<0.8	3.6	1.9	3.1	<20	1.46	1.23
NFM00335		2.96		<5	<4	185	1.7	0.1	1.2	<0.8	3.9	1.7	2.4	<20	1.25	1.07
NFM00336		3.26	97.0	<5	<4	275	1.3	0.1	1.0	<0.8	2.8	1.0	2.0	<20	0.75	0.62
NFM00337		2.27		<5	<4	224	1.5	0.1	1.1	<0.8	3.6	1.1	2.3	<20	0.99	0.87
NFM00338		1.36		<5	<4	150	1.8	0.1	1.3	<0.8	3.6	1.2	2.9	<20	1.22	1.13
NFM00339		2.24		<5	<4	282	2.3	0.2	1.7	<0.8	50.0	13.1	9.6	<20	2.90	1.70
NFM00340		1.62		<5	<4	544	2.5	0.4	3.5	<0.8	112.0	24.1	7.0	<20	5.14	2.77
NFM00341		2.48		<5	5	585	2.9	0.2	3.0	<0.8	112.0	25.6	7.6	<20	5.06	2.86
NFM00342		2.14		<5	<4	489	2.8	0.1	2.8	<0.8	109.0	26.1	8.3	<20	5.08	2.66
NFM00343		3.04		<5	7	396	1.7	0.7	9.0	<0.8	118.5	21.8	4.8	<20	4.63	2.54
NFM00344		2.06		<5	10	415	2.4	0.4	7.8	<0.8	94.0	22.9	4.9	<20	4.83	2.86
NFM00345		3.58		<5	7	440	2.1	0.3	6.0	<0.8	102.5	24.5	6.6	<20	5.07	2.92
NFM00346		2.87		<5	7	477	2.2	0.2	3.8	<0.8	100.5	22.4	7.9	<20	4.71	2.84
NFM00347		1.56		<5	5	455	2.1	0.2	3.7	<0.8	110.5	22.7	7.5	<20	5.37	3.22
NFM00348		4.00		<5	<4	434	1.6	0.2	2.3	<0.8	49.8	11.7	4.8	<20	3.13	1.89
NFM00349		1.71		<5	4	410	1.6	0.2	2.2	<0.8	45.7	11.5	4.8	<20	2.95	1.83
NFM00350		<0.02		<5	30	249	67.4	1.8	0.1	3.1	2560	1.9	4.6	20	172.0	99.8
NFM00351		1.86		<5	4	417	2.3	0.1	2.5	<0.8	87.0	17.2	6.6	<20	4.29	2.70
NFM00352		2.10		<5	<4	468	2.1	0.1	2.5	<0.8	74.8	18.0	6.7	<20	4.74	2.78
NFM00353		2.74		<5	4	421	2.7	0.1	2.6	<0.8	74.7	18.1	7.4	<20	4.60	2.84
NFM00354		2.59		<5	5	443	2.4	0.4	4.2	<0.8	75.1	25.5	8.0	<20	5.00	3.05
NFM00355		2.55		<5	5	508	2.1	0.3	3.8	<0.8	73.0	28.6	9.1	<20	5.12	3.17
NFM00356		3.25		<5	12	187	2.4	1.4	8.8	<0.8	75.4	25.8	3.8	<20	5.11	3.11
NFM00367		1.58		<5	<4	36	0.9	<0.1	7.8	<0.8	18.7	43.7	0.1	70	6.99	4.47
NFM00368		1.56		<5	<4	254	1.1	<0.1	6.8	<0.8	51.6	35.3	1.1	70	6.82	4.27
NFM00369		1.82		<5	<4	1125	2.2	0.1	2.3	<0.8	101.5	13.2	4.0	20	7.36	4.51
NFM00370		1.27		<5	<4	1190	2.0	<0.1	2.2	<0.8	103.5	12.6	3.9	20	6.65	3.98
NFM00371		1.28		<5	<4	1115	2.3	0.1	2.3	<0.8	96.7	13.5	4.0	20	6.75	4.20
NFM00372		1.54		<5	<4	641	1.3	<0.1	2.5	<0.8	100.5	17.5	1.3	30	5.58	3.38
NFM00373		1.72		<5	4	971	1.7	<0.1	2.8	<0.8	107.5	18.6	2.1	30	6.73	3.54
NFM00374		1.51		<5	<4	633	1.8	0.1	4.4	<0.8	95.6	22.2	2.2	30	5.72	3.26
NFM00375		1.86		<5	<4	130	1.1	0.1	6.3	<0.8	50.6	39.8	1.5	60	7.63	4.60
NFM00376		1.45		<5	<4	141	1.2	<0.1	5.1	<0.8	44.1	39.0	0.6	90	7.46	4.65
NFM00377		1.71		<5	<4	58	0.8	0.1	7.3	<0.8	25.7	41.7	0.2	70	7.72	5.11
NFM00378		1.46		<5	<4	74	0.5	<0.1	7.3	<0.8	25.3	45.6	0.3	100	7.07	4.64
NFM00379		1.49		<5	<4	819	2.0	0.1	3.7	<0.8	106.5	22.6	3.4	40	7.17	4.37
NFM00380		1.30		<5	<4	1200	2.1	0.1	2.3	<0.8	102.5	13.6	4.1	20	6.70	4.00
NFM00381		1.21		<5	<4	1195	2.3	0.1	2.4	<0.8	105.0	13.3	3.9	20	6.81	4.16



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 - B
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1
NFM00332		0.31	1.12	16.4	1.38	2.2	0.52	<0.3	3.96	3.78	7	0.43	0.13	170	2	15
NFM00333		0.30	0.84	18.5	0.85	2.1	0.37	<0.3	5.28	2.26	7	0.28	0.12	140	2	12
NFM00334		0.29	0.95	20.3	0.73	2.4	0.33	<0.3	5.43	1.85	10	0.28	0.15	170	<2	14
NFM00335		0.27	0.69	19.0	0.73	2.2	0.26	<0.3	4.31	1.84	8	0.19	0.13	140	<2	10
NFM00336		0.25	0.76	17.0	0.46	2.0	0.18	<0.3	5.15	1.33	4	0.14	0.06	110	<2	6
NFM00337		0.25	1.05	17.6	0.62	2.0	0.25	<0.3	4.39	1.69	5	0.22	0.07	140	<2	12
NFM00338		0.27	1.12	20.1	0.61	1.6	0.29	<0.3	3.44	1.69	6	0.25	0.08	180	2	17
NFM00339		0.72	3.80	23.5	3.27	2.4	0.60	<0.3	3.29	22.1	29	0.30	1.24	920	2	20
NFM00340		1.39	6.55	24.1	6.50	2.8	1.04	<0.3	2.61	49.0	34	0.36	1.70	1500	2	17
NFM00341		1.55	7.13	25.6	6.82	2.6	1.01	<0.3	3.04	49.7	41	0.36	1.94	1340	<2	16
NFM00342		1.44	7.11	23.4	6.47	1.9	0.99	<0.3	2.94	48.0	41	0.36	1.91	1370	<2	15
NFM00343		1.53	6.61	20.4	6.26	1.8	0.87	<0.3	2.24	48.3	27	0.32	1.96	1710	<2	17
NFM00344		1.25	6.46	21.5	5.82	2.6	1.00	<0.3	2.35	40.6	23	0.38	1.68	1590	<2	14
NFM00345		1.25	6.72	22.6	6.12	2.7	1.00	<0.3	2.41	43.7	30	0.39	1.71	1910	<2	15
NFM00346		1.30	5.40	23.2	6.25	3.4	1.02	<0.3	2.93	44.6	30	0.34	1.42	1550	<2	15
NFM00347		1.48	5.73	24.6	6.52	3.2	1.13	<0.3	2.71	49.4	32	0.41	1.63	1110	<2	15
NFM00348		0.89	3.29	16.4	3.31	1.8	0.62	<0.3	3.69	25.1	20	0.26	0.82	540	<2	8
NFM00349		0.87	3.15	16.0	3.34	2.0	0.56	<0.3	3.75	23.3	20	0.26	0.79	540	<2	8
NFM00350		6.07	5.07	154.0	182.5	6.8	33.8	<0.3	3.60	1745	350	11.35	0.15	3680	2	4210
NFM00351		1.18	4.58	20.7	5.03	2.5	0.92	<0.3	3.45	40.6	26	0.36	1.28	740	<2	13
NFM00352		1.34	4.63	19.8	5.21	1.8	0.92	<0.3	3.14	38.5	29	0.35	1.33	740	2	14
NFM00353		1.25	4.79	20.3	4.94	1.9	0.89	<0.3	3.06	38.5	29	0.39	1.34	750	2	14
NFM00354		1.30	6.00	20.4	5.64	2.0	1.02	<0.3	3.00	37.4	33	0.40	1.78	1170	<2	15
NFM00355		1.27	6.69	21.2	5.44	2.2	0.97	<0.3	2.67	35.8	33	0.43	1.91	1120	<2	14
NFM00356		1.31	6.82	21.0	5.80	2.6	1.00	<0.3	1.24	35.5	19	0.42	1.72	1790	<2	11
NFM00367		1.55	8.45	17.7	6.05	0.8	1.42	<0.3	0.18	6.79	9	0.59	4.45	1580	<2	3
NFM00368		1.77	7.97	18.6	6.92	1.2	1.44	<0.3	1.12	22.6	16	0.57	4.23	1280	2	13
NFM00369		2.43	4.98	20.0	8.49	0.9	1.44	<0.3	3.47	50.5	21	0.52	1.02	1020	2	19
NFM00370		2.34	4.84	19.4	7.95	1.2	1.34	<0.3	3.72	50.4	22	0.53	0.96	960	2	19
NFM00371		2.39	5.04	19.5	7.77	0.9	1.35	<0.3	3.47	47.5	23	0.55	0.99	980	2	21
NFM00372		1.97	5.60	17.5	6.97	0.9	1.09	<0.3	2.26	47.6	14	0.43	1.35	930	2	20
NFM00373		2.21	5.69	19.8	7.92	1.3	1.24	<0.3	2.98	51.7	18	0.55	1.56	950	<2	19
NFM00374		1.85	5.49	18.6	6.82	1.1	1.12	<0.3	2.44	44.3	14	0.45	2.42	870	2	15
NFM00375		1.95	8.08	18.5	7.24	1.0	1.49	<0.3	0.89	22.4	14	0.66	3.71	1300	2	8
NFM00376		1.60	7.51	17.4	6.95	1.0	1.51	<0.3	0.54	19.00	11	0.59	3.02	1280	2	8
NFM00377		1.62	8.69	19.4	6.95	1.1	1.63	<0.3	0.25	9.79	8	0.67	3.98	1660	2	4
NFM00378		1.76	8.32	18.0	6.40	0.9	1.47	<0.3	0.32	9.78	11	0.64	4.30	1530	<2	4
NFM00379		2.18	6.50	20.3	8.45	1.2	1.52	<0.3	2.51	50.5	20	0.63	1.96	1190	2	18
NFM00380		2.39	4.88	19.9	8.03	1.2	1.40	<0.3	3.48	50.1	21	0.52	0.96	960	2	20
NFM00381		2.49	4.89	20.1	8.11	1.2	1.37	<0.3	3.57	50.2	19	0.52	1.00	980	2	19



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – C
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00332		3.15	10	60.4	0.89	161.0	0.01	0.5	<3	0.96	<3	110	2.93	0.28	<0.5
NFM00333		1.85	10	78.3	0.48	228	<0.01	0.4	<3	0.53	<3	110	1.40	0.20	<0.5
NFM00334		1.29	10	80.7	0.39	241	<0.01	0.4	3	0.49	<3	100	1.79	0.16	<0.5
NFM00335		1.36	10	67.2	0.39	185.0	<0.01	0.3	<3	0.58	<3	110	1.73	0.15	<0.5
NFM00336		0.97	10	75.7	0.27	208	<0.01	0.4	<3	0.34	<3	120	0.90	0.09	<0.5
NFM00337		1.14	10	66.3	0.35	184.0	<0.01	0.3	<3	0.41	3	110	1.26	0.12	<0.5
NFM00338		1.38	10	55.0	0.35	169.0	<0.01	0.4	<3	0.41	<3	110	1.07	0.14	<0.5
NFM00339		16.90	30	39.8	5.10	243	<0.01	0.6	<3	3.27	4	130	1.47	0.49	<0.5
NFM00340		38.4	50	15.2	11.60	169.0	<0.01	0.4	<3	7.14	6	170	1.15	0.92	<0.5
NFM00341		39.0	50	10.4	11.70	164.0	<0.01	0.3	<3	7.65	6	230	0.84	1.02	<0.5
NFM00342		37.6	50	8.6	11.10	149.5	0.01	0.4	<3	7.11	5	200	0.92	0.97	<0.5
NFM00343		42.6	50	12.2	12.45	117.5	0.01	1.5	<3	7.77	3	160	0.87	0.87	<0.5
NFM00344		32.5	50	11.7	9.63	124.5	<0.01	1.9	<3	6.39	3	150	0.85	0.85	<0.5
NFM00345		35.3	50	11.1	10.25	140.0	<0.01	0.9	4	6.78	4	140	0.84	0.94	<0.5
NFM00346		38.1	40	17.0	9.96	164.5	0.01	<0.3	<3	7.34	8	160	0.96	0.89	<0.5
NFM00347		43.6	40	13.4	10.75	158.0	<0.01	<0.3	<3	7.75	8	160	0.99	0.94	<0.5
NFM00348		19.05	30	20.8	5.45	173.0	0.03	0.8	<3	3.73	3	150	0.59	0.53	<0.5
NFM00349		18.15	30	21.1	4.74	178.0	0.03	1.1	<3	3.42	3	140	0.66	0.48	<0.5
NFM00350		976	20	203	296	1175	0.03	4.1	13	176.5	95	60	222	30.2	<0.5
NFM00351		32.8	30	22.6	8.70	177.5	<0.01	<0.3	<3	6.34	9	130	1.06	0.73	<0.5
NFM00352		30.3	40	17.3	7.98	189.0	0.02	0.7	<3	5.42	6	150	0.99	0.82	<0.5
NFM00353		30.2	40	16.7	8.05	176.5	0.03	0.8	<3	5.51	5	140	1.22	0.76	<0.5
NFM00354		30.6	50	12.5	7.99	172.5	0.01	1.0	<3	5.93	7	150	0.99	0.87	<0.5
NFM00355		29.7	60	12.1	7.77	160.0	0.02	1.0	<3	5.73	6	150	0.88	0.91	<0.5
NFM00356		30.9	50	12.9	8.11	69.6	0.02	3.5	<3	5.89	5	260	0.71	0.87	<0.5
NFM00367		13.40	80	2.4	2.72	5.3	0.04	0.3	<3	4.65	3	180	0.15	1.08	<0.5
NFM00368		26.9	50	7.2	6.28	40.7	0.02	0.9	<3	6.18	6	180	0.67	1.14	<0.5
NFM00369		46.1	20	18.9	11.45	157.5	0.02	0.8	<3	8.65	4	220	1.04	1.28	<0.5
NFM00370		45.5	20	19.2	11.50	157.0	0.02	0.4	<3	8.31	3	220	0.96	1.24	<0.5
NFM00371		43.9	20	18.6	10.90	150.0	0.03	0.5	<3	8.34	5	200	0.98	1.21	<0.5
NFM00372		44.0	30	15.0	11.10	102.5	0.01	0.4	<3	7.86	5	160	0.94	1.10	<0.5
NFM00373		46.4	30	17.7	11.95	128.5	0.02	0.6	<3	8.49	3	200	0.95	1.16	<0.5
NFM00374		43.5	50	11.0	10.85	107.0	<0.01	0.4	<3	7.87	5	210	0.98	1.04	<0.5
NFM00375		25.9	70	4.8	5.99	47.9	0.01	0.5	<3	6.02	4	200	0.44	1.27	<0.5
NFM00376		22.1	60	7.3	5.31	22.7	0.01	0.4	<3	5.51	<3	160	0.53	1.17	0.5
NFM00377		16.45	80	3.4	3.60	10.4	0.01	0.5	<3	5.30	<3	170	0.27	1.29	<0.5
NFM00378		16.40	70	4.5	3.35	13.2	<0.01	0.8	<3	4.89	<3	200	0.29	1.17	<0.5
NFM00379		46.9	40	15.5	12.00	120.0	0.01	0.5	<3	8.95	3	230	1.00	1.30	<0.5
NFM00380		47.5	20	19.2	11.50	168.5	<0.01	0.5	<3	8.56	3	220	0.99	1.27	<0.5
NFM00381		46.0	20	19.6	11.55	152.5	0.01	0.5	<3	8.37	3	220	1.07	1.16	<0.5



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 3 - D

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ti %	ME-MS89L Ti ppm	ME-MS89L Tm2O3 ppm	ME-MS89L U3O8 ppm	ME-MS89L V ppm	ME-MS89L WO3 ppm	ME-MS89L Y2O3 ppm	ME-MS89L Yb2O3 ppm	ME-MS89L Zn ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00332		0.028	0.59	0.34	72.9	7	5.9	17.4	2.57	90
NFM00333		0.020	0.85	0.21	38.6	6	3.2	11.7	1.65	40
NFM00334		0.023	0.87	0.22	26.8	5	2.9	11.6	1.67	30
NFM00335		0.020	0.71	0.17	16.0	5	2.8	9.3	1.29	30
NFM00336		0.011	0.78	0.13	6.4	4	4.2	6.2	0.88	30
NFM00337		0.048	0.68	0.17	9.8	7	3.8	8.6	1.33	30
NFM00338		0.029	0.59	0.19	18.0	7	6.9	10.0	1.43	60
NFM00339		0.231	1.00	0.29	9.9	51	4.5	17.9	1.92	70
NFM00340		0.433	0.61	0.42	4.2	100	2.5	30.7	2.61	80
NFM00341		0.481	0.65	0.41	2.6	109	1.9	30.2	2.48	90
NFM00342		0.476	0.70	0.40	2.1	107	1.3	29.0	2.31	90
NFM00343		0.401	0.42	0.34	3.1	96	1.4	26.3	2.05	90
NFM00344		0.461	0.42	0.41	1.8	91	1.1	29.5	2.56	110
NFM00345		0.473	0.51	0.42	1.5	115	1.4	30.7	2.36	90
NFM00346		0.375	0.61	0.37	2.0	100	1.9	29.2	2.54	90
NFM00347		0.405	0.62	0.45	2.6	97	2.1	34.9	3.13	90
NFM00348		0.214	0.60	0.29	2.0	52	1.3	18.5	1.65	40
NFM00349		0.204	0.56	0.29	2.2	48	1.8	17.8	1.64	40
NFM00350		0.055	1.99	14.30	96.0	2	1.6	1095	82.7	2130
NFM00351		0.321	0.65	0.40	3.4	79	3.3	29.5	2.64	90
NFM00352		0.334	0.72	0.40	3.1	79	8.2	27.3	2.55	80
NFM00353		0.341	0.66	0.41	2.7	81	5.8	26.8	2.52	70
NFM00354		0.398	0.55	0.45	2.2	116	2.6	30.7	2.69	70
NFM00355		0.432	0.49	0.43	2.0	138	2.0	30.1	2.63	80
NFM00356		0.385	0.18	0.42	3.1	126	1.8	29.8	2.79	60
NFM00367		0.919	0.18	0.65	0.5	288	1.9	40.1	3.78	110
NFM00368		0.746	0.22	0.61	0.8	200	3.8	39.1	3.58	100
NFM00369		0.497	0.73	0.62	2.6	67	3.3	40.6	3.59	100
NFM00370		0.491	0.75	0.56	2.5	66	3.2	38.1	3.66	80
NFM00371		0.501	0.69	0.57	2.5	69	3.0	39.0	3.61	90
NFM00372		0.587	0.48	0.45	1.1	99	1.3	30.1	2.84	90
NFM00373		0.623	0.53	0.51	1.5	119	0.9	35.3	3.25	90
NFM00374		0.658	0.45	0.45	1.5	160	1.0	32.9	2.79	60
NFM00375		0.955	0.21	0.64	1.5	281	1.4	43.4	4.10	70
NFM00376		0.814	0.11	0.67	1.5	235	1.3	42.9	4.18	120
NFM00377		0.982	<0.02	0.71	0.7	294	1.8	44.1	4.49	150
NFM00378		0.919	0.02	0.62	0.5	287	1.6	42.0	4.03	130
NFM00379		0.644	0.49	0.63	1.9	129	2.6	43.2	3.96	110
NFM00380		0.480	0.67	0.56	2.7	71	3.0	40.0	3.54	100
NFM00381		0.497	0.67	0.57	2.5	71	3.2	39.1	3.61	110



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – A
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02
NFM00382		1.45	95.0	<5	<4	1190	2.4	0.2	2.3	<0.8	109.0	13.2	3.6	20	7.33	4.20
NFM00383		1.58		<5	<4	1155	2.3	0.1	2.1	<0.8	108.5	12.1	3.8	20	6.93	4.23
NFM00384		1.58		<5	<4	1135	2.4	0.1	2.2	<0.8	116.5	12.2	4.0	20	6.65	4.55
NFM00385		1.46		<5	<4	1105	2.5	0.1	2.2	<0.8	126.5	12.6	4.7	20	7.80	4.71
NFM00386		1.64		<5	<4	1005	2.3	<0.1	2.0	<0.8	114.5	11.4	3.9	20	7.69	4.33
NFM00387		1.67		<5	<4	1115	2.2	<0.1	3.3	<0.8	103.5	19.3	2.6	20	6.29	3.53
NFM00388		1.57		<5	<4	441	1.5	0.1	6.2	<0.8	84.6	22.3	3.2	50	5.55	3.40
NFM00389		1.45		<5	4	158	1.1	0.3	6.7	<0.8	41.6	35.9	1.5	50	7.43	4.69
NFM00390		1.60		<5	<4	153	1.2	0.3	4.6	<0.8	55.8	39.5	0.7	90	7.91	4.94
NFM00391		1.74		<5	<4	78	0.8	0.2	6.7	<0.8	31.7	42.8	0.5	80	8.40	5.11
NFM00392		1.62		<5	<4	193	1.1	0.2	6.8	<0.8	42.5	44.7	0.6	100	7.06	4.65
NFM00393		1.50		<5	<4	924	1.8	0.2	3.6	<0.8	106.5	21.5	3.4	50	8.01	4.61
NFM00394		1.39		<5	<4	1260	2.0	0.3	2.4	<0.8	113.5	14.8	4.9	30	7.51	4.31
NFM00395		1.42		<5	<4	1285	2.2	0.3	2.4	<0.8	111.0	13.4	4.2	30	6.91	4.13
NFM00396		1.54		<5	<4	1295	2.1	0.3	2.3	<0.8	126.5	13.4	3.8	30	6.77	4.11
NFM00397		1.65		<5	<4	1250	2.2	0.3	2.3	<0.8	134.0	11.9	5.0	30	7.83	4.45
NFM00398		1.44		<5	<4	1285	2.2	0.3	2.2	<0.8	134.5	13.0	4.6	30	7.60	4.60
NFM00399		1.80		<5	<4	1215	2.3	0.3	2.3	<0.8	135.0	12.7	4.5	30	8.93	5.18
NFM00400		1.76		<5	<4	1170	2.1	0.2	2.1	<0.8	135.0	11.7	4.5	20	7.36	4.33
NFM00401		1.74		<5	<4	1315	2.4	0.3	2.3	<0.8	124.5	12.3	5.1	30	7.39	4.22
NFM00402		1.78		<5	<4	538	4.7	0.3	1.2	<0.8	124.5	17.6	3.0	40	6.79	3.78
NFM00403		1.51		<5	<4	582	4.2	0.2	1.2	<0.8	123.5	20.9	4.1	80	6.53	3.72
NFM00404		1.39		<5	<4	615	4.7	0.3	1.3	<0.8	123.5	18.7	8.2	40	6.43	4.00
NFM00405		1.45		<5	<4	583	2.3	0.3	1.5	<0.8	125.5	21.5	9.9	40	6.14	3.28
NFM00406		1.52		<5	<4	540	2.6	0.3	1.0	<0.8	143.5	21.4	8.3	50	7.40	3.91
NFM00407		1.10		<5	<4	572	2.4	0.3	0.9	<0.8	144.5	22.6	10.6	<20	6.20	3.25
NFM00408		1.79		<5	<4	528	2.6	0.5	1.2	<0.8	131.5	25.3	25.7	20	5.95	3.14
NFM00409		2.76		<5	<4	207	10.5	0.5	1.3	<0.8	51.2	11.9	16.4	<20	8.39	7.58
NFM00410		2.40		<5	<4	177	15.3	1.0	0.9	<0.8	53.7	8.4	23.0	<20	12.00	11.50
NFM00411		1.45		<5	<4	25	3.0	1.5	0.3	<0.8	4.5	1.1	2.2	<20	2.01	1.32
NFM00412		2.59		<5	<4	291	3.7	0.7	0.7	<0.8	58.2	10.2	12.6	50	5.62	3.85
NFM00413		2.41		<5	6	480	2.5	0.5	1.0	<0.8	81.4	17.8	9.9	60	5.26	3.50
NFM00414		1.53		<5	6	491	2.4	0.5	0.9	<0.8	75.7	17.9	10.5	60	5.23	3.38
NFM00415		3.12		<5	7	418	1.6	0.6	0.7	<0.8	89.2	17.2	6.5	50	4.05	2.48
NFM00416		3.09		<5	<4	547	1.6	0.3	0.9	<0.8	102.5	16.6	6.2	50	5.73	3.69
NFM00417		3.63		<5	<4	567	1.0	0.3	1.1	<0.8	102.5	17.2	8.1	50	5.12	3.35
NFM00418		1.85		<5	<4	577	1.5	0.2	1.4	<0.8	130.0	20.0	4.4	60	6.14	3.60
NFM00419		0.02		<5	5	2960	10.5	0.3	0.2	<0.8	878	31.3	7.8	50	8.89	2.13
NFM00420		1.59		<5	<4	574	4.3	0.2	1.2	<0.8	139.5	18.5	3.4	50	7.87	4.92
NFM00421		1.53		<5	<4	543	4.2	0.2	1.3	<0.8	131.5	19.8	3.7	80	6.30	3.42



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 4 – B

Total # Pages: 9 (A – D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1
NFM00382		2.43	4.83	19.2	8.46	1.0	1.44	<0.3	3.63	51.8	19	0.59	0.95	970	<2	19
NFM00383		2.39	4.54	19.2	7.99	1.2	1.34	<0.3	3.72	54.3	20	0.58	0.86	910	2	21
NFM00384		2.32	4.63	19.8	8.78	1.2	1.40	<0.3	3.59	55.6	23	0.56	0.91	920	2	21
NFM00385		2.33	4.80	19.8	9.36	1.6	1.56	<0.3	3.60	58.3	23	0.64	0.92	970	2	23
NFM00386		2.13	4.40	20.2	8.51	1.7	1.51	<0.3	3.86	55.5	22	0.56	0.83	890	2	22
NFM00387		2.37	5.81	20.6	7.78	1.2	1.19	<0.3	3.15	46.7	17	0.42	1.72	980	<2	21
NFM00388		1.56	5.06	15.8	6.40	1.0	1.05	<0.3	1.92	36.7	18	0.42	3.63	820	<2	13
NFM00389		1.84	7.32	18.0	7.10	1.4	1.48	<0.3	0.86	17.55	15	0.60	3.52	1270	<2	8
NFM00390		1.60	7.49	19.0	7.32	2.0	1.68	<0.3	0.53	23.8	17	0.63	2.92	1270	2	10
NFM00391		1.85	8.85	20.8	7.18	2.0	1.79	<0.3	0.26	12.10	12	0.65	3.77	1650	<2	6
NFM00392		1.95	8.31	20.6	7.01	1.9	1.56	<0.3	0.62	17.60	10	0.58	4.06	1420	2	9
NFM00393		2.55	6.46	22.2	8.99	1.8	1.67	<0.3	2.81	48.1	18	0.53	1.79	1130	2	19
NFM00394		2.61	5.17	21.8	8.73	1.9	1.52	<0.3	3.51	53.2	26	0.52	1.04	960	2	21
NFM00395		2.54	5.05	22.5	8.45	2.3	1.49	<0.3	3.63	51.3	32	0.51	0.98	950	2	21
NFM00396		2.50	4.80	21.4	8.24	2.1	1.47	<0.3	3.73	57.7	21	0.50	0.92	920	2	22
NFM00397		2.49	4.78	22.3	9.20	2.4	1.53	<0.3	3.84	60.4	23	0.52	0.88	900	2	23
NFM00398		2.47	4.81	22.0	9.21	2.1	1.59	<0.3	3.83	62.4	25	0.58	0.89	900	2	23
NFM00399		2.47	4.99	22.2	9.69	1.7	1.84	<0.3	3.73	61.5	27	0.63	0.95	970	2	25
NFM00400		2.28	4.55	20.6	8.76	1.6	1.49	<0.3	3.89	62.6	27	0.56	0.86	870	2	23
NFM00401		2.73	5.05	21.8	8.83	1.7	1.53	<0.3	3.64	57.0	31	0.55	0.95	1000	2	22
NFM00402		1.60	6.03	29.2	7.77	1.7	1.39	<0.3	3.08	58.9	41	0.40	1.46	800	<2	17
NFM00403		1.78	6.22	28.3	7.30	1.7	1.39	<0.3	3.28	60.8	47	0.50	1.70	920	<2	21
NFM00404		1.59	5.45	25.8	7.31	1.7	1.28	<0.3	3.23	61.3	43	0.44	1.52	810	<2	18
NFM00405		1.75	6.24	26.1	7.84	1.1	1.19	<0.3	2.89	59.9	54	0.35	1.74	760	<2	19
NFM00406		1.83	6.37	28.3	8.79	1.5	1.35	<0.3	2.83	70.3	51	0.45	1.80	750	<2	20
NFM00407		1.78	6.49	29.4	8.24	1.4	1.21	0.4	2.95	70.8	52	0.35	1.83	700	<2	21
NFM00408		1.64	6.97	29.3	7.96	1.3	1.15	<0.3	3.02	63.4	60	0.36	2.08	750	<2	19
NFM00409		0.81	3.40	33.9	5.03	1.9	2.20	<0.3	2.57	24.3	47	1.25	0.99	1010	<2	54
NFM00410		1.04	2.94	40.2	6.44	3.2	3.14	<0.3	3.06	24.5	53	2.37	0.82	2700	<2	85
NFM00411		0.12	1.03	7.2	1.18	4.4	0.44	<0.3	0.68	2.11	6	0.17	0.04	140	<2	6
NFM00412		0.75	3.22	25.9	4.23	1.9	1.24	<0.3	2.41	27.9	27	0.53	0.88	520	<2	41
NFM00413		1.29	4.69	21.0	5.71	1.8	1.28	<0.3	2.62	42.0	42	0.58	1.45	900	3	22
NFM00414		1.20	4.74	23.4	5.30	2.2	1.23	<0.3	2.66	39.6	43	0.57	1.43	990	3	22
NFM00415		1.30	4.39	20.2	5.31	2.1	0.93	<0.3	2.17	49.0	60	0.42	1.36	650	11	18
NFM00416		1.42	5.22	20.1	6.26	1.6	1.19	<0.3	2.66	48.1	37	0.50	1.54	870	2	19
NFM00417		1.32	5.20	22.8	6.20	1.4	1.17	<0.3	3.42	48.4	32	0.44	1.36	800	<2	20
NFM00418		1.63	5.70	22.3	7.64	1.2	1.19	<0.3	2.89	60.5	40	0.40	1.76	840	<2	21
NFM00419		11.65	20.1	21.8	26.7	3.5	1.10	0.6	4.72	266	530	0.19	1.05	5710	38	559
NFM00420		1.83	6.02	28.0	8.93	1.0	1.67	<0.3	3.10	65.0	31	0.58	1.54	860	<2	20
NFM00421		1.57	5.98	26.8	7.28	1.5	1.26	<0.3	3.32	60.2	31	0.47	1.66	870	<2	21



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 4 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00382		48.3	20	19.4	12.30	156.5	<0.01	0.5	<3	8.77	3	220	1.03	1.28	<0.5
NFM00383		45.8	20	19.0	12.10	164.5	<0.01	0.6	<3	8.57	5	210	1.15	1.25	<0.5
NFM00384		49.9	20	19.4	12.80	163.0	0.01	0.4	<3	9.02	3	200	1.04	1.24	<0.5
NFM00385		54.1	20	19.9	14.00	175.0	0.01	0.5	<3	10.25	5	210	1.25	1.39	<0.5
NFM00386		50.3	20	20.6	12.60	186.5	<0.01	0.3	<3	8.96	4	190	1.15	1.35	<0.5
NFM00387		44.6	30	17.5	11.35	143.0	0.01	0.4	<3	8.50	3	230	1.04	1.25	<0.5
NFM00388		37.0	40	9.5	9.60	91.6	<0.01	0.4	<3	6.84	3	290	0.79	0.99	<0.5
NFM00389		23.7	60	5.0	5.10	49.1	<0.01	0.4	<3	5.69	3	190	0.45	1.23	0.5
NFM00390		26.6	70	7.4	6.47	23.9	<0.01	0.4	3	6.71	3	160	0.56	1.24	<0.5
NFM00391		18.15	60	3.8	4.20	13.6	<0.01	0.5	<3	5.52	3	190	0.28	1.29	<0.5
NFM00392		21.9	110	5.3	5.07	25.2	<0.01	0.4	<3	5.43	3	230	0.44	1.15	<0.5
NFM00393		44.4	30	15.9	11.75	138.5	<0.01	0.4	<3	8.75	3	240	0.88	1.34	<0.5
NFM00394		46.9	40	21.3	12.50	182.0	<0.01	0.5	<3	9.17	3	230	0.93	1.27	<0.5
NFM00395		46.7	20	19.6	12.15	175.0	<0.01	0.5	3	9.04	4	240	0.98	1.27	<0.5
NFM00396		50.6	30	19.5	13.80	174.5	<0.01	0.4	3	9.73	4	240	0.92	1.24	<0.5
NFM00397		53.4	20	20.7	14.40	190.5	<0.01	0.3	4	10.55	3	220	1.06	1.36	<0.5
NFM00398		52.6	20	20.9	14.85	191.5	<0.01	0.3	<3	10.25	4	230	0.99	1.40	<0.5
NFM00399		55.3	20	21.1	14.55	204	<0.01	0.4	<3	10.55	5	230	1.29	1.45	<0.5
NFM00400		53.9	20	20.5	14.45	197.0	<0.01	0.3	<3	10.20	4	220	0.99	1.29	<0.5
NFM00401		50.5	20	19.5	13.50	175.5	<0.01	0.4	<3	9.68	4	250	1.01	1.28	<0.5
NFM00402		46.9	40	24.8	13.30	165.0	<0.01	0.4	<3	9.20	6	130	0.89	1.20	<0.5
NFM00403		47.6	50	24.8	13.20	221	<0.01	0.4	<3	9.29	5	180	0.88	1.17	<0.5
NFM00404		46.4	40	28.1	13.00	199.0	<0.01	0.5	<3	8.18	6	200	0.98	1.04	<0.5
NFM00405		47.5	50	16.1	13.35	184.5	<0.01	0.6	<3	9.02	6	210	0.92	1.09	<0.5
NFM00406		54.2	50	14.2	15.35	181.0	<0.01	0.6	<3	9.91	6	130	0.93	1.23	<0.5
NFM00407		54.2	50	14.6	15.00	189.0	<0.01	0.6	<3	10.25	7	140	0.89	1.14	<0.5
NFM00408		49.2	60	16.8	14.05	212	<0.01	1.0	<3	8.81	6	170	0.90	1.12	<0.5
NFM00409		19.65	30	36.5	5.50	246	<0.01	1.7	<3	4.35	7	130	4.88	1.01	<0.5
NFM00410		23.2	20	44.0	6.18	436	<0.01	2.3	<3	5.17	6	110	10.40	1.44	<0.5
NFM00411		1.66	10	25.4	0.50	76.5	<0.01	1.6	<3	0.56	<3	30	0.54	0.28	<0.5
NFM00412		21.6	30	32.7	6.31	245	<0.01	1.4	<3	4.46	4	140	2.43	0.78	<0.5
NFM00413		33.7	40	24.4	9.12	209	<0.01	2.0	3	6.04	<3	180	1.38	0.90	<0.5
NFM00414		30.7	30	24.6	8.64	212	<0.01	1.6	3	5.22	<3	170	1.40	0.86	<0.5
NFM00415		36.9	90	16.3	9.95	168.5	<0.01	2.3	<3	6.26	<3	140	0.79	0.71	<0.5
NFM00416		38.5	50	16.9	10.80	173.5	<0.01	1.0	<3	7.91	<3	170	0.88	0.91	<0.5
NFM00417		38.7	40	18.7	11.20	221	<0.01	0.5	<3	7.53	5	180	0.74	0.93	<0.5
NFM00418		50.0	70	16.6	13.75	181.5	<0.01	0.4	<3	9.25	3	200	0.87	1.07	<0.5
NFM00419		569	70	68.8	134.5	263	<0.01	0.5	3	60.0	44	150	14.40	2.69	<0.5
NFM00420		54.0	60	25.1	15.10	176.0	<0.01	0.3	<3	10.50	7	140	0.94	1.36	<0.5
NFM00421		49.0	40	24.9	13.60	210	<0.01	<0.3	<3	9.16	5	170	0.92	1.12	<0.5



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 4 - D

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ti %	ME-MS89L Ti ppm	ME-MS89L Tm2O3 ppm	ME-MS89L U3O8 ppm	ME-MS89L V ppm	ME-MS89L WO3 ppm	ME-MS89L Y2O3 ppm	ME-MS89L Yb2O3 ppm	ME-MS89L Zn ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00382		0.490	0.68	0.61	2.6	68	3.2	39.9	3.44	100
NFM00383		0.460	0.68	0.58	2.4	64	2.9	40.0	3.54	90
NFM00384		0.461	0.69	0.59	2.7	64	2.3	41.7	3.83	100
NFM00385		0.468	0.79	0.67	2.8	68	2.3	45.3	3.99	150
NFM00386		0.437	0.82	0.62	2.4	60	3.2	43.2	3.89	100
NFM00387		0.658	0.64	0.48	1.5	127	1.0	35.6	3.03	90
NFM00388		0.581	0.38	0.48	2.0	150	1.1	30.9	2.86	80
NFM00389		0.883	0.20	0.69	0.9	264	1.1	42.9	3.99	70
NFM00390		0.738	0.16	0.65	1.9	234	0.9	45.8	4.00	120
NFM00391		0.955	0.08	0.64	0.8	308	1.4	48.3	4.22	150
NFM00392		0.866	0.15	0.58	0.6	267	2.3	42.2	3.59	120
NFM00393		0.645	0.67	0.57	2.4	132	2.9	42.8	3.53	110
NFM00394		0.509	0.81	0.57	2.8	84	3.0	41.8	3.27	110
NFM00395		0.495	0.76	0.56	2.6	76	2.9	41.1	3.15	110
NFM00396		0.477	0.73	0.50	2.6	72	3.2	41.1	3.19	100
NFM00397		0.477	0.87	0.61	3.2	69	3.0	43.6	3.46	90
NFM00398		0.465	0.88	0.56	2.6	72	2.5	44.1	3.30	100
NFM00399		0.491	0.91	0.67	2.8	73	3.0	49.8	3.99	110
NFM00400		0.448	0.86	0.53	2.6	64	2.8	43.6	3.22	100
NFM00401		0.486	0.84	0.56	3.1	72	3.0	42.2	3.40	110
NFM00402		0.395	0.81	0.50	3.1	93	0.9	37.8	2.72	110
NFM00403		0.428	1.04	0.53	3.2	105	0.6	38.9	3.01	130
NFM00404		0.383	0.97	0.51	2.6	94	1.6	37.5	3.22	100
NFM00405		0.430	0.95	0.43	2.2	104	1.0	33.0	2.55	90
NFM00406		0.439	0.83	0.49	2.8	100	1.3	39.6	3.15	100
NFM00407		0.447	0.86	0.42	2.5	102	1.5	34.0	2.48	100
NFM00408		0.463	1.07	0.38	3.1	120	1.6	31.1	2.28	120
NFM00409		0.191	1.15	1.19	6.3	59	6.6	70.1	7.82	60
NFM00410		0.168	2.16	1.95	6.5	46	8.8	107.5	14.45	90
NFM00411		0.010	0.38	0.19	1.1	5	2.4	16.1	1.25	40
NFM00412		0.222	1.24	0.55	6.4	49	4.3	40.4	3.64	70
NFM00413		0.340	1.04	0.53	6.6	96	2.5	40.1	3.89	100
NFM00414		0.329	0.97	0.51	6.4	92	2.5	38.9	3.56	100
NFM00415		0.352	0.69	0.40	4.8	90	2.6	29.3	2.73	80
NFM00416		0.383	0.81	0.48	4.4	86	1.6	34.5	3.01	80
NFM00417		0.395	1.09	0.43	2.8	85	2.0	32.4	2.66	80
NFM00418		0.425	0.89	0.46	7.1	98	1.0	33.3	2.66	80
NFM00419		0.316	1.04	0.19	13.4	124	4.2	26.9	1.15	280
NFM00420		0.380	0.89	0.65	3.4	94	0.6	49.3	3.79	110
NFM00421		0.411	1.02	0.46	3.1	99	1.8	38.1	2.82	120



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 5 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02
NFM00422		1.58		<5	<4	530	3.9	0.2	1.2	<0.8	128.0	16.4	3.9	40	6.13	3.86
NFM00423		1.80		<5	<4	563	2.5	0.1	1.5	<0.8	111.0	21.7	4.8	30	5.88	3.42
NFM00424		1.86		<5	<4	526	1.9	0.1	1.1	<0.8	122.0	23.7	3.0	20	5.74	2.86
NFM00425		1.46	87.0	<5	<4	528	2.3	0.2	0.7	<0.8	139.5	25.6	3.3	<20	7.14	4.30
NFM00426		1.46		<5	<4	552	2.5	0.2	1.1	<0.8	120.0	23.0	3.9	20	5.83	3.26
NFM00427		1.58		<5	<4	533	1.9	0.1	1.5	<0.8	113.0	23.2	4.4	40	6.08	3.53
NFM00428		1.55		<5	<4	558	1.2	0.1	1.5	<0.8	126.0	19.6	2.4	40	5.80	3.76
NFM00429		1.82		<5	<4	568	1.2	0.2	1.3	<0.8	128.0	20.1	2.5	50	6.25	3.66
NFM00430		1.49		<5	<4	589	1.3	0.1	1.2	<0.8	101.5	19.4	2.1	50	6.51	3.77
NFM00431		1.79		<5	<4	545	1.6	0.1	1.2	<0.8	110.0	26.6	3.2	40	5.47	2.97
NFM00432		1.59		<5	<4	598	1.0	0.1	1.5	<0.8	108.0	19.4	2.8	60	6.09	3.74
NFM00433		1.52		<5	<4	597	2.3	0.1	1.1	<0.8	115.0	19.2	3.2	40	5.84	3.68
NFM00434		1.83		<5	<4	553	3.5	<0.1	1.0	<0.8	161.5	22.9	2.8	20	6.24	3.33
NFM00435		1.73		<5	4	536	3.4	<0.1	1.3	<0.8	146.0	24.9	3.0	20	6.04	3.08
NFM00436		1.63		<5	<4	537	2.7	0.1	2.3	<0.8	115.5	26.2	3.0	50	7.05	4.09
NFM00437		1.56		<5	<4	322	1.1	0.1	5.3	<0.8	78.2	40.5	0.9	50	8.06	4.75
NFM00438		1.61		<5	<4	494	1.7	0.2	3.7	<0.8	129.5	29.4	1.1	40	7.10	4.36
NFM00439		1.52		<5	<4	619	2.9	0.2	1.5	<0.8	109.0	23.6	2.2	40	6.43	3.80
NFM00440		1.49		<5	<4	586	4.3	0.2	1.5	<0.8	112.0	19.2	4.8	30	6.31	3.74
NFM00441		1.91		<5	<4	590	2.3	0.1	1.3	<0.8	102.5	22.1	4.7	30	5.64	2.95
NFM00442		1.49		<5	<4	531	1.9	0.1	1.4	<0.8	112.0	25.5	4.9	20	5.20	2.84
NFM00443		1.65		<5	<4	511	2.5	0.2	1.1	<0.8	134.0	23.9	6.0	<20	5.78	3.25
NFM00444		1.70		<5	<4	532	2.0	0.2	1.1	<0.8	126.0	22.4	4.0	40	5.08	2.77
NFM00445		1.55		<5	<4	508	1.7	0.2	1.2	<0.8	115.5	24.1	5.7	30	5.20	2.86
NFM00446		3.04		<5	<4	514	1.0	0.2	1.0	<0.8	117.0	20.0	5.4	50	5.15	3.16
NFM00447		2.43		<5	4	595	1.9	0.3	1.4	<0.8	116.0	19.8	6.6	110	5.23	3.29
NFM00448		1.85		<5	<4	512	2.5	0.3	1.3	<0.8	111.5	16.5	8.3	130	6.14	3.76
NFM00449		1.72		<5	<4	518	2.9	0.3	1.2	<0.8	106.0	16.8	9.1	130	6.60	4.05
NFM00450		<0.02		<5	<4	2890	11.5	0.2	0.2	<0.8	725	32.7	7.6	30	7.64	1.94
NFM00451		1.56		<5	7	110	5.0	0.3	1.2	<0.8	21.4	3.9	2.9	20	13.10	12.70
NFM00452		2.25		<5	<4	145	4.7	0.1	1.1	<0.8	26.9	5.7	3.1	30	6.30	5.87
NFM00453		2.38		<5	<4	388	4.4	0.4	1.2	<0.8	88.3	16.4	8.1	50	6.46	4.38
NFM00454		1.41		<5	<4	392	4.7	0.2	0.8	<0.8	65.7	6.8	7.6	20	5.14	3.40
NFM00455		3.64		<5	<4	502	2.9	0.2	0.6	<0.8	93.1	18.3	8.3	30	5.73	3.98
NFM00456		3.74		<5	<4	468	2.9	0.1	1.2	<0.8	122.0	25.8	7.6	20	6.13	3.61
NFM00457		4.63		<5	<4	504	8.5	0.2	1.2	<0.8	132.5	28.2	7.0	20	5.88	2.92
NFM00458		4.34		<5	<4	548	1.3	0.2	1.2	<0.8	115.0	17.4	4.5	50	6.79	4.25
NFM00459		5.04		<5	<4	555	1.4	0.3	1.6	<0.8	107.5	20.8	4.6	70	6.55	4.12
NFM00460		1.99		<5	<4	574	4.1	0.2	1.3	<0.8	123.0	21.6	4.3	50	7.23	4.14
NFM00461		1.96		<5	<4	572	4.7	0.2	1.4	<0.8	132.0	20.8	5.4	30	6.37	3.68



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – B
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Eu2O3	Fe	Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.03	0.01	0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1
NFM00422		1.49	4.61	22.4	7.11	0.8	1.31	<0.3	3.02	59.8	32	0.44	1.32	610	<2	16
NFM00423		1.69	5.73	24.8	7.15	2.2	1.18	<0.3	2.98	58.3	31	0.42	1.64	790	<2	20
NFM00424		1.78	6.67	27.2	7.60	1.4	0.99	<0.3	2.76	67.0	38	0.34	1.90	770	<2	20
NFM00425		1.76	7.42	30.3	8.71	1.3	1.47	<0.3	2.90	76.8	45	0.55	2.03	660	<2	20
NFM00426		1.66	6.39	26.9	7.28	1.5	1.15	<0.3	2.86	65.4	39	0.41	1.83	760	<2	20
NFM00427		1.74	6.18	23.7	7.20	1.5	1.23	<0.3	2.74	61.5	21	0.47	1.95	820	<2	20
NFM00428		1.64	5.30	21.0	7.28	1.8	1.16	<0.3	2.62	65.8	11	0.49	1.66	920	3	21
NFM00429		1.71	5.51	20.1	7.19	1.8	1.29	<0.3	2.71	65.9	8	0.52	1.72	840	2	19
NFM00430		1.69	5.54	20.1	6.80	1.7	1.27	<0.3	3.22	55.6	13	0.51	1.53	970	2	21
NFM00431		1.55	6.71	25.9	7.17	1.7	1.08	<0.3	2.85	61.8	26	0.36	2.11	810	<2	21
NFM00432		1.47	5.53	21.6	6.98	2.2	1.27	<0.3	3.25	58.3	19	0.53	1.53	990	2	22
NFM00433		1.54	5.62	21.4	7.00	1.8	1.19	<0.3	3.18	63.8	26	0.52	1.46	930	<2	20
NFM00434		1.75	6.48	30.9	8.84	2.0	1.28	<0.3	2.94	75.1	35	0.35	1.85	730	<2	19
NFM00435		1.66	6.54	30.6	8.34	2.1	1.15	<0.3	2.81	70.0	33	0.34	2.01	770	<2	19
NFM00436		1.75	6.42	23.5	7.69	1.0	1.39	<0.3	2.41	56.8	30	0.52	2.20	940	<2	18
NFM00437		2.13	8.30	20.6	8.74	1.9	1.70	<0.3	1.12	37.4	12	0.66	3.39	1300	3	13
NFM00438		1.78	6.61	18.3	7.87	1.8	1.44	<0.3	2.10	62.4	10	0.57	2.53	1070	2	12
NFM00439		1.68	6.89	21.9	6.77	2.3	1.25	<0.3	2.92	57.9	18	0.49	1.80	1550	3	17
NFM00440		1.57	5.33	24.6	7.03	1.9	1.28	<0.3	3.20	61.6	38	0.51	1.50	760	2	18
NFM00441		1.46	5.93	25.3	6.24	2.0	1.08	<0.3	2.92	56.8	39	0.38	1.64	810	<2	20
NFM00442		1.53	6.79	26.1	6.72	1.8	1.01	<0.3	2.77	62.2	46	0.32	2.47	810	<2	19
NFM00443		1.68	6.85	27.3	7.86	1.9	1.10	<0.3	2.89	74.0	48	0.35	2.01	700	<2	20
NFM00444		1.53	6.31	26.0	7.10	1.7	1.02	<0.3	2.82	69.0	42	0.34	1.85	680	<2	20
NFM00445		1.54	6.67	25.1	6.55	1.2	1.09	<0.3	2.90	61.0	40	0.45	2.10	790	<2	20
NFM00446		1.57	5.69	20.6	6.40	1.8	1.12	<0.3	3.11	60.8	31	0.49	1.85	890	2	21
NFM00447		1.55	5.47	20.3	6.67	1.8	1.09	<0.3	2.71	60.0	33	0.50	1.74	910	<2	20
NFM00448		1.53	5.26	20.1	6.78	2.0	1.26	<0.3	2.86	56.6	30	0.61	1.42	1000	<2	22
NFM00449		1.34	5.47	21.9	6.98	2.2	1.36	<0.3	3.08	53.6	32	0.58	1.50	1070	<2	26
NFM00450		10.30	20.8	21.1	23.2	3.7	1.00	0.5	4.85	260	520	0.18	1.11	5940	39	551
NFM00451		0.56	1.52	25.5	4.77	1.7	3.47	<0.3	1.69	10.50	14	2.56	0.26	690	<2	38
NFM00452		0.54	1.94	22.5	3.20	2.1	1.63	<0.3	1.92	13.70	17	1.02	0.43	440	<2	41
NFM00453		1.20	4.55	24.5	6.29	2.1	1.37	<0.3	2.95	43.9	31	0.65	1.43	750	<2	37
NFM00454		0.73	2.57	31.4	4.44	2.2	1.11	<0.3	3.96	32.3	26	0.63	0.64	400	2	68
NFM00455		1.04	5.14	27.5	5.94	2.1	1.20	<0.3	4.00	50.2	28	0.69	1.40	940	<2	38
NFM00456		1.55	7.08	27.8	7.34	1.8	1.21	<0.3	3.07	61.8	43	0.49	2.04	790	<2	21
NFM00457		1.69	7.14	29.6	7.99	0.5	1.01	<0.3	3.23	68.1	47	0.33	2.14	610	<2	23
NFM00458		1.49	5.06	19.4	7.16	0.8	1.40	<0.3	2.97	57.2	29	0.66	1.38	950	<2	22
NFM00459		1.54	5.23	19.8	7.11	1.1	1.35	<0.3	2.91	52.3	31	0.61	1.59	1020	<2	23
NFM00460		1.71	5.54	25.2	8.06	1.0	1.51	<0.3	3.30	65.1	32	0.58	1.62	760	<2	21
NFM00461		1.69	5.52	25.1	8.11	1.1	1.23	<0.3	3.07	71.8	32	0.49	1.63	870	<2	21



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 5 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00422		48.1	40	23.1	13.35	173.0	<0.01	0.3	<3	9.04	5	160	0.81	1.08	<0.5
NFM00423		45.5	50	20.2	12.65	200	<0.01	0.3	<3	8.04	6	230	1.15	1.02	<0.5
NFM00424		51.0	50	14.6	13.95	180.0	0.01	<0.3	<3	8.87	5	150	1.01	1.07	<0.5
NFM00425		55.9	60	12.2	15.80	187.0	<0.01	0.4	<3	9.43	6	110	1.03	1.22	<0.5
NFM00426		47.1	50	15.6	13.80	190.0	<0.01	0.3	<3	8.60	6	140	0.99	1.01	<0.5
NFM00427		46.0	60	15.6	13.05	179.5	<0.01	0.4	<3	8.12	3	200	1.01	1.05	<0.5
NFM00428		51.6	40	24.4	14.75	169.0	<0.01	0.4	<3	8.93	3	230	0.93	1.04	<0.5
NFM00429		51.9	50	17.2	15.00	167.0	<0.01	<0.3	<3	8.64	<3	200	0.81	1.06	<0.5
NFM00430		41.9	40	20.2	11.90	196.0	<0.01	0.3	<3	7.54	4	200	0.79	0.99	<0.5
NFM00431		45.0	80	14.4	12.40	183.0	<0.01	0.3	<3	7.71	4	190	0.92	0.99	<0.5
NFM00432		44.4	40	22.0	12.40	208	<0.01	0.3	<3	7.61	4	220	0.88	1.00	<0.5
NFM00433		47.0	50	22.4	13.10	193.5	<0.01	0.4	<3	8.57	5	180	0.88	0.93	<0.5
NFM00434		60.7	70	17.9	15.85	159.5	<0.01	<0.3	<3	10.20	9	120	0.93	1.20	<0.5
NFM00435		57.5	50	15.8	14.75	162.5	<0.01	<0.3	<3	10.80	10	120	0.90	1.08	<0.5
NFM00436		46.7	50	13.4	13.10	151.0	0.01	0.4	4	8.96	4	170	0.89	1.12	<0.5
NFM00437		38.4	70	7.7	9.69	56.9	<0.01	0.5	<3	7.38	4	240	0.51	1.31	<0.5
NFM00438		55.6	50	15.2	15.45	99.7	<0.01	0.3	<3	9.58	<3	170	0.53	1.14	<0.5
NFM00439		44.4	50	16.3	12.70	153.5	<0.01	0.4	<3	7.79	4	140	0.76	1.01	<0.5
NFM00440		46.2	40	24.6	12.70	193.5	<0.01	<0.3	<3	7.70	6	190	0.96	0.96	<0.5
NFM00441		42.3	50	19.6	11.65	196.0	<0.01	0.3	<3	7.65	5	210	1.05	0.94	<0.5
NFM00442		45.5	110	13.4	12.60	172.5	<0.01	0.5	<3	7.61	5	140	0.85	0.92	<0.5
NFM00443		54.7	60	13.5	15.10	178.5	<0.01	0.6	<3	9.54	6	110	1.59	1.05	<0.5
NFM00444		49.5	50	14.3	14.40	171.5	<0.01	0.6	<3	8.80	6	120	0.92	0.94	<0.5
NFM00445		48.2	50	13.6	13.45	173.0	0.07	0.4	<3	8.65	5	190	0.92	1.06	<0.5
NFM00446		48.9	50	19.0	13.50	172.5	0.05	0.5	<3	7.99	<3	200	0.82	0.90	<0.5
NFM00447		47.5	50	34.5	13.70	178.5	0.03	1.1	<3	8.60	<3	250	0.79	0.94	<0.5
NFM00448		46.4	40	34.7	12.70	206	0.02	0.8	<3	8.13	<3	220	3.02	1.06	<0.5
NFM00449		42.6	40	34.1	12.10	225	0.03	0.8	<3	7.47	<3	210	4.32	1.05	<0.5
NFM00450		513	70	69.6	121.5	259	0.01	0.4	<3	48.7	38	150	14.20	2.23	<0.5
NFM00451		8.65	<10	46.8	2.45	139.0	<0.01	1.3	3	2.28	3	100	3.49	1.35	<0.5
NFM00452		11.50	30	29.8	3.21	137.0	0.01	0.9	<3	2.57	3	140	4.40	0.75	<0.5
NFM00453		36.2	50	26.1	10.20	220	0.01	0.6	<3	6.55	4	170	6.24	1.00	<0.5
NFM00454		27.5	20	21.7	7.48	305	<0.01	0.5	<3	4.94	3	90	18.40	0.82	<0.5
NFM00455		37.2	40	17.8	10.40	254	<0.01	0.5	<3	7.10	5	110	9.65	0.94	<0.5
NFM00456		49.7	50	16.0	14.35	209	<0.01	0.5	<3	8.64	6	140	1.61	0.99	<0.5
NFM00457		52.4	80	17.4	14.70	218	0.02	0.4	<3	9.40	6	150	1.48	1.06	<0.5
NFM00458		44.9	50	19.8	12.80	185.0	0.02	0.4	<3	7.73	3	190	1.39	1.07	<0.5
NFM00459		42.2	50	21.4	12.05	191.0	0.01	0.4	<3	7.82	3	230	1.47	1.06	<0.5
NFM00460		49.6	40	28.6	13.65	195.5	0.01	<0.3	<3	8.70	5	180	1.26	1.15	<0.5
NFM00461		54.0	50	25.2	15.00	188.0	0.01	<0.3	3	8.98	5	210	1.39	1.12	0.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – D
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00422		0.335	0.87	0.51	2.8	77	0.8	36.8	2.89	90
NFM00423		0.412	0.91	0.47	2.4	104	1.1	35.7	2.84	110
NFM00424		0.461	0.80	0.40	2.1	114	0.9	32.6	2.30	100
NFM00425		0.491	0.75	0.59	2.2	119	0.9	46.4	3.72	110
NFM00426		0.444	0.81	0.41	2.4	110	1.1	32.9	2.39	110
NFM00427		0.448	0.87	0.53	2.9	112	0.9	36.4	3.09	110
NFM00428		0.418	0.77	0.53	2.6	102	2.0	37.2	3.01	110
NFM00429		0.423	0.72	0.54	2.2	103	1.6	38.0	3.44	100
NFM00430		0.413	0.91	0.57	1.8	100	1.5	38.6	3.54	100
NFM00431		0.458	0.80	0.41	2.8	124	1.3	33.3	2.55	90
NFM00432		0.426	0.91	0.54	2.2	104	2.1	39.9	3.78	100
NFM00433		0.405	0.85	0.51	2.1	94	1.6	38.5	3.13	110
NFM00434		0.453	0.78	0.41	1.9	105	1.1	35.4	2.56	100
NFM00435		0.480	0.75	0.41	1.7	113	1.1	34.0	2.51	110
NFM00436		0.526	0.62	0.55	1.7	135	1.5	42.5	3.62	120
NFM00437		0.916	0.27	0.69	0.8	280	2.3	52.1	4.18	120
NFM00438		0.643	0.41	0.62	1.4	199	3.3	45.3	3.92	100
NFM00439		0.461	0.66	0.56	2.2	121	2.6	38.6	3.43	110
NFM00440		0.391	0.86	0.54	2.8	97	1.1	40.5	3.47	100
NFM00441		0.424	0.87	0.46	2.1	102	0.9	32.5	2.85	100
NFM00442		0.459	0.75	0.35	2.2	115	0.9	32.0	2.35	110
NFM00443		0.473	0.69	0.40	2.5	111	1.0	35.0	2.28	100
NFM00444		0.440	0.68	0.37	2.2	107	0.9	31.9	2.38	110
NFM00445		0.465	0.99	0.47	9.0	114	1.0	30.2	2.41	100
NFM00446		0.431	0.98	0.48	5.9	95	1.1	30.6	2.81	80
NFM00447		0.440	0.91	0.50	5.1	102	1.1	30.9	3.21	110
NFM00448		0.375	1.04	0.59	6.6	82	2.5	37.5	3.73	90
NFM00449		0.388	1.10	0.62	7.5	84	3.2	42.4	3.99	100
NFM00450		0.327	1.02	0.21	12.3	125	4.2	24.0	1.17	280
NFM00451		0.069	0.52	2.14	16.3	19	5.0	126.5	15.75	30
NFM00452		0.103	0.54	1.01	5.4	22	6.2	59.6	6.60	40
NFM00453		0.307	1.04	0.70	5.9	72	5.7	47.9	4.84	80
NFM00454		0.188	1.20	0.55	3.9	51	15.8	41.5	3.93	60
NFM00455		0.335	1.10	0.59	4.6	82	8.8	43.6	4.48	80
NFM00456		0.464	0.95	0.50	5.7	127	2.4	37.3	3.11	90
NFM00457		0.465	1.06	0.35	2.7	126	1.5	32.9	2.28	90
NFM00458		0.365	0.81	0.69	2.2	87	2.3	44.4	4.40	80
NFM00459		0.406	0.90	0.58	1.9	98	2.4	43.4	3.94	90
NFM00460		0.404	0.89	0.61	3.2	95	2.8	45.5	3.70	110
NFM00461		0.385	0.84	0.51	3.5	96	1.3	40.0	3.10	100



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – A
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02
NFM00462		1.53		<5	<4	531	2.1	0.2	1.5	<0.8	126.5	23.2	4.5	30	6.21	3.46
NFM00463		1.74		<5	<4	528	2.1	0.1	1.0	<0.8	148.0	26.0	3.1	<20	6.29	2.97
NFM00464		1.51		<5	<4	549	2.2	0.2	1.0	<0.8	145.5	25.6	3.1	<20	6.50	3.29
NFM00465		1.83		<5	<4	490	2.5	0.1	2.0	<0.8	121.5	23.2	4.2	30	5.96	3.30
NFM00466		1.84		<5	<4	531	1.7	0.2	1.9	<0.8	131.0	24.8	4.2	30	5.99	3.13
NFM00467		1.62		<5	<4	590	1.3	0.2	1.4	<0.8	115.0	21.2	2.8	50	6.37	3.78
NFM00468		1.58	88.0	<5	<4	603	1.2	0.1	1.4	<0.8	124.0	21.9	3.0	60	5.95	3.80
NFM00469		2.10		<5	4	523	1.4	0.1	1.2	<0.8	113.0	23.0	3.3	100	5.90	3.96
NFM00470		1.72		<5	<4	570	1.8	0.1	1.3	<0.8	115.5	20.0	3.7	40	5.69	3.35
NFM00471		1.88		<5	<4	555	3.0	0.1	0.9	<0.8	146.0	24.8	3.2	<20	6.45	3.08
NFM00472		1.57		<5	<4	532	3.3	0.1	1.8	<0.8	132.5	27.5	2.8	30	6.70	3.86
NFM00473		1.42		<5	<4	506	2.4	0.2	2.6	<0.8	110.5	26.6	2.7	60	7.13	4.15
NFM00474		1.75		<5	<4	539	1.9	0.1	2.0	<0.8	111.0	24.9	2.0	40	6.75	3.69
NFM00475		<0.02		<5	30	256	69.0	1.8	0.3	2.9	3060	1.8	4.9	20	193.5	104.5
NFM00476		0.70		<5	<4	57	<0.4	<0.1	21.3	<0.8	0.9	<0.5	<0.1	<20	0.06	0.07
NFM00477		1.59		<5	<4	536	2.3	0.1	1.7	<0.8	129.0	27.9	2.2	50	6.76	3.89
NFM00478		1.44		<5	<4	571	1.9	0.1	2.4	<0.8	114.0	28.6	1.8	40	7.74	4.92
NFM00479		1.49		<5	<4	413	1.4	0.2	4.8	<0.8	82.4	46.9	1.1	70	7.36	4.30
NFM00480		0.62		<5	<4	633	3.0	0.1	5.8	<0.8	95.8	22.2	3.7	40	5.99	3.62
NFM00481		4.23		<5	<4	658	3.0	0.2	3.1	<0.8	113.5	28.4	6.8	80	7.45	4.21
NFM00482		3.64		<5	<4	489	3.3	0.2	1.1	<0.8	111.5	25.1	7.7	70	5.95	3.62
NFM00483		3.50		<5	<4	574	3.7	0.2	1.0	<0.8	112.5	19.3	6.4	<20	6.56	4.32
NFM00484		2.79		<5	<4	95	2.7	0.1	0.9	<0.8	11.7	2.2	0.9	<20	3.98	3.76
NFM00485		3.08		<5	<4	176	0.7	0.1	0.6	<0.8	6.3	1.7	0.4	<20	1.68	1.22
NFM00486		1.41		<5	<4	229	3.2	0.2	0.8	<0.8	30.7	7.9	4.2	<20	3.78	3.19
NFM00487		2.06		<5	<4	566	3.6	0.2	0.9	<0.8	137.5	24.9	13.2	<20	6.28	3.48
NFM00488		4.34		<5	<4	507	2.5	0.2	0.9	<0.8	143.5	24.9	9.5	<20	6.14	2.88
NFM00489		4.46		<5	<4	498	2.6	0.2	0.7	<0.8	130.0	25.7	7.5	<20	5.46	2.73
NFM00490		0.82		<5	<4	36	<0.4	0.1	22.3	<0.8	1.2	<0.5	0.1	<20	0.10	0.06
NFM00491		<0.02		<5	7	3090	11.0	0.1	0.2	<0.8	780	33.9	7.7	40	9.68	2.04
NFM00492		2.30		<5	<4	563	2.8	<0.1	0.7	<0.8	135.5	24.5	4.5	<20	6.42	3.21
NFM00493		1.84		<5	<4	562	3.0	0.1	0.8	<0.8	134.5	25.8	4.6	<20	6.61	3.48
NFM00494		2.17		<5	<4	552	3.4	0.1	1.1	<0.8	131.0	24.9	4.0	<20	6.86	3.84
NFM00495		2.13		<5	<4	590	3.4	0.1	1.6	<0.8	111.0	27.2	5.4	<20	7.07	4.86
NFM00496		2.82		<5	<4	553	3.4	0.1	1.4	<0.8	125.5	24.1	5.1	20	6.28	3.54
NFM00497		0.94		<5	<4	714	2.8	0.1	3.1	<0.8	125.5	23.5	3.4	50	6.25	3.70
NFM00498		3.15		<5	<4	642	3.0	0.1	2.7	<0.8	107.0	24.6	4.0	60	7.57	4.41
NFM00499		3.41		<5	<4	568	3.5	0.1	1.1	<0.8	118.0	24.4	3.9	40	7.02	4.63
NFM00500		3.88		<5	<4	620	3.1	0.1	1.0	<0.8	120.5	24.3	4.6	80	5.58	2.97
NFM00501		3.64		<5	<4	589	3.3	0.1	0.9	<0.8	124.5	24.9	6.4	<20	5.45	2.77



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – B
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21–FEB–2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Eu2O3	Fe	Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.03	0.01	0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1
NFM00462		1.71	6.25	24.8	7.83	1.4	1.23	<0.3	2.91	64.9	30	0.41	1.89	910	<2	22
NFM00463		1.91	7.25	30.5	8.83	0.6	1.13	<0.3	2.96	78.8	44	0.39	2.10	630	<2	22
NFM00464		1.84	6.96	28.3	8.21	0.6	1.19	<0.3	2.89	79.2	45	0.44	1.98	700	<2	22
NFM00465		1.51	6.06	24.5	7.26	1.2	1.19	<0.3	2.69	64.6	37	0.41	1.85	810	<2	22
NFM00466		1.66	6.27	23.9	7.53	0.7	1.15	<0.3	2.64	69.9	33	0.39	2.10	780	2	21
NFM00467		1.62	5.60	20.5	7.50	1.3	1.19	<0.3	2.74	58.2	20	0.53	1.78	900	2	21
NFM00468		1.75	5.89	22.1	7.68	1.3	1.34	<0.3	2.90	60.0	26	0.44	1.85	1130	2	20
NFM00469		1.46	6.49	24.3	7.24	1.5	1.29	<0.3	3.08	58.1	33	0.50	1.77	980	<2	21
NFM00470		1.49	5.52	22.4	6.66	1.7	1.21	<0.3	3.22	61.0	28	0.47	1.56	860	<2	21
NFM00471		1.81	6.71	28.7	8.49	0.8	1.21	<0.3	2.89	79.0	40	0.35	1.92	700	<2	20
NFM00472		1.82	6.98	27.5	8.45	1.2	1.40	<0.3	2.66	67.6	37	0.45	2.17	780	<2	19
NFM00473		1.76	6.27	23.0	8.15	1.6	1.47	<0.3	2.43	54.4	20	0.55	2.35	970	<2	20
NFM00474		1.77	6.42	22.5	7.30	1.0	1.36	<0.3	2.65	52.5	22	0.59	2.28	1000	<2	19
NFM00475		6.74	5.27	162.5	216	4.7	38.4	<0.3	3.74	1805	350	12.80	0.17	3770	2	4430
NFM00476		<0.03	0.06	<0.5	0.08	<0.5	0.02	<0.3	0.05	0.27	<2	<0.06	13.05	30	<2	<1
NFM00477		1.89	6.59	25.0	8.31	1.8	1.40	<0.3	2.76	64.6	28	0.51	2.09	900	<2	23
NFM00478		1.88	6.97	22.4	8.30	1.7	1.65	<0.3	2.43	57.9	22	0.71	2.28	1090	<2	25
NFM00479		2.08	8.95	23.1	7.83	1.4	1.47	<0.3	1.41	39.4	14	0.58	3.38	1400	<2	15
NFM00480		1.51	5.37	18.4	7.24	0.5	1.21	<0.3	1.82	53.1	28	0.52	1.66	1020	<2	17
NFM00481		1.99	6.80	24.2	8.89	0.6	1.51	<0.3	2.83	56.4	37	0.61	2.03	1080	<2	21
NFM00482		1.53	6.88	30.5	7.65	2.9	1.31	<0.3	3.29	55.0	46	0.41	1.96	750	<2	21
NFM00483		1.44	5.96	32.2	7.48	1.6	1.51	<0.3	3.68	55.9	37	0.50	1.45	490	<2	42
NFM00484		0.39	1.02	14.2	2.54	1.6	1.09	<0.3	0.88	7.95	6	0.48	0.14	130	<2	17
NFM00485		0.19	1.19	5.1	1.45	2.0	0.44	<0.3	0.53	5.71	3	0.18	0.10	140	<2	6
NFM00486		0.56	2.82	34.2	3.16	2.2	1.02	<0.3	2.73	16.30	18	0.44	0.64	290	<2	77
NFM00487		1.66	6.79	30.6	8.15	2.1	1.28	<0.3	4.45	69.5	45	0.41	1.99	740	<2	26
NFM00488		1.56	6.94	29.0	7.94	1.2	1.13	<0.3	2.89	72.4	43	0.32	2.00	760	<2	22
NFM00489		1.52	7.21	30.1	7.27	1.4	1.04	<0.3	2.83	66.8	46	0.27	2.08	720	<2	21
NFM00490		<0.03	0.05	<0.5	0.13	<0.5	<0.01	<0.3	0.05	0.55	3	<0.06	14.30	20	<2	<1
NFM00491		12.00	20.2	23.2	28.1	3.3	1.18	0.5	4.82	262	530	0.20	1.12	5980	42	575
NFM00492		1.77	6.83	32.0	8.14	1.5	1.13	<0.3	3.08	66.1	49	0.36	2.14	790	<2	19
NFM00493		1.86	6.84	31.7	8.32	2.0	1.23	<0.3	3.17	68.4	47	0.39	2.15	710	<2	20
NFM00494		1.71	6.72	31.0	8.32	2.4	1.33	<0.3	3.16	66.7	39	0.51	1.97	660	<2	20
NFM00495		1.67	7.57	30.6	7.26	2.8	1.60	<0.3	3.53	55.7	41	0.72	2.23	1480	<2	24
NFM00496		1.57	6.67	29.5	7.85	2.4	1.24	<0.3	3.30	62.6	38	0.42	1.99	890	<2	19
NFM00497		1.82	6.62	23.0	7.84	2.0	1.28	<0.3	2.79	60.8	32	0.47	1.95	1150	<2	18
NFM00498		1.54	6.77	25.9	7.49	2.0	1.59	<0.3	3.28	51.6	34	0.66	2.02	1230	<2	17
NFM00499		1.59	7.09	29.2	7.56	2.1	1.48	<0.3	3.13	60.3	38	0.59	2.00	850	<2	19
NFM00500		1.44	7.08	30.6	7.10	1.8	1.08	<0.3	3.36	63.7	43	0.33	2.09	720	<2	23
NFM00501		1.44	6.83	30.4	6.88	1.5	0.97	<0.3	3.00	64.3	40	0.31	2.02	750	<2	17



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – C
Total # Pages: 9 (A – D)
Plus Appendix Pages
Finalized Date: 21-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00462		49.6	50	19.2	14.20	180.5	<0.01	<0.3	<3	8.63	5	190	1.38	1.09	<0.5
NFM00463		56.9	60	11.8	16.05	179.5	<0.01	<0.3	<3	9.65	7	90	1.29	1.13	<0.5
NFM00464		57.0	60	14.4	15.95	179.0	<0.01	<0.3	3	9.52	6	100	1.20	1.12	<0.5
NFM00465		50.0	60	14.2	13.35	173.5	0.01	<0.3	<3	8.55	5	110	1.18	1.02	<0.5
NFM00466		52.7	70	26.7	14.55	164.5	0.01	<0.3	<3	9.25	4	180	1.09	1.04	<0.5
NFM00467		46.9	50	16.8	13.00	162.0	<0.01	0.3	<3	7.98	<3	210	0.85	1.00	<0.5
NFM00468		46.7	80	16.2	13.70	174.5	<0.01	0.7	<3	8.22	5	260	0.88	1.08	<0.5
NFM00469		41.2	60	23.9	12.15	198.0	<0.01	0.5	<3	7.66	6	140	0.98	1.12	<0.5
NFM00470		47.2	50	23.8	12.80	196.5	<0.01	0.3	<3	8.21	4	180	1.07	0.97	<0.5
NFM00471		58.3	60	14.6	16.05	171.0	<0.01	<0.3	<3	10.05	6	120	0.90	1.13	<0.5
NFM00472		50.9	60	15.5	14.90	151.5	<0.01	<0.3	<3	9.21	6	150	0.93	1.15	<0.5
NFM00473		45.6	60	17.0	12.60	144.0	<0.01	<0.3	<3	8.70	4	160	1.03	1.17	<0.5
NFM00474		45.4	60	10.5	12.40	145.5	0.01	0.6	<3	8.58	7	130	0.71	1.16	<0.5
NFM00475		1165	10	194.5	360	1215	<0.01	3.9	4	215	103	50	235	34.4	<0.5
NFM00476		0.36	10	1.5	0.08	<0.5	<0.01	0.6	<3	0.06	4	50	<0.05	0.01	<0.5
NFM00477		51.2	60	15.6	14.50	171.5	<0.01	<0.3	<3	9.01	4	140	1.05	1.14	<0.5
NFM00478		46.5	60	12.6	12.85	134.5	<0.01	<0.3	<3	8.06	3	160	1.26	1.29	<0.5
NFM00479		37.1	90	13.1	9.77	71.7	<0.01	<0.3	<3	7.84	3	240	0.82	1.14	<0.5
NFM00480		44.8	40	11.1	12.05	125.0	<0.01	<0.3	<3	7.87	<3	320	0.83	0.97	<0.5
NFM00481		45.5	60	15.0	12.75	199.5	<0.01	0.8	<3	8.26	4	250	1.14	1.24	<0.5
NFM00482		41.9	60	15.4	12.00	208	<0.01	0.6	<3	7.68	9	120	0.96	1.07	<0.5
NFM00483		42.7	50	17.8	12.30	221	<0.01	0.6	<3	8.35	11	150	5.96	1.15	<0.5
NFM00484		6.63	10	22.6	1.84	52.0	<0.01	0.9	<3	1.55	5	60	1.66	0.53	<0.5
NFM00485		4.53	10	10.4	1.31	26.8	<0.01	0.7	<3	1.11	4	40	0.90	0.30	<0.5
NFM00486		12.00	50	21.9	3.37	174.0	<0.01	0.7	3	2.64	11	110	11.55	0.61	<0.5
NFM00487		53.2	50	23.3	15.10	286	0.01	0.3	<3	8.93	7	140	2.92	1.17	<0.5
NFM00488		54.8	50	15.2	15.55	188.5	0.01	<0.3	<3	9.45	7	120	1.20	1.12	<0.5
NFM00489		51.0	60	13.3	14.00	183.0	<0.01	0.3	<3	8.92	8	90	1.37	0.97	<0.5
NFM00490		0.34	<10	1.4	0.11	0.9	<0.01	<0.3	<3	0.09	<3	30	0.44	<0.01	<0.5
NFM00491		553	70	70.4	128.5	273	<0.01	<0.3	<3	53.9	43	150	15.95	2.73	<0.5
NFM00492		52.7	60	12.2	14.40	179.0	<0.01	<0.3	<3	8.99	7	120	1.06	1.15	<0.5
NFM00493		53.9	60	12.7	14.65	189.5	<0.01	<0.3	<3	9.45	8	130	1.27	1.22	<0.5
NFM00494		53.9	60	14.2	14.35	189.5	<0.01	<0.3	<3	9.43	8	130	0.99	1.19	<0.5
NFM00495		45.7	70	17.6	12.30	225	<0.01	<0.3	<3	7.73	10	220	1.21	1.12	<0.5
NFM00496		50.6	50	16.1	13.70	207	<0.01	<0.3	3	8.38	7	160	1.29	1.17	<0.5
NFM00497		51.6	50	12.6	14.05	157.5	<0.01	<0.3	3	9.01	3	220	0.88	1.14	<0.5
NFM00498		43.5	50	12.6	11.60	175.0	<0.01	<0.3	<3	7.82	4	260	0.94	1.16	<0.5
NFM00499		47.6	60	11.7	12.50	183.5	<0.01	<0.3	<3	8.36	6	140	0.94	1.22	<0.5
NFM00500		49.9	60	11.0	13.10	206	<0.01	<0.3	<3	8.55	9	140	1.06	1.01	<0.5
NFM00501		50.4	60	12.5	13.50	178.0	<0.01	<0.3	<3	8.60	6	130	0.88	1.00	<0.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – D
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ti %	ME-MS89L Ti ppm	ME-MS89L Tm2O3 ppm	ME-MS89L U3O8 ppm	ME-MS89L V ppm	ME-MS89L WO3 ppm	ME-MS89L Y2O3 ppm	ME-MS89L Yb2O3 ppm	ME-MS89L Zn ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00462		0.430	0.87	0.46	2.6	105	0.9	38.7	2.81	100
NFM00463		0.487	0.73	0.37	2.2	116	1.1	35.0	2.12	100
NFM00464		0.476	0.77	0.43	2.5	111	0.9	37.8	2.70	130
NFM00465		0.428	0.72	0.48	3.1	99	1.0	39.4	2.73	100
NFM00466		0.419	0.68	0.42	4.0	107	1.4	35.7	2.70	100
NFM00467		0.427	0.79	0.50	4.4	99	3.0	38.2	3.25	100
NFM00468		0.474	0.86	0.49	3.1	114	1.9	37.1	3.52	100
NFM00469		0.428	0.91	0.48	2.7	113	0.9	39.1	3.55	100
NFM00470		0.424	0.92	0.48	2.1	92	0.8	38.7	3.20	120
NFM00471		0.474	0.72	0.39	1.7	108	1.0	36.8	2.35	110
NFM00472		0.522	0.63	0.45	1.5	127	1.1	41.7	3.18	100
NFM00473		0.577	0.64	0.56	1.9	144	1.8	44.3	3.51	100
NFM00474		0.551	0.63	0.58	1.5	122	1.0	40.4	3.58	70
NFM00475		0.058	1.97	14.95	102.0	2	1.5	1265	92.9	2110
NFM00476		<0.005	<0.02	0.01	0.4	4	<0.4	0.8	0.06	20
NFM00477		0.513	0.72	0.49	1.7	139	1.1	42.5	3.14	110
NFM00478		0.608	0.57	0.72	1.7	163	1.5	52.1	4.40	90
NFM00479		0.792	0.30	0.62	1.1	264	2.0	46.4	4.00	150
NFM00480		0.458	0.54	0.53	1.3	127	1.1	36.2	3.46	80
NFM00481		0.553	0.88	0.58	1.3	157	2.5	46.0	3.93	120
NFM00482		0.483	1.04	0.48	1.3	125	2.0	37.6	3.10	120
NFM00483		0.423	0.88	0.55	2.2	99	5.2	46.7	3.89	80
NFM00484		0.040	0.19	0.53	1.5	11	2.4	39.6	3.56	20
NFM00485		0.025	0.11	0.19	0.6	8	1.1	14.2	1.30	10
NFM00486		0.154	0.58	0.46	1.9	37	10.6	34.8	3.38	40
NFM00487		0.464	1.30	0.40	2.2	109	9.2	38.4	2.73	120
NFM00488		0.476	0.83	0.35	1.7	103	1.8	37.2	2.19	120
NFM00489		0.485	0.79	0.32	1.2	109	1.3	31.1	1.89	130
NFM00490		0.006	<0.02	<0.01	0.4	2	<0.4	1.1	0.06	20
NFM00491		0.319	1.01	0.23	11.6	125	4.3	30.0	1.39	300
NFM00492		0.455	0.81	0.41	1.1	104	0.5	34.2	2.28	110
NFM00493		0.452	0.90	0.42	1.2	111	1.4	37.5	2.57	110
NFM00494		0.435	0.92	0.55	1.4	110	2.1	41.4	3.46	110
NFM00495		0.477	1.04	0.74	1.7	121	5.4	48.8	4.91	110
NFM00496		0.431	0.96	0.48	1.9	107	2.3	37.8	2.89	120
NFM00497		0.494	0.79	0.49	1.3	121	1.4	37.1	3.18	110
NFM00498		0.509	0.78	0.69	0.9	127	1.8	45.7	4.33	110
NFM00499		0.456	0.84	0.63	1.1	113	0.8	45.2	4.14	110
NFM00500		0.496	0.92	0.38	1.1	116	1.9	32.5	2.32	100
NFM00501		0.448	0.78	0.34	1.1	105	1.3	29.2	2.00	120



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 - A
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02
NFM00502		2.54		<5	<4	501	2.5	0.1	1.5	<0.8	180.5	21.5	7.4	<20	7.26	4.11
NFM00503		2.06	90.0	<5	<4	574	2.7	0.1	1.0	<0.8	150.0	21.8	5.2	<20	6.06	3.26
NFM00504		2.96		<5	<4	521	2.6	<0.1	0.9	<0.8	129.5	22.8	5.4	<20	6.32	3.30
NFM00505		1.64		<5	<4	380	5.5	<0.1	1.1	<0.8	91.3	16.4	5.5	<20	6.14	3.80
NFM00506		1.09		<5	5	69	5.6	<0.1	1.5	<0.8	11.7	2.3	1.7	<20	6.20	5.51
NFM00507		2.45		<5	<4	49	3.6	<0.1	1.3	<0.8	3.3	1.1	2.0	<20	3.66	3.40
NFM00508		2.38		<5	<4	339	4.7	<0.1	1.2	<0.8	70.4	12.0	4.7	<20	3.67	2.06
NFM00509		1.78		<5	<4	447	3.2	0.1	1.3	<0.8	89.3	30.8	6.6	<20	5.04	2.78
NFM00510		4.55		<5	<4	544	3.0	<0.1	0.7	<0.8	127.0	24.2	6.1	<20	6.03	3.13
NFM00511		2.46		<5	<4	516	3.1	<0.1	0.8	<0.8	146.0	24.7	6.7	<20	6.56	3.52
NFM00512		2.54		<5	<4	534	2.8	<0.1	0.9	<0.8	124.5	25.6	6.0	<20	5.92	3.21
NFM00513		1.96		<5	<4	487	2.8	<0.1	1.5	<0.8	126.5	30.3	3.8	20	5.91	2.80
NFM00514		1.74		<5	<4	509	2.9	<0.1	1.7	<0.8	120.0	26.5	3.5	30	5.58	2.73
NFM00515		1.82		<5	<4	553	3.4	0.1	2.4	<0.8	113.0	20.0	5.1	30	5.90	3.20
NFM00516		1.84		<5	<4	523	3.4	<0.1	1.2	<0.8	135.5	20.6	5.3	40	6.17	3.22
NFM00517		1.84		<5	<4	528	3.7	<0.1	1.1	<0.8	122.5	21.2	5.9	20	5.72	3.10
NFM00518		1.62		<5	<4	570	2.8	<0.1	1.2	<0.8	117.0	21.5	5.1	50	6.83	3.91
NFM00519		2.20		<5	<4	572	3.9	<0.1	1.3	<0.8	118.5	22.0	4.9	50	5.83	3.37
NFM00520		2.29		<5	<4	557	2.1	<0.1	1.3	<0.8	110.5	20.5	4.3	70	5.92	3.70
NFM00521		2.02		<5	<4	525	2.6	<0.1	1.6	<0.8	126.5	21.0	3.5	40	6.23	3.61
NFM00522		1.82		<5	<4	553	2.7	<0.1	1.6	<0.8	118.0	24.1	4.6	40	6.21	3.75
NFM00523		2.40		<5	<4	557	5.2	<0.1	1.0	<0.8	126.0	22.4	4.2	<20	5.80	2.85
NFM00524		0.98		<5	<4	52	<0.4	0.2	22.6	<0.8	0.5	<0.5	<0.1	<20	0.07	0.06
NFM00525		<0.02		<5	8	2930	11.1	0.3	0.3	<0.8	757	31.5	8.1	40	9.82	2.15
NFM00526		1.69		<5	4	578	2.8	0.2	2.1	<0.8	143.0	21.7	3.5	20	7.02	4.05
NFM00527		1.72		<5	4	546	2.6	0.2	0.8	<0.8	139.0	23.8	4.3	<20	6.63	3.26
NFM00528		1.98		<5	4	533	2.6	0.2	0.7	<0.8	134.5	23.7	4.9	<20	6.31	3.06
NFM00529		1.83		<5	5	507	3.0	0.3	1.0	<0.8	125.5	22.5	7.3	<20	6.27	2.98
NFM00530		2.23		<5	6	452	3.4	0.3	1.2	<0.8	106.0	17.6	7.2	<20	6.60	3.70
NFM00531		1.73		<5	7	152	3.4	0.4	0.7	<0.8	12.5	1.9	4.3	<20	11.40	10.30
NFM00532		2.48		<5	5	369	4.3	0.3	1.2	<0.8	86.0	15.2	8.4	<20	7.75	5.47
NFM00533		2.49		<5	5	540	2.7	0.3	0.8	<0.8	145.5	23.0	9.2	<20	5.74	2.80
NFM00534		2.30		<5	4	573	2.5	0.3	1.0	<0.8	132.0	23.9	5.7	<20	6.01	3.14
NFM00535		2.91		<5	4	484	3.1	0.5	3.8	<0.8	107.0	29.8	5.0	<20	6.20	3.26
NFM00536		1.84		<5	4	519	3.2	0.3	1.6	<0.8	139.0	25.7	4.1	<20	6.69	3.30
NFM00537		<0.02		<5	23	247	67.6	2.0	0.2	2.8	2510	1.7	4.9	20	163.5	92.5
NFM00538		0.70		<5	5	154	<0.4	0.1	21.6	<0.8	1.1	<0.5	0.1	<20	0.10	0.06
NFM00539		2.28		<5	4	521	3.2	0.3	1.1	<0.8	128.5	22.7	3.9	40	7.40	5.12
NFM00540		2.09		<5	5	504	3.1	0.3	2.9	<0.8	117.0	19.6	6.8	60	6.60	3.60
NFM00541		2.08		<5	5	469	2.8	0.4	1.1	<0.8	129.0	23.1	6.8	<20	6.24	3.16



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 7 – B

Total # Pages: 9 (A – D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1
NFM00502		1.98	6.39	31.0	9.31	1.8	1.34	<0.3	2.77	84.3	44	0.47	1.86	680	<2	19
NFM00503		1.76	6.19	29.0	7.80	1.1	1.11	<0.3	2.84	73.4	45	0.36	1.89	730	<2	18
NFM00504		1.51	6.69	30.1	7.94	1.6	1.20	<0.3	2.90	69.7	44	0.34	1.95	740	<2	20
NFM00505		1.13	5.01	31.0	6.26	2.1	1.23	<0.3	2.88	50.5	36	0.52	1.29	600	<2	40
NFM00506		0.38	1.30	22.0	2.69	1.9	1.62	<0.3	1.54	7.69	8	0.93	0.17	210	<2	19
NFM00507		0.17	1.27	31.5	1.44	1.4	0.99	<0.3	2.09	2.97	17	0.57	0.14	160	<2	63
NFM00508		0.83	3.92	30.4	4.47	1.8	0.76	<0.3	3.07	37.2	30	0.24	1.05	480	<2	38
NFM00509		1.22	6.82	26.6	5.66	1.5	0.97	<0.3	2.97	47.9	53	0.31	3.31	1090	<2	18
NFM00510		1.51	6.87	30.0	7.35	1.9	1.10	<0.3	2.89	70.1	45	0.30	2.06	770	<2	18
NFM00511		1.60	7.07	32.0	8.29	1.7	1.31	<0.3	2.98	75.9	48	0.42	2.22	740	<2	19
NFM00512		1.52	7.17	29.9	7.04	1.4	1.18	<0.3	2.98	63.4	49	0.39	2.39	840	<2	18
NFM00513		1.55	6.97	28.8	7.66	1.9	1.10	<0.3	2.63	63.6	43	0.32	3.62	840	<2	18
NFM00514		1.53	6.84	28.1	6.90	1.9	1.03	<0.3	2.74	61.6	40	0.32	2.66	810	<2	18
NFM00515		1.44	5.98	24.9	7.08	1.4	1.17	<0.3	2.99	57.5	34	0.41	1.84	910	<2	19
NFM00516		1.56	6.11	28.5	7.93	2.2	1.21	<0.3	3.20	69.2	40	0.32	1.81	770	<2	18
NFM00517		1.46	6.06	28.3	7.27	1.7	1.13	<0.3	3.36	62.5	42	0.35	1.77	770	<2	18
NFM00518		1.66	6.12	26.3	7.28	1.9	1.39	<0.3	3.42	59.5	38	0.49	1.77	950	<2	20
NFM00519		1.59	6.14	27.9	6.94	1.7	1.16	<0.3	3.24	62.0	35	0.40	1.75	840	<2	20
NFM00520		1.37	5.79	25.5	6.52	1.9	1.26	<0.3	3.22	56.9	33	0.49	1.73	910	<2	19
NFM00521		1.51	6.04	25.6	7.18	1.7	1.27	<0.3	3.09	62.9	33	0.45	1.82	870	<2	20
NFM00522		1.53	6.06	25.4	7.28	1.8	1.28	<0.3	3.14	59.0	35	0.47	2.09	960	2	20
NFM00523		1.55	6.88	28.5	7.15	1.6	1.00	<0.3	3.05	64.4	39	0.35	1.87	1110	<2	18
NFM00524		<0.03	0.05	1.1	0.07	1.2	0.02	<0.3	<0.05	0.18	<2	<0.06	13.75	30	<2	<1
NFM00525		12.90	20.1	22.6	28.9	4.9	1.12	0.5	4.77	253	520	0.22	1.11	5750	42	554
NFM00526		1.95	6.51	29.1	8.44	1.5	1.42	<0.3	2.78	69.5	36	0.49	1.84	670	<2	20
NFM00527		1.88	7.00	30.2	8.53	1.3	1.21	<0.3	2.90	70.4	40	0.33	2.06	760	<2	20
NFM00528		1.74	6.86	31.1	7.94	1.5	1.16	<0.3	2.97	70.7	42	0.35	2.07	750	<2	21
NFM00529		1.81	6.70	29.4	8.03	1.4	1.11	<0.3	2.77	62.6	42	0.36	2.01	740	<2	20
NFM00530		1.46	5.47	28.6	7.43	1.8	1.26	<0.3	3.05	55.4	38	0.51	1.52	670	<2	24
NFM00531		0.63	1.09	25.9	4.96	2.2	2.88	<0.3	6.16	7.45	10	1.73	0.16	250	<2	35
NFM00532		1.16	4.69	33.1	6.52	2.4	1.63	<0.3	3.87	44.6	33	0.85	1.23	620	<2	35
NFM00533		1.67	6.82	30.3	7.41	1.8	1.03	<0.3	3.76	78.9	47	0.30	1.99	690	<2	19
NFM00534		1.83	7.05	30.2	7.75	1.8	1.10	<0.3	3.07	66.3	47	0.38	2.21	670	<2	19
NFM00535		1.53	6.34	23.2	7.58	1.6	1.17	<0.3	2.65	50.5	44	0.36	3.70	990	<2	17
NFM00536		1.77	6.72	28.5	8.52	1.7	1.23	<0.3	2.92	68.3	43	0.40	2.58	810	<2	19
NFM00537		5.72	5.10	164.5	176.5	8.1	31.5	<0.3	3.77	1700	340	10.45	0.16	3630	2	4130
NFM00538		<0.03	0.06	0.9	0.10	0.5	0.02	<0.3	0.06	0.56	4	<0.06	13.25	30	<2	<1
NFM00539		1.79	6.54	28.8	8.17	2.6	1.60	<0.3	3.15	64.2	40	0.92	2.01	740	<2	24
NFM00540		1.63	5.62	24.7	7.56	1.7	1.28	<0.3	3.02	58.3	33	0.45	1.81	820	<2	21
NFM00541		1.64	6.53	29.9	7.40	1.8	1.15	<0.3	2.76	63.9	47	0.36	2.14	740	<2	21



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 7 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00502		65.8	50	14.6	18.30	170.0	<0.01	0.6	<3	11.95	6	120	0.99	1.35	<0.5
NFM00503		57.2	50	14.3	16.15	168.0	<0.01	0.6	<3	10.45	5	120	0.96	1.16	<0.5
NFM00504		50.9	50	14.9	14.10	175.0	<0.01	<0.3	<3	9.42	10	100	0.99	1.17	<0.5
NFM00505		37.1	40	25.2	9.76	179.0	<0.01	<0.3	<3	6.48	9	100	9.22	1.02	<0.5
NFM00506		6.51	10	47.8	1.71	81.9	<0.01	0.5	<3	1.46	<3	70	2.72	0.70	<0.5
NFM00507		2.82	10	23.7	0.69	135.0	<0.01	<0.3	<3	0.81	9	60	5.95	0.38	<0.5
NFM00508		28.9	30	26.0	7.75	172.0	<0.01	<0.3	<3	5.22	10	90	3.11	0.69	<0.5
NFM00509		38.7	140	14.4	9.87	182.0	<0.01	<0.3	<3	6.78	8	140	0.83	0.84	<0.5
NFM00510		51.1	50	12.3	13.35	179.0	<0.01	<0.3	<3	8.70	7	90	0.88	1.02	<0.5
NFM00511		59.4	60	13.0	15.75	186.0	<0.01	<0.3	<3	9.94	7	100	1.00	1.23	<0.5
NFM00512		49.8	70	12.2	13.60	178.0	<0.01	<0.3	<3	8.79	7	130	0.93	1.08	<0.5
NFM00513		51.1	170	10.6	13.60	148.5	<0.01	<0.3	<3	9.06	6	130	0.88	1.05	<0.5
NFM00514		49.7	90	11.9	13.00	155.0	<0.01	<0.3	4	8.34	6	140	0.98	1.00	<0.5
NFM00515		45.5	40	20.3	12.15	169.5	<0.01	<0.3	<3	7.80	8	240	1.16	1.05	<0.5
NFM00516		54.5	50	20.0	14.65	192.0	<0.01	<0.3	<3	9.22	6	130	1.18	1.10	<0.5
NFM00517		48.5	50	22.2	13.40	200	<0.01	<0.3	<3	8.73	7	140	1.15	1.01	<0.5
NFM00518		47.8	50	23.5	12.70	208	<0.01	<0.3	3	8.00	7	160	1.12	1.14	<0.5
NFM00519		48.9	50	23.0	12.75	209	<0.01	<0.3	3	8.15	7	170	1.12	1.04	<0.5
NFM00520		44.9	50	20.0	11.80	200	<0.01	<0.3	<3	7.68	5	170	1.03	1.01	<0.5
NFM00521		50.4	50	16.6	13.95	194.5	<0.01	<0.3	<3	8.70	6	160	1.01	1.12	<0.5
NFM00522		48.4	120	19.0	12.75	188.5	<0.01	<0.3	<3	8.56	6	170	1.09	1.01	<0.5
NFM00523		50.9	210	26.0	13.60	144.0	<0.01	<0.3	<3	8.55	8	140	1.47	1.01	<0.5
NFM00524		<0.08	10	1.4	0.05	<0.5	0.01	0.9	6	0.09	<3	50	0.31	0.01	0.7
NFM00525		540	70	69.6	130.5	258	0.01	0.7	<3	59.0	41	160	14.10	2.84	0.7
NFM00526		56.5	50	12.8	16.10	166.0	0.01	0.6	5	10.90	6	140	1.12	1.24	0.6
NFM00527		56.1	60	14.8	15.20	171.0	0.01	0.6	4	10.35	7	140	0.99	1.20	0.5
NFM00528		53.0	50	13.4	15.10	182.5	0.01	0.4	7	9.96	9	100	1.20	1.14	0.6
NFM00529		50.7	50	15.2	14.35	185.5	0.01	0.6	4	9.40	8	110	0.94	1.10	0.5
NFM00530		44.0	40	23.3	12.40	187.5	0.01	0.7	4	8.49	7	110	2.49	1.12	0.6
NFM00531		6.40	10	136.5	1.80	318	0.01	2.0	5	2.23	3	90	3.44	1.31	0.6
NFM00532		34.8	40	40.6	9.84	240	0.01	1.2	4	6.73	8	100	3.77	1.17	0.6
NFM00533		57.4	60	15.7	16.15	235	0.01	0.7	5	10.05	6	130	1.10	1.10	0.6
NFM00534		54.2	70	12.5	14.75	179.5	0.01	0.5	3	10.10	6	270	1.01	1.13	0.5
NFM00535		44.3	150	11.4	12.45	149.5	<0.01	0.4	<3	8.84	5	420	0.94	1.01	0.7
NFM00536		56.0	90	13.8	15.75	164.5	<0.01	0.4	4	10.60	6	190	1.05	1.20	0.5
NFM00537		1010	10	202	307	1145	0.02	4.0	<3	189.5	88	60	210	27.7	0.7
NFM00538		0.48	<10	1.6	0.14	1.1	<0.01	0.6	4	0.08	<3	50	<0.05	0.02	<0.5
NFM00539		51.6	50	15.6	14.55	186.5	0.01	0.4	5	9.72	7	140	1.21	1.30	0.6
NFM00540		48.2	50	21.4	13.05	189.5	<0.01	0.5	5	9.17	5	180	1.27	1.17	0.7
NFM00541		51.2	60	15.4	14.45	178.0	0.01	0.4	5	9.40	7	120	1.07	1.05	0.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 - D
 Total # Pages: 9 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00502		0.437	0.80	0.53	1.9	96	1.1	44.8	3.14	120
NFM00503		0.426	0.77	0.42	1.5	86	1.0	37.1	2.38	140
NFM00504		0.454	0.88	0.41	1.7	99	0.8	37.1	2.40	110
NFM00505		0.302	0.79	0.55	2.6	74	5.2	44.3	3.62	80
NFM00506		0.037	0.36	0.89	3.8	12	2.6	60.8	5.97	20
NFM00507		0.042	0.50	0.53	1.9	9	9.0	36.4	3.64	20
NFM00508		0.238	0.71	0.29	1.5	55	6.6	23.2	1.76	60
NFM00509		0.388	0.89	0.35	1.3	111	3.0	29.1	2.21	120
NFM00510		0.450	0.86	0.34	1.4	100	0.9	34.4	2.12	110
NFM00511		0.466	0.96	0.47	1.3	107	0.8	40.1	3.01	100
NFM00512		0.445	0.85	0.43	1.1	108	0.5	36.1	2.49	110
NFM00513		0.424	0.68	0.37	1.7	100	0.5	31.9	2.03	100
NFM00514		0.430	0.73	0.33	1.9	101	0.6	30.1	2.14	100
NFM00515		0.401	0.95	0.45	3.1	91	1.0	34.5	2.77	100
NFM00516		0.412	0.94	0.37	2.9	96	1.3	35.0	2.37	110
NFM00517		0.399	0.94	0.41	2.6	92	1.0	33.0	2.41	110
NFM00518		0.416	1.00	0.54	2.5	93	0.8	41.4	3.47	100
NFM00519		0.432	1.04	0.45	2.7	103	7.1	36.1	2.78	120
NFM00520		0.383	1.02	0.50	2.1	96	0.6	38.1	3.26	100
NFM00521		0.424	0.88	0.50	2.2	97	0.5	39.2	3.03	100
NFM00522		0.432	0.93	0.53	2.1	99	0.8	37.2	3.02	100
NFM00523		0.466	0.69	0.38	2.7	94	<0.4	32.0	2.30	100
NFM00524		<0.005	<0.02	0.01	0.2	4	<0.4	0.9	0.06	10
NFM00525		0.319	0.94	0.24	12.3	131	4.4	29.0	1.43	300
NFM00526		0.444	0.72	0.53	1.4	102	1.3	41.3	3.36	110
NFM00527		0.461	0.83	0.43	1.3	110	1.1	32.9	2.53	130
NFM00528		0.458	0.77	0.39	1.1	109	1.4	33.5	2.43	120
NFM00529		0.449	0.82	0.39	1.3	108	1.4	32.9	2.35	110
NFM00530		0.362	0.82	0.51	2.2	88	4.4	42.4	3.36	100
NFM00531		0.039	1.50	1.59	6.8	11	3.7	104.5	11.40	20
NFM00532		0.298	0.99	0.78	3.3	74	8.4	56.3	5.51	90
NFM00533		0.460	0.99	0.34	2.0	110	3.3	32.4	2.06	110
NFM00534		0.465	0.89	0.41	1.3	109	1.0	32.8	2.40	100
NFM00535		0.372	0.69	0.42	1.5	103	1.1	41.0	2.62	110
NFM00536		0.426	0.74	0.43	1.4	108	1.4	36.4	2.84	120
NFM00537		0.056	1.95	13.20	89.0	2	1.8	1035	81.3	2090
NFM00538		<0.005	<0.02	0.01	0.5	7	<0.4	1.0	0.08	10
NFM00539		0.462	0.84	0.81	1.4	109	5.0	49.1	5.77	120
NFM00540		0.406	0.96	0.51	2.7	98	1.1	37.6	3.13	110
NFM00541		0.439	0.83	0.40	1.1	106	1.0	33.4	2.43	110



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 8 - A

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02
NFM00542		1.86		<5	4	551	2.8	0.3	1.0	<0.8	126.5	22.5	2.8	30	5.43	2.77
NFM00543		1.74		<5	4	543	2.4	0.2	1.0	<0.8	126.0	23.0	2.5	<20	5.49	2.72
NFM00544		1.94		<5	5	512	2.3	0.2	0.8	<0.8	134.5	23.7	2.5	<20	7.07	4.44
NFM00545		1.77		<5	4	490	2.7	0.2	1.2	<0.8	126.0	26.0	2.6	20	5.52	2.98
NFM00546		1.60		<5	4	498	3.1	0.2	0.8	<0.8	134.0	23.1	2.8	20	6.32	3.10
NFM00547		1.61	93.0	<5	5	533	2.6	0.1	1.1	<0.8	134.0	27.9	3.1	40	6.23	3.10
NFM00548		1.76		<5	4	461	3.6	0.1	1.3	<0.8	140.5	27.1	3.1	<20	6.76	3.35
NFM00549		1.62		<5	4	527	3.4	0.1	1.0	<0.8	136.5	24.1	3.2	30	7.08	3.80
NFM00550		1.94		<5	4	548	3.3	0.2	1.9	<0.8	111.0	20.2	5.5	50	5.78	3.22
NFM00551		1.68		<5	8	496	3.2	0.3	1.6	<0.8	106.5	20.3	5.8	40	5.64	3.45
NFM00552		1.74		<5	5	485	3.5	0.3	1.4	<0.8	118.0	19.1	8.0	20	5.03	2.90
NFM00553		1.81		<5	5	458	2.9	0.3	1.9	<0.8	111.5	19.0	7.9	40	5.53	3.17
NFM00554		1.79		<5	4	532	2.3	0.2	1.4	<0.8	113.0	19.3	4.9	60	5.75	3.35
NFM00555		1.94		<5	4	514	2.3	0.2	1.4	<0.8	121.0	19.6	5.1	50	6.08	3.48
NFM00556		2.65		<5	4	522	2.8	0.2	1.5	<0.8	125.5	19.5	5.2	50	5.64	3.22
NFM00557		2.33		<5	5	546	5.0	0.2	1.1	<0.8	131.5	20.0	4.4	<20	5.07	2.66
NFM00558		1.77		<5	<4	529	6.0	0.1	1.2	<0.8	132.5	18.7	5.8	<20	5.22	2.61
NFM00559		2.25		<5	4	537	5.4	0.1	1.2	<0.8	118.5	19.0	6.0	<20	4.80	2.23
NFM00560		2.30		<5	<4	556	3.5	<0.1	1.4	<0.8	103.0	20.6	5.6	40	5.03	2.77
NFM00561		2.04		<5	4	539	3.9	0.2	1.3	<0.8	102.0	23.3	5.6	60	6.07	3.65
NFM00562		1.81		<5	4	545	3.8	0.2	1.7	<0.8	100.5	23.6	6.1	70	6.43	3.74
NFM00563		1.90		<5	<4	534	3.0	0.1	1.6	<0.8	98.4	22.1	6.0	60	6.77	4.24
NFM00564		0.05		<5	28	249	68.4	1.7	0.2	3.0	2490	1.6	4.9	20	172.5	96.4
NFM00565		2.12		<5	<4	348	1.5	0.9	2.3	<0.8	89.4	13.4	2.5	30	7.10	4.15
NFM00566		1.71		<5	<4	333	0.9	0.2	2.3	<0.8	104.0	13.3	2.3	40	9.90	6.29
NFM00567		2.30		<5	4	471	2.6	0.1	2.5	<0.8	82.4	17.0	4.7	<20	6.12	3.91
NFM00568		2.38		<5	<4	554	2.9	0.2	3.2	<0.8	97.3	19.2	5.2	<20	6.14	3.46
NFM00569		1.94		<5	4	502	2.2	0.5	3.5	<0.8	94.0	22.8	10.4	<20	6.37	4.07
NFM00570		2.63		<5	5	674	2.3	0.1	3.3	<0.8	93.2	20.8	6.0	<20	5.14	2.66
NFM00571		2.06		<5	4	543	2.4	0.1	3.3	<0.8	104.5	21.3	6.5	<20	7.14	4.19
NFM00572		1.75		<5	<4	536	2.4	<0.1	2.5	<0.8	95.2	21.9	5.9	<20	5.98	3.59
NFM00573		2.65		<5	<4	534	2.5	<0.1	2.7	<0.8	95.7	22.0	5.4	<20	5.72	3.08
NFM00574		2.47		<5	<4	607	2.1	0.1	2.9	<0.8	103.5	25.9	4.3	<20	5.72	3.27
NFM00575		2.71		<5	<4	427	1.2	<0.1	4.9	<0.8	98.0	30.0	1.9	<20	5.00	2.64
NFM00576		4.30		<5	4	387	1.3	<0.1	5.4	<0.8	102.5	28.5	2.0	<20	4.97	2.61
NFM00577		2.26		<5	4	547	2.5	<0.1	3.4	<0.8	53.7	11.4	2.0	<20	3.00	1.76
NFM00578		2.05		<5	5	444	2.8	<0.1	1.7	<0.8	10.7	2.5	2.4	<20	1.00	0.66
NFM00579		2.23		<5	4	454	1.9	<0.1	1.0	<0.8	8.8	2.4	2.9	<20	1.17	0.95
NFM00580		2.05		<5	4	412	1.8	<0.1	0.9	<0.8	5.7	2.0	2.7	<20	0.70	0.59
NFM00581		2.32		<5	4	273	2.1	<0.1	1.4	<0.8	6.0	1.4	1.9	<20	0.94	0.80



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 – B
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21–FEB–2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Eu2O3	Fe	Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.03	0.01	0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1
NFM00542		1.63	6.90	28.5	7.54	1.6	1.02	<0.3	3.00	71.4	30	0.30	1.92	680	<2	20
NFM00543		1.53	6.70	30.4	7.53	1.9	1.03	<0.3	2.94	66.7	34	0.30	1.96	720	<2	21
NFM00544		1.66	7.07	31.7	8.17	1.9	1.42	<0.3	2.96	70.7	33	0.58	2.02	740	<2	21
NFM00545		1.60	6.85	28.0	7.39	1.8	1.02	<0.3	2.69	64.4	36	0.32	2.53	870	<2	19
NFM00546		1.74	7.12	29.9	7.64	2.1	1.21	<0.3	3.00	73.4	36	0.35	2.07	790	<2	19
NFM00547		1.89	6.98	30.6	8.22	2.0	1.28	<0.3	2.87	70.4	46	0.42	2.41	740	<2	20
NFM00548		1.98	6.69	29.1	9.26	1.5	1.37	<0.3	2.85	72.2	49	0.40	2.43	820	<2	18
NFM00549		1.93	6.74	30.0	8.70	1.7	1.55	<0.3	2.95	76.3	48	0.50	1.94	740	<2	19
NFM00550		1.64	5.99	24.7	6.43	2.1	1.12	<0.3	3.16	54.2	37	0.45	1.91	870	<2	19
NFM00551		1.53	6.32	25.9	6.19	2.3	1.08	<0.3	3.13	53.9	40	0.40	1.84	940	<2	20
NFM00552		1.51	5.92	25.9	6.63	1.7	1.05	<0.3	3.20	58.9	44	0.38	1.93	720	<2	17
NFM00553		1.34	5.76	25.5	6.51	1.2	1.08	<0.3	3.14	54.8	44	0.44	1.99	770	<2	19
NFM00554		1.47	5.90	24.4	6.56	1.8	1.15	<0.3	3.33	55.8	43	0.41	1.85	860	<2	20
NFM00555		1.53	5.94	25.3	7.33	2.1	1.15	<0.3	3.26	58.1	43	0.48	1.79	830	<2	20
NFM00556		1.67	5.97	23.3	7.39	1.9	1.12	<0.3	3.07	61.1	48	0.41	1.86	960	<2	19
NFM00557		1.51	6.53	26.1	6.87	1.7	0.95	<0.3	2.95	65.9	53	0.36	1.82	1050	<2	18
NFM00558		1.64	6.59	29.1	7.20	1.5	0.99	<0.3	2.72	69.1	62	0.36	1.63	1080	<2	14
NFM00559		1.45	6.43	28.8	6.12	1.6	0.86	<0.3	2.85	66.4	59	0.28	1.60	1000	<2	15
NFM00560		1.41	5.67	25.3	6.34	1.5	1.02	<0.3	3.13	56.8	58	0.34	1.53	880	<2	17
NFM00561		1.53	6.25	26.6	6.70	1.8	1.27	<0.3	2.98	54.5	59	0.50	1.70	1080	<2	18
NFM00562		1.61	6.22	25.3	6.36	2.0	1.31	<0.3	3.03	52.3	58	0.51	1.73	1070	<2	19
NFM00563		1.56	7.81	24.8	6.97	1.9	1.35	<0.3	3.11	47.3	57	0.73	1.79	2290	<2	27
NFM00564		5.85	5.21	155.0	184.0	4.4	34.4	<0.3	3.72	1630	340	11.55	0.16	3740	2	4290
NFM00565		1.67	5.15	20.0	7.33	1.6	1.45	<0.3	1.66	43.9	20	0.55	0.71	1100	2	13
NFM00566		1.53	4.09	16.1	8.49	1.7	2.14	<0.3	2.93	52.0	16	0.75	0.78	710	2	7
NFM00567		1.27	6.37	19.4	5.95	1.9	1.27	<0.3	2.95	41.3	31	0.49	1.10	2090	<2	12
NFM00568		1.32	5.96	21.3	6.32	2.2	1.19	<0.3	3.00	48.9	32	0.47	1.30	1890	<2	14
NFM00569		1.38	6.02	21.2	6.25	2.0	1.35	<0.3	2.23	46.7	32	0.55	1.56	1810	2	15
NFM00570		1.60	6.89	20.5	5.67	2.0	1.00	<0.3	1.90	46.0	25	0.35	1.46	2150	2	13
NFM00571		1.44	5.78	22.3	7.30	2.1	1.47	<0.3	2.34	50.8	30	0.59	1.52	1500	2	16
NFM00572		1.39	6.40	23.4	6.43	2.3	1.21	<0.3	2.55	47.1	34	0.49	1.74	1250	2	15
NFM00573		1.32	5.80	23.6	6.27	2.3	1.10	<0.3	2.75	48.2	36	0.40	1.66	990	<2	16
NFM00574		1.57	6.48	22.7	6.54	2.1	1.15	<0.3	2.47	51.1	32	0.40	1.75	850	<2	14
NFM00575		2.03	6.57	21.3	6.32	1.6	0.95	<0.3	1.21	44.4	22	0.35	2.29	1000	2	9
NFM00576		2.18	6.73	21.8	6.57	1.5	0.97	<0.3	1.15	47.0	22	0.34	2.08	1180	2	10
NFM00577		1.01	2.99	18.9	3.50	1.3	0.62	<0.3	1.68	24.9	13	0.30	0.69	520	2	9
NFM00578		0.37	0.97	20.2	0.89	1.7	0.21	<0.3	4.59	5.45	6	0.14	0.14	150	2	5
NFM00579		0.37	0.85	18.6	0.86	1.9	0.27	<0.3	6.05	4.67	7	0.20	0.14	150	2	5
NFM00580		0.32	0.73	18.0	0.54	1.6	0.16	<0.3	6.17	2.94	7	0.13	0.12	130	2	5
NFM00581		0.32	0.76	18.9	0.63	1.6	0.25	<0.3	4.57	2.97	5	0.19	0.08	110	2	5



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 8 - C

Total # Pages: 9 (A - D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te	ThO2
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5	0.1
NFM00542		51.6	60	13.0	14.30	171.5	0.01	0.3	3	9.24	6	120	1.00	1.05	0.7	24.0
NFM00543		50.4	50	14.1	14.10	168.0	0.01	0.5	4	9.45	8	110	1.05	1.00	<0.5	23.6
NFM00544		54.2	60	14.0	15.20	173.0	0.01	0.6	4	9.96	8	100	0.95	1.24	0.6	24.2
NFM00545		49.9	90	12.4	14.30	157.5	<0.01	0.4	4	9.57	6	130	0.94	1.01	0.5	22.3
NFM00546		54.6	60	14.2	15.00	161.5	<0.01	0.4	5	9.54	6	110	1.06	1.15	0.6	25.4
NFM00547		53.7	80	12.3	15.15	191.0	<0.01	0.5	<3	9.52	6	120	0.95	1.20	<0.5	26.1
NFM00548		55.4	80	14.2	15.70	183.0	<0.01	0.5	<3	9.81	4	140	1.00	1.22	<0.5	27.9
NFM00549		55.5	50	16.5	15.25	187.0	<0.01	0.8	3	9.76	5	120	0.96	1.24	<0.5	29.0
NFM00550		46.0	50	21.2	12.45	184.0	0.01	0.4	3	8.58	5	230	1.14	1.00	0.5	17.6
NFM00551		43.6	50	21.3	11.95	186.0	<0.01	0.4	5	8.23	7	160	1.26	0.94	0.6	18.3
NFM00552		49.5	40	19.9	13.65	183.0	0.02	0.6	4	9.13	6	120	1.20	1.04	0.7	20.1
NFM00553		45.3	50	19.0	12.60	191.5	<0.01	0.5	5	8.81	6	110	1.05	0.98	0.7	18.8
NFM00554		45.3	50	18.6	12.65	193.5	<0.01	0.3	4	8.71	4	160	1.15	0.93	0.6	19.2
NFM00555		47.7	50	18.6	13.45	186.5	<0.01	0.4	4	9.00	4	150	1.03	1.07	0.6	21.6
NFM00556		51.3	50	19.1	14.15	176.0	<0.01	0.4	4	9.28	4	180	1.12	1.07	0.5	21.6
NFM00557		53.2	50	25.1	14.85	130.0	<0.01	0.4	<3	9.80	9	150	1.32	1.01	0.7	21.8
NFM00558		51.1	30	25.1	14.45	176.0	<0.01	0.4	<3	8.72	4	160	0.96	0.94	<0.5	23.0
NFM00559		46.2	30	25.6	13.15	186.0	<0.01	<0.3	4	8.02	6	160	0.95	0.81	<0.5	21.3
NFM00560		40.6	30	24.0	11.70	199.0	<0.01	<0.3	3	7.33	6	180	1.12	0.86	<0.5	18.4
NFM00561		42.2	40	19.4	11.60	212	<0.01	0.3	3	7.57	5	170	1.09	0.93	<0.5	18.4
NFM00562		40.6	30	22.8	11.40	227	<0.01	0.5	3	7.54	5	220	1.16	0.94	<0.5	17.0
NFM00563		40.8	40	19.9	10.90	215	0.01	0.6	<3	7.85	10	180	1.44	1.14	<0.5	15.5
NFM00564		958	10	194.5	296	1160	0.01	3.6	5	175.0	103	40	224	29.6	<0.5	321
NFM00565		35.1	<10	8.7	9.70	93.3	<0.01	0.4	4	7.56	5	140	0.57	1.14	<0.5	14.6
NFM00566		40.2	<10	16.2	11.55	134.5	<0.01	<0.3	3	8.69	3	150	0.27	1.39	<0.5	25.6
NFM00567		32.7	20	12.9	9.16	189.5	<0.01	<0.3	3	6.66	6	130	0.76	0.91	<0.5	15.0
NFM00568		36.9	20	13.6	10.55	179.5	<0.01	0.4	<3	6.71	6	160	1.11	0.93	<0.5	16.6
NFM00569		36.9	30	11.5	10.25	160.0	<0.01	<0.3	3	7.18	6	220	1.03	0.92	<0.5	16.4
NFM00570		36.4	70	12.6	10.30	107.5	<0.01	0.9	<3	6.76	5	290	0.71	0.82	<0.5	13.5
NFM00571		41.2	40	10.2	11.60	149.0	<0.01	0.3	<3	8.21	6	270	0.99	1.08	<0.5	18.5
NFM00572		38.1	30	8.4	10.65	159.0	<0.01	<0.3	5	7.57	6	170	0.93	0.98	<0.5	15.7
NFM00573		38.4	30	10.1	10.65	165.5	<0.01	<0.3	3	7.21	7	150	0.85	0.94	<0.5	17.2
NFM00574		41.4	40	9.4	11.50	133.5	<0.01	<0.3	<3	7.75	5	240	0.74	0.91	<0.5	16.4
NFM00575		43.0	50	9.0	11.75	50.2	<0.01	<0.3	<3	7.83	<3	380	0.45	0.83	<0.5	8.0
NFM00576		44.6	40	8.7	11.90	50.2	<0.01	<0.3	<3	8.19	<3	440	0.46	0.83	<0.5	8.5
NFM00577		23.2	10	20.6	6.23	65.9	<0.01	0.3	<3	4.31	<3	340	1.03	0.46	<0.5	5.0
NFM00578		4.53	<10	59.9	1.23	187.5	<0.01	0.3	<3	0.95	<3	190	0.96	0.13	<0.5	1.7
NFM00579		3.55	<10	75.3	0.99	251	<0.01	<0.3	<3	0.79	<3	150	1.12	0.15	<0.5	1.8
NFM00580		2.18	<10	79.2	0.62	265	<0.01	0.3	<3	0.48	<3	130	1.34	0.09	<0.5	1.4
NFM00581		2.36	<10	66.2	0.64	189.5	<0.01	<0.3	<3	0.56	<3	140	1.59	0.12	<0.5	1.5



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 – D
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02	10
NFM00542		0.481	0.74	0.35	1.5	107	0.9	30.5	2.16	110
NFM00543		0.467	0.66	0.34	1.5	109	1.1	30.9	2.03	120
NFM00544		0.481	0.73	0.64	1.5	108	1.0	45.8	3.75	130
NFM00545		0.438	0.77	0.37	1.5	108	0.9	31.6	2.27	120
NFM00546		0.481	0.75	0.40	1.5	108	0.9	33.8	2.51	120
NFM00547		0.454	0.73	0.47	1.9	125	0.6	40.0	2.86	130
NFM00548		0.418	0.77	0.47	2.4	116	0.6	40.6	2.92	130
NFM00549		0.451	0.81	0.51	1.9	116	0.6	44.1	3.56	130
NFM00550		0.423	0.88	0.48	2.6	100	1.3	34.8	3.33	110
NFM00551		0.437	0.79	0.46	2.5	97	1.4	33.1	2.76	130
NFM00552		0.405	0.92	0.40	3.2	92	1.9	28.6	2.33	100
NFM00553		0.410	0.97	0.45	4.0	91	1.5	34.3	3.02	110
NFM00554		0.429	0.90	0.48	2.0	96	0.9	35.0	3.12	110
NFM00555		0.438	0.84	0.49	2.1	98	0.9	35.8	3.15	110
NFM00556		0.430	0.84	0.45	3.2	95	1.1	33.9	2.94	110
NFM00557		0.456	0.56	0.38	3.2	88	1.0	29.1	2.41	100
NFM00558		0.321	0.79	0.37	3.2	90	3.0	31.2	2.36	130
NFM00559		0.340	0.78	0.31	2.9	92	4.7	27.3	1.92	130
NFM00560		0.359	0.89	0.39	2.9	91	1.6	31.1	2.56	100
NFM00561		0.388	0.92	0.54	2.9	100	1.1	38.4	3.51	110
NFM00562		0.388	1.05	0.58	3.2	115	1.3	41.0	3.42	150
NFM00563		0.438	1.05	0.69	2.4	96	1.5	42.4	4.44	100
NFM00564		0.056	2.01	13.55	91.0	2	1.6	1135	83.0	2100
NFM00565		0.376	0.36	0.59	1.8	46	3.0	44.4	3.48	60
NFM00566		0.303	0.50	0.86	2.4	77	1.8	69.1	5.26	80
NFM00567		0.303	0.78	0.51	2.0	70	2.3	41.5	3.27	80
NFM00568		0.318	0.74	0.47	2.2	75	2.9	38.7	3.23	80
NFM00569		0.395	0.68	0.59	2.6	90	6.1	42.2	3.69	100
NFM00570		0.454	0.52	0.38	2.5	97	1.5	31.1	2.41	100
NFM00571		0.392	0.62	0.58	2.8	93	1.8	44.4	3.81	90
NFM00572		0.465	0.62	0.53	2.6	111	1.0	37.3	3.36	100
NFM00573		0.380	0.62	0.41	2.1	85	1.0	33.4	2.51	90
NFM00574		0.434	0.44	0.46	2.6	109	1.0	34.4	2.87	80
NFM00575		0.578	0.19	0.35	1.7	159	0.5	27.9	2.22	100
NFM00576		0.631	0.22	0.35	2.2	169	0.9	27.8	2.31	100
NFM00577		0.308	0.24	0.26	4.6	68	1.3	18.9	1.82	60
NFM00578		0.050	0.62	0.11	7.8	13	1.3	7.0	0.91	20
NFM00579		0.035	0.91	0.15	9.0	10	1.3	9.1	1.12	20
NFM00580		0.020	0.92	0.10	6.5	7	1.0	5.8	0.74	20
NFM00581		0.029	0.65	0.13	6.3	6	0.8	7.0	1.13	20



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 – A
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02
NFM00582		2.72		<5	<4	106	2.8	<0.1	1.5	<0.8	8.6	1.7	2.2	<20	1.26	1.04
NFM00583		2.18		<5	<4	38	3.0	<0.1	2.2	<0.8	5.7	1.2	1.4	<20	1.01	0.87
NFM00584		1.98		<5	<4	267	2.6	<0.1	1.9	<0.8	45.3	10.8	5.8	<20	2.80	1.97
NFM00585		3.23		<5	5	502	3.1	0.3	3.1	<0.8	96.4	24.5	7.6	<20	4.92	2.74
NFM00586		4.29		<5	<4	591	3.2	<0.1	3.2	<0.8	110.0	29.0	6.8	<20	5.41	2.93
NFM00587		3.83		<5	<4	625	3.0	<0.1	2.6	<0.8	101.0	28.5	7.5	<20	5.22	2.88
NFM00588		5.51	94.0	<5	7	355	2.7	0.4	7.9	<0.8	95.3	25.5	4.7	<20	4.64	2.58
NFM00589		2.53		<5	14	253	1.5	0.7	18.1	<0.8	61.1	19.6	1.7	<20	3.42	1.85
NFM00590		3.78		<5	25	304	2.0	1.1	14.6	<0.8	81.2	26.7	1.2	<20	4.85	2.78
NFM00591		4.50		<5	12	490	3.0	0.5	8.3	<0.8	115.0	29.6	5.1	<20	7.08	4.23
NFM00592		4.26		<5	6	450	2.1	0.2	4.2	<0.8	112.5	24.9	7.2	<20	6.04	3.50
NFM00593		2.01		<5	6	266	1.6	1.1	4.6	<0.8	65.1	13.0	3.4	<20	3.91	2.36
NFM00594		2.15		<5	9	410	1.7	1.0	7.2	<0.8	93.5	28.8	5.9	<20	5.97	3.57
NFM00595		2.03		<5	5	475	3.6	0.1	2.7	<0.8	112.5	29.5	6.3	<20	6.86	4.41
NFM00596		1.71		<5	5	447	1.8	0.2	3.6	<0.8	113.5	20.9	6.5	<20	6.17	3.62
NFM00597		2.03		<5	4	358	2.0	0.3	3.7	<0.8	107.5	22.3	3.8	<20	6.76	3.98
NFM00598		2.05		<5	5	222	1.8	0.1	3.0	<0.8	107.5	23.6	2.6	<20	6.11	3.92
NFM00599		1.92		<5	4	108	2.2	0.1	4.4	<0.8	104.5	20.3	1.3	<20	9.01	5.56
NFM00600		2.25		<5	5	401	2.3	0.1	4.4	<0.8	142.5	20.4	3.3	<20	7.38	4.62
NFM00601		<0.02		<5	6	3120	10.6	0.2	0.2	<0.8	768	36.1	7.8	40	8.23	1.86
NFM00602		1.18		<5	4	44	<0.4	0.1	22.1	<0.8	1.1	<0.5	<0.1	<20	0.10	0.07
NFM00357		1.80		<5	9	444	1.8	0.5	6.0	<0.8	113.5	28.5	1.4	30	7.68	4.79
NFM00358		1.60		<5	4	545	1.8	0.1	3.9	<0.8	103.0	32.2	1.3	50	6.85	4.24
NFM00359		1.90		<5	6	694	1.3	0.1	2.5	<0.8	120.5	23.3	1.9	40	7.14	4.37
NFM00360		1.65		<5	6	773	1.6	0.1	2.5	<0.8	144.5	22.5	2.2	20	7.76	4.89
NFM00361		1.73		<5	6	716	1.2	0.1	3.7	<0.8	129.5	26.4	2.3	30	7.83	4.86
NFM00362		1.67		<5	5	1165	1.5	0.1	3.7	<0.8	138.0	21.1	2.3	20	6.34	3.50
NFM00363		1.70		<5	5	191	0.9	0.2	7.8	<0.8	52.2	36.0	2.7	40	6.75	4.39
NFM00364		1.46		<5	4	140	0.6	0.1	7.7	<0.8	42.5	40.8	1.3	50	7.64	4.91
NFM00365		1.56		<5	4	69	<0.4	0.1	7.2	<0.8	40.3	45.0	0.3	60	8.33	5.52
NFM00366		1.59		<5	4	135	0.8	0.1	6.3	<0.8	41.6	43.5	0.6	70	7.95	5.27



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 – B
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1
NFM00582		0.29	0.90	21.6	0.90	1.8	0.33	<0.3	2.08	4.12	9	0.25	0.13	170	2	14
NFM00583		0.21	0.81	21.7	0.59	1.6	0.25	<0.3	0.98	2.74	6	0.19	0.12	120	<2	12
NFM00584		0.68	3.17	23.9	2.82	2.1	0.62	<0.3	3.16	22.0	20	0.40	0.67	770	2	20
NFM00585		1.37	6.36	23.6	5.82	2.6	0.99	<0.3	2.00	46.4	35	0.40	1.61	1360	2	14
NFM00586		1.55	6.93	24.8	6.66	2.4	1.04	<0.3	2.51	52.5	40	0.35	1.72	1240	<2	13
NFM00587		1.44	7.15	25.0	6.11	2.6	0.99	<0.3	2.85	48.9	41	0.34	1.76	1180	<2	14
NFM00588		1.33	6.74	22.4	5.58	2.2	0.89	<0.3	1.84	44.6	30	0.34	1.71	1640	2	13
NFM00589		0.95	4.65	15.2	3.82	2.1	0.69	<0.3	1.35	28.9	8	0.27	1.25	1380	2	8
NFM00590		1.32	5.95	20.3	5.26	2.3	0.97	<0.3	1.42	37.4	7	0.36	1.45	2420	3	12
NFM00591		1.97	7.36	27.6	8.46	3.8	1.44	<0.3	2.63	52.4	32	0.57	1.90	2440	2	18
NFM00592		1.68	6.31	23.9	7.53	2.5	1.33	<0.3	2.68	52.8	36	0.45	1.74	1240	2	16
NFM00593		1.13	3.50	17.2	4.67	3.0	0.87	<0.3	2.06	30.5	16	0.38	0.87	920	2	14
NFM00594		1.60	6.92	21.7	6.55	2.7	1.26	<0.3	2.11	43.2	25	0.50	1.72	1490	2	14
NFM00595		1.79	6.96	25.6	7.98	2.6	1.49	<0.3	2.56	53.7	33	0.59	1.72	1450	2	18
NFM00596		1.74	5.63	23.4	7.16	3.0	1.32	<0.3	2.51	52.9	26	0.50	1.61	870	2	15
NFM00597		1.55	5.83	24.5	7.23	2.9	1.35	<0.3	1.97	49.8	17	0.57	1.63	950	<2	15
NFM00598		1.62	5.93	21.6	7.38	1.7	1.41	<0.3	1.29	50.2	12	0.59	1.98	1830	2	17
NFM00599		1.76	5.81	20.6	8.86	1.7	1.95	<0.3	0.62	47.4	9	0.74	2.55	1320	2	20
NFM00600		1.76	6.05	23.0	8.28	1.5	1.63	<0.3	1.97	71.5	14	0.63	2.13	1030	<2	19
NFM00601		10.85	20.8	22.2	25.1	3.6	1.01	0.5	5.00	272	540	0.19	1.12	6140	42	598
NFM00602		<0.03	0.06	0.5	0.09	<0.5	0.02	<0.3	<0.05	0.54	3	<0.06	13.60	30	<2	<1
NFM00357		1.84	6.98	19.8	7.38	2.8	1.63	<0.3	1.79	52.4	12	0.65	2.14	1430	2	16
NFM00358		1.71	7.04	18.2	7.13	2.0	1.48	<0.3	2.02	49.3	14	0.60	2.54	1170	<2	15
NFM00359		2.06	6.38	20.0	7.93	1.5	1.49	<0.3	2.64	58.3	19	0.64	1.80	1090	2	21
NFM00360		2.35	6.16	21.9	9.66	1.8	1.70	<0.3	3.13	68.0	20	0.67	1.59	1100	2	23
NFM00361		2.55	7.02	22.4	9.92	1.6	1.63	<0.3	2.69	59.9	19	0.66	2.00	1180	2	22
NFM00362		2.72	5.62	20.2	8.24	1.7	1.27	<0.3	3.44	61.2	16	0.45	1.91	920	2	21
NFM00363		1.71	6.91	17.8	6.96	1.7	1.47	<0.3	1.20	22.8	18	0.53	4.31	1150	2	11
NFM00364		1.88	7.91	18.8	7.80	1.6	1.63	<0.3	0.89	17.30	12	0.65	3.88	1420	2	8
NFM00365		1.81	8.17	19.6	7.98	1.4	1.81	<0.3	0.40	16.05	11	0.73	3.61	1410	<2	7
NFM00366		1.90	8.31	19.2	7.63	1.5	1.79	<0.3	0.50	16.40	12	0.71	4.19	1590	2	8



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 – C
 Total # Pages: 9 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd2O3	Ni	Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.08	10	0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5
NFM00582		3.37	<10	39.4	0.90	107.5	<0.01	<0.3	<3	0.85	<3	100	1.75	0.17	<0.5
NFM00583		2.02	<10	33.0	0.55	46.2	<0.01	<0.3	<3	0.41	3	110	1.28	0.13	<0.5
NFM00584		17.50	10	43.2	4.97	196.0	<0.01	<0.3	<3	3.18	3	110	2.60	0.44	<0.5
NFM00585		36.9	40	17.8	10.35	173.5	<0.01	0.6	3	6.98	5	150	0.94	0.79	<0.5
NFM00586		41.8	40	10.8	12.15	172.0	<0.01	<0.3	<3	7.65	3	160	1.22	0.93	<0.5
NFM00587		39.0	40	9.4	11.00	165.5	<0.01	<0.3	<3	7.50	4	190	0.84	0.87	<0.5
NFM00588		36.2	40	11.0	10.55	108.0	<0.01	1.6	<3	6.81	3	190	0.88	0.83	<0.5
NFM00589		23.3	20	12.0	6.61	79.4	<0.01	3.3	<3	4.58	<3	130	0.53	0.54	<0.5
NFM00590		30.0	40	13.4	8.84	72.1	<0.01	6.5	4	5.82	5	150	0.81	0.83	<0.5
NFM00591		45.1	60	14.0	13.00	147.0	<0.01	2.5	<3	8.53	5	220	0.71	1.29	<0.5
NFM00592		45.7	50	13.4	12.65	169.0	0.01	0.8	<3	8.35	4	180	0.73	1.05	0.5
NFM00593		25.4	30	14.4	7.12	114.0	<0.01	1.6	<3	4.99	3	140	1.15	0.66	<0.5
NFM00594		38.1	50	12.2	10.60	123.0	<0.01	2.4	<3	7.40	5	200	0.48	0.99	<0.5
NFM00595		45.4	60	13.2	12.65	154.5	<0.01	0.6	<3	8.81	4	290	1.06	1.20	0.6
NFM00596		45.4	50	9.5	12.60	160.0	<0.01	0.7	<3	8.34	3	240	0.57	1.05	0.6
NFM00597		41.5	50	7.7	11.95	127.5	<0.01	0.6	<3	8.08	4	270	0.59	1.07	0.5
NFM00598		42.9	50	5.6	11.95	67.1	0.01	0.4	<3	7.95	4	210	0.84	1.06	0.5
NFM00599		44.3	50	3.9	11.90	28.4	0.01	0.4	<3	9.14	3	260	0.78	1.43	0.6
NFM00600		54.0	50	8.0	15.20	103.5	0.01	0.3	<3	9.72	4	270	0.95	1.20	0.5
NFM00601		542	70	66.5	128.0	253	0.01	0.4	<3	52.6	40	160	14.45	2.31	0.7
NFM00602		0.49	<10	1.3	0.13	0.8	<0.01	0.5	<3	0.07	<3	40	0.05	0.01	<0.5
NFM00357		46.9	60	14.4	12.75	79.4	<0.01	2.0	<3	9.06	<3	220	0.44	1.21	0.7
NFM00358		43.4	50	14.6	11.70	87.6	<0.01	0.4	<3	7.80	3	200	0.59	1.14	0.6
NFM00359		49.3	50	15.8	13.45	127.5	0.01	0.3	<3	8.67	4	220	0.73	1.17	0.7
NFM00360		58.9	50	17.8	15.95	150.5	<0.01	0.3	<3	10.80	<3	210	0.85	1.32	0.6
NFM00361		55.4	40	16.9	14.70	124.5	<0.01	0.4	<3	10.30	<3	210	1.03	1.40	0.6
NFM00362		59.4	30	14.8	15.85	143.0	<0.01	0.3	<3	10.30	<3	250	0.74	1.09	0.5
NFM00363		26.1	50	5.4	6.40	57.3	<0.01	0.4	<3	6.52	4	230	0.33	1.14	0.5
NFM00364		23.4	60	3.3	5.50	37.6	<0.01	0.3	<3	6.41	<3	210	0.16	1.24	0.5
NFM00365		22.6	60	3.2	5.30	13.9	0.01	0.8	<3	6.31	<3	220	0.12	1.31	0.5
NFM00366		23.2	70	6.8	5.58	19.0	<0.01	0.3	<3	6.57	3	190	0.29	1.27	0.6



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 – D
Total # Pages: 9 (A – D)
Plus Appendix Pages
Finalized Date: 21-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.4	0.3	0.02
									10
NFM00582		0.031	0.38	0.19	4.0	9	4.4	11.0	1.45
NFM00583		0.025	0.12	0.16	3.2	7	2.8	8.9	1.14
NFM00584		0.184	0.82	0.30	8.0	42	4.4	19.8	2.36
NFM00585		0.402	0.77	0.40	3.4	98	1.5	29.6	2.45
NFM00586		0.459	0.65	0.38	2.1	111	1.6	31.6	2.49
NFM00587		0.472	0.65	0.39	2.2	117	2.1	29.0	2.23
NFM00588		0.419	0.50	0.35	2.5	98	1.3	26.9	2.15
NFM00589		0.290	0.28	0.26	2.2	91	1.3	20.6	1.66
NFM00590		0.343	0.21	0.38	3.1	105	2.0	28.4	2.33
NFM00591		0.491	0.58	0.55	2.5	125	1.4	40.8	3.68
NFM00592		0.454	0.62	0.43	2.0	99	1.3	38.4	3.12
NFM00593		0.234	0.36	0.32	5.3	57	4.3	24.5	2.38
NFM00594		0.444	0.41	0.45	3.7	129	2.1	35.4	3.30
NFM00595		0.467	0.53	0.57	1.9	116	1.4	43.9	3.94
NFM00596		0.407	0.51	0.49	2.9	93	3.2	38.6	3.38
NFM00597		0.417	0.39	0.55	3.4	98	2.5	40.4	3.66
NFM00598		0.451	0.22	0.51	2.7	99	1.4	39.4	3.83
NFM00599		0.579	0.08	0.79	8.8	119	1.6	55.2	5.01
NFM00600		0.468	0.41	0.62	3.7	90	1.9	47.7	4.30
NFM00601		0.339	0.93	0.21	12.0	125	4.4	27.0	1.37
NFM00602		<0.005	<0.02	0.01	0.4	7	<0.4	1.0	0.07
NFM00357		0.627	0.32	0.62	2.5	164	1.8	44.8	4.53
NFM00358		0.543	0.39	0.57	1.7	175	0.9	43.0	3.97
NFM00359		0.567	0.53	0.58	1.7	118	1.4	45.2	4.19
NFM00360		0.618	0.62	0.62	1.5	112	1.5	48.5	4.42
NFM00361		0.755	0.52	0.62	1.7	152	1.5	47.4	4.41
NFM00362		0.657	0.58	0.43	1.9	128	1.8	35.4	2.98
NFM00363		0.794	0.25	0.57	1.4	233	2.8	41.8	3.80
NFM00364		0.945	0.14	0.67	1.2	274	2.6	47.9	4.53
NFM00365		0.904	0.09	0.69	1.2	276	2.9	51.8	5.04
NFM00366		0.951	0.10	0.66	1.1	280	2.3	49.8	4.44
									170



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **21-FEB-2026**
Account: **CASTCOP**

Project: Harts

CERTIFICATE OF ANALYSIS AD26005982
--

	CERTIFICATE COMMENTS												
Applies to Method:	LABORATORY ADDRESSES Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia. <table><tr><td>BAG-01</td><td>BAG-21</td><td>LEV-01</td><td>LOG-22</td></tr><tr><td>LOG-24</td><td>PUL-23</td><td>PUL-QC</td><td>SPL-21</td></tr><tr><td>WEI-21</td><td></td><td></td><td></td></tr></table> Processed at ALS Loughrea located at Dublin Road, Loughrea, Co. Galway, Ireland. ME-MS89L	BAG-01	BAG-21	LEV-01	LOG-22	LOG-24	PUL-23	PUL-QC	SPL-21	WEI-21			
BAG-01	BAG-21	LEV-01	LOG-22										
LOG-24	PUL-23	PUL-QC	SPL-21										
WEI-21													