



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 1

Total # Pages: 6 (A – D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

This copy reported on 26-FEB-2026

Account: CASTCOP

QC CERTIFICATE AD26005982

Project: Harts

This report is for 311 samples of Percussion submitted to our lab in Adelaide, SA, Australia on 30-DEC-2025.

The following have access to data associated with this certificate:

KEVIN DAS

JOEL LOGAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag
SPL-21	Split sample – riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS89L	Super Trace DL Na2O2 by ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Andrey Tairov, Technical Manager, Ireland



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 2 – A

Total # Pages: 6 (A – D)

Plus Appendix Pages

Finalized Date: 21-FEB-2026

Account: CASTCOP

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01
STANDARDS																
AMIS0343		<5	16	83	243	2.8	0.4	<0.8		2.4	353	50				0.87
AMIS0343		<5	15	78	234	2.8	0.3	<0.8		2.6	341	50				0.86
AMIS0343		<5	15	76	237	2.6	0.3	<0.8		2.7	371	50				0.84
Target Range – Lower Bound		<5	<4	68	209	2.2	<0.1	<0.8		1.5	309	<20				0.76
Upper Bound		10	22	87	257	2.9	0.5	1.6		3.7	377	90				0.95
AMIS0684		<5	<4	30	138.0	0.8	0.2	<0.8		1.4	35.2	<20				0.85
AMIS0684		<5	<4	33	126.5	1.0	0.2	<0.8		1.5	34.9	20				0.79
AMIS0684		<5	<4	29	131.0	0.8	0.2	<0.8		1.3	35.4	<20				0.79
AMIS0684		<5	<4	26	133.5	0.9	0.2	<0.8		1.6	35.1	<20				0.81
AMIS0684		<5	<4	27	132.0	0.8	0.2	<0.8		1.4	35.4	<20				0.82
AMIS0684		<5	<4	26	137.5	0.8	0.2	<0.8		1.5	37.5	<20				0.83
Target Range – Lower Bound		<5	<4	23	120.5	0.6	<0.1	<0.8		<0.5	31.2	<20				0.73
Upper Bound		10	8	34	148.0	1.0	0.4	2.7		2.5	38.3	70				0.91
GTA-02		<5	<4	59	181.5	1.6	0.2	<0.8		0.9	177.5	<20				0.49
GTA-02		<5	4	56	187.0	1.2	0.4	<0.8		0.7	175.0	<20				0.50
GTA-02		<5	5	62	186.5	1.3	0.3	<0.8		0.9	174.0	<20				0.52
GTA-02		<5	4	60	188.5	1.5	0.4	<0.8		0.8	179.5	<20				0.50
GTA-02		<5	<4	61	190.0	1.2	0.4	<0.8		0.9	184.5	<20				0.53
GTA-02		<5	<4	59	188.0	1.2	0.3	<0.8	0.7	0.7	182.0	<20	0.11	0.06	<0.03	0.52
Target Range – Lower Bound		<5	<4	48	161.5	1.1	<0.1	<0.8		<0.5	157.0	<20				0.46
Upper Bound		14	10	63	198.5	1.7	0.5	2.0		1.6	192.0	40				0.58
OREAS 148		<5	59	1005	38.5	18.2	0.9	<0.8		6.0	302	310				3.07
OREAS 148		<5	54	990	37.3	17.4	0.9	<0.8		6.1	295	320				3.06
OREAS 148		<5	59	993	38.9	18.6	0.9	<0.8		6.3	317	310				3.04
OREAS 148		<5	64	1010	38.1	18.2	0.9	<0.8		6.5	312	330				3.02
OREAS 148		<5	61	1020	37.3	17.8	0.8	<0.8		6.3	308	320				3.06
OREAS 148		<5	60	996	38.5	17.9	0.9	<0.8		6.2	337	320				3.04
Target Range – Lower Bound		<5	48	906	34.5	17.3	0.7	<0.8		5.0	280	290				2.74
Upper Bound		15	70	1110	43.1	21.3	1.1	2.1		7.6	342	410				3.38
SY-5		<5	<4	6560	4.7	0.2	4.8	<0.8		21.8	0.5	30				7.24
SY-5		<5	4	6480	4.9	0.1	4.7	<0.8		24.1	0.6	40				7.29
SY-5		<5	<4	6470	5.1	0.2	4.9	<0.8		22.9	0.6	30				7.44
SY-5		<5	<4	6510	4.6	0.2	4.9	<0.8		25.4	0.6	40				7.42
SY-5		<5	5	6520	5.0	0.2	4.9	<0.8		23.8	0.5	40				7.29
SY-5		<5	4	6470	5.1	<0.1	4.8	<0.8		24.8	0.7	40				7.43
SY-5		<5	<4	6510	5.0	<0.1	4.9	<0.8		24.1	0.6	40				7.59
SY-5		<5	4	6790	4.7	0.1	5.1	<0.8	572	24.9	1.1	40	13.95	6.47	9.63	7.48
Target Range – Lower Bound		<5	<4	5830	3.6	<0.1	4.5	<0.8		20.3	0.4	<20				6.67
Upper Bound		10	8	7130	5.7	0.2	5.7	1.6		25.9	0.8	80				8.17



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – B
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 21-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5	Nd2O3	Ni
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1	0.08	10
STANDARDS																
AMIS0343		46.0		7.9		<0.3	2.50		7280		0.14	970	4			20
AMIS0343		47.0		7.3		<0.3	2.44		7230		0.13	970	4			20
AMIS0343		45.2		7.1		<0.3	2.54		7300		0.12	990	4			20
Target Range – Lower Bound		39.7		6.6		<0.3	2.16		6430		0.09	840	<2			<10
Upper Bound		49.7		9.4		0.7	2.76		7870		0.15	1040	8			30
AMIS0684		27.6		4.7		<0.3	3.01		4620		0.10	410	2			10
AMIS0684		27.7		4.8		<0.3	2.90		4500		0.09	380	2			10
AMIS0684		25.6		4.6		<0.3	2.94		4490		0.10	370	2			10
AMIS0684		30.1		4.8		<0.3	2.98		4560		0.10	410	2			<10
AMIS0684		29.3		4.8		<0.3	3.00		4640		0.10	410	2			10
AMIS0684		29.9		5.0		<0.3	3.08		4700		0.10	420	2			10
Target Range – Lower Bound		24.3		4.5		<0.3	2.67		4240		0.07	360	<2			<10
Upper Bound		30.8		7.1		0.6	3.38		5180		0.12	460	6			30
GTA-02		56.5		6.9		<0.3	2.51		1890		0.01	710	2			20
GTA-02		55.9		7.4		<0.3	2.64		1870		0.02	720	2			10
GTA-02		55.7		7.8		<0.3	2.63		1870		0.03	740	2			10
GTA-02		56.3		6.4		<0.3	2.64		1840		0.02	730	2			<10
GTA-02		59.2		6.8		<0.3	2.51		1800		0.02	710	2			<10
GTA-02		55.9	0.13	6.4	0.02	<0.3	2.60	0.27	1840	<0.06	0.02	720	2	82	0.51	10
Target Range – Lower Bound		49.5		6.2		<0.3	2.19		1615		<0.01	630	<2			<10
Upper Bound		61.7		9.0		0.6	2.79		1975		0.04	790	6			40
OREAS 148		27.8		4.9		3.5	1.56		4740		0.48	370	9			40
OREAS 148		26.5		4.2		3.5	1.51		4810		0.47	370	9			30
OREAS 148		27.3		4.7		3.5	1.56		4820		0.49	390	9			20
OREAS 148		27.7		4.5		3.7	1.49		4770		0.47	370	9			20
OREAS 148		27.6		4.8		4.0	1.51		4790		0.47	370	10			30
OREAS 148		26.8		3.6		3.7	1.58		4900		0.48	370	9			30
Target Range – Lower Bound		25.8		3.1		3.4	1.30		4280		0.41	330	6			<10
Upper Bound		32.6		5.5		5.0	1.70		5240		0.53	430	15			50
SY-5		19.7		1.5		<0.3	3.51		46		1.95	1040	9			70
SY-5		20.9		1.4		<0.3	3.45		50		1.93	1000	9			100
SY-5		20.3		1.8		<0.3	3.46		50		1.94	980	10			80
SY-5		21.2		1.4		<0.3	3.39		49		1.96	980	9			90
SY-5		20.8		1.4		<0.3	3.46		50		1.95	990	12			90
SY-5		21.2		1.5		<0.3	3.39		48		1.95	1000	9			70
SY-5		20.9		1.6		<0.3	3.53		46		2.04	1020	9			90
SY-5		22.6	24.1	1.1	2.58	<0.3	3.53	269	56	0.89	2.01	1020	9	34	236	100
Target Range – Lower Bound		18.9		0.8		<0.3	3.06		43		1.75	880	4			60
Upper Bound		24.3		3.0		0.6	3.86		56		2.16	1100	13			100



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – C
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Pb ppm 0.5	ME-MS89L Pr2O3 ppm 0.04	ME-MS89L Rb ppm 0.5	ME-MS89L Re ppm 0.01	ME-MS89L Sb ppm 0.3	ME-MS89L Se ppm 3	ME-MS89L Sm2O3 ppm 0.05	ME-MS89L Sn ppm 3	ME-MS89L Sr ppm 20	ME-MS89L Ta2O5 ppm 0.05	ME-MS89L Tb2O3 ppm 0.01	ME-MS89L Te ppm 0.5	ME-MS89L ThO2 ppm 0.1	ME-MS89L Ti % 0.005	ME-MS89L Tl ppm 0.02
STANDARDS																
AMIS0343		6.2		3780	<0.01	6.6	<3		76	30			<0.5		0.005	31.1
AMIS0343		6.6		3760	0.01	7.2	<3		81	30			<0.5		<0.005	32.2
AMIS0343		7.2		3820	<0.01	7.0	<3		74	30			<0.5		0.005	32.8
Target Range – Lower Bound		5.1		3280	<0.01	6.0	<3		74	<20			<0.5		<0.005	27.5
Upper Bound		7.7		4000	0.03	8.0	9		97	60			1.5		0.021	33.7
AMIS0684		19.4		921	0.01	1.3	<3		53	40			<0.5		0.005	5.37
AMIS0684		19.2		938	<0.01	1.4	<3		55	40			<0.5		0.005	5.68
AMIS0684		17.4		910	<0.01	1.2	<3		58	40			<0.5		0.005	5.02
AMIS0684		19.0		932	<0.01	1.4	4		56	40			<0.5		0.005	5.33
AMIS0684		19.4		916	<0.01	1.5	<3		57	40			<0.5		0.005	5.49
AMIS0684		20.6		903	<0.01	1.5	<3		51	50			<0.5		<0.005	5.46
Target Range – Lower Bound		16.5		815	<0.01	0.6	<3		48	<20			<0.5		<0.005	4.90
Upper Bound		21.3		997	0.02	2.0	10		66	80			1.0		0.016	6.04
GTA-02		14.2		3980	<0.01	0.4	<3		386	40			<0.5		<0.005	33.1
GTA-02		13.4		3590	0.01	0.3	4		398	40			0.6		<0.005	31.0
GTA-02		13.0		3950	<0.01	0.4	<3		397	50			0.5		<0.005	30.4
GTA-02		14.2		3990	<0.01	0.5	<3		398	40			<0.5		<0.005	33.0
GTA-02		13.8		3940	<0.01	<0.3	<3		392	30			<0.5		<0.005	32.9
GTA-02		13.3	0.12	3980	<0.01	0.3	<3	0.12	403	20	842	0.02	<0.5	3.8	<0.005	32.3
Target Range – Lower Bound		11.5		3510	<0.01	<0.3	<3		353	<20			<0.5		<0.005	27.4
Upper Bound		15.1		4290	0.03	1.0	11		438	80			2.1		0.010	33.6
OREAS 148		23.1		1315	<0.01	14.5	<3		1165	200			<0.5		0.352	11.50
OREAS 148		23.2		1310	<0.01	15.4	5		1145	200			<0.5		0.341	12.20
OREAS 148		25.2		1350	<0.01	14.6	4		1195	190			<0.5		0.354	12.00
OREAS 148		22.5		1365	<0.01	15.7	6		1200	210			<0.5		0.351	11.70
OREAS 148		23.0		1380	0.01	17.3	3		1185	210			<0.5		0.352	11.90
OREAS 148		24.8		1405	<0.01	16.4	3		1180	210			<0.5		0.343	12.10
Target Range – Lower Bound		25.1		1225	<0.01	14.4	<3		1040	160			<0.5		0.294	11.05
Upper Bound		31.7		1500	0.02	18.2	6		1275	260			1.0		0.410	13.55
SY-5		60.0		79.3	<0.01	0.6	<3		5	3080			<0.5		1.085	0.58
SY-5		60.2		81.1	0.02	0.8	<3		4	3240			<0.5		1.055	0.54
SY-5		57.2		79.0	<0.01	0.6	<3		4	3090			<0.5		1.055	0.59
SY-5		60.2		78.1	0.01	0.3	<3		3	3270			<0.5		1.060	0.55
SY-5		61.7		80.3	<0.01	1.0	<3		3	3140			<0.5		1.070	0.54
SY-5		59.1		81.4	<0.01	0.4	3		5	3130			<0.5		1.060	0.58
SY-5		55.5		76.0	<0.01	<0.3	3		3	3090			<0.5		1.075	0.55
SY-5		61.7	64.8	84.7	0.01	1.1	<3	34.0	8	3140	1.21	2.76	<0.5	27.1	1.080	0.59
Target Range – Lower Bound		58.8		68.7		<0.3	<3		<3	2770			<0.5		0.896	0.53
Upper Bound		73.0		85.1		1.2	8		9	3430			1.0		1.225	0.70



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – D
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 21-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.4	0.3	0.02	10
STANDARDS								
AMIS0343				6				90
AMIS0343				5				80
AMIS0343				7				100
Target Range – Lower Bound				3				60
Upper Bound				7				100
AMIS0684				4				100
AMIS0684				5				100
AMIS0684				10				90
AMIS0684				7				90
AMIS0684				3				100
AMIS0684				3				120
Target Range – Lower Bound				<1				70
Upper Bound				5				120
GTA-02				1				40
GTA-02				1				50
GTA-02				3				50
GTA-02				1				50
GTA-02				2				50
GTA-02		0.01	5.9	1	6.2	0.8	0.03	40
Target Range – Lower Bound				<1				30
Upper Bound				5				70
OREAS 148				53				160
OREAS 148				51				150
OREAS 148				57				150
OREAS 148				56				160
OREAS 148				58				170
OREAS 148				57				180
Target Range – Lower Bound				49				130
Upper Bound				63				190
SY-5				131				130
SY-5				145				130
SY-5				134				140
SY-5				138				140
SY-5				142				140
SY-5				138				140
SY-5				134				130
SY-5		0.85	5.9	140	0.4	77.8	5.80	140
Target Range – Lower Bound				118				100
Upper Bound				146				160



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – A
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 21-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01
BLANKS																
BLANK		<5	<4	4	<0.4	0.1	0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	3	<0.4	0.1	0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	3	<0.4	<0.1	0.1	<0.8		<0.5	<0.1	<20				0.03
BLANK		<5	<4	<2	<0.4	<0.1	<0.1	<0.8		<0.5	<0.1	<20				0.01
BLANK		<5	<4	3	<0.4	0.1	0.1	<0.8		<0.5	0.1	<20				<0.01
BLANK		<5	<4	4	<0.4	<0.1	<0.1	<0.8		0.8	<0.1	<20				0.02
BLANK		<5	<4	3	<0.4	0.1	0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	4	3	<0.4	0.1	0.1	<0.8		<0.5	<0.1	<20				0.01
BLANK		<5	4	<2	<0.4	<0.1	<0.1	<0.8		<0.5	<0.1	<20				0.01
BLANK		<5	6	<2	<0.4	0.1	<0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	3	<0.4	<0.1	0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	<2	<0.4	0.1	0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	<2	<0.4	<0.1	0.1	<0.8		<0.5	<0.1	<20				0.01
BLANK		<5	<4	<2	<0.4	<0.1	0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	3	<0.4	<0.1	0.1	<0.8		<0.5	<0.1	<20				0.02
BLANK		<5	<4	<2	<0.4	0.1	0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	2	<0.4	<0.1	<0.1	<0.8		<0.5	<0.1	<20				0.01
BLANK		<5	<4	<2	<0.4	0.2	<0.1	<0.8		<0.5	<0.1	<20				0.01
BLANK		<5	<4	<2	<0.4	<0.1	<0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	<2	<0.4	<0.1	<0.1	<0.8		<0.5	<0.1	<20				<0.01
BLANK		<5	<4	2	<0.4	<0.1	<0.1	<0.8	<0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	<0.01
BLANK		<5	<4	3	<0.4	<0.1	<0.1	<0.8	<0.2	<0.5	<0.1	<20	0.10	0.03	<0.03	0.01
Target Range – Lower Bound		<5	<4	<2	<0.4	<0.1	<0.1	<0.8		<0.5	<0.1	<20				<0.01
Upper Bound		10	8	4	0.8	0.2	0.2	1.6		1.0	0.2	40				0.02
DUPLICATES																
NFM00011		<5	4	179	2.0	0.4	8.1	<0.8	59.9	36.6	1.9	60	6.99	4.45	1.98	5.06
DUP		<5	4	181	1.7	0.4	8.2	<0.8	60.6	35.3	1.9	60	7.07	4.37	1.98	5.10
Target Range – Lower Bound		<5	<4	169	1.4	0.3	7.6	<0.8	57.0	33.7	1.7	40	6.65	4.17	1.85	4.82
Upper Bound		10	8	191	2.3	0.5	8.7	1.6	63.5	38.2	2.1	80	7.41	4.65	2.11	5.34



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ga	Gd2O3	Ge	Ho2O3	In	K	La2O3	Li	Lu2O3	Mg	Mn	Mo	Nb2O5	Nd2O3	Ni
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.5	0.03	0.5	0.01	0.3	0.05	0.09	2	0.06	0.01	10	2	1	0.08	10
BLANKS																
BLANK		<0.5		0.5		<0.3	<0.05		<2		<0.01	<10	<2			<10
BLANK		<0.5		0.5		<0.3	0.05		<2		<0.01	<10	<2			<10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		0.01	<10	<2			10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		0.01	<10	<2			<10
BLANK		<0.5		0.7		<0.3	0.05		2		0.01	<10	<2			10
BLANK		0.5		0.5		<0.3	<0.05		2		0.01	<10	<2			70
BLANK		<0.5		<0.5		<0.3	<0.05		4		0.01	<10	<2			<10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		0.01	<10	<2			10
BLANK		0.8		1.0		<0.3	0.06		2		0.01	<10	<2			10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		<0.01	<10	<2			<10
BLANK		0.6		0.7		<0.3	0.06		<2		0.01	<10	<2			<10
BLANK		<0.5		<0.5		<0.3	0.07		<2		0.01	<10	<2			<10
BLANK		0.6		0.6		<0.3	0.05		<2		0.01	<10	<2			<10
BLANK		<0.5		<0.5		<0.3	0.05		2		0.01	<10	<2			<10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		0.01	<10	<2			<10
BLANK		<0.5		<0.5		<0.3	0.05		<2		0.01	<10	<2			10
BLANK		<0.5		<0.5		<0.3	<0.05		<2		0.01	<10	<2			10
BLANK		<0.5		<0.5		<0.3	<0.05		3		<0.01	<10	<2			10
BLANK		<0.5		0.5		<0.3	<0.05		<2		0.01	<10	<2			<10
BLANK		<0.5	<0.03	<0.5	0.01	<0.3	0.05		<2		<0.01	<10	<2			10
BLANK		<0.5	0.08	<0.5	0.01	<0.3	0.06	<0.09	<2	<0.06	0.01	<10	<2	<1	<0.08	<10
BLANK		<0.5		<0.5		<0.3	0.09	0.19	<2	<0.06	<0.01	<10	<2	2	0.15	10
Target Range - Lower Bound		<0.5		<0.5		<0.3	<0.05		<2			<10	<2			<10
Upper Bound		1.0		1.0		0.6	0.10		4			20	4			20
DUPLICATES																
NFM00011		15.8	7.79	1.9	1.45	<0.3	1.01	25.0	16	0.56	3.11	710	<2	10	28.9	40
DUP		16.9	7.50	2.4	1.47	<0.3	1.05	25.2	19	0.55	3.14	720	<2	10	29.0	40
Target Range - Lower Bound		15.0	7.23	1.5	1.38	<0.3	0.93	23.8	15	0.47	2.96	670	<2	9	27.4	30
Upper Bound		17.7	8.06	2.8	1.54	0.6	1.13	26.4	20	0.64	3.29	760	4	12	30.5	50



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Project: Harts

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 21-FEB-2026
Account: CASTCOP

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Pb	Pr2O3	Rb	Re	Sb	Se	Sm2O3	Sn	Sr	Ta2O5	Tb2O3	Te	ThO2	Ti	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.04	0.5	0.01	0.3	3	0.05	3	20	0.05	0.01	0.5	0.1	0.005	0.02
BLANKS																
BLANK		0.9		<0.5	<0.01	<0.3	<3		<3	<20			<0.5		<0.005	<0.02
BLANK		<0.5		<0.5	0.01	<0.3	<3		<3	20			<0.5		<0.005	0.04
BLANK		<0.5		<0.5	0.01	<0.3	<3		<3	20			<0.5		<0.005	<0.02
BLANK		0.8		0.6	0.01	0.3	<3		<3	20			<0.5		<0.005	<0.02
BLANK		<0.5		<0.5	<0.01	0.4	<3		<3	20			<0.5		<0.005	0.03
BLANK		0.5		<0.5	<0.01	<0.3	<3		<3	20			<0.5		<0.005	<0.02
BLANK		0.5		<0.5	<0.01	0.6	<3		<3	<20			<0.5		<0.005	0.04
BLANK		<0.5		<0.5	0.01	0.3	<3		<3	20			0.6		<0.005	0.02
BLANK		<0.5		<0.5	<0.01	<0.3	<3		<3	20			0.6		<0.005	<0.02
BLANK		<0.5		<0.5	<0.01	0.4	<3		<3	<20			<0.5		<0.005	<0.02
BLANK		<0.5		<0.5	<0.01	<0.3	<3		5	<20			<0.5		<0.005	<0.02
BLANK		0.6		<0.5	0.01	<0.3	3		3	<20			<0.5		<0.005	<0.02
BLANK		<0.5		<0.5	<0.01	<0.3	<3		<3	<20			<0.5		<0.005	<0.02
BLANK		<0.5		<0.5	<0.01	0.4	3		3	<20			<0.5		<0.005	0.03
BLANK		<0.5		<0.5	<0.01	<0.3	4		6	<20			<0.5		<0.005	<0.02
BLANK		0.8		<0.5	<0.01	0.5	<3		3	20			<0.5		<0.005	<0.02
BLANK		<0.5		<0.5	0.01	0.4	<3		4	<20			<0.5		<0.005	<0.02
BLANK		<0.5		<0.5	<0.01	0.6	<3		4	<20			<0.5		<0.005	<0.02
BLANK		<0.5		<0.5	<0.01	0.3	<3		<3	20			<0.5		<0.005	<0.02
BLANK		<0.5		<0.5	0.01	0.3	<3		<3	20			<0.5		<0.005	<0.02
BLANK		<0.5	<0.04	<0.5	<0.01	0.3	<3	<0.05	5	<20	0.07	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		<0.5	0.05	<0.5	<0.01	<0.3	<3	0.05	6	<20	0.12	0.02	<0.5	0.1	<0.005	<0.02
Target Range – Lower Bound		<0.5		<0.5	<0.01	<0.3	<3		<3	<20			<0.5		<0.005	<0.02
Upper Bound		1.0		1.0	0.02	0.6	6		6	40			1.0		0.010	0.04
DUPLICATES																
NFM00011		8.0	6.51	42.2	0.01	<0.3	3	6.91	8	450	0.72	1.17	<0.5	9.3	0.687	0.27
DUP		7.8	6.60	40.6	0.01	<0.3	<3	6.99	8	430	0.85	1.20	<0.5	9.0	0.697	0.19
Target Range – Lower Bound		7.0	6.19	38.8	<0.01	<0.3	<3	6.55	5	400	0.70	1.12	<0.5	8.6	0.635	0.20
Upper Bound		8.8	6.92	44.0	0.02	0.6	6	7.35	11	480	0.87	1.25	1.0	9.7	0.749	0.26



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – D
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 21-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.4	0.3	0.02	10
BLANKS								
BLANK				1				10
BLANK				1				10
BLANK				<1				20
BLANK				<1				<10
BLANK				1				10
BLANK				1				10
BLANK				<1				10
BLANK				<1				<10
BLANK				1				10
BLANK				<1				<10
BLANK				<1				10
BLANK				<1				<10
BLANK				2				<10
BLANK				<1				10
BLANK				<1				<10
BLANK				<1				<10
BLANK				<1				<10
BLANK				<1				10
BLANK				<1				20
BLANK				<1				20
BLANK		<0.01	<0.2	<1	<0.4	<0.3	<0.02	<10
BLANK		0.01	<0.2	<1	<0.4	0.4	0.02	<10
Target Range – Lower Bound				<1				<10
Upper Bound				2				20
DUPLICATES								
NFM00011		0.55	3.2	198	1.4	44.3	4.03	60
DUP		0.55	3.1	187	1.5	42.2	3.99	50
Target Range – Lower Bound		0.51	2.8	182	1.0	40.8	3.79	40
Upper Bound		0.59	3.5	203	1.9	45.7	4.23	70



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – A
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01
DUPLICATES																
NFM00303		<5	<4	314	5.1	1.6	4.7	<0.8	56.9	26.7	8.7	<20	6.27	3.72	1.35	6.46
DUP		<5	<4	308	5.4	1.0	4.8	<0.8	57.0	26.4	8.5	<20	5.95	3.54	1.35	6.47
Target Range – Lower Bound		<5	<4	293	4.6	1.1	4.4	<0.8	53.9	24.7	8.1	<20	5.77	3.43	1.25	6.13
Upper Bound		10	8	329	5.9	1.5	5.1	1.6	60.0	28.4	9.1	40	6.45	3.83	1.45	6.80
NFM00325		<5	<4	514	2.0	0.2	4.4	<0.8	99.1	20.0	5.1	<20	5.66	3.38	1.48	6.16
DUP		<5	<4	513	2.4	0.2	4.5	<0.8	104.5	21.0	5.3	<20	5.59	3.35	1.49	6.15
Target Range – Lower Bound		<5	<4	486	1.7	<0.1	4.1	<0.8	96.5	19.0	4.8	<20	5.31	3.18	1.38	5.84
Upper Bound		10	8	541	2.7	0.3	4.8	1.6	107.0	22.0	5.6	40	5.94	3.55	1.59	6.47
NFM00337		<5	<4	224	1.5	0.1	1.1	<0.8	3.6	1.1	2.3	<20	0.99	0.87	0.25	1.05
DUP		<5	<4	235	1.6	0.1	1.1	<0.8	3.9	1.1	2.3	<20	0.98	0.88	0.24	1.05
Target Range – Lower Bound		<5	<4	216	1.1	<0.1	0.9	<0.8	3.4	<0.5	2.1	<20	0.91	0.81	0.20	0.99
Upper Bound		10	8	243	2.0	0.2	1.3	1.6	4.1	1.7	2.5	40	1.06	0.94	0.29	1.11
NFM00368		<5	<4	254	1.1	<0.1	6.8	<0.8	51.6	35.3	1.1	70	6.82	4.27	1.77	7.97
DUP		<5	<4	249	1.3	<0.1	7.0	<0.8	53.7	34.8	1.0	70	6.70	4.11	1.68	8.03
Target Range – Lower Bound		<5	<4	237	0.7	<0.1	6.5	<0.8	49.8	32.8	0.9	50	6.39	3.96	1.61	7.59
Upper Bound		10	8	266	1.7	0.2	7.3	1.6	55.5	37.3	1.2	90	7.13	4.42	1.84	8.41
NFM00380		<5	<4	1200	2.1	0.1	2.3	<0.8	102.5	13.6	4.1	20	6.70	4.00	2.39	4.88
DUP		<5	4	1215	2.3	0.1	2.5	<0.8	104.0	13.5	4.4	20	6.77	4.13	2.45	4.94
Target Range – Lower Bound		<5	<4	1145	1.7	<0.1	2.2	<0.8	97.9	12.4	3.9	<20	6.37	3.84	2.27	4.65
Upper Bound		10	8	1270	2.7	0.2	2.6	1.6	108.5	14.7	4.6	40	7.10	4.29	2.57	5.17
NFM00402		<5	<4	538	4.7	0.3	1.2	<0.8	124.5	17.6	3.0	40	6.79	3.78	1.60	6.03
DUP		<5	<4	538	4.8	0.2	1.3	<0.8	137.0	16.8	3.0	40	7.00	4.00	1.69	6.01
Target Range – Lower Bound		<5	<4	509	4.1	<0.1	1.1	<0.8	124.0	15.8	2.8	<20	6.52	3.68	1.53	5.71
Upper Bound		10	8	567	5.4	0.4	1.4	1.6	137.5	18.6	3.3	60	7.27	4.10	1.76	6.33
NFM00447		<5	4	595	1.9	0.3	1.4	<0.8	116.0	19.8	6.6	110	5.23	3.29	1.55	5.47
DUP		<5	4	607	1.9	0.3	1.6	<0.8	130.0	19.4	6.9	110	5.53	3.34	1.71	5.51
Target Range – Lower Bound		<5	<4	569	1.4	0.2	1.3	<0.8	116.5	18.1	6.3	80	5.08	3.13	1.52	5.21
Upper Bound		10	8	633	2.4	0.4	1.7	1.6	129.5	21.1	7.2	140	5.68	3.50	1.74	5.77
NFM00474		<5	<4	539	1.9	0.1	2.0	<0.8	111.0	24.9	2.0	40	6.75	3.69	1.77	6.42
DUP		<5	<4	535	1.6	0.1	1.9	<0.8	113.0	24.4	1.9	40	6.73	3.83	1.58	6.40
Target Range – Lower Bound		<5	<4	508	1.3	<0.1	1.8	<0.8	106.0	22.9	1.8	<20	6.37	3.55	1.56	6.08
Upper Bound		10	8	566	2.2	0.2	2.1	1.6	118.0	26.4	2.1	60	7.11	3.97	1.79	6.74



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – B
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1	ME-MS89L Nd2O3 ppm 0.08	ME-MS89L Ni ppm 10
DUPLICATES																
NFM00303		19.4	5.96	1.8	1.31	<0.3	3.17	26.9	46	0.42	1.98	1700	<2	7	23.1	20
DUP		19.4	6.07	1.8	1.28	<0.3	3.10	26.4	46	0.48	1.98	1670	<2	6	24.1	20
Target Range – Lower Bound		17.9	5.68	1.2	1.22	<0.3	2.93	25.2	42	0.37	1.87	1590	<2	5	22.3	<10
Upper Bound		20.9	6.35	2.4	1.37	0.6	3.34	28.1	50	0.53	2.09	1780	4	8	24.9	30
NFM00325		21.2	6.86	1.6	1.18	<0.3	2.06	44.0	27	0.41	1.77	1500	3	15	36.0	40
DUP		21.1	6.78	1.8	1.09	<0.3	2.07	46.0	27	0.40	1.80	1520	2	15	37.0	60
Target Range – Lower Bound		19.6	6.45	1.1	1.07	<0.3	1.91	42.7	24	0.32	1.69	1420	<2	13	34.6	40
Upper Bound		22.7	7.19	2.3	1.20	0.6	2.22	47.3	30	0.49	1.88	1600	4	17	38.4	60
NFM00337		17.6	0.62	2.0	0.25	<0.3	4.39	1.69	5	0.22	0.07	140	<2	12	1.14	10
DUP		17.5	0.68	1.8	0.25	<0.3	4.36	1.86	5	0.25	0.08	140	2	11	1.29	10
Target Range – Lower Bound		16.2	0.59	1.3	0.23	<0.3	4.11	1.60	3	0.16	0.06	120	<2	10	1.07	<10
Upper Bound		18.9	0.71	2.5	0.27	0.6	4.64	1.95	7	0.31	0.09	160	4	13	1.36	20
NFM00368		18.6	6.92	1.2	1.44	<0.3	1.12	22.6	16	0.57	4.23	1280	2	13	26.9	50
DUP		18.8	6.89	1.7	1.40	<0.3	1.07	22.1	15	0.53	4.30	1290	2	12	27.9	50
Target Range – Lower Bound		17.3	6.53	0.9	1.34	<0.3	0.99	21.1	13	0.46	4.04	1210	<2	11	26.0	40
Upper Bound		20.1	7.28	2.0	1.50	0.6	1.20	23.6	18	0.64	4.49	1360	4	14	28.9	60
NFM00380		19.9	8.03	1.2	1.40	<0.3	3.48	50.1	21	0.52	0.96	960	2	20	47.5	20
DUP		20.2	8.07	1.6	1.40	<0.3	3.62	49.8	21	0.60	1.00	990	2	20	46.0	20
Target Range – Lower Bound		18.5	7.62	0.8	1.32	<0.3	3.32	47.4	18	0.47	0.92	920	<2	18	44.3	<10
Upper Bound		21.6	8.48	2.0	1.48	0.6	3.78	52.5	24	0.65	1.04	1030	4	22	49.2	30
NFM00402		29.2	7.77	1.7	1.39	<0.3	3.08	58.9	41	0.40	1.46	800	<2	17	46.9	40
DUP		27.8	8.45	1.3	1.42	<0.3	3.12	62.0	41	0.48	1.49	810	<2	17	51.2	30
Target Range – Lower Bound		26.6	7.67	0.9	1.32	<0.3	2.90	57.3	37	0.36	1.39	750	<2	15	46.5	20
Upper Bound		30.4	8.55	2.1	1.49	0.6	3.31	63.6	45	0.52	1.56	860	4	19	51.6	50
NFM00447		20.3	6.67	1.8	1.09	<0.3	2.71	60.0	33	0.50	1.74	910	<2	20	47.5	50
DUP		20.1	6.81	2.0	1.10	<0.3	2.71	64.3	32	0.47	1.76	910	<2	20	52.6	50
Target Range – Lower Bound		18.7	6.37	1.3	1.03	<0.3	2.52	59.0	29	0.40	1.65	850	<2	18	47.5	40
Upper Bound		21.7	7.11	2.5	1.16	0.6	2.90	65.3	36	0.57	1.85	970	4	22	52.6	60
NFM00474		22.5	7.30	1.0	1.36	<0.3	2.65	52.5	22	0.59	2.28	1000	<2	19	45.4	60
DUP		21.0	7.42	1.6	1.42	<0.3	2.63	53.4	20	0.52	2.27	1000	<2	20	46.4	50
Target Range – Lower Bound		20.2	6.96	0.7	1.31	<0.3	2.46	50.2	18	0.47	2.15	940	<2	18	43.5	40
Upper Bound		23.3	7.76	1.9	1.47	0.6	2.82	55.7	24	0.64	2.40	1060	4	21	48.3	70



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – C
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Pb ppm 0.5	ME-MS89L Pr2O3 ppm 0.04	ME-MS89L Rb ppm 0.5	ME-MS89L Re ppm 0.01	ME-MS89L Sb ppm 0.3	ME-MS89L Se ppm 3	ME-MS89L Sm2O3 ppm 0.05	ME-MS89L Sn ppm 3	ME-MS89L Sr ppm 20	ME-MS89L Ta2O5 ppm 0.05	ME-MS89L Tb2O3 ppm 0.01	ME-MS89L Te ppm 0.5	ME-MS89L ThO2 ppm 0.1	ME-MS89L Ti % 0.005	ME-MS89L Tl ppm 0.02
DUPLICATES																
NFM00303		13.4	6.20	221	<0.01	0.6	<3	5.10	4	270	0.59	0.94	<0.5	7.2	0.428	0.91
DUP		12.8	6.10	221	<0.01	<0.3	<3	5.33	<3	270	0.65	0.97	<0.5	6.9	0.422	0.87
Target Range – Lower Bound		11.9	5.80	209	<0.01	<0.3	<3	4.90	<3	240	0.54	0.90	<0.5	6.6	0.388	0.83
Upper Bound		14.3	6.50	233	0.02	0.6	6	5.53	6	300	0.70	1.01	1.0	7.5	0.462	0.95
NFM00325		16.8	10.35	111.5	<0.01	1.0	<3	7.03	3	270	0.84	1.06	<0.5	15.5	0.498	0.48
DUP		13.4	10.85	111.5	0.01	0.5	<3	7.03	3	270	0.94	1.00	<0.5	14.8	0.506	0.45
Target Range – Lower Bound		13.8	10.05	105.5	<0.01	0.4	<3	6.63	<3	240	0.80	0.97	<0.5	14.3	0.459	0.42
Upper Bound		16.4	11.15	117.5	0.02	1.1	6	7.43	6	300	0.98	1.09	1.0	16.0	0.545	0.51
NFM00337		66.3	0.35	184.0	<0.01	0.3	<3	0.41	3	110	1.26	0.12	<0.5	1.4	0.048	0.68
DUP		65.9	0.46	185.0	0.01	0.3	<3	0.51	3	110	1.27	0.12	<0.5	1.5	0.049	0.69
Target Range – Lower Bound		62.3	0.34	175.0	<0.01	<0.3	<3	0.39	<3	80	1.15	0.10	<0.5	1.3	0.040	0.63
Upper Bound		69.9	0.47	194.0	0.02	0.6	6	0.53	6	140	1.38	0.14	1.0	1.6	0.057	0.74
NFM00368		7.2	6.28	40.7	0.02	0.9	<3	6.18	6	180	0.67	1.14	<0.5	5.0	0.746	0.22
DUP		7.1	6.54	39.5	<0.01	0.3	<3	6.32	4	190	0.63	1.12	<0.5	5.1	0.753	0.14
Target Range – Lower Bound		6.3	6.05	37.6	<0.01	<0.3	<3	5.89	<3	160	0.57	1.06	<0.5	4.7	0.688	0.15
Upper Bound		8.0	6.77	42.6	0.02	0.9	6	6.61	6	210	0.73	1.20	1.0	5.4	0.811	0.21
NFM00380		19.2	11.50	168.5	<0.01	0.5	<3	8.56	3	220	0.99	1.27	<0.5	10.2	0.480	0.67
DUP		19.2	11.65	164.5	<0.01	0.5	3	8.33	4	230	0.96	1.25	<0.5	10.4	0.493	0.67
Target Range – Lower Bound		17.7	10.95	157.5	<0.01	<0.3	<3	7.97	<3	190	0.88	1.19	<0.5	9.7	0.445	0.62
Upper Bound		20.7	12.20	175.5	0.02	0.6	6	8.92	6	260	1.07	1.33	1.0	10.9	0.528	0.72
NFM00402		24.8	13.30	165.0	<0.01	0.4	<3	9.20	6	130	0.89	1.20	<0.5	22.1	0.395	0.81
DUP		24.3	14.40	156.5	0.01	0.4	<3	10.00	6	130	0.87	1.29	<0.5	23.3	0.400	0.89
Target Range – Lower Bound		22.8	13.10	152.0	<0.01	<0.3	<3	9.07	<3	100	0.79	1.17	<0.5	21.5	0.363	0.79
Upper Bound		26.3	14.60	169.5	0.02	0.6	6	10.15	9	160	0.97	1.32	1.0	23.9	0.432	0.91
NFM00447		34.5	13.70	178.5	0.03	1.1	<3	8.60	<3	250	0.79	0.94	<0.5	21.8	0.440	0.91
DUP		33.7	15.10	177.0	<0.01	1.0	<3	9.39	<3	260	1.16	0.96	<0.5	22.4	0.440	0.85
Target Range – Lower Bound		31.9	13.65	168.5	<0.01	0.7	<3	8.50	<3	220	0.88	0.89	<0.5	20.9	0.402	0.82
Upper Bound		36.3	15.15	187.0	0.03	1.4	6	9.49	6	290	1.07	1.01	1.0	23.3	0.478	0.94
NFM00474		10.5	12.40	145.5	0.01	0.6	<3	8.58	7	130	0.71	1.16	<0.5	20.4	0.551	0.63
DUP		10.4	12.50	134.5	<0.01	0.5	3	8.08	7	120	0.78	1.18	<0.5	20.8	0.550	0.61
Target Range – Lower Bound		9.4	11.80	132.5	<0.01	<0.3	<3	7.86	4	100	0.66	1.10	<0.5	19.5	0.504	0.57
Upper Bound		11.5	13.10	147.5	0.02	0.6	6	8.80	10	150	0.83	1.24	1.0	21.7	0.597	0.67



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – D
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm2O3 ppm	U3O8 ppm	V ppm	WO3 ppm	Y2O3 ppm	Yb2O3 ppm	Zn ppm
		0.01	0.2	1	0.4	0.3	0.02	10
DUPLICATES								
NFM00303		0.55	2.2	122	2.4	39.4	2.97	100
DUP		0.50	2.1	120	2.4	39.7	3.07	100
Target Range – Lower Bound		0.49	1.8	114	1.9	37.3	2.85	90
Upper Bound		0.56	2.5	128	2.9	41.8	3.19	120
NFM00325		0.48	2.4	102	1.3	34.5	2.90	120
DUP		0.45	2.4	102	1.4	34.3	2.90	120
Target Range – Lower Bound		0.43	2.1	96	0.9	32.4	2.74	100
Upper Bound		0.50	2.7	108	1.8	36.4	3.07	140
NFM00337		0.17	9.8	7	3.8	8.6	1.33	30
DUP		0.17	10.1	7	3.7	8.3	1.29	20
Target Range – Lower Bound		0.15	9.3	6	3.2	7.7	1.22	<10
Upper Bound		0.19	10.6	8	4.3	9.2	1.40	40
NFM00368		0.61	0.8	200	3.8	39.1	3.58	100
DUP		0.62	0.7	196	2.8	39.9	3.79	100
Target Range – Lower Bound		0.57	0.5	187	2.7	37.2	3.48	90
Upper Bound		0.66	1.0	209	3.9	41.8	3.89	120
NFM00380		0.56	2.7	71	3.0	40.0	3.54	100
DUP		0.59	2.7	73	3.3	39.6	3.61	80
Target Range – Lower Bound		0.54	2.4	67	2.6	37.5	3.38	80
Upper Bound		0.61	3.0	77	3.7	42.1	3.77	100
NFM00402		0.50	3.1	93	0.9	37.8	2.72	110
DUP		0.58	3.3	85	0.9	40.8	3.22	110
Target Range – Lower Bound		0.50	2.8	84	0.5	37.0	2.80	90
Upper Bound		0.58	3.6	94	1.3	41.6	3.14	130
NFM00447		0.50	5.1	102	1.1	30.9	3.21	110
DUP		0.48	5.1	101	1.1	32.9	3.28	110
Target Range – Lower Bound		0.46	4.6	95	0.6	30.0	3.06	90
Upper Bound		0.52	5.6	108	1.6	33.8	3.43	130
NFM00474		0.58	1.5	122	1.0	40.4	3.58	70
DUP		0.57	1.5	118	1.0	40.9	3.50	70
Target Range – Lower Bound		0.54	1.2	113	0.6	38.3	3.34	60
Upper Bound		0.61	1.8	127	1.5	43.0	3.74	80



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – A
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01
DUPLICATES																
NFM00481		<5	<4	658	3.0	0.2	3.1	<0.8	113.5	28.4	6.8	80	7.45	4.21	1.99	6.80
DUP		<5	<4	673	2.9	0.2	3.2	<0.8	122.5	27.5	7.0	80	7.13	4.13	1.81	6.80
Target Range – Lower Bound		<5	<4	630	2.4	<0.1	2.9	<0.8	112.0	26.1	6.5	60	6.90	3.94	1.78	6.45
Upper Bound		10	8	701	3.5	0.3	3.4	1.6	124.0	29.8	7.3	100	7.68	4.40	2.03	7.15
NFM00514		<5	<4	509	2.9	<0.1	1.7	<0.8	120.0	26.5	3.5	30	5.58	2.73	1.53	6.84
DUP		<5	<4	482	2.7	<0.1	1.7	<0.8	127.0	25.3	3.7	30	5.55	2.87	1.62	6.63
Target Range – Lower Bound		<5	<4	469	2.3	<0.1	1.5	<0.8	117.0	24.1	3.3	<20	5.26	2.64	1.47	6.39
Upper Bound		10	8	522	3.3	0.2	1.9	1.6	130.0	27.7	3.9	40	5.87	2.96	1.68	7.08
NFM00536		<5	4	519	3.2	0.3	1.6	<0.8	139.0	25.7	4.1	<20	6.69	3.30	1.77	6.72
DUP		<5	5	487	3.2	0.2	1.6	<0.8	134.0	25.2	4.0	<20	6.07	3.40	1.67	6.70
Target Range – Lower Bound		<5	<4	476	2.6	<0.1	1.4	<0.8	129.5	23.7	3.7	<20	6.03	3.16	1.60	6.36
Upper Bound		10	8	530	3.8	0.4	1.8	1.6	143.5	27.2	4.4	40	6.73	3.54	1.84	7.06
NFM00563		<5	<4	534	3.0	0.1	1.6	<0.8	98.4	22.1	6.0	60	6.77	4.24	1.56	7.81
DUP		<5	<4	557	2.9	0.1	1.5	<0.8	96.3	22.1	6.6	60	6.09	3.54	1.44	7.77
Target Range – Lower Bound		<5	<4	516	2.4	<0.1	1.4	<0.8	92.3	20.5	5.9	40	6.08	3.68	1.40	7.39
Upper Bound		10	8	575	3.5	0.2	1.7	1.6	102.5	23.7	6.7	80	6.78	4.10	1.61	8.19
NFM00568		<5	<4	554	2.9	0.2	3.2	<0.8	97.3	19.2	5.2	<20	6.14	3.46	1.32	5.96
DUP		<5	<4	551	3.2	0.1	3.4	<0.8	103.0	18.8	5.1	<20	5.88	3.43	1.33	5.94
Target Range – Lower Bound		<5	<4	523	2.5	<0.1	3.0	<0.8	94.9	17.6	4.8	<20	5.68	3.25	1.23	5.64
Upper Bound		10	8	582	3.6	0.2	3.6	1.6	105.5	20.5	5.5	40	6.34	3.64	1.42	6.26
NFM00580		<5	4	412	1.8	<0.1	0.9	<0.8	5.7	2.0	2.7	<20	0.70	0.59	0.32	0.73
DUP		<5	<4	405	2.1	<0.1	1.0	<0.8	6.1	2.2	2.6	<20	0.77	0.57	0.32	0.75
Target Range – Lower Bound		<5	<4	386	1.5	<0.1	0.8	<0.8	5.4	1.5	2.4	<20	0.67	0.53	0.27	0.69
Upper Bound		10	8	431	2.4	0.2	1.1	1.6	6.4	2.7	2.9	40	0.80	0.63	0.37	0.79
NFM00357		<5	9	444	1.8	0.5	6.0	<0.8	113.5	28.5	1.4	30	7.68	4.79	1.84	6.98
DUP		<5	9	439	1.5	0.5	6.0	<0.8	108.0	27.8	1.3	30	7.15	4.31	1.88	6.82
Target Range – Lower Bound		<5	5	417	1.2	0.4	5.6	<0.8	105.0	26.2	1.2	<20	7.01	4.30	1.74	6.55
Upper Bound		10	13	466	2.1	0.6	6.4	1.6	116.5	30.1	1.5	40	7.82	4.80	1.98	7.26
NFM00616		<5	<4	597	4.0	0.1	1.3	<0.8	118.5	26.0	3.6	<20	5.80	3.69	1.71	8.23
DUP		<5	<4	587	3.8	0.1	1.3	<0.8	126.0	24.9	3.8	<20	5.80	3.58	1.69	8.24
Target Range – Lower Bound		<5	<4	560	3.3	<0.1	1.1	<0.8	116.0	23.7	3.4	<20	5.48	3.43	1.59	7.81
Upper Bound		10	8	624	4.5	0.2	1.5	1.6	128.5	27.2	4.0	40	6.12	3.84	1.82	8.66



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – B
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21–FEB–2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1	ME-MS89L Nd2O3 ppm 0.08	ME-MS89L Ni ppm 10
DUPLICATES																
NFM00481		24.2	8.89	0.6	1.51	<0.3	2.83	56.4	37	0.61	2.03	1080	<2	21	45.5	60
DUP		24.1	8.59	1.5	1.44	<0.3	2.84	58.3	36	0.53	2.01	1050	<2	22	50.2	60
Target Range – Lower Bound		22.4	8.27	<0.5	1.39	<0.3	2.64	54.4	33	0.48	1.91	1000	<2	19	45.4	50
Upper Bound		25.9	9.21	1.6	1.56	0.6	3.03	60.3	40	0.66	2.13	1130	4	24	50.3	70
NFM00514		28.1	6.90	1.9	1.03	<0.3	2.74	61.6	40	0.32	2.66	810	<2	18	49.7	90
DUP		28.0	7.49	1.8	1.10	<0.3	2.76	61.2	38	0.33	2.57	800	4	17	51.9	100
Target Range – Lower Bound		26.1	6.81	1.3	1.00	<0.3	2.56	58.2	35	0.25	2.47	750	<2	16	48.2	80
Upper Bound		30.0	7.58	2.4	1.13	0.6	2.94	64.6	43	0.40	2.76	860	4	19	53.4	110
NFM00536		28.5	8.52	1.7	1.23	<0.3	2.92	68.3	43	0.40	2.58	810	<2	19	56.0	90
DUP		27.3	7.69	1.7	1.13	<0.3	2.90	64.2	43	0.36	2.51	810	<2	19	53.5	90
Target Range – Lower Bound		26.0	7.67	1.1	1.11	<0.3	2.71	62.8	39	0.30	2.41	760	<2	17	51.9	80
Upper Bound		29.8	8.54	2.3	1.25	0.6	3.11	69.7	47	0.46	2.68	860	4	21	57.6	100
NFM00563		24.8	6.97	1.9	1.35	<0.3	3.11	47.3	57	0.73	1.79	2290	<2	27	40.8	40
DUP		23.8	6.19	2.0	1.26	<0.3	3.17	48.4	53	0.69	1.81	2300	2	24	40.5	50
Target Range – Lower Bound		22.6	6.22	1.4	1.23	<0.3	2.93	45.4	50	0.61	1.70	2170	<2	23	38.5	30
Upper Bound		26.0	6.94	2.5	1.38	0.6	3.35	50.3	60	0.81	1.90	2420	4	28	42.8	60
NFM00568		21.3	6.32	2.2	1.19	<0.3	3.00	48.9	32	0.47	1.30	1890	<2	14	36.9	20
DUP		21.5	6.45	3.0	1.19	<0.3	2.98	50.7	31	0.47	1.31	1900	<2	14	39.1	30
Target Range – Lower Bound		19.8	6.04	2.0	1.12	<0.3	2.79	47.2	28	0.39	1.23	1790	<2	12	36.0	<10
Upper Bound		23.0	6.73	3.2	1.26	0.6	3.19	52.4	35	0.55	1.38	2000	4	16	40.0	40
NFM00580		18.0	0.54	1.6	0.16	<0.3	6.17	2.94	7	0.13	0.12	130	2	5	2.18	<10
DUP		18.0	0.65	1.8	0.18	<0.3	6.13	3.03	7	0.13	0.12	130	2	6	2.43	30
Target Range – Lower Bound		16.6	0.54	1.1	0.15	<0.3	5.79	2.75	5	<0.06	0.10	110	<2	4	2.11	<10
Upper Bound		19.4	0.65	2.3	0.19	0.6	6.51	3.22	9	0.20	0.14	150	4	7	2.50	30
NFM00357		19.8	7.38	2.8	1.63	<0.3	1.79	52.4	12	0.65	2.14	1430	2	16	46.9	60
DUP		18.6	7.39	2.8	1.49	<0.3	1.79	49.6	9	0.61	2.08	1400	2	15	44.4	50
Target Range – Lower Bound		17.7	6.99	2.2	1.47	<0.3	1.65	48.4	8	0.54	1.99	1330	<2	14	43.3	40
Upper Bound		20.7	7.78	3.4	1.65	0.6	1.93	53.6	13	0.72	2.23	1500	4	17	48.0	70
NFM00616		28.8	7.57	2.0	1.26	<0.3	3.22	56.8	27	0.39	1.71	1730	<2	16	43.2	50
DUP		28.7	7.28	2.4	1.31	<0.3	3.25	58.6	21	0.42	1.73	1750	<2	16	46.3	60
Target Range – Lower Bound		26.8	7.02	1.6	1.21	<0.3	3.02	54.7	21	0.32	1.62	1640	<2	14	42.4	40
Upper Bound		30.7	7.83	2.8	1.36	0.6	3.45	60.7	27	0.49	1.82	1840	4	18	47.1	70



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – C
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Pb ppm 0.5	ME-MS89L Pr2O3 ppm 0.04	ME-MS89L Rb ppm 0.5	ME-MS89L Re ppm 0.01	ME-MS89L Sb ppm 0.3	ME-MS89L Se ppm 3	ME-MS89L Sm2O3 ppm 0.05	ME-MS89L Sn ppm 3	ME-MS89L Sr ppm 20	ME-MS89L Ta2O5 ppm 0.05	ME-MS89L Tb2O3 ppm 0.01	ME-MS89L Te ppm 0.5	ME-MS89L ThO2 ppm 0.1	ME-MS89L Ti % 0.005	ME-MS89L Tl ppm 0.02
DUPLICATES																
NFM00481		15.0	12.75	199.5	<0.01	0.8	<3	8.26	4	250	1.14	1.24	<0.5	20.8	0.553	0.88
DUP		14.8	13.65	185.0	<0.01	<0.3	<3	9.22	4	250	1.17	1.17	<0.5	21.3	0.575	0.87
Target Range – Lower Bound		13.7	12.50	182.0	<0.01	<0.3	<3	8.25	<3	220	1.05	1.13	<0.5	19.9	0.517	0.81
Upper Bound		16.1	13.90	202	0.02	0.6	6	9.23	6	280	1.26	1.28	1.0	22.2	0.611	0.94
NFM00514		11.9	13.00	155.0	<0.01	<0.3	4	8.34	6	140	0.98	1.00	<0.5	21.1	0.430	0.73
DUP		11.3	13.80	152.5	<0.01	<0.3	<3	8.79	7	130	0.85	1.09	<0.5	22.0	0.431	0.76
Target Range – Lower Bound		10.5	12.70	145.5	<0.01	<0.3	<3	8.09	<3	110	0.82	0.98	<0.5	20.4	0.393	0.69
Upper Bound		12.7	14.10	162.0	0.02	0.6	6	9.04	10	160	1.01	1.11	1.0	22.7	0.468	0.80
NFM00536		13.8	15.75	164.5	<0.01	0.4	4	10.60	6	190	1.05	1.20	0.5	23.1	0.426	0.74
DUP		13.2	15.25	153.0	0.01	0.4	3	10.05	7	170	0.98	1.06	0.5	23.3	0.432	0.73
Target Range – Lower Bound		12.3	14.70	150.5	<0.01	<0.3	<3	9.76	<3	150	0.91	1.06	<0.5	21.9	0.392	0.68
Upper Bound		14.7	16.30	167.0	0.02	0.6	6	10.90	10	210	1.12	1.20	1.0	24.5	0.466	0.79
NFM00563		19.9	10.90	215	0.01	0.6	<3	7.85	10	180	1.44	1.14	<0.5	15.5	0.438	1.05
DUP		19.4	10.75	210	<0.01	0.7	<3	7.20	10	180	1.18	0.96	<0.5	15.0	0.444	0.96
Target Range – Lower Bound		18.2	10.25	201	<0.01	<0.3	<3	7.10	7	150	1.19	0.99	<0.5	14.4	0.403	0.93
Upper Bound		21.1	11.40	224	0.02	1.0	6	7.95	14	210	1.43	1.11	1.0	16.1	0.479	1.08
NFM00568		13.6	10.55	179.5	<0.01	0.4	<3	6.71	6	160	1.11	0.93	<0.5	16.6	0.318	0.74
DUP		13.6	11.30	176.0	<0.01	<0.3	<3	7.19	4	160	0.83	0.96	<0.5	17.0	0.324	0.72
Target Range – Lower Bound		12.4	10.35	168.5	<0.01	<0.3	<3	6.55	<3	130	0.87	0.89	<0.5	15.9	0.292	0.67
Upper Bound		14.8	11.50	187.0	0.02	0.6	6	7.35	6	190	1.07	1.00	1.0	17.7	0.350	0.79
NFM00580		79.2	0.62	265	<0.01	0.3	<3	0.48	<3	130	1.34	0.09	<0.5	1.4	0.020	0.92
DUP		77.2	0.69	251	<0.01	<0.3	<3	0.66	<3	130	1.44	0.12	<0.5	1.5	0.021	0.87
Target Range – Lower Bound		73.8	0.58	245	<0.01	<0.3	<3	0.49	<3	100	1.27	0.09	<0.5	1.3	0.014	0.83
Upper Bound		82.6	0.73	271	0.02	0.6	6	0.65	6	160	1.51	0.12	1.0	1.6	0.027	0.96
NFM00357		14.4	12.75	79.4	<0.01	2.0	<3	9.06	<3	220	0.44	1.21	0.7	20.8	0.627	0.32
DUP		13.4	12.25	79.6	<0.01	2.2	<3	8.21	<3	220	0.43	1.12	0.5	18.4	0.617	0.32
Target Range – Lower Bound		12.7	11.85	75.0	<0.01	1.7	<3	8.15	<3	190	0.36	1.10	<0.5	18.5	0.570	0.28
Upper Bound		15.1	13.15	84.0	0.02	2.5	6	9.12	6	250	0.51	1.23	1.0	20.7	0.674	0.36
NFM00616		9.4	12.80	186.0	<0.01	0.4	<3	8.18	7	100	0.78	1.02	<0.5	19.5	0.456	0.71
DUP		9.5	13.75	179.5	<0.01	0.5	<3	8.20	7	110	0.70	1.12	<0.5	21.2	0.463	0.71
Target Range – Lower Bound		8.5	12.55	173.0	<0.01	<0.3	<3	7.73	4	80	0.65	1.01	<0.5	19.2	0.420	0.65
Upper Bound		10.4	14.00	192.5	0.02	0.6	6	8.65	10	130	0.83	1.13	1.0	21.5	0.499	0.77



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – D
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21–FEB–2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.4	0.3	0.02	10
DUPLICATES								
NFM00481		0.58	1.3	157	2.5	46.0	3.93	120
DUP		0.58	1.4	142	2.4	46.1	3.78	100
Target Range – Lower Bound		0.54	1.1	141	1.9	43.4	3.64	90
Upper Bound		0.62	1.6	158	3.0	48.7	4.07	130
NFM00514		0.33	1.9	101	0.6	30.1	2.14	100
DUP		0.41	2.0	99	0.9	31.6	2.21	100
Target Range – Lower Bound		0.34	1.7	94	<0.4	29.0	2.05	90
Upper Bound		0.40	2.2	106	0.8	32.7	2.30	120
NFM00536		0.43	1.4	108	1.4	36.4	2.84	120
DUP		0.43	1.5	104	0.9	33.1	2.66	120
Target Range – Lower Bound		0.40	1.2	100	0.7	32.7	2.59	100
Upper Bound		0.46	1.7	112	1.6	36.8	2.91	140
NFM00563		0.69	2.4	96	1.5	42.4	4.44	100
DUP		0.63	2.8	91	1.4	39.7	4.38	100
Target Range – Lower Bound		0.62	2.3	88	1.0	38.7	4.17	90
Upper Bound		0.70	2.9	99	1.9	43.4	4.65	120
NFM00568		0.47	2.2	75	2.9	38.7	3.23	80
DUP		0.53	2.4	76	1.6	38.1	2.97	80
Target Range – Lower Bound		0.47	2.0	71	1.7	36.2	2.93	70
Upper Bound		0.54	2.6	80	2.8	40.6	3.28	90
NFM00580		0.10	6.5	7	1.0	5.8	0.74	20
DUP		0.11	6.5	6	0.9	6.3	0.79	10
Target Range – Lower Bound		0.09	6.0	5	0.5	5.4	0.71	<10
Upper Bound		0.12	7.0	8	1.4	6.7	0.82	20
NFM00357		0.62	2.5	164	1.8	44.8	4.53	100
DUP		0.59	2.4	163	1.8	44.2	4.40	90
Target Range – Lower Bound		0.56	2.1	154	1.3	42.0	4.22	80
Upper Bound		0.65	2.8	173	2.3	47.0	4.71	110
NFM00616		0.46	1.8	112	1.9	37.2	2.72	90
DUP		0.47	1.9	105	2.0	38.4	3.09	80
Target Range – Lower Bound		0.43	1.6	102	1.5	35.6	2.74	70
Upper Bound		0.50	2.1	115	2.4	40.0	3.07	100



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – A
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 21-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L CeO2 ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Fe % 0.01
DUPLICATES																
NFM00760		<5	<4	203	2.3	<0.1	3.7	<0.8	85.7	18.9	1.4	30	8.58	5.97	1.51	5.35
DUP		<5	<4	211	2.1	<0.1	3.7	<0.8	91.0	18.1	1.3	20	8.41	5.80	1.57	5.22
Target Range – Lower Bound		<5	<4	195	1.7	<0.1	3.4	<0.8	83.7	17.1	1.2	<20	8.04	5.57	1.43	5.01
Upper Bound		10	8	219	2.7	0.2	4.0	1.6	93.0	19.9	1.5	40	8.95	6.20	1.65	5.56
NFM00772		<5	<4	699	1.4	<0.1	3.8	<0.8	175.0	6.1	0.9	<20	6.25	3.95	2.51	5.66
DUP		<5	<4	709	1.4	<0.1	3.7	<0.8	182.0	6.2	0.9	<20	6.08	3.77	2.54	5.60
Target Range – Lower Bound		<5	<4	667	0.9	<0.1	3.5	<0.8	169.5	5.3	0.8	<20	5.83	3.65	2.37	5.34
Upper Bound		10	8	741	1.9	0.2	4.0	1.6	187.5	7.0	1.0	40	6.50	4.07	2.68	5.92
NFM00785		<5	<4	246	2.2	3.8	11.6	<0.8	113.5	11.4	0.9	<20	5.27	3.40	1.47	6.22
DUP		<5	<4	246	2.3	3.9	11.7	<0.8	111.0	10.8	0.9	<20	5.24	3.30	1.55	6.23
Target Range – Lower Bound		<5	<4	232	1.7	3.6	11.0	<0.8	106.5	10.0	0.8	<20	4.96	3.16	1.40	5.90
Upper Bound		10	8	260	2.8	4.1	12.3	1.6	118.0	12.2	1.0	40	5.55	3.54	1.62	6.55
NFM00959		<5	11	421	2.1	0.5	9.6	<0.8	82.3	24.0	6.2	<20	4.89	2.58	1.35	5.61
DUP		<5	11	408	2.3	0.5	10.0	<0.8	82.9	22.0	6.1	<20	4.75	2.61	1.27	5.77
Target Range – Lower Bound		<5	6	392	1.7	0.4	9.2	<0.8	78.3	21.4	5.7	<20	4.55	2.45	1.21	5.40
Upper Bound		10	16	437	2.7	0.6	10.4	1.6	86.9	24.7	6.6	40	5.09	2.74	1.41	5.98
ORIGINAL		<5	7	9	140.0	0.1	0.1	<0.8		<0.5	26.3	<20				0.26
DUP		<5	7	10	141.5	0.1	0.2	<0.8		<0.5	26.5	<20				0.28
Target Range – Lower Bound		<5	<4	7	133.5	<0.1	<0.1	<0.8		<0.5	25.0	<20				0.25
Upper Bound		10	8	12	148.0	0.2	0.2	1.6		1.0	27.8	40				0.29
ORIGINAL		<5	<4	46	1.0	<0.1	0.1	<0.8		14.4	3.9	<20				0.36
DUP		<5	<4	47	0.9	<0.1	0.2	<0.8		14.7	3.7	<20				0.36
Target Range – Lower Bound		<5	<4	42	0.5	<0.1	<0.1	<0.8		13.3	3.5	<20				0.33
Upper Bound		10	8	51	1.4	0.2	0.2	1.6		15.8	4.1	40				0.39



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – B
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Ga ppm 0.5	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La2O3 ppm 0.09	ME-MS89L Li ppm 2	ME-MS89L Lu2O3 ppm 0.06	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb2O5 ppm 1	ME-MS89L Nd2O3 ppm 0.08	ME-MS89L Ni ppm 10
DUPLICATES																
NFM00760		22.1	8.34	2.0	1.97	<0.3	1.50	40.8	13	0.80	1.84	900	4	16	33.7	30
DUP		20.6	8.07	1.6	1.83	<0.3	1.47	42.7	12	0.78	1.80	890	4	16	33.1	30
Target Range – Lower Bound		19.8	7.76	1.2	1.80	<0.3	1.36	39.6	10	0.69	1.72	840	<2	14	31.7	20
Upper Bound		22.9	8.65	2.4	2.01	0.6	1.61	43.9	15	0.89	1.92	950	6	18	35.2	40
NFM00772		20.6	7.81	1.4	1.28	<0.3	2.21	93.9	8	0.52	0.67	1140	3	19	55.5	<10
DUP		20.6	8.30	1.7	1.29	<0.3	2.22	97.1	8	0.49	0.67	1150	4	20	56.8	40
Target Range – Lower Bound		19.1	7.62	1.0	1.21	<0.3	2.05	90.6	6	0.42	0.63	1080	<2	18	53.3	<10
Upper Bound		22.1	8.49	2.1	1.36	0.6	2.38	100.5	10	0.59	0.71	1210	4	21	59.0	40
NFM00785		27.2	6.48	3.3	1.17	<0.3	0.55	51.0	7	0.44	1.04	3450	2	19	40.1	50
DUP		27.2	6.42	3.1	1.17	<0.3	0.55	50.2	7	0.44	1.05	3440	2	19	38.1	40
Target Range – Lower Bound		25.3	6.10	2.5	1.10	<0.3	0.47	48.0	5	0.36	0.98	3260	<2	17	37.1	30
Upper Bound		29.1	6.80	3.9	1.24	0.6	0.63	53.2	9	0.52	1.11	3630	4	21	41.1	60
NFM00959		21.1	5.80	2.0	1.00	<0.3	2.37	40.2	26	0.36	1.52	1700	2	12	33.0	40
DUP		19.6	5.54	2.2	1.01	<0.3	2.42	40.3	23	0.35	1.57	1750	2	11	34.1	40
Target Range – Lower Bound		18.8	5.36	1.5	0.94	<0.3	2.23	38.1	21	0.28	1.46	1630	<2	10	31.8	30
Upper Bound		21.9	5.98	2.7	1.07	0.6	2.56	42.4	28	0.43	1.63	1820	4	13	35.3	50
ORIGINAL		31.1		7.1		<0.3	1.42		219		0.01	120	<2			10
DUP		29.8		7.7		<0.3	1.44		230		0.01	120	<2			10
Target Range – Lower Bound		28.4		6.5		<0.3	1.31		211		<0.01	100	<2			<10
Upper Bound		32.5		8.3		0.6	1.55		238		0.02	140	4			20
ORIGINAL		21.9		4.0		<0.3	1.40		218		0.03	500	<2			20
DUP		21.0		3.8		<0.3	1.37		206		0.03	500	<2			20
Target Range – Lower Bound		19.9		3.2		<0.3	1.27		199		0.02	470	<2			<10
Upper Bound		23.0		4.6		0.6	1.50		225		0.04	540	4			30



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – C
 Total # Pages: 6 (A – D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L Pb ppm 0.5	ME-MS89L Pr2O3 ppm 0.04	ME-MS89L Rb ppm 0.5	ME-MS89L Re ppm 0.01	ME-MS89L Sb ppm 0.3	ME-MS89L Se ppm 3	ME-MS89L Sm2O3 ppm 0.05	ME-MS89L Sn ppm 3	ME-MS89L Sr ppm 20	ME-MS89L Ta2O5 ppm 0.05	ME-MS89L Tb2O3 ppm 0.01	ME-MS89L Te ppm 0.5	ME-MS89L ThO2 ppm 0.1	ME-MS89L Ti % 0.005	ME-MS89L Tl ppm 0.02
DUPLICATES																
NFM00760		9.4	9.29	74.2	<0.01	0.5	3	7.43	5	240	0.78	1.42	<0.5	19.3	0.396	0.26
DUP		9.5	9.76	70.1	<0.01	0.5	<3	7.44	8	220	0.63	1.34	<0.5	19.2	0.395	0.27
Target Range – Lower Bound		8.5	9.01	68.0	<0.01	<0.3	<3	7.01	<3	200	0.62	1.30	<0.5	18.2	0.361	0.23
Upper Bound		10.4	10.05	76.3	0.02	0.6	6	7.86	10	260	0.79	1.46	1.0	20.3	0.430	0.30
NFM00772		9.6	16.90	82.9	<0.01	0.5	<3	8.57	5	270	0.89	1.12	<0.5	21.2	0.452	0.32
DUP		9.7	17.85	80.3	<0.01	0.5	<3	9.33	8	260	0.76	1.13	<0.5	21.3	0.475	0.32
Target Range – Lower Bound		8.7	16.45	77.0	<0.01	<0.3	<3	8.45	<3	230	0.73	1.06	<0.5	20.1	0.424	0.28
Upper Bound		10.6	18.30	86.2	0.02	0.6	6	9.45	10	300	0.92	1.19	1.0	22.4	0.503	0.36
NFM00785		7.9	12.35	37.2	<0.01	2.4	<3	7.58	7	190	1.04	0.93	<0.5	16.5	0.353	0.18
DUP		8.0	11.95	37.6	<0.01	2.1	<3	6.99	6	190	0.90	0.93	<0.5	16.8	0.360	0.19
Target Range – Lower Bound		7.1	11.50	35.0	<0.01	1.8	<3	6.87	<3	160	0.87	0.87	<0.5	15.7	0.325	0.16
Upper Bound		8.8	12.80	39.8	0.02	2.7	6	7.70	10	220	1.07	0.99	1.0	17.6	0.388	0.21
NFM00959		15.4	9.26	142.0	<0.01	1.7	<3	6.24	<3	140	0.79	0.83	<0.5	14.0	0.398	0.45
DUP		14.9	9.37	129.5	<0.01	1.6	<3	6.26	3	130	0.79	0.79	<0.5	14.5	0.414	0.52
Target Range – Lower Bound		13.9	8.81	128.5	<0.01	1.3	<3	5.89	<3	110	0.70	0.76	<0.5	13.4	0.371	0.44
Upper Bound		16.4	9.82	143.0	0.02	2.0	6	6.61	6	160	0.88	0.86	1.0	15.1	0.441	0.53
ORIGINAL		10.1		449	<0.01	0.4	<3		932	220			<0.5		<0.005	2.41
DUP		10.3		472	<0.01	0.3	<3		1025	230			<0.5		<0.005	2.45
Target Range – Lower Bound		9.2		437	<0.01	<0.3	<3		927	190			<0.5		<0.005	2.29
Upper Bound		11.2		484	0.02	0.6	6		1030	260			1.0		0.010	2.57
ORIGINAL		18.2		104.5	<0.01	0.4	<3		4	100			<0.5		0.009	0.40
DUP		18.0		100.0	<0.01	0.3	<3		<3	100			<0.5		0.008	0.39
Target Range – Lower Bound		16.7		96.6	<0.01	<0.3	<3		<3	80			<0.5		<0.005	0.36
Upper Bound		19.5		108.0	0.02	0.6	6		6	130			1.0		0.010	0.43



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – D
Total # Pages: 6 (A – D)
Plus Appendix Pages
Finalized Date: 21-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm2O3	U3O8	V	WO3	Y2O3	Yb2O3	Zn
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.4	0.3	0.02	10
DUPLICATES								
NFM00760		0.83	19.3	106	3.2	58.2	5.56	170
DUP		0.82	19.2	93	3.3	54.7	5.63	160
Target Range – Lower Bound		0.77	18.1	94	2.7	53.3	5.30	150
Upper Bound		0.88	20.4	105	3.8	59.6	5.89	180
NFM00772		0.53	4.4	29	2.3	39.5	3.43	70
DUP		0.54	4.4	27	2.5	38.5	3.45	70
Target Range – Lower Bound		0.50	4.0	26	1.9	36.8	3.25	60
Upper Bound		0.57	4.8	30	2.9	41.3	3.63	80
NFM00785		0.43	3.7	103	5.3	35.6	3.06	60
DUP		0.46	4.0	101	5.0	34.4	2.99	50
Target Range – Lower Bound		0.41	3.5	96	4.5	33.0	2.85	40
Upper Bound		0.48	4.2	108	5.8	37.1	3.20	70
NFM00959		0.39	2.0	105	0.8	31.0	2.77	110
DUP		0.39	2.1	95	0.9	29.0	2.55	100
Target Range – Lower Bound		0.36	1.7	94	<0.4	28.2	2.51	90
Upper Bound		0.42	2.4	106	1.3	31.8	2.81	120
ORIGINAL				1				50
DUP				2				50
Target Range – Lower Bound				<1				40
Upper Bound				2				60
ORIGINAL				20				40
DUP				22				40
Target Range – Lower Bound				19				30
Upper Bound				23				50



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **21-FEB-2026**
Account: **CASTCOP**

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005982

	CERTIFICATE COMMENTS			
Applies to Method:	LABORATORY ADDRESSES			
	Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.			
Applies to Method:	BAG-01	BAG-21	LEV-01	LOG-22
	LOG-24	PUL-23	PUL-QC	SPL-21
	WEI-21			
Applies to Method:	Processed at ALS Loughrea located at Dublin Road, Loughrea, Co. Galway, Ireland.			
	ME-MS89L			