



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 1

Total # Pages: 11 (A – E)

Plus Appendix Pages

Finalized Date: 19-FEB-2026

This copy reported on 26-FEB-2026

Account: CASTCOP

CERTIFICATE AD26005993

Project: Harts

This report is for 362 samples of Percussion submitted to our lab in Adelaide, SA, Australia on 30-DEC-2025.

The following have access to data associated with this certificate:

KEVIN DAS

JOEL LOGAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32m	Pulverize 500g – 85%<75um
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag
SPL-21	Split sample – riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS89L	Super Trace DL Na2O2 by ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

Signature:

Andrey Tairov, Technical Manager, Ireland



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 - A
Total # Pages: 11 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Recvd Wt.	Pass75um	Ag	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cs	Cu	Dy	Er
		kg	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00603		0.81	98.0	<5	6	558	1.5	0.4	6.1	<0.8	104.0	17.7	3.5	<20	5.29	2.35
NFM00604		4.02	91.0	<5	5	592	2.8	0.3	2.9	<0.8	102.5	24.3	4.1	40	4.41	1.82
NFM00605		2.63	89.0	<5	4	516	2.9	0.7	2.2	<0.8	77.1	23.8	2.3	<20	3.94	1.82
NFM00606		2.74		<5	4	293	3.8	0.2	2.5	<0.8	94.3	18.9	1.8	<20	3.98	1.32
NFM00607		3.71		<5	4	297	1.7	0.6	6.3	<0.8	70.6	12.0	1.8	<20	4.83	2.45
NFM00608		3.26		<5	4	277	4.9	0.2	4.6	<0.8	42.9	9.0	2.8	<20	2.67	1.37
NFM00609		2.54		<5	5	519	1.4	0.5	2.6	<0.8	70.0	12.8	2.4	40	3.28	1.72
NFM00610		3.21		<5	4	585	2.1	0.3	2.8	<0.8	111.5	20.0	2.9	50	4.33	1.96
NFM00611		4.01		<5	4	568	2.7	0.1	2.1	<0.8	121.5	25.9	3.4	<20	5.05	2.29
NFM00612		3.82		<5	5	506	5.2	0.2	3.4	<0.8	108.5	25.9	3.9	<20	4.65	2.06
NFM00613		4.89		<5	6	521	3.2	0.7	6.5	<0.8	174.0	23.1	4.4	<20	5.39	2.80
NFM00614		4.35		<5	4	525	2.8	0.2	3.0	<0.8	118.5	21.3	3.2	<20	5.97	3.26
NFM00615		1.72		<5	<4	506	3.8	0.2	1.9	<0.8	114.5	27.0	4.4	<20	5.10	3.13
NFM00616		1.04		<5	<4	597	4.0	0.1	1.3	<0.8	96.4	26.0	3.6	<20	5.05	3.23
NFM00617		1.76		<5	<4	549	5.1	0.1	1.2	<0.8	82.2	26.6	3.4	<20	4.69	2.96
NFM00618		3.26		<5	4	396	6.3	0.1	1.7	<0.8	66.8	23.8	3.2	30	4.58	2.58
NFM00619		3.99		<5	5	529	3.2	0.3	4.7	<0.8	89.0	19.8	2.1	<20	6.31	3.33
NFM00620		4.45		<5	4	609	1.9	0.3	3.2	<0.8	75.4	19.6	3.9	150	5.84	3.47
NFM00621		2.10		<5	4	482	1.1	0.4	2.7	<0.8	69.6	19.3	5.7	180	4.76	2.61
NFM00622		2.76		<5	4	539	1.7	0.7	3.3	<0.8	85.6	22.1	5.2	70	5.03	2.77
NFM00623		2.64		<5	4	569	2.1	0.2	2.6	<0.8	70.9	14.3	2.0	<20	5.71	3.47
NFM00624		2.90		<5	<4	556	0.9	0.1	1.9	<0.8	77.5	13.6	1.8	<20	5.61	4.07
NFM00625		3.25		<5	<4	535	1.1	0.4	4.0	<0.8	67.7	26.8	3.4	290	4.10	2.46
NFM00626		2.53		<5	<4	610	1.4	0.1	2.2	<0.8	83.9	8.9	2.1	<20	4.43	2.91
NFM00627		1.59		<5	<4	552	1.3	0.3	3.4	<0.8	84.2	33.9	7.5	900	3.71	2.14
NFM00628		1.73		<5	<4	612	1.6	0.1	3.2	<0.8	112.5	19.7	3.8	20	3.99	2.53
NFM00629		2.61		<5	<4	667	1.1	0.3	3.0	<0.8	80.8	19.8	4.7	50	5.02	3.60
NFM00630		2.53		<5	<4	499	1.8	0.5	2.7	<0.8	100.0	18.9	3.4	<20	6.40	4.09
NFM00631		4.37		<5	<4	446	2.3	0.3	2.9	<0.8	73.3	18.3	3.8	<20	5.48	3.41
NFM00632		4.12		<5	4	307	1.2	0.4	4.9	<0.8	60.8	37.5	5.9	<20	4.72	2.72
NFM00633		2.72		<5	4	238	2.1	1.1	3.0	<0.8	73.4	16.1	2.5	90	7.83	5.29
NFM00634		2.77		<5	<4	367	2.3	0.7	2.9	<0.8	78.0	17.9	2.9	30	5.06	2.95
NFM00635		3.20		<5	5	535	3.1	0.2	3.1	<0.8	91.1	22.9	5.2	<20	4.95	3.09
NFM00636		3.51		<5	7	1255	2.3	0.4	7.3	<0.8	233	35.2	4.1	<20	6.40	3.07
NFM00637		3.79		<5	8	867	1.8	0.7	9.1	<0.8	200	45.6	1.3	20	5.46	2.29
NFM00638		3.25		<5	7	827	1.9	0.6	8.6	<0.8	210	45.3	3.6	20	5.40	2.30
NFM00639		3.46		<5	7	931	1.1	0.5	8.9	<0.8	201	45.5	1.1	<20	5.09	2.14
NFM00640		4.73		<5	11	849	2.0	0.9	8.3	<0.8	217	45.4	1.5	<20	6.99	3.38
NFM00641		3.85		<5	4	600	2.2	0.2	2.5	<0.8	86.2	16.9	3.4	20	4.78	2.72
NFM00642		4.00		<5	4	518	3.1	0.1	2.5	<0.8	98.0	17.9	4.8	<20	6.17	4.01

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – B
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8
NFM00603		1.30	6.54	21.2	8.15	1.5	0.96	<0.3	1.75	48.7	18	0.30	1.64	2710	<2	10.4
NFM00604		1.44	9.38	26.5	7.00	2.1	0.77	<0.3	2.64	50.7	22	0.23	1.83	1740	<2	10.7
NFM00605		1.43	7.24	28.9	5.62	1.9	0.70	<0.3	2.27	42.1	27	0.22	1.60	1050	<2	10.8
NFM00606		1.54	6.94	27.2	6.59	1.7	0.61	<0.3	1.51	49.5	21	0.14	1.28	700	<2	6.9
NFM00607		1.34	4.17	20.4	5.95	1.9	0.94	<0.3	1.10	34.2	12	0.25	1.86	980	2	8.7
NFM00608		0.96	3.02	24.0	3.11	1.8	0.51	<0.3	2.30	22.4	17	0.18	1.46	680	2	9.4
NFM00609		1.11	4.35	21.9	4.14	1.8	0.64	<0.3	2.15	35.3	20	0.22	0.93	730	2	9.1
NFM00610		1.50	5.47	23.9	6.80	1.6	0.72	<0.3	2.79	54.5	20	0.23	1.30	800	<2	9.1
NFM00611		1.67	7.10	28.2	7.58	2.3	0.96	<0.3	2.84	59.9	27	0.27	1.72	1200	<2	11.8
NFM00612		1.38	7.00	25.0	7.05	2.5	0.85	<0.3	2.66	53.8	30	0.23	1.83	1260	<2	14.1
NFM00613		1.86	7.84	25.3	7.26	2.7	1.02	<0.3	2.31	91.9	22	0.31	1.60	2490	2	12.3
NFM00614		1.53	6.14	23.0	7.56	2.2	1.18	<0.3	2.87	58.5	22	0.38	1.42	1480	<2	10.7
NFM00615		1.67	7.42	29.4	7.29	2.4	1.08	<0.3	3.14	55.6	25	0.34	1.77	1450	<2	11.5
NFM00616		1.48	8.23	28.8	6.57	2.0	1.10	<0.3	3.22	48.4	27	0.34	1.71	1730	<2	10.9
NFM00617		1.39	8.85	29.8	5.81	2.2	1.04	<0.3	3.13	43.8	23	0.31	1.74	2470	<2	10.6
NFM00618		1.28	7.21	29.5	4.93	3.4	0.92	<0.3	2.99	38.2	20	0.33	1.74	1780	<2	9.6
NFM00619		1.21	6.10	25.1	6.48	4.1	1.18	<0.3	2.87	44.5	15	0.41	1.41	1540	<2	11.2
NFM00620		1.39	6.46	23.7	5.89	3.9	1.17	<0.3	2.27	38.8	16	0.48	1.45	1960	<2	10.7
NFM00621		1.28	5.71	22.1	5.14	3.6	0.93	<0.3	2.37	36.0	17	0.37	1.43	1530	2	11.0
NFM00622		1.54	5.79	20.4	6.02	2.9	0.97	<0.3	2.19	43.1	15	0.40	1.80	1620	2	9.4
NFM00623		1.28	6.32	21.4	5.88	3.4	1.16	<0.3	2.26	36.6	13	0.44	0.98	2040	<2	8.8
NFM00624		1.22	7.41	22.0	6.06	1.9	1.36	<0.3	3.09	39.9	13	0.53	0.70	2530	2	6.9
NFM00625		1.48	7.60	19.3	4.81	1.3	0.86	<0.3	1.82	31.4	19	0.31	2.29	1830	2	7.5
NFM00626		1.40	3.93	20.8	5.49	1.2	0.98	<0.3	2.46	43.9	16	0.36	0.79	970	<2	9.8
NFM00627		1.38	7.89	25.2	5.10	1.7	0.75	<0.3	2.23	43.3	33	0.25	2.56	1160	<2	10.4
NFM00628		1.83	6.15	20.6	6.36	1.7	0.91	<0.3	2.43	55.3	21	0.28	1.72	1690	<2	8.9
NFM00629		1.36	6.49	19.5	5.73	1.9	1.20	<0.3	2.40	38.9	18	0.49	1.56	2150	<2	8.2
NFM00630		1.64	5.70	20.9	6.92	1.8	1.42	<0.3	1.97	49.6	23	0.51	1.54	1390	<2	9.8
NFM00631		1.13	5.77	19.8	5.40	2.7	1.14	<0.3	2.01	36.2	22	0.48	1.39	1560	<2	9.0
NFM00632		1.16	7.36	21.5	5.02	2.2	0.94	<0.3	1.99	30.2	24	0.38	2.78	1280	<2	6.1
NFM00633		1.28	4.92	19.2	6.57	2.6	1.74	<0.3	1.62	36.5	22	0.77	1.27	850	<2	8.5
NFM00634		1.46	6.20	21.7	5.38	2.4	1.03	<0.3	1.64	39.8	26	0.44	1.68	1200	<2	9.8
NFM00635		1.38	6.75	24.0	6.05	2.8	1.06	<0.3	2.54	45.5	32	0.42	1.84	2300	<2	11.2
NFM00636		3.50	8.79	24.5	10.75	2.7	1.14	<0.3	1.80	110.0	37	0.37	2.95	2000	2	8.7
NFM00637		3.38	7.59	16.2	9.51	2.2	0.92	<0.3	1.02	93.3	23	0.26	5.68	1630	2	4.0
NFM00638		3.51	7.73	16.1	9.81	2.4	0.87	<0.3	1.19	97.2	25	0.26	6.16	1920	<2	3.7
NFM00639		3.30	7.67	15.7	8.83	2.3	0.82	<0.3	1.10	91.7	23	0.23	5.80	1480	3	3.7
NFM00640		3.65	7.84	18.2	11.25	2.8	1.34	<0.3	1.26	98.2	33	0.38	5.62	1460	2	4.2
NFM00641		1.19	4.79	17.0	5.39	2.2	0.93	<0.3	2.20	42.6	25	0.39	1.57	1450	<2	7.6
NFM00642		1.25	5.78	21.8	6.36	2.6	1.30	<0.3	3.44	48.6	28	0.53	1.58	1690	<2	9.9

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – C
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd	Ni	Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.07	10	0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5
NFM00603		45.1	30	11.0	12.20	107.5	<0.01	0.5	<3	9.27	4	260	0.48	1.04	<0.5
NFM00604		42.8	40	12.7	11.80	140.5	<0.01	0.5	<3	8.52	6	180	0.32	0.91	0.5
NFM00605		33.3	40	12.2	9.00	130.0	<0.01	0.6	<3	6.03	3	210	0.64	0.77	<0.5
NFM00606		40.1	60	7.8	11.25	87.9	<0.01	0.5	<3	8.04	3	290	0.45	0.84	<0.5
NFM00607		29.8	20	8.7	8.30	52.6	<0.01	0.5	<3	5.94	4	360	0.57	0.86	<0.5
NFM00608		18.25	20	13.1	4.85	106.0	0.01	0.4	<3	3.58	4	340	0.78	0.47	0.5
NFM00609		26.2	20	12.4	7.87	95.4	<0.01	0.4	<3	5.08	4	320	0.50	0.58	0.5
NFM00610		46.5	30	13.6	13.05	124.5	<0.01	0.3	<3	8.60	6	230	0.21	0.84	0.5
NFM00611		51.8	50	14.2	14.30	142.0	<0.01	0.4	<3	9.65	7	180	0.94	0.96	0.5
NFM00612		44.8	50	14.2	12.70	137.0	<0.01	0.5	<3	8.28	8	190	0.71	0.92	<0.5
NFM00613		60.8	40	13.2	18.20	135.0	<0.01	0.8	<3	9.94	7	210	0.58	0.97	0.6
NFM00614		49.3	40	10.2	13.80	149.5	<0.01	0.4	<3	9.25	6	170	0.43	1.04	0.5
NFM00615		44.5	60	10.4	13.15	192.0	<0.01	0.4	<3	8.65	7	130	0.61	0.94	<0.5
NFM00616		37.0	50	9.4	10.95	186.0	<0.01	0.4	<3	7.05	7	100	0.64	0.89	<0.5
NFM00617		32.0	50	10.3	9.35	174.5	<0.01	0.5	<3	6.00	7	100	0.63	0.83	<0.5
NFM00618		26.2	50	13.6	7.64	170.5	<0.01	<0.3	<3	4.84	4	100	0.81	0.73	<0.5
NFM00619		34.4	40	11.2	10.25	162.0	<0.01	<0.3	3	6.80	4	180	1.00	0.99	<0.5
NFM00620		30.2	40	14.0	8.60	150.5	<0.01	<0.3	<3	5.86	3	220	0.98	0.88	<0.5
NFM00621		26.9	40	14.8	7.87	158.5	<0.01	<0.3	<3	5.08	4	220	0.80	0.75	<0.5
NFM00622		33.3	60	15.6	9.82	129.0	<0.01	<0.3	<3	5.85	3	320	0.76	0.83	<0.5
NFM00623		28.3	40	16.4	7.93	128.5	<0.01	<0.3	<3	5.53	3	160	0.72	0.95	<0.5
NFM00624		29.4	40	19.6	8.91	156.0	<0.01	0.3	3	6.11	8	130	0.38	0.98	<0.5
NFM00625		26.8	70	11.4	7.82	100.5	<0.01	0.4	<3	5.32	5	320	0.40	0.74	<0.5
NFM00626		30.7	20	12.8	9.29	123.5	<0.01	0.4	<3	5.74	7	250	0.63	0.78	<0.5
NFM00627		32.4	70	9.4	9.45	131.5	<0.01	0.5	5	5.98	8	180	0.63	0.67	<0.5
NFM00628		43.2	60	13.4	12.75	137.0	<0.01	0.6	<3	7.64	5	330	0.56	0.80	<0.5
NFM00629		31.5	50	17.6	9.20	130.5	<0.01	0.7	4	6.09	5	270	0.51	0.89	<0.5
NFM00630		38.8	50	12.4	11.45	113.5	<0.01	0.5	<3	7.50	7	280	0.61	1.01	<0.5
NFM00631		28.3	60	12.8	8.36	139.5	<0.01	<0.3	3	5.33	3	170	0.89	0.79	<0.5
NFM00632		24.4	70	10.8	7.20	105.5	<0.01	<0.3	<3	4.66	<3	200	0.58	0.74	<0.5
NFM00633		29.0	30	10.4	8.54	95.8	<0.01	<0.3	<3	5.91	3	170	0.79	1.07	<0.5
NFM00634		30.6	40	11.0	8.94	88.8	<0.01	<0.3	<3	5.64	3	260	0.80	0.80	<0.5
NFM00635		35.2	50	15.4	10.45	150.5	<0.01	<0.3	<3	6.66	4	240	0.79	0.85	<0.5
NFM00636		89.3	80	23.4	25.8	94.3	<0.01	<0.3	<3	14.95	3	980	0.69	1.24	<0.5
NFM00637		83.0	220	20.1	23.2	27.6	<0.01	<0.3	<3	13.10	<3	1380	0.33	1.04	<0.5
NFM00638		87.2	220	18.6	24.2	40.2	<0.01	<0.3	<3	14.30	<3	1470	0.35	1.02	<0.5
NFM00639		82.1	220	20.8	23.2	24.8	<0.01	<0.3	<3	13.00	<3	1550	0.30	1.00	<0.5
NFM00640		88.2	190	25.5	24.8	44.8	<0.01	<0.3	<3	14.80	<3	1380	0.40	1.36	<0.5
NFM00641		33.4	50	12.8	9.74	124.0	<0.01	<0.3	<3	5.98	3	300	0.68	0.75	<0.5
NFM00642		37.3	40	20.8	11.10	186.0	<0.01	<0.3	<3	6.64	4	210	0.76	0.95	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 - D
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01
NFM00603		0.343	0.42	0.32	1.8	71	1.6	25.6	2.11	90	128.0	6.07	2.69	1.51	9.39	1.10
NFM00604		0.427	0.55	0.24	1.5	99	1.3	20.7	1.62	130	126.0	5.06	2.08	1.67	8.07	0.88
NFM00605		0.455	0.48	0.21	1.7	116	0.8	19.6	1.45	90	94.7	4.52	2.08	1.66	6.48	0.80
NFM00606		0.368	0.25	0.16	1.2	96	0.7	16.9	0.98	70	116.0	4.57	1.51	1.78	7.60	0.70
NFM00607		0.264	0.19	0.24	1.7	51	1.2	25.0	1.70	50	86.7	5.54	2.80	1.55	6.86	1.08
NFM00608		0.217	0.36	0.18	2.4	41	3.3	14.0	1.30	60	52.7	3.06	1.57	1.11	3.58	0.58
NFM00609		0.273	0.39	0.24	1.2	54	2.3	16.8	1.46	100	86.0	3.76	1.97	1.29	4.77	0.73
NFM00610		0.340	0.49	0.24	1.3	77	1.9	20.0	1.56	70	137.0	4.97	2.24	1.74	7.84	0.82
NFM00611		0.463	0.56	0.24	1.1	106	1.1	23.2	1.64	80	149.5	5.80	2.62	1.93	8.74	1.10
NFM00612		0.493	0.57	0.26	1.1	104	1.0	22.2	1.60	60	133.5	5.34	2.36	1.60	8.13	0.97
NFM00613		0.434	0.51	0.34	2.4	97	1.0	28.0	2.22	70	214	6.19	3.20	2.15	8.37	1.17
NFM00614		0.385	0.51	0.40	1.7	82	1.1	32.0	2.65	60	145.5	6.85	3.73	1.77	8.71	1.35
NFM00615		0.466	0.77	0.38	1.5	115	2.1	27.1	2.51	90	140.5	5.85	3.58	1.93	8.40	1.24
NFM00616		0.456	0.71	0.40	1.5	112	1.5	29.3	2.39	90	118.5	5.80	3.69	1.71	7.57	1.26
NFM00617		0.468	0.77	0.37	1.6	119	2.8	26.7	2.28	80	101.0	5.38	3.38	1.61	6.70	1.19
NFM00618		0.400	0.70	0.34	1.8	116	2.0	24.4	2.08	70	82.1	5.26	2.95	1.48	5.68	1.05
NFM00619		0.346	0.57	0.44	1.9	89	1.2	32.4	2.64	60	109.5	7.24	3.81	1.40	7.47	1.35
NFM00620		0.411	0.65	0.51	2.2	94	1.1	31.4	3.31	100	92.6	6.70	3.97	1.61	6.79	1.34
NFM00621		0.393	0.66	0.36	1.5	103	1.5	26.0	2.40	120	85.5	5.46	2.98	1.48	5.92	1.07
NFM00622		0.473	0.56	0.40	1.5	113	1.1	24.9	2.57	110	105.0	5.77	3.17	1.78	6.94	1.11
NFM00623		0.306	0.58	0.46	1.9	69	1.2	30.5	2.98	90	87.1	6.55	3.97	1.48	6.78	1.33
NFM00624		0.244	0.62	0.55	1.9	79	1.7	38.1	3.99	90	95.2	6.44	4.65	1.41	6.98	1.56
NFM00625		0.559	0.47	0.34	1.7	127	1.1	24.2	2.34	100	83.2	4.71	2.81	1.71	5.54	0.99
NFM00626		0.395	0.47	0.39	1.6	47	1.3	26.9	2.64	60	103.0	5.08	3.33	1.62	6.33	1.12
NFM00627		0.517	0.58	0.27	0.9	128	0.9	21.1	1.84	130	103.5	4.26	2.45	1.60	5.88	0.86
NFM00628		0.441	0.56	0.35	1.9	94	1.1	24.9	2.20	90	138.0	4.58	2.89	2.12	7.33	1.04
NFM00629		0.388	0.57	0.51	1.8	98	1.5	31.5	3.53	90	99.3	5.76	4.12	1.57	6.60	1.37
NFM00630		0.405	0.46	0.56	2.3	95	1.6	38.3	3.81	70	123.0	7.35	4.68	1.90	7.98	1.63
NFM00631		0.355	0.59	0.49	2.0	86	1.5	30.6	2.98	80	90.0	6.29	3.90	1.31	6.22	1.31
NFM00632		0.464	0.49	0.36	1.7	128	0.8	25.4	2.42	110	74.7	5.42	3.11	1.34	5.79	1.08
NFM00633		0.340	0.41	0.80	2.6	67	1.7	45.4	5.03	60	90.2	8.99	6.05	1.48	7.57	1.99
NFM00634		0.468	0.36	0.44	2.0	91	1.6	27.1	2.89	60	95.8	5.81	3.37	1.69	6.20	1.18
NFM00635		0.434	0.60	0.44	2.3	96	0.9	27.9	2.68	100	112.0	5.68	3.53	1.60	6.97	1.21
NFM00636		0.615	0.46	0.42	2.5	204	1.3	30.7	2.66	120	286	7.35	3.51	4.05	12.40	1.31
NFM00637		0.492	0.16	0.29	2.3	177	1.1	21.7	1.75	110	246	6.27	2.62	3.91	10.95	1.05
NFM00638		0.495	0.22	0.28	2.0	174	0.9	22.1	1.87	110	258	6.20	2.63	4.06	11.30	1.00
NFM00639		0.487	0.13	0.26	2.5	172	8.4	21.8	1.68	100	247	5.84	2.45	3.82	10.20	0.94
NFM00640		0.516	0.21	0.45	3.5	186	1.3	34.8	2.65	120	267	8.02	3.86	4.23	12.95	1.53
NFM00641		0.328	0.52	0.42	2.3	76	1.1	25.9	2.80	60	106.0	5.49	3.11	1.38	6.21	1.07
NFM00642		0.387	0.82	0.61	3.3	81	0.9	36.2	3.80	90	120.5	7.08	4.59	1.45	7.33	1.49

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – E
Total # Pages: 11 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		La2O3	Lu2O3	Nb2O5	Nd2O3	Pr2O3	Sm2O3	Ta2O5	Tb2O3	ThO2	Tm2O3	U3O8	WO3	Y2O3	Yb2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.09	0.06	1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
NFM00603		57.1	0.34	15	52.6	14.30	10.75	0.59	1.20	26.7	0.37	2.1	2.0	32.5	2.40
NFM00604		59.5	0.26	15	49.9	13.80	9.88	0.39	1.05	23.1	0.27	1.8	1.6	26.3	1.84
NFM00605		49.4	0.25	15	38.8	10.55	6.99	0.78	0.89	19.0	0.24	2.0	1.0	24.9	1.65
NFM00606		58.1	0.16	10	46.8	13.15	9.32	0.55	0.97	23.7	0.18	1.4	0.9	21.5	1.12
NFM00607		40.1	0.28	12	34.8	9.71	6.89	0.70	0.99	13.3	0.27	2.0	1.5	31.7	1.94
NFM00608		26.3	0.20	13	21.3	5.68	4.15	0.95	0.54	8.3	0.21	2.8	4.2	17.8	1.48
NFM00609		41.4	0.25	13	30.6	9.21	5.89	0.61	0.67	13.2	0.27	1.4	2.9	21.3	1.66
NFM00610		63.9	0.26	13	54.2	15.25	9.97	0.26	0.97	26.5	0.27	1.5	2.4	25.4	1.78
NFM00611		70.3	0.31	17	60.4	16.75	11.20	1.15	1.10	29.7	0.27	1.3	1.4	29.5	1.87
NFM00612		63.1	0.26	20	52.3	14.85	9.60	0.87	1.06	24.2	0.30	1.3	1.3	28.2	1.82
NFM00613		108.0	0.35	18	70.9	21.3	11.55	0.71	1.12	20.9	0.39	2.8	1.3	35.6	2.53
NFM00614		68.6	0.43	15	57.5	16.15	10.75	0.53	1.20	26.1	0.46	2.0	1.4	40.6	3.02
NFM00615		65.2	0.39	16	51.9	15.40	10.05	0.74	1.08	22.5	0.43	1.8	2.6	34.4	2.86
NFM00616		56.8	0.39	16	43.2	12.80	8.18	0.78	1.02	19.5	0.46	1.8	1.9	37.2	2.72
NFM00617		51.4	0.35	15	37.3	10.95	6.96	0.77	0.96	17.2	0.42	1.9	3.5	33.9	2.60
NFM00618		44.8	0.38	14	30.6	8.94	5.61	0.99	0.84	13.7	0.39	2.1	2.5	31.0	2.37
NFM00619		52.2	0.47	16	40.1	12.00	7.89	1.22	1.14	18.2	0.50	2.2	1.5	41.1	3.01
NFM00620		45.5	0.55	15	35.2	10.05	6.80	1.20	1.01	14.6	0.58	2.6	1.4	39.9	3.77
NFM00621		42.2	0.42	16	31.4	9.21	5.89	0.98	0.86	15.5	0.41	1.8	1.9	33.0	2.73
NFM00622		50.5	0.45	13	38.8	11.50	6.78	0.93	0.96	15.2	0.46	1.8	1.4	31.6	2.93
NFM00623		42.9	0.50	13	33.0	9.28	6.41	0.88	1.09	16.3	0.53	2.2	1.5	38.7	3.39
NFM00624		46.8	0.60	10	34.3	10.45	7.09	0.46	1.13	20.3	0.63	2.2	2.1	48.4	4.54
NFM00625		36.8	0.35	11	31.3	9.15	6.17	0.49	0.85	9.0	0.39	2.0	1.4	30.7	2.66
NFM00626		51.5	0.41	14	35.8	10.85	6.66	0.77	0.90	20.0	0.45	1.9	1.6	34.2	3.01
NFM00627		50.8	0.28	15	37.8	11.05	6.93	0.77	0.77	16.8	0.31	1.1	1.1	26.8	2.10
NFM00628		64.9	0.32	13	50.4	14.90	8.86	0.68	0.92	19.6	0.40	2.2	1.4	31.6	2.51
NFM00629		45.6	0.56	12	36.7	10.75	7.06	0.62	1.02	16.2	0.58	2.1	1.9	40.0	4.02
NFM00630		58.2	0.58	14	45.3	13.40	8.70	0.74	1.16	20.9	0.64	2.7	2.0	48.6	4.34
NFM00631		42.5	0.55	13	33.0	9.78	6.18	1.09	0.91	15.1	0.56	2.4	1.9	38.9	3.39
NFM00632		35.4	0.43	9	28.5	8.43	5.40	0.71	0.85	11.5	0.41	2.0	1.0	32.3	2.76
NFM00633		42.8	0.88	12	33.8	9.99	6.85	0.96	1.23	20.4	0.91	3.1	2.1	57.7	5.73
NFM00634		46.7	0.50	14	35.7	10.45	6.54	0.98	0.92	15.1	0.50	2.4	2.0	34.4	3.29
NFM00635		53.4	0.48	16	41.1	12.25	7.72	0.96	0.98	19.3	0.50	2.7	1.1	35.4	3.05
NFM00636		129.0	0.42	12	104.0	30.2	17.35	0.84	1.43	29.9	0.48	2.9	1.6	39.0	3.03
NFM00637		109.5	0.30	6	96.8	27.2	15.20	0.40	1.20	21.7	0.33	2.7	1.4	27.6	1.99
NFM00638		114.0	0.30	5	101.5	28.3	16.60	0.43	1.17	20.9	0.32	2.4	1.1	28.1	2.13
NFM00639		107.5	0.26	5	95.8	27.2	15.05	0.37	1.15	19.9	0.30	2.9	10.6	27.7	1.91
NFM00640		115.0	0.43	6	103.0	29.0	17.15	0.49	1.57	24.6	0.51	4.1	1.6	44.2	3.02
NFM00641		50.0	0.44	11	39.0	11.40	6.93	0.83	0.86	18.7	0.48	2.7	1.4	32.9	3.19
NFM00642		57.0	0.60	14	43.5	13.00	7.70	0.93	1.09	20.0	0.70	3.9	1.1	46.0	4.33

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 - A
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02
NFM00643		2.88		<5	4	488	2.4	0.1	2.4	<0.8	98.7	17.6	5.2	20	7.58	4.86
NFM00644		2.59		<5	4	460	0.9	0.2	1.8	<0.8	106.5	11.0	5.3	40	14.10	10.35
NFM00645		1.14	99.0	<5	4	608	0.5	0.1	1.3	<0.8	123.0	3.4	3.2	50	22.9	19.00
NFM00646		2.98		<5	4	612	1.7	0.3	3.8	<0.8	98.2	19.8	9.8	30	8.68	5.89
NFM00647		2.95		<5	4	785	2.0	0.2	2.9	<0.8	88.2	10.8	5.6	40	5.26	3.22
NFM00648		2.94		<5	<4	641	1.7	0.3	3.6	<0.8	82.3	20.2	6.6	<20	4.63	2.44
NFM00649		3.73		<5	<4	675	2.5	0.1	2.2	<0.8	80.2	19.1	6.6	<20	4.19	2.47
NFM00650		4.00		<5	<4	555	3.1	0.1	2.9	<0.8	88.3	21.0	6.5	<20	5.20	2.99
NFM00651		1.60		<5	5	517	2.4	0.3	3.2	<0.8	118.0	22.8	6.8	20	6.26	3.85
NFM00652		2.76		<5	5	454	2.3	0.6	3.3	<0.8	88.1	21.7	6.1	<20	5.87	3.33
NFM00653		2.45		<5	5	662	1.9	0.6	3.0	<0.8	68.6	18.6	4.9	30	4.78	2.51
NFM00654		3.00		<5	4	408	2.5	0.4	3.2	<0.8	74.6	22.3	4.1	<20	4.66	2.74
NFM00655		3.24		<5	4	356	2.7	0.6	2.9	<0.8	70.1	23.3	3.6	<20	4.72	2.75
NFM00656		3.32		<5	5	536	2.7	0.2	2.9	<0.8	77.2	28.5	4.2	<20	4.76	2.96
NFM00657		2.25		<5	5	525	2.9	0.3	2.9	<0.8	73.0	22.3	5.8	<20	5.33	3.16
NFM00658		2.45		<5	4	604	2.1	0.5	3.3	<0.8	74.5	23.0	5.9	<20	4.93	2.96
NFM00659		3.16		<5	5	554	2.6	0.6	3.7	<0.8	83.3	25.3	5.5	<20	5.42	3.06
NFM00660		3.36		<5	5	557	3.0	0.3	2.7	<0.8	88.9	21.9	5.2	<20	5.84	3.42
NFM00661		3.78		<5	4	489	2.3	0.3	2.8	<0.8	82.4	20.4	5.1	<20	7.32	4.39
NFM00662		4.06		<5	4	446	2.3	0.3	2.0	<0.8	86.9	13.6	4.4	60	6.31	3.93
NFM00663		2.25		<5	4	375	1.3	0.3	2.5	<0.8	71.9	18.4	4.2	<20	7.61	4.23
NFM00664		2.76		<5	4	547	3.0	0.2	2.0	<0.8	83.0	21.9	5.8	<20	4.76	2.54
NFM00665		3.13		<5	4	428	1.9	0.2	2.4	<0.8	64.7	19.0	4.7	<20	3.62	1.98
NFM00666		3.36		<5	4	544	2.4	0.2	2.7	<0.8	76.1	22.1	5.5	<20	4.11	2.26
NFM00667		5.74		<5	4	501	2.8	0.4	3.6	<0.8	79.5	21.1	4.7	20	5.01	2.68
NFM00668		4.27		<5	4	520	2.2	0.3	1.9	<0.8	74.9	22.7	4.1	40	4.72	2.68
NFM00669		1.38		<5	4	452	1.3	0.2	4.9	<0.8	75.2	29.8	2.5	20	4.16	2.28
NFM00670		2.16		<5	4	474	1.2	0.2	5.1	<0.8	63.6	27.4	2.5	30	3.31	1.65
NFM00671		2.59		<5	4	521	0.9	0.2	5.1	<0.8	72.7	28.9	2.5	40	3.75	1.89
NFM00672		3.75		<5	<4	561	1.0	<0.1	4.9	<0.8	86.2	25.5	2.0	80	4.41	2.19
NFM00673		4.20		<5	<4	522	1.0	<0.1	5.0	<0.8	104.0	24.9	1.6	30	5.26	2.75
NFM00674		6.01		<5	4	588	1.5	0.1	4.4	<0.8	101.0	23.4	1.4	50	4.90	2.64
NFM00675		1.86		<5	4	512	1.2	0.2	5.1	<0.8	105.5	25.6	1.3	30	4.94	2.62
NFM00676		2.89		<5	5	541	1.6	0.2	4.6	<0.8	90.9	24.0	2.0	<20	4.80	2.69
NFM00677		3.14		<5	7	329	1.9	0.5	5.2	<0.8	82.2	23.9	3.3	<20	4.50	2.53
NFM00678		3.68		<5	7	280	2.2	0.5	5.1	<0.8	78.7	20.6	3.3	<20	4.53	2.68
NFM00679		3.13		<5	7	523	2.7	0.3	3.6	<0.8	81.2	25.9	4.7	40	4.45	2.50
NFM00680		5.13		<5	7	528	2.4	0.7	6.9	<0.8	78.2	21.6	5.9	20	4.39	2.59
NFM00681		2.57		<5	11	194	2.8	1.1	11.8	<0.8	80.8	20.1	2.1	<20	4.61	2.52
NFM00682		3.50		<5	5	365	2.7	0.5	6.9	<0.8	83.7	27.6	5.9	<20	4.45	2.55

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 - B
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8
NFM00643		1.30	6.07	21.8	7.16	2.6	1.62	<0.3	3.67	49.5	27	0.74	1.47	1530	<2	10.2
NFM00644		1.23	4.15	16.6	10.00	2.8	3.26	<0.3	4.80	50.9	19	1.49	0.96	1160	<2	8.2
NFM00645		1.49	0.95	10.9	14.90	2.4	5.67	<0.3	6.11	58.6	6	2.90	0.32	260	2	3.4
NFM00646		1.58	6.70	19.1	7.78	2.7	1.90	<0.3	3.34	46.5	25	0.84	1.77	2260	2	7.6
NFM00647		1.36	5.71	19.0	5.60	2.3	1.12	<0.3	2.64	44.8	17	0.48	0.94	1900	2	9.0
NFM00648		1.45	6.17	22.1	5.54	1.9	0.89	<0.3	1.99	40.6	31	0.35	1.72	2190	2	8.6
NFM00649		1.16	5.85	23.8	4.91	1.9	0.86	<0.3	2.56	40.8	31	0.33	1.48	2070	<2	10.9
NFM00650		1.24	6.13	24.5	5.87	2.1	1.02	<0.3	2.85	45.3	34	0.40	1.73	1280	<2	13.4
NFM00651		1.65	5.80	25.1	7.08	2.6	1.31	<0.3	2.27	64.9	39	0.58	1.74	1680	<2	11.5
NFM00652		1.40	5.46	23.4	6.41	2.5	1.14	<0.3	2.29	46.0	34	0.51	1.67	1440	<2	12.0
NFM00653		1.28	4.72	21.2	4.95	2.5	0.91	<0.3	2.87	36.3	29	0.42	1.31	1090	<2	10.2
NFM00654		1.30	5.72	25.1	5.35	2.9	0.95	<0.3	2.40	38.9	31	0.42	1.35	1430	2	11.3
NFM00655		1.26	6.06	24.6	5.22	2.9	0.94	<0.3	2.28	37.2	31	0.52	1.45	2120	<2	10.6
NFM00656		1.36	7.37	25.2	5.31	2.5	0.94	<0.3	2.44	41.5	30	0.46	1.58	4520	<2	10.6
NFM00657		1.34	6.63	25.4	5.74	2.9	1.07	<0.3	2.41	38.0	28	0.46	1.72	1620	<2	12.7
NFM00658		1.60	6.83	23.4	5.80	2.1	0.95	<0.3	2.38	38.1	30	0.43	1.91	1710	2	11.0
NFM00659		1.50	6.71	25.2	6.16	2.5	1.08	<0.3	2.47	43.4	29	0.43	1.79	1980	2	11.6
NFM00660		1.36	5.88	24.7	6.48	2.4	1.22	<0.3	2.75	46.3	28	0.55	1.70	1620	2	12.8
NFM00661		1.50	6.08	24.9	7.33	2.7	1.52	<0.3	2.29	42.9	31	0.69	1.89	1500	2	12.4
NFM00662		1.40	4.63	22.4	6.96	2.2	1.30	<0.3	2.18	45.3	25	0.66	1.39	1240	2	13.8
NFM00663		1.28	4.91	21.2	6.55	2.5	1.52	<0.3	2.22	37.1	27	0.69	1.48	1220	2	9.2
NFM00664		1.34	6.20	24.8	5.61	2.5	0.94	<0.3	3.03	43.1	31	0.42	1.82	1110	2	12.3
NFM00665		1.05	5.39	22.0	4.25	2.7	0.73	<0.3	2.33	34.3	26	0.30	1.53	860	<2	10.2
NFM00666		1.18	6.00	23.6	4.85	2.6	0.83	<0.3	2.88	40.0	27	0.31	1.76	1040	<2	11.3
NFM00667		1.12	5.50	23.0	5.65	2.8	0.99	<0.3	2.84	40.5	23	0.40	1.60	1140	<2	10.2
NFM00668		1.15	5.84	22.9	5.19	2.5	0.93	<0.3	2.49	39.1	23	0.41	1.70	710	<2	11.0
NFM00669		1.68	6.49	21.1	5.16	1.4	0.77	<0.3	1.32	35.9	14	0.35	2.48	1020	2	7.4
NFM00670		1.44	6.03	21.2	4.18	1.1	0.61	<0.3	1.16	30.1	13	0.25	2.20	920	<2	5.5
NFM00671		1.73	6.20	21.2	4.66	1.6	0.73	<0.3	1.30	34.8	13	0.32	2.09	1010	3	7.3
NFM00672		1.70	5.77	22.1	5.50	0.8	0.81	<0.3	1.17	39.6	15	0.29	1.85	890	2	7.8
NFM00673		2.00	6.30	22.7	6.65	1.3	0.99	<0.3	1.15	48.9	11	0.36	1.69	970	3	10.0
NFM00674		2.02	5.99	19.4	6.39	1.1	0.99	<0.3	1.32	48.6	10	0.42	1.53	920	2	9.9
NFM00675		2.12	6.62	21.5	6.36	1.4	0.95	<0.3	1.23	50.9	11	0.39	1.72	1020	2	10.1
NFM00676		1.77	6.28	22.1	5.78	2.0	0.94	<0.3	1.60	44.9	14	0.39	1.71	1040	2	9.9
NFM00677		1.28	6.67	24.4	4.90	2.8	0.88	<0.3	1.79	41.9	20	0.37	1.72	1330	<2	9.6
NFM00678		1.24	6.77	23.2	5.09	2.3	0.91	<0.3	1.52	39.7	21	0.39	1.43	1440	<2	10.0
NFM00679		1.30	6.90	24.0	5.31	2.4	0.85	<0.3	2.75	41.5	28	0.35	1.64	1540	2	10.3
NFM00680		1.12	5.74	22.1	5.09	2.7	0.85	<0.3	3.18	39.7	24	0.37	1.78	1640	<2	9.5
NFM00681		1.17	6.47	23.8	5.07	3.3	0.89	<0.3	1.17	41.4	13	0.38	2.15	2250	3	11.8
NFM00682		1.38	7.17	24.3	5.32	3.5	0.95	<0.3	2.10	42.4	31	0.34	2.36	1870	2	12.0

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 - C
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd	Ni	Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.07	10	0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5
NFM00643		38.1	40	21.1	11.10	207	<0.01	<0.3	<3	7.32	5	190	0.80	1.14	<0.5
NFM00644		41.4	20	26.2	12.10	237	<0.01	<0.3	<3	8.99	3	150	0.30	1.98	<0.5
NFM00645		47.3	10	36.6	14.00	247	<0.01	<0.3	<3	11.40	<3	150	0.22	2.99	<0.5
NFM00646		38.2	50	20.4	11.20	166.0	<0.01	<0.3	<3	7.30	<3	270	0.43	1.31	<0.5
NFM00647		31.7	20	14.5	9.74	111.5	<0.01	<0.3	<3	5.61	<3	250	0.55	0.84	<0.5
NFM00648		35.0	40	9.6	9.47	106.5	<0.01	<0.3	<3	6.68	3	300	0.40	0.78	<0.5
NFM00649		32.8	40	9.9	9.08	148.0	<0.01	<0.3	<3	6.06	6	180	0.63	0.70	<0.5
NFM00650		36.6	40	13.5	10.10	189.0	<0.01	<0.3	<3	7.23	6	140	0.85	0.89	<0.5
NFM00651		45.8	40	13.2	12.65	178.5	<0.01	0.5	6	7.37	4	180	0.62	1.04	<0.5
NFM00652		39.1	50	11.1	10.00	176.0	<0.01	0.3	5	6.75	10	140	0.79	0.95	<0.5
NFM00653		30.2	40	12.8	8.07	188.0	<0.01	0.6	7	5.44	6	140	0.47	0.75	<0.5
NFM00654		33.2	40	11.3	8.37	175.5	<0.01	<0.3	6	6.15	13	140	0.62	0.81	<0.5
NFM00655		31.1	60	10.8	8.12	150.0	<0.01	0.8	4	5.53	14	160	0.57	0.77	<0.5
NFM00656		33.9	60	13.3	8.77	163.5	<0.01	<0.3	5	5.94	8	160	0.53	0.80	<0.5
NFM00657		33.4	40	14.2	8.54	172.5	<0.01	<0.3	4	6.42	4	140	0.92	0.87	<0.5
NFM00658		33.9	40	12.7	8.67	157.5	<0.01	<0.3	4	6.01	4	200	0.68	0.84	<0.5
NFM00659		37.6	40	12.5	9.82	164.0	<0.01	<0.3	4	6.75	7	190	0.64	0.91	<0.5
NFM00660		39.5	40	13.0	10.25	179.5	<0.01	<0.3	4	7.27	7	140	0.64	0.97	<0.5
NFM00661		38.9	40	12.9	9.60	160.0	<0.01	<0.3	4	7.61	5	140	0.61	1.16	<0.5
NFM00662		40.5	30	13.3	10.20	158.0	<0.01	<0.3	4	7.65	6	140	0.59	1.06	<0.5
NFM00663		33.1	40	17.5	8.37	177.0	0.06	<0.3	5	6.63	7	110	0.88	1.18	<0.5
NFM00664		37.8	50	17.3	9.45	190.5	0.04	<0.3	5	6.79	8	90	0.73	0.88	<0.5
NFM00665		28.7	40	14.8	7.53	162.0	0.03	<0.3	4	5.36	4	90	0.69	0.63	<0.5
NFM00666		33.5	50	14.0	8.74	197.0	0.02	<0.3	5	6.21	5	100	0.65	0.72	<0.5
NFM00667		34.1	50	14.8	8.99	165.5	0.01	0.3	4	6.46	5	160	1.62	0.85	<0.5
NFM00668		32.4	50	11.8	8.43	143.5	0.02	0.3	5	6.02	4	240	0.57	0.73	<0.5
NFM00669		38.1	70	11.2	9.20	55.1	0.01	0.3	4	6.26	3	370	0.18	0.71	<0.5
NFM00670		31.5	60	12.5	7.92	44.8	0.01	<0.3	4	5.47	<3	450	0.04	0.56	<0.5
NFM00671		36.9	260	13.3	9.10	46.1	<0.01	<0.3	5	6.54	3	490	0.22	0.66	<0.5
NFM00672		40.0	40	13.2	10.40	40.0	<0.01	<0.3	<3	7.34	3	520	0.19	0.73	<0.5
NFM00673		47.7	40	13.6	12.65	39.1	<0.01	<0.3	<3	8.48	3	520	0.36	0.91	<0.5
NFM00674		48.0	30	13.6	12.20	42.7	<0.01	<0.3	6	8.09	3	410	0.34	0.87	<0.5
NFM00675		50.3	40	12.1	12.85	41.2	<0.01	<0.3	4	8.74	<3	450	0.32	0.85	<0.5
NFM00676		42.8	40	12.1	10.80	69.3	<0.01	<0.3	5	7.84	4	340	0.37	0.79	<0.5
NFM00677		35.5	50	14.3	9.38	102.5	<0.01	0.4	3	6.44	4	250	0.50	0.75	<0.5
NFM00678		35.0	60	13.6	8.90	98.4	<0.01	0.4	4	6.50	4	250	0.50	0.76	<0.5
NFM00679		36.1	70	17.8	9.24	164.5	<0.01	0.4	4	6.81	5	140	0.57	0.76	<0.5
NFM00680		35.2	50	18.6	8.99	185.5	<0.01	1.0	3	6.09	5	120	0.48	0.77	<0.5
NFM00681		35.0	40	14.2	8.99	66.5	<0.01	3.1	<3	6.39	5	150	0.63	0.73	<0.5
NFM00682		30.9	50	13.9	9.96	140.0	<0.01	1.6	4	6.27	6	150	1.31	0.83	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 - D
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01
NFM00643		0.385	0.97	0.77	2.4	78	1.2	44.7	4.81	90	121.0	8.70	5.56	1.51	8.25	1.86
NFM00644		0.240	1.00	1.64	3.5	50	1.4	90.9	10.15	70	131.0	16.20	11.85	1.42	11.55	3.73
NFM00645		0.080	1.00	3.00	9.3	12	2.5	166.0	18.70	80	151.0	26.3	21.7	1.73	17.15	6.49
NFM00646		0.449	0.74	0.85	3.4	91	1.6	52.5	5.74	110	120.5	9.96	6.74	1.83	8.97	2.18
NFM00647		0.423	0.50	0.48	2.8	53	1.5	30.2	3.12	70	108.5	6.04	3.68	1.57	6.45	1.28
NFM00648		0.532	0.51	0.39	1.9	113	0.8	25.9	2.23	90	101.0	5.31	2.79	1.68	6.39	1.02
NFM00649		0.394	0.63	0.40	1.9	84	1.3	24.0	2.17	80	98.5	4.81	2.82	1.34	5.66	0.99
NFM00650		0.413	0.72	0.45	1.6	97	1.2	30.8	2.66	90	108.5	5.97	3.42	1.44	6.77	1.17
NFM00651		0.406	0.66	0.56	2.2	113	0.8	35.6	3.65	120	145.0	7.18	4.40	1.91	8.16	1.50
NFM00652		0.386	0.65	0.50	2.2	106	1.7	32.6	2.89	90	108.0	6.74	3.81	1.62	7.39	1.31
NFM00653		0.332	0.62	0.37	2.5	93	1.7	27.0	2.52	70	84.3	5.49	2.87	1.48	5.71	1.04
NFM00654		0.418	0.54	0.42	2.1	111	1.3	27.6	2.58	70	91.6	5.35	3.13	1.51	6.17	1.09
NFM00655		0.410	0.46	0.44	1.8	112	1.3	27.1	2.85	60	86.1	5.42	3.14	1.46	6.02	1.08
NFM00656		0.491	0.49	0.41	1.4	133	1.4	26.6	2.75	90	94.8	5.46	3.38	1.57	6.12	1.08
NFM00657		0.531	0.55	0.48	2.0	107	1.0	30.5	2.92	120	89.7	6.12	3.61	1.55	6.62	1.23
NFM00658		0.611	0.57	0.41	1.9	142	1.0	27.0	2.55	120	91.5	5.66	3.38	1.85	6.69	1.09
NFM00659		0.514	0.53	0.45	2.1	119	1.2	30.2	2.67	100	102.5	6.22	3.50	1.74	7.10	1.24
NFM00660		0.405	0.55	0.52	2.1	100	1.5	33.7	3.15	110	109.0	6.70	3.91	1.57	7.47	1.40
NFM00661		0.482	0.53	0.65	2.5	116	1.4	43.5	4.21	110	101.0	8.40	5.02	1.74	8.45	1.74
NFM00662		0.330	0.50	0.58	3.3	54	1.3	38.0	3.85	100	106.5	7.24	4.49	1.62	8.02	1.49
NFM00663		0.343	0.70	0.68	6.5	94	1.3	44.0	3.89	100	88.3	8.73	4.84	1.48	7.55	1.74
NFM00664		0.418	0.70	0.38	2.2	95	0.7	25.4	2.28	110	102.0	5.46	2.90	1.55	6.47	1.08
NFM00665		0.356	0.63	0.30	1.5	82	0.8	19.4	1.74	90	79.5	4.15	2.26	1.22	4.90	0.84
NFM00666		0.418	0.71	0.34	1.6	99	2.0	22.4	1.94	100	93.5	4.72	2.58	1.37	5.59	0.95
NFM00667		0.372	0.54	0.41	2.8	85	1.4	26.9	2.52	90	97.7	5.75	3.06	1.30	6.51	1.13
NFM00668		0.397	0.44	0.40	2.5	93	1.3	26.0	2.45	60	92.0	5.42	3.06	1.33	5.98	1.07
NFM00669		0.609	0.15	0.34	1.5	163	0.8	21.1	1.96	110	92.4	4.77	2.61	1.95	5.95	0.88
NFM00670		0.573	0.12	0.24	1.1	159	0.5	16.8	1.46	90	78.1	3.80	1.89	1.67	4.82	0.70
NFM00671		0.632	0.15	0.28	1.5	166	1.0	19.4	1.84	100	89.3	4.30	2.16	2.00	5.37	0.84
NFM00672		0.601	0.13	0.34	1.5	175	0.9	22.4	1.91	100	106.0	5.06	2.50	1.97	6.34	0.93
NFM00673		0.729	0.13	0.38	2.1	188	1.2	27.8	2.34	110	128.0	6.04	3.14	2.32	7.66	1.13
NFM00674		0.713	0.13	0.42	1.8	150	1.0	25.7	2.32	80	124.0	5.62	3.02	2.34	7.37	1.13
NFM00675		0.777	0.12	0.40	1.8	176	1.1	27.5	2.44	90	129.5	5.67	3.00	2.45	7.33	1.09
NFM00676		0.633	0.17	0.39	1.6	143	1.2	25.6	2.39	80	111.5	5.51	3.08	2.05	6.66	1.08
NFM00677		0.471	0.31	0.39	2.0	122	1.7	25.0	2.37	70	101.0	5.16	2.89	1.48	5.65	1.01
NFM00678		0.467	0.30	0.41	1.8	112	1.4	25.4	2.54	60	96.7	5.20	3.06	1.44	5.87	1.04
NFM00679		0.481	0.55	0.35	1.4	110	1.2	23.8	2.17	90	99.7	5.11	2.86	1.51	6.12	0.97
NFM00680		0.403	0.57	0.37	1.7	93	1.6	24.4	2.42	80	96.1	5.04	2.96	1.30	5.87	0.97
NFM00681		0.453	0.19	0.38	3.0	101	2.9	25.0	2.51	70	99.3	5.29	2.88	1.35	5.84	1.02
NFM00682		0.452	0.48	0.40	1.8	138	2.0	28.0	2.21	140	103.0	5.11	2.92	1.60	6.13	1.09

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 - E
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		La2O3	Lu2O3	Nb2O5	Nd2O3	Pr2O3	Sm2O3	Ta2O5	Tb2O3	ThO2	Tm2O3	U3O8	WO3	Y2O3	Yb2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.09	0.06	1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
NFM00643		58.1	0.84	15	44.4	13.00	8.49	0.98	1.31	22.9	0.88	2.8	1.5	56.8	5.48
NFM00644		59.7	1.69	12	48.3	14.15	10.40	0.37	2.28	32.4	1.87	4.1	1.8	115.5	11.55
NFM00645		68.7	3.30	5	55.2	16.40	13.20	0.27	3.44	45.6	3.43	11.0	3.2	211	21.3
NFM00646		54.5	0.96	11	44.6	13.10	8.47	0.53	1.51	21.8	0.97	4.0	2.0	66.7	6.54
NFM00647		52.5	0.55	13	37.0	11.40	6.51	0.67	0.97	18.7	0.55	3.3	1.9	38.4	3.55
NFM00648		47.6	0.40	12	40.8	11.10	7.75	0.49	0.90	12.3	0.45	2.2	1.0	32.9	2.54
NFM00649		47.9	0.38	16	38.3	10.65	7.03	0.77	0.81	16.4	0.46	2.2	1.6	30.5	2.47
NFM00650		53.1	0.45	19	42.7	11.80	8.38	1.04	1.02	18.0	0.51	1.9	1.5	39.1	3.03
NFM00651		76.1	0.66	16	53.4	14.80	8.55	0.76	1.20	18.7	0.64	2.6	1.0	45.2	4.16
NFM00652		53.9	0.58	17	45.6	11.70	7.83	0.96	1.09	20.3	0.57	2.6	2.1	41.4	3.29
NFM00653		42.6	0.48	15	35.2	9.44	6.31	0.57	0.86	14.8	0.42	2.9	2.1	34.3	2.87
NFM00654		45.6	0.48	16	38.7	9.80	7.13	0.76	0.93	15.6	0.48	2.5	1.6	35.0	2.94
NFM00655		43.6	0.59	15	36.3	9.50	6.41	0.70	0.89	15.4	0.50	2.1	1.6	34.4	3.25
NFM00656		48.7	0.52	15	39.5	10.25	6.89	0.65	0.92	16.6	0.47	1.7	1.8	33.8	3.13
NFM00657		44.6	0.52	18	39.0	9.99	7.44	1.12	1.00	14.6	0.55	2.4	1.3	38.7	3.33
NFM00658		44.7	0.49	16	39.5	10.15	6.97	0.83	0.97	14.6	0.47	2.2	1.3	34.3	2.90
NFM00659		50.9	0.49	17	43.9	11.50	7.83	0.78	1.05	16.8	0.51	2.5	1.5	38.4	3.04
NFM00660		54.3	0.63	18	46.1	12.00	8.43	0.78	1.12	20.3	0.59	2.5	1.9	42.8	3.59
NFM00661		50.3	0.78	18	45.4	11.25	8.82	0.74	1.34	17.2	0.74	2.9	1.8	55.2	4.79
NFM00662		53.1	0.75	20	47.2	11.95	8.87	0.72	1.22	17.3	0.66	3.9	1.6	48.3	4.38
NFM00663		43.5	0.78	13	38.6	9.80	7.69	1.07	1.36	19.6	0.78	7.7	1.6	55.9	4.43
NFM00664		50.5	0.48	18	44.1	11.05	7.87	0.89	1.01	18.7	0.43	2.6	0.9	32.3	2.60
NFM00665		40.2	0.34	15	33.5	8.81	6.22	0.84	0.73	13.8	0.34	1.8	1.0	24.6	1.98
NFM00666		46.9	0.35	16	39.1	10.25	7.20	0.79	0.83	16.6	0.39	1.9	2.5	28.4	2.21
NFM00667		47.5	0.45	15	39.8	10.50	7.49	1.98	0.98	21.8	0.47	3.3	1.8	34.2	2.87
NFM00668		45.9	0.47	16	37.8	9.87	6.98	0.70	0.84	19.3	0.46	2.9	1.6	33.0	2.79
NFM00669		42.1	0.40	11	44.4	10.75	7.26	0.22	0.82	8.0	0.39	1.8	1.0	26.8	2.23
NFM00670		35.3	0.28	8	36.7	9.27	6.34	0.05	0.64	5.5	0.27	1.3	0.6	21.3	1.66
NFM00671		40.8	0.36	10	43.0	10.65	7.58	0.27	0.76	6.6	0.32	1.8	1.3	24.6	2.10
NFM00672		46.4	0.33	11	46.7	12.15	8.51	0.23	0.84	6.8	0.39	1.8	1.1	28.4	2.17
NFM00673		57.3	0.41	14	55.6	14.80	9.83	0.44	1.05	9.4	0.43	2.5	1.5	35.3	2.66
NFM00674		57.0	0.48	14	56.0	14.30	9.38	0.42	1.00	10.0	0.48	2.1	1.3	32.6	2.64
NFM00675		59.7	0.44	14	58.7	15.05	10.15	0.39	0.98	10.5	0.46	2.1	1.4	34.9	2.78
NFM00676		52.7	0.44	14	49.9	12.65	9.09	0.45	0.91	12.3	0.45	1.9	1.5	32.5	2.72
NFM00677		49.1	0.42	14	41.4	11.00	7.47	0.61	0.86	15.9	0.45	2.4	2.1	31.7	2.70
NFM00678		46.6	0.44	14	40.8	10.40	7.54	0.61	0.87	15.7	0.47	2.1	1.8	32.3	2.89
NFM00679		48.7	0.40	15	42.1	10.80	7.90	0.70	0.87	17.1	0.40	1.7	1.5	30.2	2.47
NFM00680		46.6	0.42	14	41.1	10.50	7.06	0.59	0.89	15.8	0.42	2.0	2.0	31.0	2.76
NFM00681		48.6	0.43	17	40.8	10.50	7.41	0.77	0.84	16.7	0.43	3.5	3.7	31.7	2.86
NFM00682		49.7	0.39	17	36.0	11.65	7.27	1.60	0.96	16.3	0.46	2.1	2.5	35.6	2.52

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 - A
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02
NFM00683		4.03		<5	4	580	3.3	0.2	3.3	<0.8	88.8	28.8	6.1	<20	4.79	2.57
NFM00684		4.02	97.0	<5	6	507	2.4	0.3	4.3	<0.8	91.8	29.7	8.5	<20	5.14	2.76
NFM00685		3.51		<5	8	510	2.3	0.3	5.0	<0.8	86.9	30.7	6.5	<20	5.25	2.80
NFM00686		4.36		<5	8	502	2.0	0.3	3.3	<0.8	79.0	29.0	6.4	<20	5.30	2.90
NFM00687		1.27		<5	12	436	1.9	2.6	7.8	<0.8	82.6	30.6	5.9	<20	5.51	2.90
NFM00688		2.94		<5	12	581	2.0	6.6	6.6	<0.8	81.1	28.9	6.0	<20	4.78	2.82
NFM00689		2.99		<5	9	455	2.1	0.9	4.8	<0.8	79.4	28.4	7.1	<20	4.46	2.40
NFM00690		2.84		<5	10	444	1.8	0.6	7.5	<0.8	72.8	28.1	5.8	<20	4.28	2.46
NFM00691		3.73		<5	10	412	1.7	0.6	6.5	<0.8	79.6	27.9	5.2	<20	4.98	2.81
NFM00692		5.26		<5	8	312	1.6	0.5	6.4	<0.8	78.5	26.7	3.4	<20	4.97	2.75
NFM00693		2.03		<5	7	463	1.3	0.4	4.1	<0.8	73.6	22.7	3.5	<20	4.06	2.28
NFM00694		3.29		<5	7	439	1.9	0.4	6.1	<0.8	75.1	22.2	3.8	<20	4.53	2.61
NFM00695		2.15		<5	6	414	1.8	0.4	7.5	<0.8	60.7	21.8	4.1	<20	3.83	2.31
NFM00696		2.54		<5	8	409	1.8	0.3	5.3	<0.8	63.8	25.8	5.5	<20	3.46	1.88
NFM00697		3.55		<5	9	420	1.8	0.4	6.2	<0.8	74.7	27.9	5.4	<20	4.43	2.51
NFM00698		3.77		<5	12	416	1.9	0.3	6.7	<0.8	80.4	26.2	3.1	<20	4.41	2.50
NFM00699		1.28		<5	10	404	1.1	0.3	5.0	<0.8	52.9	15.3	3.6	<20	5.71	3.18
NFM00700		3.14		<5	8	455	1.4	0.3	4.7	<0.8	73.9	23.5	5.3	<20	4.81	2.73
NFM00701		3.14		<5	9	520	1.7	0.4	5.2	<0.8	73.7	24.5	5.7	<20	4.53	2.40
NFM00702		3.19		<5	5	535	2.5	0.2	3.0	<0.8	79.3	27.8	6.4	<20	4.47	2.48
NFM00703		3.06		<5	7	500	1.9	0.3	4.8	<0.8	77.2	27.1	5.7	<20	4.61	2.61
NFM00704		3.75		<5	5	493	2.2	0.3	3.2	<0.8	83.4	23.0	7.3	110	5.01	3.06
NFM00705		3.57		<5	4	448	1.1	0.2	3.1	<0.8	82.3	26.5	4.7	290	3.94	2.07
NFM00706		3.47		<5	4	488	1.2	0.1	4.3	<0.8	95.8	28.0	2.3	130	4.60	2.46
NFM00707		3.48		<5	5	557	1.2	0.3	4.1	<0.8	93.8	28.7	3.3	60	4.76	2.65
NFM00708		3.56		<5	<4	359	2.1	0.4	3.9	<0.8	105.0	23.1	2.1	<20	4.71	2.29
NFM00709		5.09		<5	4	458	5.5	0.2	1.6	<0.8	84.2	25.9	5.8	90	4.13	2.26
NFM00710		1.44		<5	<4	471	3.1	0.1	1.2	<0.8	86.4	27.2	6.6	30	4.62	2.62
NFM00711		2.50		<5	<4	466	3.8	0.1	1.5	<0.8	100.5	30.2	6.9	<20	5.35	2.81
NFM00712		2.82		<5	<4	482	3.1	0.2	2.7	<0.8	100.0	30.4	6.2	<20	5.02	2.81
NFM00713		7.32		<5	5	434	2.6	0.3	4.5	<0.8	88.3	27.0	4.7	<20	4.50	2.56
NFM00714		4.09		<5	6	174	4.2	1.1	9.1	<0.8	85.3	25.8	2.5	<20	5.11	2.92
NFM00715		5.28		<5	<4	412	2.9	0.2	4.1	0.9	88.4	42.8	5.3	<20	4.81	3.08
NFM00716		1.75		<5	<4	575	2.9	<0.1	3.4	0.8	66.4	24.8	3.3	<20	3.61	2.07
NFM00717		3.22		<5	<4	398	2.7	0.2	4.0	0.8	72.2	21.8	2.4	<20	4.81	3.24
NFM00718		3.38		<5	<4	291	2.9	<0.1	2.5	0.8	72.2	24.7	3.7	<20	4.67	2.90
NFM00719		3.68		<5	<4	388	3.1	0.1	2.7	0.8	73.0	22.5	4.3	<20	4.63	2.96
NFM00720		4.35		<5	<4	321	3.0	<0.1	2.4	<0.8	78.1	21.6	3.9	<20	4.83	2.77
NFM00721		4.40		<5	<4	96	3.1	<0.1	2.3	0.8	62.7	14.0	3.3	<20	3.65	2.24
NFM00722		1.29		<5	<4	508	2.8	0.2	3.6	0.8	88.1	27.4	4.9	40	5.25	3.31

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – B
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8
NFM00683		1.44	6.95	26.4	5.60	3.3	0.98	<0.3	2.71	45.8	39	0.38	1.86	2450	<2	11.4
NFM00684		1.43	6.35	24.3	5.79	2.6	0.96	<0.3	2.97	44.5	35	0.37	1.58	2350	<2	10.4
NFM00685		1.37	6.43	25.1	5.91	2.3	1.03	<0.3	2.78	42.0	34	0.40	1.64	1910	2	9.4
NFM00686		1.40	6.02	24.4	6.25	2.7	1.01	<0.3	3.11	39.7	33	0.43	1.69	1230	2	10.0
NFM00687		1.38	7.34	25.5	5.85	2.9	1.15	<0.3	2.15	39.9	25	0.44	1.96	1750	<2	10.0
NFM00688		1.29	6.14	23.3	5.58	2.9	0.97	<0.3	1.92	39.9	26	0.40	1.65	1580	<2	9.3
NFM00689		1.29	6.21	24.2	5.17	2.2	0.85	<0.3	3.10	39.1	25	0.32	1.58	1110	<2	9.6
NFM00690		1.27	6.23	23.2	5.44	2.8	0.90	<0.3	2.56	35.9	21	0.33	1.66	1340	<2	9.6
NFM00691		1.32	6.21	24.0	5.56	2.7	1.02	<0.3	2.32	40.3	23	0.35	1.65	1240	<2	9.6
NFM00692		1.27	6.54	23.6	5.34	2.5	0.95	<0.3	1.85	38.7	19	0.36	1.68	1150	<2	10.2
NFM00693		1.23	5.51	21.3	4.78	2.6	0.81	<0.3	3.13	36.7	24	0.34	1.33	930	2	9.1
NFM00694		1.17	5.81	22.0	5.48	3.4	0.95	<0.3	2.55	37.8	26	0.36	1.47	1150	2	10.4
NFM00695		1.05	5.73	21.0	4.04	2.9	0.81	<0.3	2.38	31.4	20	0.29	1.42	1240	<2	9.7
NFM00696		1.05	6.07	23.3	4.13	3.0	0.68	<0.3	2.68	31.1	29	0.27	1.47	1020	<2	8.3
NFM00697		1.29	6.14	23.4	5.25	2.8	0.90	<0.3	2.80	35.7	28	0.34	1.66	1190	<2	9.2
NFM00698		1.20	5.72	22.8	5.15	3.0	0.87	<0.3	2.31	38.9	17	0.33	1.43	1110	<2	10.8
NFM00699		1.18	3.17	17.5	5.60	2.2	1.15	<0.3	2.45	25.0	17	0.39	0.97	850	<2	5.5
NFM00700		1.21	4.96	22.6	5.10	2.9	0.97	<0.3	2.78	36.7	27	0.35	1.49	1000	<2	8.9
NFM00701		1.24	5.64	22.0	5.13	2.4	0.95	<0.3	2.67	36.6	30	0.31	1.44	1030	2	8.6
NFM00702		1.18	7.15	22.8	5.32	1.9	0.86	<0.3	2.94	39.1	35	0.35	1.69	1130	<2	9.3
NFM00703		1.28	6.48	22.4	5.46	1.9	0.95	<0.3	2.70	37.0	30	0.35	1.66	1390	<2	8.8
NFM00704		1.38	5.76	23.0	5.87	2.0	1.06	<0.3	2.55	41.0	28	0.44	1.99	960	<2	9.8
NFM00705		1.55	6.21	19.6	5.01	1.4	0.77	<0.3	1.67	38.8	17	0.24	1.98	1040	<2	7.8
NFM00706		1.94	6.70	21.6	6.09	1.5	0.86	<0.3	1.48	43.7	13	0.30	2.02	1240	2	8.0
NFM00707		1.94	6.57	20.9	5.98	1.1	0.92	<0.3	1.81	43.3	15	0.35	1.91	1230	2	7.5
NFM00708		1.86	6.67	21.8	5.88	1.6	0.88	<0.3	1.48	50.3	14	0.33	1.65	1190	2	7.3
NFM00709		1.38	7.16	27.6	5.02	1.9	0.84	<0.3	3.14	44.4	25	0.29	2.17	1400	<2	8.5
NFM00710		1.29	7.03	25.5	5.38	2.2	0.91	<0.3	2.61	45.5	25	0.39	2.05	1160	<2	10.0
NFM00711		1.59	8.01	26.0	6.34	1.8	1.00	<0.3	2.49	50.4	27	0.38	2.15	1380	<2	10.8
NFM00712		1.48	7.14	25.2	6.10	2.1	0.98	<0.3	2.57	49.2	28	0.38	2.01	1380	<2	10.0
NFM00713		1.26	6.47	22.9	5.22	1.7	0.88	<0.3	2.39	42.6	25	0.30	1.73	1370	<2	9.6
NFM00714		1.31	7.54	23.0	5.77	2.9	0.97	<0.3	1.09	40.5	14	0.37	2.08	1710	<2	7.7
NFM00715		1.41	7.14	26.2	6.09	3.3	1.01	<0.3	2.23	46.0	31	0.40	1.72	2520	2	12.0
NFM00716		1.30	6.44	25.3	4.71	2.6	0.73	<0.3	1.90	34.8	27	0.29	1.62	1740	<2	11.8
NFM00717		1.30	7.05	25.1	5.24	2.7	1.01	<0.3	1.67	37.5	25	0.46	1.73	5770	<2	12.0
NFM00718		1.24	5.67	24.2	5.63	1.9	0.97	<0.3	1.56	39.2	32	0.40	2.19	1160	<2	16.2
NFM00719		1.29	5.84	25.1	5.44	2.6	0.96	<0.3	2.32	38.8	26	0.36	1.66	970	<2	11.3
NFM00720		1.44	5.70	25.3	5.91	2.5	0.99	<0.3	2.08	41.5	29	0.37	1.80	930	2	11.3
NFM00721		1.02	3.17	18.6	4.77	1.5	0.73	<0.3	0.91	33.6	26	0.26	1.70	460	<2	13.0
NFM00722		1.68	6.45	22.9	6.57	2.3	1.03	<0.3	2.28	46.2	27	0.42	2.08	1330	2	10.8

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 - C
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd	Ni	Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.07	10	0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5
NFM00683		32.6	60	20.7	10.35	148.5	<0.01	0.6	3	6.92	5	130	1.03	0.85	<0.5
NFM00684		33.8	50	18.6	9.82	207	<0.01	1.0	5	6.32	5	110	0.88	0.84	<0.5
NFM00685		32.1	110	20.2	9.26	185.0	<0.01	0.9	7	6.03	4	110	0.91	0.90	<0.5
NFM00686		29.5	60	20.8	8.55	193.5	<0.01	2.8	7	5.44	6	140	0.87	0.89	<0.5
NFM00687		30.4	60	25.0	8.79	143.5	<0.01	1.9	7	6.02	4	180	1.02	0.91	<0.5
NFM00688		29.9	50	22.8	8.74	135.0	<0.01	2.1	6	5.59	4	170	0.90	0.81	<0.5
NFM00689		28.9	70	23.1	8.53	203	<0.01	0.9	5	5.32	4	90	0.85	0.81	<0.5
NFM00690		27.3	50	21.8	7.82	161.5	<0.01	1.2	5	5.02	6	100	0.77	0.78	<0.5
NFM00691		31.1	50	18.9	8.78	159.0	<0.01	1.0	5	5.87	6	100	0.91	0.84	<0.5
NFM00692		29.2	60	14.9	8.43	116.0	<0.01	1.2	4	5.69	5	200	1.03	0.81	<0.5
NFM00693		26.8	60	20.9	7.94	173.5	<0.01	0.8	5	5.04	4	130	0.73	0.69	<0.5
NFM00694		26.8	50	16.0	8.76	144.5	<0.01	1.0	3	5.71	4	140	0.79	0.85	<0.5
NFM00695		22.5	40	16.8	7.21	139.5	<0.01	0.9	3	4.72	4	120	0.71	0.64	<0.5
NFM00696		23.2	50	17.8	6.86	180.0	<0.01	0.7	4	4.39	4	100	0.79	0.56	<0.5
NFM00697		28.3	50	17.5	7.94	184.5	<0.01	0.9	6	5.21	4	100	0.89	0.76	<0.5
NFM00698		30.5	50	15.7	8.87	135.5	<0.01	1.1	4	5.75	6	140	0.98	0.73	<0.5
NFM00699		22.4	30	18.6	6.04	132.0	<0.01	0.7	5	5.02	3	140	0.55	0.89	<0.5
NFM00700		27.9	50	22.5	7.97	174.0	<0.01	1.1	4	5.85	4	120	0.81	0.79	<0.5
NFM00701		27.7	60	18.8	8.02	172.5	<0.01	1.1	5	5.39	4	110	0.78	0.77	<0.5
NFM00702		29.5	50	18.2	8.71	176.5	<0.01	0.6	5	5.64	4	90	0.78	0.76	<0.5
NFM00703		30.1	60	18.9	8.35	156.5	<0.01	0.7	4	5.60	5	120	0.69	0.77	<0.5
NFM00704		31.8	50	16.2	9.18	146.5	<0.01	0.5	5	6.09	4	160	0.84	0.88	<0.5
NFM00705		33.9	40	11.4	9.28	87.0	<0.01	0.3	4	6.09	6	310	0.49	0.68	<0.5
NFM00706		41.2	40	11.8	11.05	59.8	<0.01	0.4	3	7.26	3	420	0.56	0.83	<0.5
NFM00707		38.3	40	12.3	10.80	92.3	<0.01	0.4	4	6.82	<3	380	0.61	0.81	<0.5
NFM00708		41.2	40	11.5	11.60	63.1	<0.01	0.5	4	7.22	3	270	0.55	0.82	<0.5
NFM00709		31.5	50	17.2	9.21	163.5	<0.01	0.4	3	5.88	3	130	0.60	0.69	<0.5
NFM00710		33.2	50	16.3	9.47	139.5	<0.01	0.4	3	5.88	4	120	0.66	0.80	<0.5
NFM00711		37.8	50	16.6	11.00	143.0	<0.01	0.4	4	7.17	6	130	0.71	0.93	<0.5
NFM00712		37.1	60	13.6	10.90	157.0	<0.01	0.4	3	6.96	4	120	1.02	0.87	<0.5
NFM00713		33.2	50	10.3	9.66	138.0	<0.01	0.5	4	6.33	5	170	0.73	0.81	<0.5
NFM00714		32.7	50	10.0	9.35	59.4	<0.01	1.5	<3	6.26	4	380	0.70	0.88	<0.5
NFM00715		37.1	50	11.3	10.45	159.5	0.01	0.9	3	6.70	4	230	0.86	0.86	<0.5
NFM00716		28.4	40	6.8	7.84	143.0	<0.01	0.5	<3	5.34	3	220	0.84	0.62	<0.5
NFM00717		30.1	40	5.2	8.42	126.0	<0.01	0.3	5	5.67	3	210	0.91	0.81	<0.5
NFM00718		31.1	60	5.5	8.54	108.0	<0.01	0.5	<3	5.95	5	170	1.25	0.79	<0.5
NFM00719		31.8	40	8.5	8.86	146.0	<0.01	0.8	<3	5.75	3	160	0.78	0.79	<0.5
NFM00720		34.2	40	5.8	9.12	119.5	<0.01	<0.3	<3	6.18	4	160	0.80	0.85	<0.5
NFM00721		26.6	50	6.6	7.33	54.3	<0.01	0.7	<3	4.73	<3	170	1.24	0.65	<0.5
NFM00722		38.5	60	16.0	10.40	133.0	<0.01	0.5	<3	6.96	4	320	0.67	0.88	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – D
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01
NFM00683		0.476	0.49	0.38	1.2	139	0.8	28.7	2.27	130	109.0	5.50	2.94	1.67	6.45	1.12
NFM00684		0.437	0.75	0.41	1.6	140	1.4	27.6	2.67	90	113.0	5.90	3.16	1.66	6.67	1.10
NFM00685		0.416	0.63	0.42	2.3	139	1.3	28.3	2.64	120	106.5	6.03	3.20	1.59	6.81	1.18
NFM00686		0.418	0.71	0.46	2.1	133	2.0	28.8	2.65	110	97.0	6.08	3.32	1.62	7.20	1.16
NFM00687		0.470	0.48	0.44	2.9	164	1.8	30.5	2.90	130	101.5	6.32	3.32	1.60	6.74	1.32
NFM00688		0.414	0.46	0.40	2.7	133	1.6	28.4	2.71	130	99.6	5.49	3.22	1.49	6.43	1.11
NFM00689		0.417	0.72	0.34	2.4	131	1.3	24.7	2.19	100	97.5	5.12	2.74	1.49	5.96	0.97
NFM00690		0.406	0.53	0.36	3.1	133	1.9	24.8	2.37	120	89.4	4.91	2.81	1.47	6.27	1.03
NFM00691		0.434	0.52	0.41	2.3	134	2.2	27.0	2.57	110	97.8	5.72	3.21	1.53	6.41	1.17
NFM00692		0.435	0.35	0.37	2.3	132	2.2	27.4	2.54	100	96.4	5.70	3.14	1.47	6.15	1.09
NFM00693		0.394	0.56	0.32	1.8	117	2.0	23.6	2.10	100	90.4	4.66	2.61	1.42	5.51	0.93
NFM00694		0.400	0.39	0.39	2.1	118	1.8	27.5	2.50	100	92.3	5.20	2.98	1.35	6.32	1.09
NFM00695		0.376	0.43	0.33	1.6	112	1.6	22.3	1.93	110	74.6	4.40	2.64	1.22	4.66	0.93
NFM00696		0.397	0.61	0.26	1.9	126	2.0	20.2	1.83	110	78.4	3.97	2.15	1.22	4.76	0.78
NFM00697		0.433	0.63	0.38	2.4	126	2.5	23.4	2.32	100	91.8	5.08	2.87	1.49	6.05	1.03
NFM00698		0.424	0.43	0.36	2.0	114	4.1	25.7	2.29	90	98.8	5.06	2.86	1.39	5.94	1.00
NFM00699		0.228	0.47	0.46	2.0	69	10.3	32.1	2.71	70	65.0	6.55	3.64	1.37	6.45	1.32
NFM00700		0.361	0.62	0.37	2.3	100	1.7	27.1	2.31	100	90.8	5.52	3.12	1.40	5.88	1.11
NFM00701		0.400	0.60	0.37	2.2	111	1.9	24.1	2.21	100	90.5	5.20	2.74	1.44	5.91	1.09
NFM00702		0.498	0.76	0.35	1.7	137	1.8	23.8	2.21	90	97.4	5.13	2.84	1.37	6.13	0.99
NFM00703		0.433	0.58	0.37	2.0	124	1.4	25.6	2.42	110	94.8	5.29	2.98	1.48	6.29	1.09
NFM00704		0.450	0.60	0.45	2.9	108	1.8	29.5	2.80	80	102.5	5.75	3.50	1.60	6.77	1.21
NFM00705		0.587	0.47	0.30	1.7	149	1.0	22.1	1.86	80	101.0	4.52	2.37	1.79	5.77	0.88
NFM00706		0.730	0.27	0.36	1.9	187	0.9	24.6	2.14	100	117.5	5.28	2.81	2.25	7.02	0.99
NFM00707		0.696	0.40	0.37	2.3	172	0.9	25.0	2.40	80	115.0	5.46	3.03	2.25	6.89	1.05
NFM00708		0.595	0.24	0.32	2.1	158	9.2	22.6	1.98	40	129.0	5.41	2.62	2.15	6.78	1.01
NFM00709		0.486	0.62	0.36	2.7	149	2.1	22.4	1.99	70	103.5	4.74	2.58	1.60	5.79	0.96
NFM00710		0.548	0.58	0.39	2.6	137	1.5	25.9	2.41	80	106.0	5.30	3.00	1.49	6.20	1.04
NFM00711		0.569	0.58	0.42	2.9	143	5.4	28.0	2.72	100	123.5	6.14	3.21	1.84	7.31	1.15
NFM00712		0.515	0.60	0.40	2.3	125	1.4	27.8	2.53	100	123.0	5.76	3.21	1.71	7.03	1.12
NFM00713		0.464	0.52	0.36	1.5	106	1.4	25.5	2.22	80	108.5	5.16	2.93	1.46	6.02	1.01
NFM00714		0.436	0.19	0.43	1.9	104	3.9	25.7	2.59	70	105.0	5.86	3.34	1.52	6.65	1.11
NFM00715		0.405	0.54	0.42	1.7	110	260	28.8	2.36	110	108.5	5.52	3.52	1.63	7.02	1.16
NFM00716		0.381	0.45	0.26	1.4	96	35.7	20.1	1.72	90	81.6	4.14	2.37	1.51	5.43	0.84
NFM00717		0.361	0.36	0.49	1.4	90	3.0	28.5	3.07	70	88.7	5.52	3.70	1.51	6.04	1.16
NFM00718		0.534	0.34	0.42	1.8	137	12.4	27.3	2.45	60	88.7	5.36	3.32	1.44	6.49	1.11
NFM00719		0.445	0.50	0.38	1.6	116	1.6	26.2	2.49	100	89.7	5.31	3.38	1.49	6.27	1.10
NFM00720		0.444	0.34	0.40	1.7	111	1.5	26.0	2.61	60	95.9	5.54	3.17	1.67	6.81	1.13
NFM00721		0.398	0.21	0.34	1.3	67	5.1	20.2	2.01	30	77.0	4.19	2.56	1.18	5.50	0.84
NFM00722		0.479	0.47	0.42	2.1	130	15.5	28.5	2.69	100	108.0	6.03	3.78	1.95	7.57	1.18

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – E
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		La2O3	Lu2O3	Nb2O5	Nd2O3	Pr2O3	Sm2O3	Ta2O5	Tb2O3	ThO2	Tm2O3	U3O8	WO3	Y2O3	Yb2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.09	0.06	1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
NFM00683		53.7	0.43	16	38.0	12.10	8.02	1.26	0.98	18.7	0.43	1.4	1.0	36.4	2.58
NFM00684		52.2	0.42	15	39.4	11.50	7.33	1.07	0.97	17.1	0.47	1.9	1.8	35.0	3.04
NFM00685		49.3	0.45	13	37.4	10.85	6.99	1.11	1.04	17.0	0.48	2.7	1.6	35.9	3.01
NFM00686		46.6	0.49	14	34.4	10.00	6.31	1.06	1.02	17.1	0.53	2.5	2.5	36.6	3.02
NFM00687		46.8	0.50	14	35.5	10.30	6.98	1.25	1.05	15.6	0.50	3.4	2.3	38.7	3.30
NFM00688		46.8	0.45	13	34.9	10.25	6.48	1.10	0.93	15.5	0.46	3.2	2.0	36.1	3.09
NFM00689		45.9	0.36	14	33.7	9.98	6.17	1.04	0.93	14.7	0.39	2.8	1.6	31.4	2.49
NFM00690		42.1	0.38	14	31.8	9.15	5.82	0.94	0.90	14.1	0.41	3.7	2.4	31.5	2.70
NFM00691		47.3	0.40	14	36.3	10.30	6.81	1.11	0.97	15.1	0.47	2.7	2.8	34.3	2.93
NFM00692		45.4	0.41	15	34.1	9.87	6.60	1.26	0.93	14.7	0.42	2.7	2.8	34.8	2.89
NFM00693		43.0	0.39	13	31.3	9.29	5.84	0.89	0.79	14.2	0.37	2.1	2.5	30.0	2.39
NFM00694		44.3	0.41	15	31.3	10.25	6.62	0.96	0.98	16.2	0.45	2.5	2.3	34.9	2.85
NFM00695		36.8	0.33	14	26.2	8.44	5.47	0.87	0.74	12.5	0.38	1.9	2.0	28.3	2.20
NFM00696		36.5	0.31	12	27.1	8.03	5.09	0.96	0.64	11.5	0.30	2.2	2.5	25.7	2.08
NFM00697		41.9	0.39	13	33.0	9.29	6.04	1.09	0.87	14.8	0.43	2.8	3.2	29.7	2.64
NFM00698		45.6	0.38	15	35.6	10.40	6.67	1.20	0.84	14.5	0.41	2.4	5.2	32.6	2.61
NFM00699		29.3	0.44	8	26.1	7.07	5.82	0.67	1.02	7.2	0.53	2.4	13.0	40.8	3.09
NFM00700		43.0	0.40	13	32.5	9.33	6.78	0.99	0.91	14.0	0.42	2.7	2.1	34.4	2.63
NFM00701		42.9	0.35	12	32.3	9.39	6.25	0.95	0.89	14.2	0.42	2.6	2.4	30.6	2.52
NFM00702		45.9	0.40	13	34.4	10.20	6.54	0.95	0.87	16.0	0.40	2.0	2.3	30.2	2.52
NFM00703		43.4	0.40	13	35.1	9.77	6.49	0.84	0.89	14.1	0.42	2.4	1.8	32.5	2.76
NFM00704		48.1	0.50	14	37.1	10.75	7.06	1.03	1.01	15.9	0.51	3.4	2.3	37.5	3.19
NFM00705		45.5	0.27	11	39.5	10.85	7.06	0.60	0.78	8.8	0.34	2.0	1.3	28.1	2.12
NFM00706		51.3	0.34	11	48.1	12.95	8.42	0.68	0.96	8.2	0.41	2.2	1.1	31.2	2.44
NFM00707		50.8	0.40	11	44.7	12.65	7.91	0.74	0.93	8.9	0.42	2.7	1.1	31.7	2.73
NFM00708		59.0	0.38	10	48.1	13.60	8.37	0.67	0.94	16.0	0.37	2.5	11.6	28.7	2.25
NFM00709		52.1	0.33	12	36.7	10.80	6.82	0.73	0.79	18.1	0.41	3.2	2.6	28.4	2.27
NFM00710		53.4	0.44	14	38.7	11.10	6.82	0.81	0.92	18.3	0.45	3.1	1.9	32.9	2.74
NFM00711		59.1	0.43	15	44.1	12.85	8.31	0.87	1.07	23.0	0.48	3.4	6.8	35.6	3.10
NFM00712		57.7	0.43	14	43.3	12.75	8.07	1.25	1.00	21.1	0.46	2.7	1.8	35.3	2.88
NFM00713		50.0	0.34	14	38.7	11.30	7.34	0.89	0.93	15.6	0.41	1.8	1.8	32.4	2.53
NFM00714		47.5	0.42	11	38.1	10.95	7.26	0.85	1.01	15.6	0.49	2.2	4.9	32.6	2.95
NFM00715		53.9	0.45	17	43.3	12.25	7.77	1.05	0.99	18.7	0.48	2.0	328	36.6	2.69
NFM00716		40.8	0.33	17	33.1	9.18	6.19	1.03	0.71	14.6	0.30	1.7	45.0	25.5	1.96
NFM00717		44.0	0.52	17	35.1	9.85	6.57	1.11	0.93	14.1	0.56	1.7	3.8	36.2	3.50
NFM00718		46.0	0.45	23	36.3	9.99	6.90	1.53	0.91	19.6	0.48	2.1	15.6	34.7	2.79
NFM00719		45.5	0.41	16	37.1	10.35	6.67	0.95	0.91	18.0	0.43	1.9	2.0	33.3	2.84
NFM00720		48.7	0.42	16	39.9	10.65	7.17	0.98	0.98	18.7	0.46	2.0	1.9	33.0	2.97
NFM00721		39.4	0.30	19	31.0	8.58	5.48	1.51	0.75	15.9	0.39	1.5	6.4	25.7	2.29
NFM00722		54.2	0.48	15	44.9	12.15	8.07	0.82	1.01	16.4	0.48	2.5	19.5	36.2	3.06

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 - A
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02
NFM00723		1.80		<5	<4	116	2.7	<0.1	2.9	<0.8	72.2	20.8	2.0	<20	5.20	3.39
NFM00724		3.39		<5	<4	31	2.2	1.6	6.7	<0.8	77.5	13.8	0.6	<20	5.81	3.96
NFM00725		3.60		<5	4	135	2.7	0.4	5.0	0.8	64.2	14.6	2.0	<20	5.44	3.67
NFM00726		3.38		<5	<4	396	3.3	0.1	2.9	<0.8	75.6	23.3	3.6	<20	4.82	2.79
NFM00727		3.35	94.0	<5	<4	454	3.8	<0.1	2.8	<0.8	86.3	23.4	3.6	<20	5.27	2.97
NFM00728		5.45		<5	<4	258	4.2	<0.1	2.3	0.8	74.6	23.6	4.3	<20	5.07	3.44
NFM00729		2.10		<5	<4	359	5.1	<0.1	2.1	<0.8	84.7	26.4	4.1	<20	4.04	2.19
NFM00730		2.82		<5	<4	463	4.3	<0.1	1.7	<0.8	90.5	25.1	4.8	<20	5.21	3.15
NFM00731		2.93		<5	<4	515	3.0	0.1	4.3	0.8	81.0	23.4	4.3	40	5.14	3.16
NFM00732		3.07		<5	4	301	2.8	0.4	4.1	0.8	70.3	25.0	3.6	130	4.55	2.66
NFM00733		2.86		<5	<4	516	2.2	<0.1	2.0	0.8	71.7	15.2	2.9	40	3.98	2.31
NFM00734		3.36		<5	<4	603	2.9	0.1	4.1	0.8	78.9	23.8	3.6	20	4.69	2.74
NFM00735		2.05		<5	4	113	2.8	0.3	8.2	0.8	70.4	249	0.9	30	3.80	2.48
NFM00736		0.76		<5	5	60	2.5	0.9	10.5	<0.8	31.5	30.1	0.5	<20	3.17	2.05
NFM00737		3.11		<5	4	98	1.0	0.4	7.8	<0.8	27.8	53.2	1.5	90	4.70	3.21
NFM00738		3.48		<5	<4	197	1.3	0.1	4.6	0.8	42.7	37.4	1.9	40	5.27	3.42
NFM00739		3.22		<5	<4	206	1.4	<0.1	3.9	0.8	58.7	31.2	1.3	50	5.13	2.97
NFM00740		4.42		<5	<4	115	1.0	0.2	4.2	0.9	42.5	41.5	1.0	100	4.59	3.12
NFM00741		2.63		<5	<4	118	1.3	0.1	3.9	0.9	39.5	40.2	0.7	60	5.58	3.44
NFM00742		2.72		<5	<4	270	1.1	0.2	3.0	0.8	64.4	43.5	2.6	80	5.11	3.16
NFM00743		2.58		<5	<4	103	1.2	0.4	4.2	0.8	24.5	50.9	1.0	30	6.21	4.12
NFM00744		3.98		<5	<4	102	1.6	0.3	4.1	0.8	18.6	51.4	1.4	130	4.46	3.06
NFM00745		3.48		<5	<4	446	1.5	0.2	3.3	0.9	74.5	26.3	2.3	80	8.26	5.53
NFM00746		2.21		<5	<4	587	1.7	0.2	4.5	0.8	92.5	34.3	2.5	90	4.00	2.29
NFM00747		3.37		<5	<4	420	2.0	0.2	4.4	0.9	60.5	36.6	3.0	60	4.65	2.86
NFM00748		3.15		<5	<4	287	1.6	0.2	3.9	0.8	46.5	37.8	2.4	40	5.49	3.59
NFM00749		3.68		<5	<4	169	1.0	0.3	4.4	<0.8	41.2	46.4	1.0	110	6.57	3.99
NFM00750		3.78		<5	<4	133	1.5	0.8	3.8	<0.8	57.1	40.4	1.3	90	6.43	3.67
NFM00751		4.89		<5	<4	267	1.5	0.4	3.7	<0.8	51.7	35.2	2.3	60	6.63	3.95
NFM00752		1.74		<5	<4	189	1.2	0.4	3.2	<0.8	55.8	38.6	2.5	70	6.33	3.82
NFM00753		2.70		<5	<4	246	1.0	0.2	4.4	<0.8	37.5	44.8	3.0	100	5.87	3.72
NFM00754		3.22		<5	<4	295	1.3	<0.1	4.7	<0.8	51.6	41.5	2.9	60	6.95	4.30
NFM00755		3.30		<5	<4	263	1.1	0.1	4.5	<0.8	46.0	44.3	2.5	50	6.45	3.94
NFM00756		2.64		<5	<4	206	1.2	0.2	6.7	<0.8	60.0	31.6	2.7	60	6.57	4.04
NFM00757		3.56		<5	<4	305	1.0	<0.1	4.4	<0.8	53.0	12.5	1.6	30	6.42	3.92
NFM00758		4.15		<5	<4	174	1.4	<0.1	7.8	<0.8	78.6	11.4	0.8	20	7.59	5.12
NFM00759		1.39		<5	<4	445	2.6	<0.1	3.6	<0.8	88.7	15.9	1.5	20	6.57	4.45
NFM00760		2.50		<5	<4	203	2.3	<0.1	3.7	<0.8	69.8	18.9	1.4	30	7.48	5.22
NFM00761		3.24		<5	<4	322	2.5	<0.1	3.6	<0.8	104.0	17.8	1.7	<20	4.57	2.63
NFM00762		2.76		<5	<4	426	2.4	<0.1	3.3	<0.8	90.0	19.1	1.9	<20	3.60	2.02

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – B
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8
NFM00723		1.40	5.62	24.4	5.82	2.6	1.08	<0.3	0.65	40.5	26	0.42	2.06	930	2	11.2
NFM00724		2.08	6.06	32.2	6.18	3.9	1.24	<0.3	0.29	41.6	14	0.51	1.98	830	2	10.4
NFM00725		1.60	4.89	27.2	5.65	2.6	1.16	<0.3	0.67	34.6	18	0.42	1.76	910	2	10.2
NFM00726		1.46	6.30	24.7	5.76	2.6	0.97	<0.3	2.29	39.6	25	0.32	1.78	940	2	10.6
NFM00727		1.40	6.19	25.0	6.06	2.4	0.97	<0.3	2.08	45.6	28	0.37	1.87	1020	2	12.8
NFM00728		1.16	5.64	25.1	5.55	2.4	1.10	<0.3	1.82	40.5	33	0.51	2.58	1370	2	13.8
NFM00729		1.16	8.17	31.9	5.42	2.4	0.73	<0.3	2.01	47.0	33	0.28	2.30	1460	2	12.8
NFM00730		1.50	7.50	28.2	6.31	2.6	1.07	<0.3	2.43	49.1	26	0.38	1.86	1400	<2	12.3
NFM00731		1.40	6.70	23.7	6.00	2.6	1.04	<0.3	2.12	41.5	20	0.39	1.64	3240	2	11.0
NFM00732		1.30	7.99	21.7	5.31	2.2	0.90	<0.3	1.78	36.4	19	0.36	1.91	2230	2	9.2
NFM00733		1.26	5.03	21.6	4.82	1.9	0.77	<0.3	2.34	40.5	19	0.31	1.13	1060	<2	8.6
NFM00734		1.28	6.62	23.0	5.35	2.4	0.90	<0.3	2.15	40.1	20	0.37	1.74	3870	<2	10.4
NFM00735		1.14	7.86	19.0	5.08	2.5	0.82	<0.3	0.45	35.5	6	0.37	1.26	5060	3	9.4
NFM00736		0.87	6.61	16.1	3.33	2.2	0.73	<0.3	0.33	13.95	7	0.26	2.41	1690	2	4.7
NFM00737		1.13	8.63	19.0	4.53	1.2	1.04	<0.3	0.53	11.65	13	0.43	3.89	1590	2	4.6
NFM00738		1.49	8.14	20.5	5.85	1.7	1.08	<0.3	0.58	20.1	24	0.37	4.02	1300	2	9.2
NFM00739		1.54	7.44	21.7	6.30	1.6	1.02	<0.3	0.50	30.0	24	0.39	3.67	1220	2	12.1
NFM00740		1.22	9.43	20.1	5.23	1.7	1.00	<0.3	0.46	21.8	20	0.42	4.50	1290	2	7.5
NFM00741		1.44	8.85	21.1	5.68	1.4	1.16	<0.3	0.38	19.15	13	0.40	3.77	1190	3	9.8
NFM00742		1.70	9.04	21.9	6.36	1.5	0.96	<0.3	1.01	28.8	17	0.38	3.44	940	2	12.2
NFM00743		1.23	11.20	21.4	5.32	1.7	1.29	<0.3	0.37	10.90	9	0.59	4.50	1270	<2	6.4
NFM00744		1.08	11.30	19.8	3.75	2.1	0.95	<0.3	0.49	8.51	9	0.42	4.88	1370	<2	5.2
NFM00745		1.53	7.29	21.4	8.43	1.5	1.70	<0.3	1.36	37.2	19	0.73	2.58	1100	4	10.4
NFM00746		1.66	6.64	21.4	5.66	1.4	0.77	<0.3	1.50	44.9	18	0.29	3.00	900	2	9.6
NFM00747		1.49	7.36	20.9	5.52	1.9	1.00	<0.3	1.53	29.9	19	0.35	3.27	1020	2	7.9
NFM00748		1.48	8.89	21.1	5.69	1.6	1.12	<0.3	1.11	22.3	24	0.48	3.59	1160	2	8.6
NFM00749		1.60	9.06	21.7	6.49	1.7	1.32	<0.3	0.53	18.85	26	0.52	4.12	1220	3	8.6
NFM00750		1.68	8.17	22.8	7.17	1.3	1.36	<0.3	0.59	27.5	24	0.51	3.42	990	3	11.2
NFM00751		1.34	8.49	21.3	5.99	1.4	1.36	<0.3	1.08	25.5	21	0.56	3.54	1230	2	7.3
NFM00752		1.59	8.15	21.5	6.57	1.1	1.33	<0.3	0.99	27.4	25	0.49	3.46	1020	3	9.8
NFM00753		1.33	9.15	21.4	5.45	1.6	1.26	<0.3	1.16	18.35	20	0.54	3.85	1660	2	7.7
NFM00754		1.65	8.81	22.6	7.30	1.2	1.46	<0.3	1.14	24.0	17	0.56	3.38	1470	2	9.3
NFM00755		1.64	8.66	21.3	6.32	1.3	1.32	<0.3	1.12	21.7	15	0.53	3.32	1350	2	8.2
NFM00756		1.62	6.67	21.7	6.66	1.4	1.35	<0.3	1.27	28.4	8	0.54	1.86	1170	3	10.0
NFM00757		1.12	2.92	16.6	6.17	1.2	1.28	<0.3	2.58	27.2	4	0.51	0.92	620	6	9.7
NFM00758		1.44	4.05	22.3	7.84	1.8	1.60	<0.3	0.87	40.0	3	0.67	1.39	570	5	11.9
NFM00759		1.64	4.90	23.8	7.07	1.9	1.44	<0.3	1.92	46.7	17	0.63	1.53	570	3	15.6
NFM00760		1.30	5.35	22.1	7.24	2.0	1.72	<0.3	1.50	34.8	13	0.70	1.84	900	4	11.5
NFM00761		1.32	4.97	24.1	5.73	1.7	0.89	<0.3	1.66	57.9	14	0.36	1.62	620	2	10.4
NFM00762		1.31	4.86	23.7	4.89	1.9	0.79	<0.3	1.80	50.3	26	0.25	1.45	650	2	11.0

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 - C
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd	Ni	Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.07	10	0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5
NFM00723		31.7	50	5.6	8.54	39.5	<0.01	0.3	<3	5.86	3	170	0.88	0.86	<0.5
NFM00724		33.8	50	5.6	9.17	11.6	<0.01	0.7	3	6.72	5	370	0.80	0.90	<0.5
NFM00725		28.1	50	10.4	7.63	39.4	<0.01	0.6	<3	5.32	4	290	0.71	0.87	<0.5
NFM00726		33.0	60	8.1	8.95	137.5	<0.01	0.4	<3	5.83	3	160	0.74	0.80	<0.5
NFM00727		37.2	150	7.4	10.20	129.5	<0.01	<0.3	<3	6.93	4	150	0.90	0.83	<0.5
NFM00728		32.2	60	8.7	8.85	100.5	<0.01	<0.3	5	6.23	5	160	0.80	0.85	<0.5
NFM00729		37.2	60	9.4	10.05	117.0	<0.01	0.3	<3	6.47	8	150	0.76	0.73	<0.5
NFM00730		40.1	50	10.5	10.90	149.5	<0.01	0.3	<3	7.29	4	150	0.89	0.91	<0.5
NFM00731		35.8	40	13.8	9.72	134.0	<0.01	0.4	<3	6.66	4	240	0.71	0.89	<0.5
NFM00732		30.8	30	11.4	8.24	96.2	0.02	1.0	<3	6.06	4	200	0.58	0.78	<0.5
NFM00733		29.7	20	15.1	8.35	115.0	0.01	0.3	<3	5.44	<3	220	0.54	0.69	<0.5
NFM00734		34.7	60	12.3	9.39	128.0	0.01	0.6	<3	6.85	<3	250	0.67	0.78	<0.5
NFM00735		30.2	30	7.0	8.12	22.3	0.07	0.8	<3	5.66	<3	360	1.12	0.75	<0.5
NFM00736		12.80	60	6.6	3.58	16.0	<0.01	0.3	<3	3.00	3	360	0.05	0.57	<0.5
NFM00737		12.85	80	5.9	3.37	30.8	<0.01	0.4	<3	3.45	<3	210	0.09	0.77	<0.5
NFM00738		22.0	70	8.3	5.66	27.1	<0.01	0.5	<3	5.30	<3	190	0.57	0.89	<0.5
NFM00739		27.5	50	8.8	7.20	22.0	<0.01	0.4	<3	5.71	<3	190	0.73	0.87	<0.5
NFM00740		21.1	50	7.5	5.31	14.1	<0.01	0.4	<3	4.57	<3	140	0.52	0.75	<0.5
NFM00741		21.0	40	8.1	5.17	11.8	<0.01	<0.3	<3	4.85	<3	180	0.62	0.86	<0.5
NFM00742		34.7	50	9.0	8.59	43.3	<0.01	0.4	<3	6.59	<3	140	0.73	0.92	0.7
NFM00743		14.80	40	5.6	3.45	11.2	<0.01	0.3	<3	4.22	4	100	0.39	0.92	0.5
NFM00744		10.30	50	6.3	2.47	16.8	<0.01	0.4	<3	3.11	<3	110	0.47	0.67	<0.5
NFM00745		35.7	70	14.2	9.17	49.5	<0.01	0.5	3	7.83	4	170	0.75	1.34	<0.5
NFM00746		43.7	60	10.6	11.45	73.3	<0.01	0.5	<3	7.43	3	370	0.58	0.74	<0.5
NFM00747		28.8	80	11.0	7.51	71.7	<0.01	0.5	<3	5.95	3	260	0.51	0.83	<0.5
NFM00748		24.1	40	9.6	5.87	46.6	<0.01	0.4	<3	5.38	3	180	0.52	0.91	<0.5
NFM00749		19.80	50	7.2	5.11	18.6	<0.01	0.8	4	4.77	6	170	0.50	1.06	<0.5
NFM00750		25.4	80	10.1	6.88	22.0	<0.01	0.5	<3	6.08	7	200	0.68	1.13	<0.5
NFM00751		24.4	40	9.6	6.22	43.6	<0.01	<0.3	<3	5.38	4	140	0.48	1.06	<0.5
NFM00752		24.3	40	10.4	6.75	43.0	<0.01	0.3	<3	5.63	6	180	0.68	1.02	<0.5
NFM00753		18.10	40	7.2	4.57	53.4	<0.01	0.4	4	4.40	6	180	0.41	0.88	<0.5
NFM00754		25.2	40	9.7	6.38	46.7	<0.01	0.7	<3	6.00	7	210	0.61	1.17	<0.5
NFM00755		22.4	50	8.3	5.51	46.5	<0.01	0.5	<3	5.11	5	200	0.49	1.05	<0.5
NFM00756		26.9	30	10.6	7.07	58.2	<0.01	0.6	3	5.76	7	220	0.68	1.10	<0.5
NFM00757		20.9	20	23.6	6.23	98.8	<0.01	0.5	<3	5.04	7	190	0.64	1.04	<0.5
NFM00758		30.5	40	9.6	8.63	30.2	<0.01	0.4	5	6.60	9	420	1.12	1.30	<0.5
NFM00759		33.9	130	10.6	9.67	82.6	<0.01	0.5	<3	6.66	8	260	1.22	1.05	<0.5
NFM00760		28.9	30	9.4	7.94	74.2	<0.01	0.5	3	6.41	5	240	0.64	1.23	<0.5
NFM00761		36.4	30	7.4	10.90	89.9	<0.01	0.4	<3	5.77	6	270	0.63	0.80	<0.5
NFM00762		32.3	30	9.0	9.71	109.0	<0.01	0.4	<3	5.65	7	280	0.66	0.68	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 - D
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01
NFM00723		0.437	0.19	0.45	2.4	113	1.2	28.5	2.84	90	88.7	5.97	3.88	1.62	6.71	1.24
NFM00724		0.396	0.08	0.55	5.2	180	1.2	36.3	3.61	40	95.2	6.67	4.53	2.41	7.12	1.42
NFM00725		0.377	0.16	0.48	2.4	111	0.8	33.0	3.30	50	78.9	6.24	4.20	1.85	6.51	1.33
NFM00726		0.470	0.51	0.35	1.3	110	0.8	24.7	2.47	90	92.9	5.53	3.19	1.69	6.64	1.11
NFM00727		0.431	0.45	0.41	1.7	97	0.8	25.7	2.49	90	106.0	6.05	3.40	1.62	6.98	1.11
NFM00728		0.472	0.41	0.46	1.9	104	1.0	29.0	3.17	80	91.6	5.82	3.93	1.34	6.40	1.26
NFM00729		0.462	0.45	0.30	2.2	116	1.4	21.2	1.93	100	104.0	4.64	2.50	1.34	6.25	0.84
NFM00730		0.498	0.60	0.43	1.8	108	0.3	28.7	2.79	120	111.0	5.98	3.60	1.74	7.27	1.23
NFM00731		0.431	0.57	0.42	2.4	99	1.8	27.0	2.54	110	99.5	5.90	3.61	1.62	6.92	1.19
NFM00732		0.440	0.42	0.38	2.6	113	2.6	23.9	2.36	100	86.4	5.22	3.04	1.51	6.12	1.03
NFM00733		0.324	0.49	0.33	2.6	66	1.8	21.5	2.20	70	88.1	4.57	2.64	1.46	5.56	0.88
NFM00734		0.407	0.56	0.39	2.1	91	1.6	25.4	2.50	90	96.9	5.38	3.13	1.48	6.17	1.03
NFM00735		0.324	0.11	0.35	2.7	64	3850	22.5	2.25	70	86.5	4.36	2.84	1.32	5.86	0.94
NFM00736		0.282	0.02	0.31	1.4	131	18.9	18.8	2.20	980	38.7	3.64	2.34	1.01	3.84	0.84
NFM00737		0.486	0.11	0.43	0.8	255	4.2	28.1	3.12	320	34.1	5.39	3.67	1.31	5.22	1.19
NFM00738		0.668	0.19	0.44	0.9	190	46.6	27.2	2.72	160	52.5	6.05	3.91	1.73	6.74	1.24
NFM00739		0.712	0.17	0.41	1.1	169	3.3	26.1	2.74	180	72.1	5.89	3.40	1.78	7.26	1.17
NFM00740		0.707	0.13	0.44	0.8	252	3.1	26.8	2.98	140	52.2	5.27	3.57	1.41	6.03	1.15
NFM00741		0.756	0.08	0.46	0.8	237	20.6	28.7	3.11	120	48.5	6.40	3.93	1.67	6.55	1.33
NFM00742		0.819	0.25	0.40	1.1	244	2.9	26.2	2.92	80	79.1	5.86	3.61	1.97	7.33	1.10
NFM00743		0.801	0.07	0.57	0.6	337	3.0	34.0	3.99	70	30.1	7.13	4.71	1.42	6.13	1.48
NFM00744		0.668	0.10	0.42	0.7	300	16.2	24.5	2.89	90	22.8	5.12	3.50	1.25	4.32	1.09
NFM00745		0.486	0.23	0.78	2.5	130	2.7	46.0	5.01	140	91.5	9.48	6.32	1.77	9.72	1.95
NFM00746		0.499	0.31	0.33	1.7	167	2.4	21.7	2.03	140	113.5	4.59	2.62	1.92	6.52	0.88
NFM00747		0.525	0.34	0.43	1.4	175	36.3	25.4	2.72	140	74.3	5.34	3.27	1.73	6.36	1.15
NFM00748		0.691	0.23	0.47	1.2	222	1.4	29.6	3.26	100	57.1	6.30	4.11	1.71	6.56	1.28
NFM00749		0.697	0.14	0.50	1.0	283	1.7	33.9	3.41	100	50.6	7.54	4.56	1.85	7.48	1.51
NFM00750		0.716	0.13	0.50	1.2	231	10.9	34.5	3.48	110	70.1	7.38	4.20	1.95	8.26	1.56
NFM00751		0.573	0.22	0.59	1.6	194	1.9	37.3	3.81	110	63.5	7.61	4.52	1.55	6.90	1.56
NFM00752		0.665	0.21	0.53	1.6	227	3.6	35.0	3.49	100	68.5	7.26	4.37	1.84	7.57	1.52
NFM00753		0.632	0.27	0.50	1.1	257	8.5	33.7	3.49	130	46.1	6.74	4.25	1.54	6.28	1.44
NFM00754		0.737	0.20	0.58	1.0	245	1.3	38.0	3.81	160	63.4	7.98	4.92	1.91	8.41	1.67
NFM00755		0.705	0.21	0.50	1.0	258	1.2	35.5	3.48	110	56.5	7.40	4.51	1.90	7.28	1.51
NFM00756		0.606	0.34	0.56	3.2	177	9.3	35.1	3.65	100	73.7	7.54	4.62	1.88	7.68	1.55
NFM00757		0.250	0.39	0.51	23.6	61	4.9	37.7	3.61	50	65.1	7.37	4.48	1.30	7.11	1.47
NFM00758		0.261	0.16	0.66	12.2	87	5.7	44.3	4.56	50	96.6	8.71	5.85	1.67	9.04	1.83
NFM00759		0.372	0.37	0.61	3.8	88	18.4	38.2	3.73	210	109.0	7.54	5.09	1.90	8.15	1.65
NFM00760		0.396	0.26	0.73	16.4	106	2.5	45.8	4.88	170	85.7	8.58	5.97	1.51	8.34	1.97
NFM00761		0.383	0.32	0.33	3.0	85	2.1	23.3	1.96	120	128.0	5.24	3.01	1.53	6.60	1.02
NFM00762		0.414	0.34	0.26	2.6	99	11.5	19.7	1.68	80	110.5	4.13	2.31	1.52	5.64	0.90

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 - E
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		La2O3	Lu2O3	Nb2O5	Nd2O3	Pr2O3	Sm2O3	Ta2O5	Tb2O3	ThO2	Tm2O3	U3O8	WO3	Y2O3	Yb2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.09	0.06	1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
NFM00723		47.5	0.48	16	37.0	9.99	6.80	1.07	0.99	17.0	0.51	2.8	1.5	36.2	3.23
NFM00724		48.8	0.58	15	39.4	10.75	7.79	0.98	1.04	15.2	0.63	6.1	1.5	46.1	4.11
NFM00725		40.6	0.48	15	32.8	8.93	6.17	0.87	1.00	14.3	0.55	2.8	1.0	41.9	3.76
NFM00726		46.4	0.36	15	38.5	10.45	6.76	0.90	0.92	17.8	0.40	1.5	1.0	31.4	2.81
NFM00727		53.5	0.42	18	43.4	11.95	8.04	1.10	0.96	19.1	0.47	2.0	1.0	32.6	2.84
NFM00728		47.5	0.58	20	37.6	10.35	7.22	0.98	0.98	21.6	0.53	2.2	1.3	36.8	3.61
NFM00729		55.1	0.32	18	43.4	11.75	7.50	0.93	0.84	21.7	0.34	2.6	1.8	26.9	2.20
NFM00730		57.6	0.43	18	46.8	12.75	8.45	1.09	1.05	18.9	0.49	2.1	0.4	36.4	3.18
NFM00731		48.7	0.44	16	41.8	11.40	7.72	0.87	1.02	16.6	0.48	2.8	2.3	34.3	2.89
NFM00732		42.7	0.41	13	35.9	9.64	7.03	0.71	0.90	14.7	0.43	3.1	3.3	30.4	2.69
NFM00733		47.5	0.35	12	34.6	9.77	6.31	0.66	0.79	18.4	0.38	3.1	2.3	27.3	2.51
NFM00734		47.0	0.42	15	40.5	11.00	7.94	0.82	0.90	15.9	0.45	2.5	2.0	32.3	2.85
NFM00735		41.6	0.42	13	35.2	9.50	6.56	1.37	0.86	14.5	0.40	3.2	4860	28.6	2.56
NFM00736		16.35	0.30	7	14.95	4.19	3.48	0.06	0.66	6.4	0.35	1.7	23.8	23.9	2.51
NFM00737		13.65	0.49	7	15.00	3.94	4.00	0.11	0.89	4.6	0.49	0.9	5.3	35.7	3.55
NFM00738		23.6	0.42	13	25.7	6.62	6.15	0.70	1.02	6.5	0.50	1.1	58.8	34.5	3.10
NFM00739		35.2	0.44	17	32.1	8.43	6.62	0.89	1.00	10.8	0.47	1.3	4.2	33.1	3.12
NFM00740		25.6	0.48	11	24.6	6.21	5.30	0.63	0.86	7.6	0.50	0.9	3.9	34.0	3.39
NFM00741		22.5	0.45	14	24.5	6.05	5.62	0.76	0.99	5.1	0.53	0.9	26.0	36.4	3.54
NFM00742		33.8	0.43	17	40.5	10.05	7.64	0.89	1.06	11.8	0.46	1.3	3.7	33.3	3.33
NFM00743		12.80	0.67	9	17.25	4.04	4.89	0.48	1.06	2.7	0.65	0.7	3.8	43.2	4.54
NFM00744		9.98	0.48	7	12.00	2.89	3.61	0.57	0.77	1.8	0.48	0.8	20.4	31.1	3.29
NFM00745		43.6	0.83	15	41.6	10.75	9.08	0.92	1.54	18.7	0.89	2.9	3.4	58.4	5.70
NFM00746		52.7	0.33	14	51.0	13.40	8.62	0.71	0.85	12.7	0.38	2.0	3.0	27.6	2.31
NFM00747		35.1	0.40	11	33.6	8.79	6.90	0.62	0.96	10.4	0.49	1.7	45.8	32.3	3.10
NFM00748		26.2	0.55	12	28.1	6.87	6.24	0.63	1.05	8.1	0.54	1.4	1.8	37.6	3.71
NFM00749		22.1	0.59	12	23.1	5.98	5.53	0.61	1.22	5.5	0.57	1.2	2.1	43.0	3.88
NFM00750		32.3	0.58	16	29.6	8.05	7.05	0.83	1.30	8.6	0.57	1.4	13.7	43.8	3.96
NFM00751		29.9	0.64	10	28.5	7.28	6.24	0.59	1.22	10.1	0.67	1.9	2.4	47.4	4.34
NFM00752		32.1	0.56	14	28.3	7.90	6.53	0.83	1.17	9.8	0.61	1.9	4.5	44.4	3.97
NFM00753		21.5	0.61	11	21.1	5.35	5.10	0.50	1.01	6.6	0.57	1.3	10.7	42.8	3.97
NFM00754		28.1	0.64	13	29.4	7.47	6.96	0.74	1.35	7.1	0.66	1.2	1.6	48.3	4.34
NFM00755		25.4	0.60	12	26.1	6.45	5.93	0.60	1.21	6.1	0.57	1.2	1.5	45.1	3.96
NFM00756		33.3	0.61	14	31.4	8.27	6.68	0.83	1.27	11.2	0.64	3.8	11.7	44.6	4.16
NFM00757		31.9	0.58	14	24.4	7.29	5.84	0.78	1.20	19.9	0.58	27.8	6.2	47.9	4.11
NFM00758		46.9	0.76	17	35.6	10.10	7.65	1.37	1.50	25.3	0.75	14.4	7.2	56.3	5.19
NFM00759		54.8	0.72	22	39.5	11.30	7.72	1.49	1.21	21.8	0.70	4.5	23.2	48.5	4.25
NFM00760		40.8	0.80	16	33.7	9.29	7.43	0.78	1.42	19.3	0.83	19.3	3.2	58.2	5.56
NFM00761		67.9	0.41	15	42.5	12.75	6.69	0.77	0.92	34.4	0.38	3.5	2.6	29.6	2.23
NFM00762		59.0	0.28	16	37.7	11.35	6.55	0.81	0.78	24.4	0.30	3.1	14.5	25.0	1.91

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – A
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02
NFM00763		4.48		<5	<4	453	2.0	0.1	3.7	<0.8	68.7	22.1	2.2	<20	3.65	2.03
NFM00764		4.30		<5	<4	511	3.4	<0.1	2.2	<0.8	76.7	28.4	3.3	<20	3.99	2.35
NFM00765		1.87	96.0	<5	<4	526	3.2	<0.1	2.3	<0.8	72.7	26.1	3.6	<20	3.97	2.37
NFM00766		2.64		<5	<4	451	2.5	<0.1	2.3	<0.8	65.4	19.7	3.0	<20	3.13	1.88
NFM00767		3.28		<5	<4	379	2.4	<0.1	2.2	<0.8	62.5	19.7	2.7	<20	3.78	2.60
NFM00768		2.90		<5	<4	493	3.4	<0.1	1.9	<0.8	73.0	23.0	4.2	<20	3.90	2.59
NFM00769		3.21		<5	<4	494	4.1	<0.1	2.2	<0.8	69.3	19.4	2.9	<20	3.84	2.43
NFM00770		3.79		<5	<4	458	2.4	<0.1	3.3	<0.8	84.9	18.5	2.1	<20	3.96	2.12
NFM00771		2.02		<5	<4	548	1.1	0.5	4.7	<0.8	133.0	10.6	3.1	<20	5.37	3.12
NFM00772		3.44		<5	<4	699	1.4	<0.1	3.8	<0.8	142.5	6.1	0.9	<20	5.45	3.45
NFM00773		3.28		<5	<4	863	1.2	<0.1	2.8	<0.8	176.5	7.6	0.7	20	5.72	3.46
NFM00774		3.63		<5	<4	350	1.7	<0.1	4.7	<0.8	76.1	24.4	1.1	20	6.10	3.59
NFM00775		3.66		<5	<4	750	1.8	0.1	4.2	<0.8	97.1	20.4	1.8	20	8.94	5.66
NFM00776		4.40		<5	<4	879	2.0	0.1	4.1	<0.8	122.5	18.4	3.1	30	10.30	6.74
NFM00777		2.53		<5	<4	715	2.0	<0.1	2.2	<0.8	112.0	8.0	1.4	20	10.70	6.70
NFM00778		3.40		<5	<4	551	1.7	<0.1	3.4	<0.8	123.5	15.8	1.2	30	9.41	5.92
NFM00779		4.00		<5	<4	997	1.9	<0.1	4.6	<0.8	89.9	13.5	1.6	20	6.95	4.58
NFM00780		3.34		<5	<4	728	1.5	<0.1	3.6	<0.8	93.4	15.4	0.7	30	6.07	3.77
NFM00781		4.14		<5	<4	472	1.3	0.3	6.7	<0.8	62.4	36.8	1.7	60	6.25	3.99
NFM00782		3.52		<5	<4	1180	1.9	0.1	5.3	<0.8	109.5	12.2	1.4	20	6.01	3.82
NFM00783		0.18		<5	<4	471	3.5	0.1	3.0	<0.8	80.1	17.7	2.8	<20	4.46	3.03
NFM00784		2.29		<5	<4	587	3.1	0.3	4.8	<0.8	91.6	20.7	3.2	<20	5.88	3.94
NFM00785		2.51		<5	<4	246	2.2	3.8	11.6	<0.8	92.5	11.4	0.9	<20	4.59	2.97
NFM00786		3.48		<5	<4	415	2.6	0.4	4.5	<0.8	68.8	15.5	2.0	<20	3.88	2.34
NFM00787		3.08		<5	<4	527	2.5	0.2	4.3	<0.8	79.3	16.1	2.7	<20	4.74	2.99
NFM00788		3.26		<5	<4	518	2.3	0.2	3.8	<0.8	77.4	18.1	2.7	<20	4.14	2.37
NFM00789		2.10		<5	<4	405	1.1	0.1	2.5	<0.8	50.0	14.6	1.9	30	4.22	3.00
NFM00790		2.76		<5	<4	611	1.1	0.2	2.9	<0.8	71.3	18.4	2.8	<20	4.48	3.20
NFM00791		2.65		<5	<4	485	1.7	0.4	3.9	<0.8	92.1	18.7	3.1	50	6.02	3.74
NFM00792		3.18		<5	<4	542	1.3	0.2	3.7	<0.8	70.3	16.1	1.9	<20	3.50	2.03
NFM00793		3.64		<5	<4	433	1.7	0.1	2.5	<0.8	76.5	17.4	3.1	80	4.91	3.32
NFM00794		3.88		<5	<4	650	2.2	0.1	3.0	<0.8	69.0	18.2	4.5	20	5.44	3.55
NFM00795		1.99		<5	<4	785	1.6	0.1	2.7	<0.8	72.1	15.9	3.7	<20	6.12	3.58
NFM00796		4.14		<5	<4	676	2.2	<0.1	2.6	<0.8	74.7	17.7	4.5	<20	5.36	3.31
NFM00797		4.02		<5	<4	746	2.3	<0.1	2.8	<0.8	77.5	19.0	4.6	<20	4.62	2.43
NFM00798		3.20		<5	<4	538	1.3	0.2	3.4	<0.8	60.0	22.6	4.5	<20	4.71	2.94
NFM00799		3.98		<5	<4	763	1.2	0.1	2.7	<0.8	99.2	18.7	5.1	100	7.18	4.92
NFM00800		3.82		<5	<4	839	1.1	0.1	4.4	<0.8	133.0	25.1	4.5	<20	6.51	3.62
NFM00801		1.56		<5	<4	744	2.1	0.1	2.5	<0.8	78.3	15.1	3.7	<20	6.75	4.82
NFM00802		3.48		<5	<4	691	1.3	0.1	2.3	<0.8	92.3	8.2	2.5	<20	5.02	3.11

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – B
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8
NFM00763		1.36	5.50	21.7	4.43	1.5	0.77	<0.3	1.88	35.8	20	0.26	1.74	830	<2	8.4
NFM00764		1.22	7.28	27.1	5.03	2.3	0.80	<0.3	2.41	41.8	23	0.31	1.96	1240	<2	12.3
NFM00765		1.26	6.55	26.9	4.96	2.2	0.80	<0.3	2.53	39.8	24	0.30	1.88	1010	<2	11.2
NFM00766		1.08	4.68	21.9	4.00	2.1	0.66	<0.3	2.32	36.8	18	0.23	1.31	830	<2	8.0
NFM00767		1.09	5.42	22.6	4.08	1.5	0.79	<0.3	2.34	34.7	19	0.38	1.38	1110	2	9.3
NFM00768		1.14	6.55	25.2	4.75	1.7	0.80	<0.3	2.82	38.8	22	0.34	1.71	1230	2	10.8
NFM00769		1.06	5.88	23.6	4.57	1.8	0.81	<0.3	2.55	36.3	18	0.36	1.47	1270	<2	10.2
NFM00770		1.34	5.64	22.7	5.11	1.3	0.74	<0.3	1.86	46.1	15	0.28	1.52	830	2	9.5
NFM00771		1.72	5.89	20.0	6.48	1.1	1.04	<0.3	1.84	76.9	9	0.41	1.58	1070	2	10.3
NFM00772		2.17	5.66	20.6	6.78	1.4	1.12	<0.3	2.21	80.1	8	0.46	0.67	1140	3	13.6
NFM00773		2.12	5.34	18.4	7.22	0.9	1.20	<0.3	2.53	100.0	8	0.43	0.78	1140	2	12.0
NFM00774		1.42	5.88	19.4	6.33	0.9	1.24	<0.3	1.34	38.7	7	0.49	1.77	840	2	9.3
NFM00775		1.56	5.58	19.8	8.78	1.1	1.92	<0.3	2.21	50.2	10	0.73	1.50	880	2	13.2
NFM00776		1.68	5.04	18.8	10.15	1.2	2.15	<0.3	2.21	63.8	11	0.83	1.46	810	2	13.2
NFM00777		1.79	3.89	18.8	10.75	0.9	2.14	<0.3	3.03	57.0	9	0.86	0.86	560	2	14.4
NFM00778		1.70	4.88	19.0	9.77	1.0	1.97	<0.3	2.42	63.1	9	0.72	1.39	710	2	12.6
NFM00779		1.31	4.13	17.7	7.51	0.9	1.46	<0.3	3.01	45.7	7	0.58	1.39	890	3	11.0
NFM00780		1.24	4.95	16.6	6.51	0.8	1.38	<0.3	2.13	52.1	8	0.49	1.29	730	2	9.4
NFM00781		1.30	6.45	20.7	5.94	3.6	1.36	<0.3	1.59	32.5	14	0.59	1.98	1150	3	8.3
NFM00782		1.28	3.86	16.8	6.84	1.2	1.31	<0.3	3.03	56.4	9	0.45	1.16	890	2	12.3
NFM00783		1.16	5.62	21.1	5.62	1.9	1.02	<0.3	2.24	39.4	19	0.36	1.28	1280	2	8.3
NFM00784		1.38	5.96	22.9	7.01	2.2	1.40	<0.3	2.46	44.1	18	0.44	1.37	1760	<2	10.6
NFM00785		1.27	6.22	27.2	5.62	3.3	1.02	<0.3	0.55	43.5	7	0.39	1.04	3450	2	13.2
NFM00786		1.21	4.96	18.8	4.72	1.6	0.87	<0.3	2.10	33.5	15	0.27	1.05	1050	<2	7.6
NFM00787		1.08	5.87	22.2	5.68	2.0	1.02	<0.3	2.66	38.6	17	0.32	1.15	1270	2	11.6
NFM00788		1.16	5.69	22.7	5.21	2.0	0.89	<0.3	2.83	37.8	17	0.26	1.30	1300	<2	10.0
NFM00789		0.93	7.29	19.4	4.25	1.8	0.98	<0.3	2.40	23.9	12	0.43	0.85	2050	2	7.5
NFM00790		1.34	6.69	21.0	5.35	2.1	1.07	<0.3	2.99	34.1	14	0.43	1.31	2280	2	7.5
NFM00791		1.46	5.80	20.9	6.81	1.8	1.34	<0.3	2.14	43.6	18	0.43	1.56	1480	2	11.8
NFM00792		1.07	5.45	21.2	4.17	1.8	0.73	<0.3	3.11	33.4	13	0.24	1.08	1450	2	9.3
NFM00793		1.20	6.42	20.7	5.39	1.8	1.12	<0.3	2.35	37.0	18	0.38	1.28	2130	2	9.8
NFM00794		1.41	5.80	21.3	5.92	2.5	1.21	<0.3	2.61	34.3	27	0.49	1.44	1990	2	8.7
NFM00795		1.28	6.83	23.7	5.91	2.5	1.31	<0.3	2.57	36.3	24	0.54	1.01	4590	2	9.4
NFM00796		1.17	9.03	21.8	5.81	2.3	1.14	<0.3	2.40	37.0	28	0.46	1.21	3650	2	9.8
NFM00797		1.16	9.78	23.1	5.12	2.9	0.92	<0.3	2.69	40.2	32	0.32	1.30	2620	2	10.6
NFM00798		1.33	7.05	21.6	4.95	1.7	0.98	<0.3	2.45	30.1	27	0.41	1.59	2360	3	7.7
NFM00799		1.65	5.87	17.8	7.31	1.7	1.61	<0.3	3.05	50.2	31	0.66	1.54	2070	2	7.8
NFM00800		2.49	5.00	19.3	8.63	1.4	1.28	<0.3	2.62	65.4	34	0.43	2.56	1050	2	7.8
NFM00801		1.14	5.05	20.0	5.84	2.0	1.50	<0.3	2.82	40.2	29	0.74	1.14	1860	2	8.9
NFM00802		1.47	3.45	20.9	5.79	1.1	1.04	<0.3	2.51	48.7	24	0.47	0.73	760	3	9.6

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – C
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd	Ni	Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.07	10	0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5
NFM00763		27.1	40	8.7	7.88	104.0	<0.01	0.4	4	4.73	6	330	0.54	0.69	<0.5
NFM00764		29.7	50	7.2	8.88	147.0	<0.01	0.4	3	5.44	8	140	0.90	0.66	<0.5
NFM00765		28.4	50	7.3	8.16	155.5	<0.01	0.3	3	4.97	6	170	0.88	0.71	<0.5
NFM00766		24.3	60	7.6	7.17	136.5	<0.01	0.3	3	4.19	6	160	0.45	0.57	<0.5
NFM00767		24.1	30	7.9	6.94	130.0	0.01	0.3	<3	4.56	6	150	0.51	0.59	<0.5
NFM00768		27.6	40	8.0	8.19	153.0	0.01	0.3	<3	5.18	6	130	0.76	0.66	<0.5
NFM00769		26.6	30	9.4	7.89	143.5	<0.01	0.4	3	5.24	7	150	0.79	0.69	<0.5
NFM00770		32.7	40	6.8	9.43	98.4	<0.01	0.3	<3	5.63	7	280	0.56	0.69	<0.5
NFM00771		45.8	10	8.2	13.55	86.6	<0.01	0.4	<3	7.32	7	260	0.44	0.97	<0.5
NFM00772		47.6	<10	9.6	14.45	82.9	<0.01	0.5	<3	7.39	5	270	0.73	0.97	<0.5
NFM00773		55.1	<10	9.6	17.30	92.3	<0.01	0.4	3	8.34	6	230	0.57	1.04	<0.5
NFM00774		30.0	20	5.9	8.46	63.7	<0.01	0.5	<3	5.99	7	270	0.85	1.02	<0.5
NFM00775		38.0	20	12.6	10.90	123.0	<0.01	0.3	<3	8.48	9	150	0.90	1.51	<0.5
NFM00776		46.6	20	10.9	13.35	134.0	<0.01	0.3	<3	9.30	9	180	0.93	1.66	<0.5
NFM00777		46.6	10	11.8	12.80	152.0	<0.01	0.4	4	9.75	11	120	0.87	1.74	<0.5
NFM00778		47.0	10	9.9	13.65	130.5	<0.01	0.4	<3	9.70	10	200	0.77	1.57	<0.5
NFM00779		35.4	20	17.4	10.10	162.5	<0.01	0.4	3	7.39	8	170	0.89	1.20	<0.5
NFM00780		33.9	10	11.2	10.00	101.0	<0.01	0.4	<3	6.31	8	190	0.54	1.04	<0.5
NFM00781		24.5	40	11.1	6.97	84.9	<0.01	0.4	3	5.63	5	220	0.59	1.01	<0.5
NFM00782		37.8	30	12.7	11.95	161.0	<0.01	0.4	<3	7.43	9	190	0.97	1.06	<0.5
NFM00783		31.3	40	11.5	9.42	122.5	<0.01	0.4	<3	6.10	6	150	0.57	0.89	<0.5
NFM00784		35.1	40	10.3	10.60	154.5	<0.01	0.8	<3	7.48	8	150	0.60	1.08	<0.5
NFM00785		34.4	50	7.9	10.55	37.2	<0.01	2.4	<3	6.54	7	190	0.85	0.81	<0.5
NFM00786		25.3	30	9.4	7.64	120.0	<0.01	0.5	<3	5.10	6	160	0.45	0.72	<0.5
NFM00787		29.7	40	13.0	8.94	158.0	<0.01	0.6	<3	5.89	7	150	0.89	0.84	<0.5
NFM00788		28.8	40	12.0	8.62	165.5	<0.01	0.7	<3	5.59	6	150	0.74	0.75	<0.5
NFM00789		19.30	30	13.3	5.64	137.0	<0.01	0.4	<3	3.83	6	130	0.40	0.72	<0.5
NFM00790		28.6	50	16.8	8.16	163.0	<0.01	0.6	<3	5.79	5	180	0.46	0.82	<0.5
NFM00791		36.1	50	11.1	10.80	126.5	0.02	0.5	<3	7.29	7	210	0.82	1.10	<0.5
NFM00792		25.9	40	13.6	7.99	170.0	0.01	0.7	<3	5.02	6	130	0.52	0.64	<0.5
NFM00793		29.3	40	13.6	8.67	147.0	<0.01	0.5	<3	5.60	7	150	0.61	0.81	<0.5
NFM00794		30.4	50	18.1	7.51	142.5	0.01	0.4	3	5.52	5	240	0.45	0.98	<0.5
NFM00795		31.5	40	16.6	7.90	157.5	<0.01	<0.3	3	6.13	5	130	0.61	0.91	<0.5
NFM00796		31.3	40	13.9	8.02	158.5	0.01	0.3	3	6.09	5	100	0.60	0.91	<0.5
NFM00797		33.3	50	15.7	8.41	174.0	0.01	<0.3	3	6.03	6	110	0.71	0.77	<0.5
NFM00798		26.7	50	16.0	6.68	147.5	0.01	<0.3	3	5.20	5	230	0.45	0.75	<0.5
NFM00799		41.4	60	22.2	10.60	169.5	<0.01	0.4	4	7.62	4	320	0.40	1.14	<0.5
NFM00800		60.3	110	18.2	14.85	114.5	0.01	0.3	3	10.45	4	760	0.40	1.24	<0.5
NFM00801		32.7	40	16.6	8.29	155.5	0.01	<0.3	4	6.28	5	220	0.53	1.02	<0.5
NFM00802		37.3	20	9.8	9.76	107.0	<0.01	<0.3	<3	6.38	4	290	0.54	0.90	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 6 - D

Total # Pages: 11 (A - E)

Plus Appendix Pages

Finalized Date: 19-FEB-2026

Account: CASTCOP

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01
NFM00763		0.475	0.35	0.27	3.0	135	1.5	20.1	1.82	80	84.4	4.19	2.32	1.57	5.11	0.88
NFM00764		0.496	0.48	0.34	1.2	130	0.9	21.9	2.11	100	94.2	4.58	2.69	1.41	5.80	0.92
NFM00765		0.454	0.51	0.28	1.4	121	8.5	21.0	2.05	100	89.3	4.56	2.71	1.46	5.72	0.92
NFM00766		0.319	0.49	0.24	1.5	84	2.0	17.5	1.55	80	80.3	3.59	2.15	1.25	4.61	0.76
NFM00767		0.357	0.55	0.37	2.1	87	2.2	22.8	2.31	90	76.8	4.34	2.97	1.26	4.70	0.90
NFM00768		0.414	0.59	0.32	1.7	98	4.8	20.4	2.34	80	89.7	4.48	2.96	1.32	5.47	0.92
NFM00769		0.376	0.50	0.32	1.8	85	1.6	22.2	2.28	70	85.1	4.41	2.78	1.23	5.27	0.93
NFM00770		0.444	0.36	0.28	1.8	109	1.6	20.5	1.74	60	104.5	4.54	2.42	1.55	5.89	0.85
NFM00771		0.361	0.35	0.38	2.3	37	9.6	27.4	2.65	80	163.5	6.16	3.57	1.99	7.47	1.19
NFM00772		0.452	0.32	0.46	3.7	29	1.8	31.1	3.01	70	175.0	6.25	3.95	2.51	7.81	1.28
NFM00773		0.420	0.36	0.42	5.3	29	1.7	30.1	2.87	60	217	6.56	3.96	2.45	8.32	1.37
NFM00774		0.474	0.33	0.51	4.1	150	12.6	31.5	3.33	60	93.5	7.00	4.11	1.64	7.30	1.42
NFM00775		0.431	0.54	0.74	5.1	98	4.3	49.3	4.69	100	119.5	10.25	6.47	1.81	10.10	2.20
NFM00776		0.419	0.58	0.86	6.3	81	2.9	54.1	5.76	70	150.5	11.80	7.71	1.95	11.70	2.46
NFM00777		0.329	0.66	0.89	4.3	26	7.6	60.1	5.83	90	137.5	12.30	7.66	2.07	12.40	2.45
NFM00778		0.394	0.56	0.81	4.8	67	3.8	52.6	5.26	80	151.5	10.80	6.77	1.97	11.25	2.26
NFM00779		0.296	0.70	0.59	7.0	60	3.4	38.9	3.85	70	110.5	7.98	5.24	1.52	8.66	1.78
NFM00780		0.298	0.41	0.55	4.7	63	10.7	35.6	3.42	60	114.5	6.97	4.31	1.44	7.50	1.58
NFM00781		0.454	0.37	0.59	3.3	193	4.7	40.5	3.71	110	76.7	7.17	4.56	1.51	6.85	1.56
NFM00782		0.294	0.66	0.52	6.5	59	4.1	36.0	3.27	80	134.5	6.90	4.37	1.48	7.88	1.50
NFM00783		0.318	0.49	0.38	1.5	82	2.2	27.3	2.64	720	98.4	5.12	3.46	1.34	6.48	1.17
NFM00784		0.380	0.65	0.49	1.5	87	3.9	36.5	3.25	120	112.5	6.75	4.51	1.60	8.08	1.60
NFM00785		0.353	0.18	0.38	3.1	103	4.2	28.0	2.69	60	113.5	5.27	3.40	1.47	6.48	1.17
NFM00786		0.271	0.47	0.29	1.3	66	2.0	22.7	1.98	60	84.5	4.45	2.68	1.40	5.44	1.00
NFM00787		0.392	0.67	0.37	1.6	71	4.1	27.7	2.40	50	97.4	5.44	3.42	1.25	6.55	1.17
NFM00788		0.345	0.66	0.30	1.6	84	2.0	23.0	1.93	60	95.1	4.75	2.71	1.34	6.01	1.02
NFM00789		0.269	0.54	0.42	1.1	76	2.5	27.0	3.01	80	61.4	4.84	3.43	1.08	4.90	1.12
NFM00790		0.360	0.70	0.43	1.2	87	6.2	28.7	3.03	90	87.6	5.14	3.66	1.55	6.17	1.23
NFM00791		0.455	0.54	0.48	2.0	84	1.8	36.7	3.35	60	113.0	6.91	4.28	1.69	7.85	1.53
NFM00792		0.296	0.67	0.26	1.5	78	7.5	19.5	1.64	70	86.4	4.02	2.32	1.24	4.81	0.84
NFM00793		0.369	0.68	0.42	1.6	78	3.2	29.9	2.90	80	94.0	5.64	3.80	1.39	6.21	1.28
NFM00794		0.357	0.65	0.47	1.7	87	1.1	32.6	3.30	90	84.8	6.24	4.06	1.63	6.82	1.39
NFM00795		0.311	0.67	0.56	1.8	70	1.1	35.8	3.68	180	88.6	7.02	4.09	1.48	6.81	1.50
NFM00796		0.329	0.75	0.51	2.0	76	0.9	31.5	3.22	120	91.8	6.15	3.78	1.35	6.70	1.31
NFM00797		0.389	0.74	0.36	1.9	89	1.9	24.8	2.09	110	95.2	5.30	2.78	1.34	5.90	1.05
NFM00798		0.440	0.63	0.43	1.7	123	1.0	27.4	2.81	110	73.7	5.41	3.36	1.54	5.71	1.12
NFM00799		0.340	0.81	0.76	2.2	87	1.3	47.4	4.51	90	122.0	8.24	5.63	1.91	8.43	1.84
NFM00800		0.390	0.59	0.49	2.3	103	3.8	37.2	3.00	90	163.5	7.47	4.14	2.88	9.95	1.47
NFM00801		0.373	0.69	0.74	1.9	79	1.2	43.0	4.68	110	96.2	7.75	5.51	1.32	6.73	1.72
NFM00802		0.434	0.47	0.42	1.7	40	1.1	30.0	2.72	70	113.5	5.76	3.56	1.70	6.67	1.19

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – E
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		La2O3	Lu2O3	Nb2O5	Nd2O3	Pr2O3	Sm2O3	Ta2O5	Tb2O3	ThO2	Tm2O3	U3O8	WO3	Y2O3	Yb2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.09	0.06	1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
NFM00763		42.0	0.30	12	31.6	9.22	5.48	0.66	0.79	12.6	0.31	3.5	1.9	25.5	2.07
NFM00764		49.0	0.35	18	34.6	10.40	6.31	1.10	0.76	16.5	0.39	1.4	1.1	27.8	2.40
NFM00765		46.7	0.34	16	33.1	9.55	5.76	1.07	0.82	15.9	0.32	1.7	10.7	26.7	2.33
NFM00766		43.2	0.26	11	28.3	8.39	4.86	0.55	0.66	18.4	0.27	1.8	2.5	22.2	1.76
NFM00767		40.7	0.43	13	28.1	8.12	5.29	0.62	0.68	16.3	0.42	2.5	2.8	29.0	2.63
NFM00768		45.5	0.39	15	32.2	9.58	6.01	0.93	0.76	17.1	0.37	2.0	6.1	25.9	2.66
NFM00769		42.6	0.41	15	31.0	9.23	6.08	0.96	0.79	17.2	0.37	2.1	2.0	28.2	2.60
NFM00770		54.1	0.32	14	38.1	11.05	6.53	0.68	0.79	20.0	0.32	2.1	2.0	26.0	1.98
NFM00771		90.2	0.47	15	53.4	15.85	8.49	0.54	1.12	40.6	0.43	2.7	12.1	34.8	3.02
NFM00772		93.9	0.52	19	55.5	16.90	8.57	0.89	1.12	21.2	0.53	4.4	2.3	39.5	3.43
NFM00773		117.5	0.49	17	64.3	20.2	9.67	0.70	1.20	25.5	0.48	6.3	2.1	38.2	3.27
NFM00774		45.4	0.56	13	35.0	9.90	6.95	1.04	1.17	19.2	0.58	4.8	15.9	40.0	3.79
NFM00775		58.9	0.83	19	44.3	12.75	9.83	1.10	1.74	25.0	0.85	6.0	5.4	62.6	5.34
NFM00776		74.8	0.94	19	54.4	15.60	10.80	1.14	1.91	27.5	0.98	7.4	3.7	68.7	6.56
NFM00777		66.8	0.98	21	54.4	15.00	11.30	1.06	2.00	29.1	1.02	5.1	9.6	76.3	6.64
NFM00778		74.0	0.82	18	54.8	15.95	11.25	0.94	1.81	27.2	0.93	5.7	4.8	66.8	5.99
NFM00779		53.6	0.66	16	41.3	11.80	8.57	1.09	1.38	28.6	0.67	8.3	4.3	49.4	4.38
NFM00780		61.1	0.56	13	39.5	11.70	7.32	0.66	1.20	25.0	0.63	5.5	13.5	45.2	3.89
NFM00781		38.1	0.67	12	28.6	8.16	6.53	0.72	1.16	16.5	0.67	3.9	5.9	51.4	4.22
NFM00782		66.1	0.51	18	44.1	14.00	8.62	1.18	1.22	31.1	0.59	7.7	5.2	45.7	3.72
NFM00783		46.2	0.41	12	36.5	11.00	7.07	0.70	1.02	21.4	0.43	1.8	2.8	34.7	3.01
NFM00784		51.7	0.50	15	40.9	12.40	8.67	0.73	1.24	21.2	0.56	1.8	4.9	46.4	3.70
NFM00785		51.0	0.44	19	40.1	12.35	7.58	1.04	0.93	16.5	0.43	3.7	5.3	35.6	3.06
NFM00786		39.3	0.31	11	29.5	8.94	5.91	0.55	0.83	15.0	0.33	1.5	2.5	28.8	2.25
NFM00787		45.3	0.36	17	34.6	10.45	6.83	1.09	0.97	18.2	0.42	1.9	5.2	35.2	2.73
NFM00788		44.3	0.30	14	33.6	10.10	6.48	0.90	0.86	17.4	0.34	1.9	2.5	29.2	2.20
NFM00789		28.0	0.49	11	22.5	6.60	4.44	0.49	0.83	9.2	0.48	1.3	3.2	34.3	3.43
NFM00790		40.0	0.49	11	33.4	9.55	6.71	0.56	0.94	14.6	0.49	1.4	7.8	36.4	3.45
NFM00791		51.1	0.49	17	42.1	12.65	8.45	1.00	1.27	18.7	0.55	2.4	2.3	46.6	3.81
NFM00792		39.2	0.27	13	30.2	9.35	5.82	0.63	0.74	14.3	0.30	1.8	9.5	24.8	1.87
NFM00793		43.4	0.43	14	34.2	10.15	6.49	0.74	0.93	17.1	0.48	1.9	4.0	38.0	3.30
NFM00794		40.2	0.56	12	35.5	8.79	6.40	0.55	1.13	12.5	0.54	2.0	1.4	41.4	3.76
NFM00795		42.6	0.61	13	36.7	9.25	7.11	0.74	1.05	14.5	0.64	2.1	1.4	45.5	4.19
NFM00796		43.4	0.52	14	36.5	9.39	7.06	0.73	1.05	14.5	0.58	2.4	1.1	40.0	3.67
NFM00797		47.1	0.36	15	38.8	9.84	6.99	0.87	0.89	15.5	0.41	2.2	2.4	31.5	2.38
NFM00798		35.3	0.47	11	31.1	7.82	6.03	0.55	0.86	10.2	0.49	2.0	1.3	34.8	3.20
NFM00799		58.9	0.75	11	48.3	12.40	8.84	0.49	1.31	21.5	0.87	2.6	1.6	60.2	5.14
NFM00800		76.7	0.49	11	70.3	17.40	12.10	0.49	1.43	19.0	0.56	2.7	4.8	47.2	3.42
NFM00801		47.1	0.84	13	38.1	9.70	7.28	0.65	1.17	18.4	0.85	2.2	1.5	54.6	5.33
NFM00802		57.1	0.53	14	43.5	11.40	7.40	0.66	1.04	20.1	0.48	2.0	1.4	38.1	3.10

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 – A
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02
NFM00803		3.48		<5	<4	1085	2.7	0.3	3.1	<0.8	98.4	17.8	4.5	<20	6.04	3.59
NFM00804		3.42		<5	<4	540	1.6	0.1	2.4	<0.8	64.8	14.6	3.6	<20	5.10	3.60
NFM00805		3.85		<5	<4	672	2.0	<0.1	2.5	<0.8	79.6	16.3	4.3	<20	4.62	2.88
NFM00806		3.57	99.0	<5	<4	637	1.7	0.1	2.6	<0.8	100.5	16.5	4.4	<20	10.15	6.48
NFM00807		1.67		<5	<4	408	2.0	0.1	3.0	<0.8	63.8	13.8	4.7	20	6.25	4.05
NFM00808		3.64		<5	<4	423	1.9	0.2	4.0	<0.8	62.2	15.7	4.4	<20	5.75	3.21
NFM00809		2.61		<5	<4	392	<0.4	0.1	0.9	<0.8	35.2	3.6	2.0	20	7.22	5.26
NFM00810		3.42		<5	<4	467	1.6	0.2	2.6	<0.8	72.0	13.8	4.0	<20	8.45	5.99
NFM00811		3.58		<5	<4	553	1.5	0.3	3.6	<0.8	97.0	22.3	5.5	20	5.09	2.76
NFM00812		4.32		<5	<4	749	2.0	0.2	4.1	<0.8	126.5	26.4	6.9	<20	4.98	2.62
NFM00813		1.83		<5	6	798	0.8	0.3	8.5	<0.8	180.5	57.3	1.4	<20	4.68	1.90
NFM00814		3.23		<5	7	811	1.2	0.8	8.4	<0.8	209	50.9	4.2	<20	5.50	2.26
NFM00815		3.21		<5	<4	683	1.7	0.3	3.4	<0.8	128.5	19.1	5.8	<20	7.61	4.75
NFM00816		3.25		<5	5	463	1.8	1.0	4.0	<0.8	167.0	22.9	9.7	30	12.80	7.26
NFM00817		3.96		<5	4	612	1.8	0.4	3.9	<0.8	79.3	20.8	6.7	<20	4.53	2.64
NFM00818		4.85		<5	4	702	2.9	0.1	2.4	<0.8	90.2	20.3	5.4	40	4.47	2.55
NFM00819		3.28		<5	4	479	2.7	0.1	2.4	<0.8	64.7	18.0	4.6	50	3.63	1.86
NFM00820		3.62		<5	4	437	3.0	0.1	3.1	<0.8	85.9	21.2	6.0	<20	4.69	2.45
NFM00821		3.95		<5	4	525	3.6	0.2	2.8	<0.8	92.6	21.2	5.7	<20	5.01	2.98
NFM00822		3.67		<5	<4	505	3.1	0.2	3.0	<0.8	112.5	21.3	4.5	<20	4.78	2.49
NFM00823		4.49		<5	<4	516	3.3	0.2	3.0	<0.8	108.5	20.3	4.9	<20	5.34	2.97
NFM00824		3.64		<5	4	445	3.8	0.2	2.7	<0.8	85.0	20.2	5.1	<20	5.43	2.98
NFM00825		2.64		<5	<4	461	3.1	0.1	3.2	<0.8	86.6	23.2	6.2	<20	4.43	2.41
NFM00826		3.40		<5	<4	484	3.5	0.2	3.1	<0.8	104.5	22.9	5.8	<20	4.96	2.79
NFM00827		3.65		<5	<4	479	3.5	0.2	3.2	<0.8	90.1	21.1	5.3	<20	5.51	2.84
NFM00828		4.92		<5	4	627	3.3	0.1	2.3	<0.8	81.7	16.8	4.8	<20	4.37	2.60
NFM00829		4.25		<5	<4	655	2.2	0.2	3.0	<0.8	89.0	19.5	5.7	<20	6.11	3.40
NFM00830		4.27		<5	<4	602	2.8	0.2	2.9	<0.8	84.5	18.9	5.2	<20	5.92	3.52
NFM00831		2.39		<5	4	582	3.8	0.1	2.8	<0.8	84.8	18.5	4.7	<20	4.38	2.61
NFM00832		2.02		<5	4	472	2.8	0.4	3.9	<0.8	91.8	21.5	4.5	<20	4.90	2.58
NFM00833		3.61		<5	<4	563	2.4	0.5	3.8	<0.8	90.2	20.3	4.1	<20	5.77	3.49
NFM00834		5.20		<5	<4	497	3.2	<0.1	2.9	<0.8	90.1	23.6	5.6	<20	5.77	2.89
NFM00835		5.63		<5	<4	545	2.8	<0.1	2.4	<0.8	101.5	16.3	4.2	<20	8.07	4.06
NFM00836		5.27		<5	<4	513	2.4	0.2	3.2	<0.8	86.0	18.0	5.3	<20	6.62	3.93
NFM00837		3.36		<5	<4	334	2.3	0.2	1.8	<0.8	94.6	5.5	4.5	50	7.40	4.45
NFM00838		3.78		<5	<4	420	2.1	0.2	2.3	<0.8	92.3	9.3	4.7	<20	7.60	4.57
NFM00839		3.70		<5	<4	499	2.9	0.1	2.1	<0.8	83.6	16.1	4.3	<20	6.03	3.49
NFM00840		4.64		<5	<4	445	2.7	0.1	2.6	<0.8	76.4	20.3	5.8	<20	5.44	3.02
NFM00841		4.91		<5	<4	481	3.2	0.1	2.7	<0.8	80.7	19.9	5.4	<20	5.01	2.64
NFM00842		3.97		<5	<4	415	2.3	0.2	3.0	<0.8	84.7	17.2	5.0	<20	5.68	3.24

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 – B
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8
NFM00803		1.65	6.24	21.4	6.36	1.9	1.21	<0.3	2.67	50.6	35	0.53	1.45	2530	3	9.5
NFM00804		1.02	5.14	19.7	4.91	1.4	1.15	<0.3	2.36	33.2	31	0.55	1.15	1790	2	9.0
NFM00805		1.17	6.02	20.8	5.09	1.4	0.98	<0.3	2.41	41.1	31	0.42	1.13	2180	2	10.0
NFM00806		1.44	6.64	18.9	8.72	1.9	2.14	<0.3	3.06	50.3	30	0.87	1.20	2680	2	9.5
NFM00807		1.18	4.52	21.7	5.60	2.0	1.36	<0.3	3.35	33.3	30	0.55	1.05	880	3	9.9
NFM00808		1.18	4.16	18.8	5.42	2.2	1.17	<0.3	3.83	29.6	27	0.46	1.20	1030	3	8.2
NFM00809		0.94	1.08	9.7	4.25	2.0	1.65	<0.3	6.22	18.55	9	0.79	0.29	230	3	2.8
NFM00810		1.23	5.04	16.8	7.00	1.8	2.02	<0.3	3.64	35.5	23	0.82	0.95	1510	3	7.1
NFM00811		1.68	5.55	17.1	5.90	1.6	1.03	<0.3	2.96	47.7	30	0.42	2.19	1670	2	6.5
NFM00812		2.03	5.99	19.0	7.15	1.5	1.01	<0.3	2.45	64.1	24	0.33	2.71	1750	2	8.6
NFM00813		3.11	7.42	13.6	9.17	1.3	0.81	<0.3	1.01	80.9	16	0.24	7.39	1650	2	3.4
NFM00814		3.37	7.30	16.1	9.77	1.5	0.90	<0.3	1.65	91.1	28	0.29	5.90	1650	2	5.2
NFM00815		1.78	4.44	18.1	8.47	1.5	1.60	<0.3	2.83	63.3	22	0.64	1.88	950	2	8.7
NFM00816		2.04	5.60	17.2	13.60	1.2	2.56	<0.3	2.32	77.5	30	0.86	2.13	1220	2	8.6
NFM00817		1.47	7.51	19.2	5.26	1.2	0.89	<0.3	2.01	39.8	26	0.36	1.86	2440	2	9.2
NFM00818		1.36	6.98	23.4	5.28	1.7	0.91	<0.3	2.86	47.6	29	0.34	1.72	2530	2	10.9
NFM00819		1.02	5.04	19.2	4.50	1.4	0.92	<0.3	2.17	33.4	26	0.31	1.53	1190	3	8.8
NFM00820		1.20	6.41	22.2	5.62	1.9	0.94	<0.3	2.66	42.9	30	0.35	1.85	1300	2	11.2
NFM00821		1.24	6.69	22.5	6.14	1.6	1.02	<0.3	2.90	46.4	28	0.39	1.81	1470	2	11.8
NFM00822		1.55	6.50	21.8	6.36	2.0	0.97	<0.3	2.75	49.3	29	0.36	1.74	1300	2	13.6
NFM00823		1.31	6.11	23.1	6.22	2.3	1.11	<0.3	2.92	57.6	27	0.42	1.77	1170	2	12.0
NFM00824		1.20	6.32	22.0	5.88	1.6	1.07	<0.3	2.76	42.7	26	0.45	1.72	1320	2	11.5
NFM00825		1.24	6.64	23.2	5.39	2.0	0.90	<0.3	2.73	44.1	28	0.35	1.89	1350	<2	11.3
NFM00826		1.35	7.12	22.2	5.99	1.8	1.02	<0.3	2.79	54.1	28	0.39	1.87	1340	<2	11.8
NFM00827		1.18	6.53	21.7	5.82	2.0	1.07	<0.3	2.98	45.0	28	0.39	1.74	1330	2	13.0
NFM00828		1.12	5.51	19.4	4.95	1.6	0.84	<0.3	3.62	41.2	22	0.34	1.38	1120	2	11.2
NFM00829		1.66	6.82	21.6	6.81	1.3	1.14	<0.3	2.56	43.6	28	0.48	1.82	1580	2	11.8
NFM00830		1.43	6.33	21.0	6.21	1.9	1.23	<0.3	3.08	41.3	26	0.54	1.67	1580	2	11.9
NFM00831		1.17	6.48	21.3	5.48	1.7	0.89	<0.3	2.81	42.1	25	0.35	1.67	1500	2	13.2
NFM00832		1.30	6.77	21.2	6.03	1.7	0.92	<0.3	2.29	45.5	23	0.40	1.70	1820	2	10.7
NFM00833		1.42	6.79	20.6	6.45	1.3	1.12	<0.3	2.33	44.1	25	0.50	1.73	1540	2	10.8
NFM00834		1.50	6.58	25.9	6.09	2.9	1.06	<0.3	2.64	42.6	26	0.46	1.59	1840	2	11.2
NFM00835		1.51	4.74	23.9	8.15	2.5	1.56	<0.3	2.45	47.6	25	0.61	1.46	1280	2	12.2
NFM00836		1.45	5.65	22.3	7.28	2.9	1.39	<0.3	1.96	40.3	31	0.55	1.64	1380	3	11.0
NFM00837		1.51	3.85	21.5	7.18	3.0	1.58	<0.3	1.88	46.2	24	0.66	1.15	1030	2	14.2
NFM00838		1.59	4.42	21.0	7.80	2.9	1.61	<0.3	2.42	45.3	30	0.66	1.51	1140	2	13.0
NFM00839		1.31	5.45	23.1	6.39	2.7	1.21	<0.3	2.92	41.0	30	0.53	1.52	1060	2	11.3
NFM00840		1.18	5.91	23.5	5.75	2.2	1.09	<0.3	2.70	37.0	34	0.47	1.79	1440	2	10.7
NFM00841		1.14	6.29	24.3	5.39	2.6	0.96	<0.3	2.98	39.1	32	0.36	1.84	1160	2	11.5
NFM00842		1.12	5.29	21.6	5.69	1.9	1.10	<0.3	2.71	41.8	29	0.42	1.61	1200	2	11.9

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 - C
Total # Pages: 11 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd	Ni	Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.07	10	0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5
NFM00803		42.5	50	13.9	10.75	146.0	<0.01	0.3	<3	7.41	5	310	0.61	0.92	<0.5
NFM00804		26.4	30	12.7	7.06	140.0	0.01	<0.3	<3	4.53	5	190	0.56	0.81	<0.5
NFM00805		32.7	30	11.0	8.50	130.5	0.01	<0.3	3	6.02	5	200	0.65	0.75	<0.5
NFM00806		44.5	40	17.6	10.80	149.0	0.01	<0.3	3	8.50	6	170	0.58	1.42	<0.5
NFM00807		27.7	30	19.4	6.92	187.0	<0.01	<0.3	<3	5.60	6	130	0.66	0.92	<0.5
NFM00808		26.8	30	19.7	6.72	191.0	0.01	<0.3	<3	5.33	5	120	0.56	0.89	<0.5
NFM00809		14.60	10	29.5	3.80	250	<0.01	<0.3	<3	3.38	4	90	0.04	0.90	<0.5
NFM00810		31.4	40	19.3	7.79	179.5	0.01	<0.3	3	6.40	4	130	0.47	1.22	<0.5
NFM00811		43.0	100	17.2	10.90	149.5	0.01	<0.3	<3	7.49	4	370	0.43	0.87	<0.5
NFM00812		56.2	130	11.1	14.00	125.0	<0.01	0.4	4	9.02	5	420	0.55	0.89	<0.5
NFM00813		83.2	400	11.2	20.0	23.8	0.01	0.5	<3	13.90	3	1050	0.13	0.97	<0.5
NFM00814		92.4	290	14.9	23.1	88.8	<0.01	0.6	<3	15.05	5	1190	0.22	1.12	<0.5
NFM00815		54.9	70	17.3	13.90	154.5	0.01	0.3	<3	10.05	5	480	0.43	1.22	<0.5
NFM00816		65.8	70	14.6	17.95	152.5	<0.01	<0.3	<3	13.30	3	350	0.68	2.14	0.5
NFM00817		31.6	50	9.7	8.65	108.0	<0.01	<0.3	<3	5.60	5	290	0.59	0.76	<0.5
NFM00818		34.0	50	11.6	9.64	158.0	<0.01	<0.3	<3	6.01	5	190	0.75	0.79	<0.5
NFM00819		26.5	60	10.8	6.95	131.5	0.05	<0.3	<3	4.71	4	170	0.56	0.67	<0.5
NFM00820		33.4	50	15.4	9.26	172.0	0.02	<0.3	<3	6.41	6	110	0.73	0.82	<0.5
NFM00821		36.7	50	13.8	10.20	182.5	0.03	<0.3	<3	6.69	6	130	0.81	0.87	<0.5
NFM00822		54.0	40	13.6	13.75	174.0	0.02	<0.3	<3	8.42	6	130	0.88	0.87	<0.5
NFM00823		41.0	40	15.1	11.35	181.5	0.02	<0.3	<3	6.64	5	120	0.90	0.89	<0.5
NFM00824		33.8	40	14.9	9.43	174.0	0.02	<0.3	<3	6.29	6	120	0.75	0.91	<0.5
NFM00825		34.8	50	15.8	9.57	179.5	0.01	<0.3	<3	6.32	5	120	0.68	0.76	<0.5
NFM00826		39.2	50	16.0	11.45	184.0	<0.01	<0.3	<3	7.29	6	110	0.85	0.88	<0.5
NFM00827		35.0	40	15.4	9.80	188.5	<0.01	<0.3	<3	6.71	7	110	0.95	0.94	<0.5
NFM00828		31.8	40	18.2	8.87	190.5	<0.01	<0.3	<3	5.70	8	130	0.72	0.74	<0.5
NFM00829		37.4	30	11.8	10.00	155.0	<0.01	<0.3	<3	7.04	5	180	0.72	1.00	<0.5
NFM00830		35.0	50	13.6	9.45	177.5	<0.01	<0.3	<3	6.70	6	160	0.69	1.02	<0.5
NFM00831		33.4	40	11.0	9.36	162.5	<0.01	<0.3	<3	6.30	5	160	1.00	0.76	<0.5
NFM00832		36.4	50	11.2	9.89	134.5	<0.01	<0.3	<3	6.46	4	160	0.62	0.84	<0.5
NFM00833		36.7	30	9.3	9.99	130.0	<0.01	<0.3	<3	6.98	4	140	0.67	0.93	<0.5
NFM00834		35.3	50	11.4	10.00	167.0	0.01	0.5	3	7.10	5	130	0.72	0.95	<0.5
NFM00835		41.8	30	13.2	11.50	143.5	0.01	<0.3	3	9.22	5	130	0.55	1.32	<0.5
NFM00836		37.0	30	14.2	10.00	124.0	<0.01	<0.3	3	6.97	6	130	0.88	1.08	<0.5
NFM00837		41.7	20	13.7	11.00	119.0	<0.01	<0.3	<3	7.57	7	140	0.96	1.13	<0.5
NFM00838		40.9	10	14.1	10.80	162.5	<0.01	<0.3	4	7.47	7	130	0.92	1.15	<0.5
NFM00839		36.0	30	16.2	9.65	167.0	<0.01	<0.3	<3	6.35	5	110	1.04	0.97	<0.5
NFM00840		32.2	30	15.7	8.77	179.5	<0.01	<0.3	<3	6.16	6	120	0.89	0.83	<0.5
NFM00841		33.3	30	16.6	9.28	173.0	<0.01	<0.3	<3	5.94	6	100	1.02	0.81	<0.5
NFM00842		34.0	30	17.2	9.68	160.5	<0.01	<0.3	3	6.10	7	120	1.01	0.86	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 - D
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01
NFM00803		0.420	0.68	0.52	2.8	81	4.6	34.0	3.29	90	121.0	6.93	4.11	1.91	7.33	1.39
NFM00804		0.357	0.65	0.60	1.5	65	1.5	33.6	3.66	80	79.6	5.85	4.12	1.18	5.66	1.32
NFM00805		0.403	0.59	0.43	2.3	74	1.2	27.7	2.86	90	97.8	5.30	3.29	1.35	5.87	1.12
NFM00806		0.345	0.68	0.97	2.5	70	2.5	60.9	5.93	100	123.5	11.65	7.41	1.67	10.05	2.45
NFM00807		0.334	0.82	0.63	2.5	59	3.2	38.1	3.89	140	78.4	7.17	4.63	1.37	6.45	1.56
NFM00808		0.304	0.89	0.52	2.0	64	1.5	32.0	3.04	100	76.4	6.60	3.67	1.37	6.25	1.34
NFM00809		0.074	1.03	0.85	1.7	14	2.3	49.3	5.66	50	43.2	8.29	6.01	1.09	4.90	1.89
NFM00810		0.335	0.82	0.89	2.6	53	1.8	57.4	5.65	90	88.4	9.70	6.85	1.42	8.07	2.31
NFM00811		0.350	0.73	0.41	2.2	88	2.1	28.2	2.65	100	119.0	5.84	3.16	1.95	6.80	1.18
NFM00812		0.433	0.60	0.39	2.7	97	2.4	26.2	2.45	110	155.5	5.72	3.00	2.35	8.24	1.16
NFM00813		0.434	0.13	0.25	2.2	156	0.8	20.9	1.61	170	222	5.37	2.17	3.60	10.55	0.93
NFM00814		0.462	0.45	0.31	3.0	163	1.0	25.2	2.16	150	257	6.31	2.58	3.90	11.25	1.03
NFM00815		0.394	0.69	0.73	3.2	77	2.5	46.0	4.66	90	158.0	8.73	5.43	2.06	9.76	1.83
NFM00816		0.514	0.74	1.01	4.2	110	2.9	72.2	5.86	90	205	14.70	8.30	2.36	15.70	2.93
NFM00817		0.527	0.50	0.39	2.3	107	1.7	23.5	2.22	110	97.4	5.20	3.02	1.70	6.06	1.02
NFM00818		0.465	0.67	0.38	1.7	93	2.7	23.6	2.35	100	111.0	5.13	2.92	1.57	6.09	1.04
NFM00819		0.314	0.64	0.29	1.6	69	1.6	17.7	1.68	160	79.5	4.17	2.13	1.18	5.19	0.85
NFM00820		0.432	0.78	0.37	1.5	87	0.8	24.1	2.24	100	105.5	5.38	2.80	1.39	6.48	1.08
NFM00821		0.448	0.71	0.44	1.6	89	2.1	28.1	2.56	90	113.5	5.75	3.41	1.44	7.08	1.17
NFM00822		0.430	0.75	0.39	1.8	86	1.2	26.2	2.36	90	138.0	5.49	2.85	1.79	7.33	1.11
NFM00823		0.417	0.70	0.48	1.7	83	1.0	28.4	2.75	80	133.5	6.13	3.40	1.52	7.17	1.27
NFM00824		0.411	0.75	0.45	1.7	80	2.4	28.9	2.80	90	104.5	6.23	3.41	1.39	6.78	1.23
NFM00825		0.453	0.76	0.36	1.2	94	0.5	23.6	2.22	110	106.5	5.08	2.76	1.44	6.21	1.03
NFM00826		0.472	0.79	0.39	1.3	93	0.7	26.6	2.40	100	128.5	5.69	3.19	1.56	6.90	1.17
NFM00827		0.459	0.83	0.43	1.6	83	1.7	28.5	2.69	90	110.5	6.32	3.25	1.37	6.71	1.23
NFM00828		0.368	0.83	0.37	1.5	68	1.1	23.8	2.26	80	100.5	5.02	2.97	1.30	5.71	0.96
NFM00829		0.545	0.68	0.50	2.1	102	1.0	30.8	3.11	130	109.5	7.01	3.89	1.92	7.85	1.31
NFM00830		0.458	0.77	0.51	2.1	88	2.3	33.1	3.53	110	104.0	6.79	4.03	1.66	7.16	1.41
NFM00831		0.456	0.68	0.39	1.6	75	1.6	24.2	2.44	100	104.0	5.03	2.98	1.35	6.32	1.02
NFM00832		0.453	0.59	0.41	1.7	96	1.1	25.6	2.40	90	113.0	5.62	2.95	1.51	6.95	1.05
NFM00833		0.500	0.56	0.48	2.2	96	2.4	30.9	3.05	70	111.0	6.62	3.99	1.64	7.43	1.28
NFM00834		0.441	0.63	0.49	1.9	105	1.7	29.4	3.22	100	110.5	6.62	3.30	1.74	7.02	1.21
NFM00835		0.334	0.52	0.65	2.7	70	1.2	40.9	4.61	120	124.5	9.26	4.64	1.75	9.39	1.79
NFM00836		0.439	0.54	0.56	2.8	103	4.1	38.4	3.62	100	105.5	7.60	4.49	1.68	8.39	1.59
NFM00837		0.221	0.50	0.66	3.6	18	1.3	43.8	4.30	120	116.0	8.49	5.09	1.75	8.28	1.81
NFM00838		0.305	0.61	0.65	3.6	38	1.1	44.1	4.30	100	113.5	8.72	5.23	1.84	8.99	1.84
NFM00839		0.347	0.66	0.50	2.9	71	1.4	34.0	3.09	90	102.5	6.92	3.99	1.52	7.37	1.39
NFM00840		0.389	0.74	0.46	3.1	110	0.9	32.8	2.79	100	93.8	6.24	3.45	1.37	6.63	1.25
NFM00841		0.419	0.68	0.37	1.8	95	1.1	26.8	2.25	100	99.1	5.75	3.02	1.32	6.21	1.10
NFM00842		0.329	0.63	0.43	2.6	76	3.8	31.6	2.81	80	104.0	6.52	3.70	1.30	6.56	1.26

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 – E
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		La2O3	Lu2O3	Nb2O5	Nd2O3	Pr2O3	Sm2O3	Ta2O5	Tb2O3	ThO2	Tm2O3	U3O8	WO3	Y2O3	Yb2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.09	0.06	1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
NFM00803		59.3	0.60	14	49.6	12.60	8.59	0.74	1.06	19.7	0.59	3.3	5.8	43.2	3.75
NFM00804		38.9	0.63	13	30.8	8.26	5.25	0.68	0.93	14.5	0.69	1.8	1.9	42.7	4.17
NFM00805		48.2	0.48	14	38.1	9.95	6.98	0.79	0.86	16.7	0.49	2.7	1.5	35.2	3.26
NFM00806		59.0	0.99	14	51.9	12.65	9.86	0.71	1.63	27.0	1.11	2.9	3.2	77.3	6.75
NFM00807		39.1	0.63	14	32.3	8.10	6.49	0.81	1.06	14.2	0.72	2.9	4.0	48.4	4.43
NFM00808		34.7	0.52	12	31.3	7.86	6.18	0.68	1.02	11.9	0.59	2.4	1.9	40.6	3.46
NFM00809		21.8	0.90	4	17.05	4.45	3.92	0.05	1.04	11.6	0.97	2.0	2.9	62.6	6.45
NFM00810		41.6	0.93	10	36.6	9.12	7.42	0.57	1.40	18.0	1.02	3.1	2.3	72.9	6.43
NFM00811		55.9	0.48	9	50.2	12.75	8.69	0.53	1.00	16.2	0.47	2.6	2.6	35.8	3.02
NFM00812		75.2	0.38	12	65.6	16.40	10.45	0.67	1.02	20.5	0.45	3.2	3.0	33.3	2.79
NFM00813		94.9	0.27	5	97.0	23.4	16.10	0.16	1.12	17.9	0.29	2.6	1.0	26.5	1.83
NFM00814		107.0	0.33	7	108.0	27.0	17.45	0.27	1.29	21.2	0.35	3.5	1.3	32.0	2.46
NFM00815		74.2	0.73	12	64.0	16.25	11.65	0.53	1.40	25.3	0.83	3.8	3.2	58.4	5.31
NFM00816		90.9	0.98	12	76.7	21.0	15.40	0.83	2.46	45.9	1.15	5.0	3.7	91.7	6.67
NFM00817		46.7	0.41	13	36.9	10.10	6.49	0.72	0.87	14.0	0.45	2.7	2.1	29.8	2.53
NFM00818		55.8	0.39	16	39.7	11.30	6.97	0.92	0.91	18.4	0.43	2.0	3.4	30.0	2.68
NFM00819		39.2	0.35	13	30.9	8.13	5.46	0.68	0.77	14.3	0.33	1.9	2.0	22.5	1.91
NFM00820		50.3	0.40	16	39.0	10.85	7.43	0.89	0.94	17.9	0.42	1.8	1.0	30.6	2.55
NFM00821		54.4	0.44	17	42.8	11.95	7.76	0.99	1.00	19.6	0.50	1.9	2.6	35.7	2.92
NFM00822		57.8	0.41	19	63.0	16.10	9.76	1.07	1.00	18.9	0.45	2.1	1.5	33.3	2.69
NFM00823		67.6	0.48	17	47.8	13.30	7.70	1.10	1.02	18.9	0.55	2.0	1.3	36.1	3.13
NFM00824		50.1	0.51	16	39.4	11.05	7.29	0.92	1.05	19.1	0.51	2.0	3.0	36.7	3.19
NFM00825		51.7	0.40	16	40.6	11.20	7.33	0.83	0.87	17.0	0.41	1.4	0.6	30.0	2.53
NFM00826		63.4	0.44	17	45.7	13.40	8.45	1.04	1.01	18.4	0.45	1.5	0.9	33.8	2.73
NFM00827		52.8	0.44	19	40.8	11.45	7.78	1.16	1.08	19.1	0.49	1.9	2.1	36.2	3.06
NFM00828		48.3	0.39	16	37.1	10.40	6.61	0.88	0.85	20.0	0.42	1.8	1.4	30.2	2.57
NFM00829		51.1	0.55	17	43.6	11.70	8.16	0.88	1.15	16.3	0.57	2.5	1.3	39.1	3.54
NFM00830		48.4	0.61	17	40.8	11.05	7.77	0.84	1.17	17.9	0.58	2.5	2.9	42.0	4.02
NFM00831		49.4	0.40	19	39.0	10.95	7.31	1.22	0.87	18.4	0.45	1.9	2.0	30.7	2.78
NFM00832		53.4	0.45	15	42.5	11.55	7.49	0.76	0.97	16.6	0.47	2.0	1.4	32.5	2.73
NFM00833		51.7	0.57	15	42.8	11.70	8.09	0.82	1.07	16.0	0.55	2.6	3.0	39.2	3.47
NFM00834		50.0	0.52	16	41.2	11.70	8.23	0.88	1.09	17.6	0.56	2.2	2.1	37.3	3.67
NFM00835		55.8	0.69	17	48.8	13.45	10.70	0.67	1.52	20.9	0.74	3.2	1.5	51.9	5.25
NFM00836		47.3	0.63	16	43.2	11.70	8.08	1.07	1.24	16.4	0.64	3.3	5.2	48.8	4.12
NFM00837		54.2	0.75	20	48.6	12.85	8.78	1.17	1.30	15.6	0.75	4.2	1.6	55.6	4.90
NFM00838		53.1	0.75	19	47.7	12.65	8.66	1.12	1.32	17.5	0.74	4.2	1.4	56.0	4.90
NFM00839		48.1	0.60	16	42.0	11.30	7.36	1.27	1.12	18.9	0.57	3.4	1.8	43.2	3.52
NFM00840		43.4	0.53	15	37.6	10.25	7.14	1.09	0.96	16.4	0.53	3.7	1.1	41.7	3.18
NFM00841		45.9	0.41	16	38.8	10.85	6.89	1.25	0.93	16.8	0.42	2.1	1.4	34.0	2.56
NFM00842		49.0	0.48	17	39.7	11.35	7.07	1.23	0.99	19.6	0.49	3.1	4.8	40.1	3.20

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 - A
Total # Pages: 11 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Recvd Wt.	Pass75um	Ag	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cs	Cu	Dy	Er
		kg	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00843		3.89		<5	<4	312	2.9	0.5	4.9	<0.8	84.2	20.6	4.7	<20	5.23	3.13
NFM00844		3.58		<5	<4	479	3.2	0.2	3.7	<0.8	86.8	22.1	5.5	<20	4.71	2.88
NFM00845		4.35		<5	<4	385	3.2	0.2	3.3	<0.8	85.3	18.3	4.4	<20	5.39	3.05
NFM00846		4.32		<5	<4	596	2.8	0.2	2.3	<0.8	80.0	25.5	3.8	<20	4.29	2.53
NFM00847		4.65	95.1	<5	<4	754	2.8	0.1	1.8	<0.8	76.6	29.6	4.3	<20	4.78	2.45
NFM00848		5.73		<5	<4	554	2.0	0.3	3.8	<0.8	78.7	25.4	3.7	<20	4.65	2.58
NFM00849		2.42		<5	<4	327	1.3	<0.1	5.2	<0.8	91.9	29.7	1.6	<20	5.04	2.52
NFM00850		2.91		<5	<4	259	2.0	0.2	5.5	<0.8	73.8	28.9	1.7	<20	4.31	2.28
NFM00851		3.52		<5	<4	342	1.8	0.3	4.4	<0.8	78.6	27.1	2.7	30	3.77	2.19
NFM00852		4.02		<5	<4	354	1.5	0.2	4.9	<0.8	75.9	27.9	2.9	30	4.04	2.07
NFM00853		4.78		<5	<4	460	1.7	0.2	5.4	<0.8	91.5	29.6	2.8	30	4.34	2.37
NFM00854		5.16		<5	<4	437	1.6	0.5	5.6	<0.8	105.0	27.5	1.7	50	5.28	2.87
NFM00855		3.35		<5	<4	503	1.4	0.3	5.3	<0.8	98.8	28.1	2.2	60	4.63	2.51
NFM00856		3.28		<5	<4	579	2.2	0.2	4.0	<0.8	95.4	24.7	2.4	40	4.50	2.30
NFM00857		3.46		<5	11	371	2.4	0.3	7.4	<0.8	80.5	23.0	4.7	<20	4.48	2.57
NFM00858		3.86		<5	7	378	2.0	0.4	5.9	<0.8	78.6	23.4	6.5	<20	4.79	2.77
NFM00859		4.39		<5	6	487	2.4	0.5	4.5	<0.8	76.7	24.9	6.5	<20	4.71	2.67
NFM00860		5.28		<5	6	509	2.9	0.4	5.3	<0.8	83.9	25.2	7.6	<20	4.46	2.52
NFM00861		3.09		<5	11	467	2.4	0.5	7.2	<0.8	80.8	25.6	7.0	<20	4.52	2.46
NFM00862		2.85		<5	5	392	3.0	0.4	4.5	<0.8	84.8	24.7	7.2	<20	4.48	2.47
NFM00863		4.16		<5	<4	428	2.3	0.2	2.7	<0.8	79.4	23.4	7.5	<20	4.10	2.22
NFM00864		4.17		<5	<4	410	2.3	0.4	3.2	<0.8	83.6	23.4	7.1	20	4.55	2.39
NFM00865		4.82		<5	<4	431	1.6	0.4	3.7	<0.8	84.2	24.1	5.1	130	4.09	2.30
NFM00866		4.98		<5	<4	460	1.7	0.4	4.2	<0.8	84.3	24.4	6.3	160	4.21	2.35
NFM00867		2.87		<5	<4	473	1.6	0.2	4.1	<0.8	91.5	26.9	5.3	90	4.67	2.48
NFM00868		3.43		<5	<4	462	1.3	0.2	5.2	<0.8	85.2	24.3	2.0	50	4.46	2.31
NFM00869		4.03		<5	<4	566	1.2	0.2	4.5	<0.8	87.1	27.1	3.0	50	4.59	2.43
NFM00870		4.05		<5	<4	653	2.3	0.2	3.0	<0.8	91.7	27.5	6.1	30	4.99	2.73
NFM00871		3.24		<5	<4	633	3.3	0.1	1.7	<0.8	78.7	23.2	5.3	<20	4.48	2.63
NFM00872		5.11		<5	<4	569	2.7	0.1	3.0	<0.8	83.2	23.9	5.6	<20	4.25	2.56
NFM00873		2.10		<5	<4	576	3.6	0.1	3.2	<0.8	79.6	25.5	5.8	<20	3.94	2.15
NFM00874		3.49		<5	<4	494	2.5	0.1	3.7	<0.8	79.5	23.9	7.1	<20	4.11	2.22
NFM00875		2.27		<5	<4	535	3.0	0.2	3.0	<0.8	88.2	25.9	7.4	<20	4.75	2.61
NFM00876		4.12		<5	10	499	2.3	0.8	9.9	<0.8	76.9	23.2	4.6	<20	4.28	2.35
NFM00877		4.30		<5	11	652	2.3	0.7	7.0	<0.8	73.2	22.8	9.0	<20	4.31	2.36
NFM00878		6.34		<5	16	415	1.7	0.8	16.8	<0.8	60.1	19.1	5.6	<20	3.46	1.80
NFM00879		2.83		<5	10	312	2.0	0.8	15.3	<0.8	62.0	18.8	5.2	<20	3.52	2.05
NFM00880		3.32		<5	5	517	2.4	0.3	3.9	<0.8	86.5	26.4	8.4	<20	4.15	2.44
NFM00881		3.30		<5	7	561	2.7	0.4	5.1	<0.8	89.4	29.6	6.5	<20	4.56	2.55
NFM00882		3.67		<5	5	285	2.3	0.5	7.7	<0.8	116.5	22.4	3.8	<20	5.08	2.69

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 – B
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8
NFM00843		1.16	6.21	22.7	5.64	2.3	1.06	<0.3	2.23	40.8	28	0.40	1.75	1470	2	10.7
NFM00844		1.22	6.20	23.0	5.52	2.3	0.98	<0.3	3.18	42.6	27	0.40	1.70	1390	2	10.9
NFM00845		1.09	5.55	21.4	5.91	2.5	1.11	<0.3	2.76	40.5	29	0.40	1.77	1250	2	10.7
NFM00846		1.16	7.19	22.7	5.04	2.0	0.90	<0.3	2.66	41.0	27	0.29	1.75	920	2	11.0
NFM00847		1.13	7.69	23.0	5.05	2.1	0.94	<0.3	3.01	38.6	28	0.36	1.86	1000	2	10.4
NFM00848		1.53	7.00	21.7	5.36	1.6	0.89	<0.3	2.30	37.0	23	0.37	2.22	980	2	8.5
NFM00849		2.18	6.54	22.0	6.75	1.5	0.91	<0.3	1.27	39.7	12	0.34	2.38	1130	2	6.9
NFM00850		1.75	7.26	19.9	5.37	1.5	0.82	<0.3	1.23	32.6	15	0.34	2.80	1150	2	7.7
NFM00851		1.58	6.15	20.0	4.95	1.4	0.80	<0.3	1.14	35.9	17	0.29	2.16	950	2	7.3
NFM00852		1.65	6.22	20.3	4.84	1.2	0.80	<0.3	1.12	33.0	18	0.30	2.26	1000	2	6.9
NFM00853		1.90	6.66	20.6	5.59	1.0	0.86	<0.3	1.27	40.8	18	0.32	2.10	1090	3	7.7
NFM00854		2.08	7.28	21.2	6.83	1.0	0.99	<0.3	1.24	46.4	18	0.38	1.97	1200	3	9.1
NFM00855		1.89	7.19	20.6	6.09	1.0	0.90	<0.3	1.40	44.2	18	0.35	1.85	1160	3	9.1
NFM00856		1.67	6.63	21.0	5.73	1.4	0.97	<0.3	1.90	45.8	20	0.31	1.74	1050	2	9.7
NFM00857		1.31	6.38	21.4	5.04	2.0	0.93	<0.3	1.69	37.7	14	0.38	1.54	1410	2	8.9
NFM00858		1.17	5.85	20.4	5.13	2.2	0.96	<0.3	1.48	36.9	21	0.38	1.77	1730	2	10.4
NFM00859		1.16	6.45	21.8	5.23	2.3	0.97	<0.3	2.21	36.4	30	0.40	1.85	1830	2	9.3
NFM00860		1.22	6.64	23.1	5.49	2.3	0.91	<0.3	2.85	38.9	37	0.38	1.60	2170	2	9.7
NFM00861		1.12	6.76	21.8	5.25	2.3	0.89	<0.3	2.53	37.5	24	0.34	1.59	2060	8	10.0
NFM00862		1.07	6.52	22.3	5.14	2.1	0.86	<0.3	2.71	39.9	34	0.34	1.64	1200	3	10.1
NFM00863		1.17	6.08	20.6	4.80	1.5	0.80	<0.3	3.08	37.6	34	0.32	1.73	890	3	10.1
NFM00864		1.23	6.14	21.8	5.10	2.2	0.87	<0.3	2.60	39.1	32	0.34	2.02	960	2	10.4
NFM00865		1.69	5.72	20.1	5.34	1.7	0.85	<0.3	2.03	38.2	27	0.31	1.86	960	2	7.7
NFM00866		1.63	5.82	20.3	5.24	1.4	0.83	<0.3	2.01	37.8	28	0.31	1.88	1020	2	7.6
NFM00867		1.77	6.66	21.8	5.63	1.8	0.98	<0.3	2.07	40.5	25	0.35	2.15	1230	2	8.1
NFM00868		1.69	6.77	21.8	5.69	1.8	0.83	<0.3	1.34	39.5	18	0.33	2.06	1310	3	6.6
NFM00869		1.84	7.12	22.6	5.65	1.4	0.87	<0.3	1.57	40.9	22	0.32	2.16	1460	2	7.4
NFM00870		1.56	7.41	26.0	5.72	1.8	0.97	<0.3	2.51	45.7	35	0.38	2.08	1280	2	10.5
NFM00871		1.20	6.52	22.7	5.07	1.7	0.92	<0.3	2.97	40.0	35	0.39	1.66	1000	2	9.6
NFM00872		1.27	6.61	24.9	5.05	1.9	0.87	<0.3	2.89	41.9	38	0.37	1.62	1500	2	10.0
NFM00873		1.15	7.02	24.3	4.80	1.8	0.82	<0.3	2.58	39.9	43	0.29	1.93	1560	2	11.2
NFM00874		1.15	7.01	24.5	5.14	1.9	0.83	<0.3	2.66	39.2	41	0.27	1.63	1290	2	10.5
NFM00875		1.22	7.00	25.8	5.54	2.4	0.95	<0.3	3.56	43.9	44	0.34	1.76	1260	2	9.9
NFM00876		1.16	6.04	21.9	4.88	1.9	0.81	<0.3	2.50	36.9	22	0.34	1.59	1850	2	9.5
NFM00877		1.06	6.25	21.7	4.70	2.2	0.85	<0.3	4.11	34.6	14	0.33	1.59	1380	3	8.9
NFM00878		0.87	4.82	18.1	3.91	1.7	0.67	<0.3	2.17	27.7	9	0.25	1.36	1590	2	8.0
NFM00879		0.83	5.16	18.3	3.76	2.1	0.69	<0.3	1.74	30.8	15	0.29	1.33	1560	2	7.8
NFM00880		1.32	6.15	21.7	5.56	1.5	0.89	<0.3	2.69	37.3	36	0.30	1.41	1450	2	10.2
NFM00881		1.46	6.41	23.7	6.08	1.7	1.02	<0.3	2.64	38.8	34	0.36	1.63	1640	2	10.2
NFM00882		2.04	5.74	23.4	7.07	2.1	1.07	<0.3	1.26	49.9	23	0.36	1.64	1180	2	10.6

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 – C
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd	Ni	Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.07	10	0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5
NFM00843		33.6	30	15.2	9.45	138.5	<0.01	0.4	<3	5.88	7	170	1.03	0.82	<0.5
NFM00844		36.5	40	17.5	9.76	177.5	<0.01	0.4	3	6.50	6	140	0.93	0.80	<0.5
NFM00845		34.4	30	14.0	9.57	162.0	<0.01	<0.3	3	6.02	6	110	1.07	0.90	<0.5
NFM00846		32.6	40	11.0	8.99	124.5	<0.01	<0.3	<3	5.47	7	200	0.93	0.72	<0.5
NFM00847		31.3	40	10.4	8.62	132.5	<0.01	<0.3	<3	5.42	5	220	0.92	0.73	<0.5
NFM00848		35.8	40	12.0	9.39	101.0	<0.01	<0.3	3	6.07	4	340	0.75	0.73	<0.5
NFM00849		40.7	60	11.4	10.60	44.0	0.01	0.4	4	8.00	<3	430	0.11	0.97	<0.5
NFM00850		36.5	50	9.0	9.21	40.8	<0.01	<0.3	<3	6.22	4	380	0.65	0.72	<0.5
NFM00851		35.8	50	10.4	9.45	51.1	<0.01	<0.3	<3	5.95	4	360	0.64	0.66	<0.5
NFM00852		36.4	50	11.1	9.19	47.3	<0.01	0.3	3	5.82	<3	420	0.60	0.68	<0.5
NFM00853		41.6	40	12.1	11.05	50.3	<0.01	0.4	<3	6.54	<3	470	0.58	0.74	<0.5
NFM00854		47.6	40	13.0	12.70	43.9	<0.01	0.5	<3	7.91	3	460	0.61	0.93	<0.5
NFM00855		46.0	40	12.8	12.00	46.6	<0.01	<0.3	5	7.35	4	440	0.59	0.81	<0.5
NFM00856		41.0	30	13.0	10.90	79.2	<0.01	<0.3	<3	6.77	6	320	0.67	0.76	<0.5
NFM00857		33.8	40	17.2	9.12	84.0	<0.01	1.0	<3	5.62	4	290	0.82	0.73	<0.5
NFM00858		33.3	40	16.9	8.91	95.7	<0.01	0.9	<3	5.84	5	200	0.85	0.76	<0.5
NFM00859		31.9	40	21.7	8.55	115.5	<0.01	0.8	<3	5.61	5	150	0.80	0.74	<0.5
NFM00860		34.3	40	25.1	9.47	157.5	<0.01	1.0	<3	6.23	4	110	0.84	0.80	<0.5
NFM00861		32.4	40	23.7	8.99	150.0	<0.01	1.4	<3	5.51	6	110	0.92	0.73	<0.5
NFM00862		33.5	40	19.2	9.72	174.5	<0.01	0.5	<3	6.26	4	110	0.87	0.71	<0.5
NFM00863		32.1	80	18.6	8.83	175.5	<0.01	<0.3	<3	5.68	4	120	0.70	0.70	<0.5
NFM00864		34.3	40	16.0	9.37	140.5	<0.01	<0.3	4	5.87	5	170	0.72	0.70	<0.5
NFM00865		37.9	30	12.2	10.05	106.5	<0.01	<0.3	<3	6.44	<3	320	0.46	0.74	<0.5
NFM00866		37.6	40	11.8	10.00	118.0	<0.01	<0.3	<3	6.34	<3	410	0.45	0.74	<0.5
NFM00867		40.8	40	9.6	11.00	108.0	<0.01	<0.3	3	7.15	<3	360	0.51	0.78	<0.5
NFM00868		39.9	40	12.5	10.35	49.2	<0.01	<0.3	<3	6.43	5	440	0.49	0.78	<0.5
NFM00869		40.6	50	12.2	10.45	67.9	<0.01	<0.3	<3	6.39	5	390	0.48	0.77	<0.5
NFM00870		40.1	50	10.6	10.70	126.0	<0.01	0.6	<3	6.63	9	280	0.82	0.84	<0.5
NFM00871		32.4	50	8.1	8.81	144.0	<0.01	0.5	<3	5.55	8	130	0.78	0.75	<0.5
NFM00872		33.8	50	20.5	9.28	169.0	<0.01	0.3	<3	5.78	8	140	0.72	0.72	<0.5
NFM00873		32.4	60	17.9	9.03	149.0	<0.01	0.5	<3	5.62	11	150	0.86	0.67	<0.5
NFM00874		31.8	50	15.7	8.83	168.5	<0.01	0.5	<3	5.94	10	110	0.84	0.72	<0.5
NFM00875		35.5	50	22.1	9.83	196.0	<0.01	0.8	<3	6.22	8	130	0.81	0.82	<0.5
NFM00876		31.2	50	14.9	8.28	143.5	<0.01	2.9	3	5.46	9	140	0.73	0.70	<0.5
NFM00877		29.4	40	22.7	8.15	225	<0.01	3.2	<3	5.17	8	130	0.80	0.69	<0.5
NFM00878		23.6	40	18.9	6.47	128.5	<0.01	3.2	<3	4.40	8	120	0.61	0.55	<0.5
NFM00879		25.1	40	14.0	6.98	103.0	<0.01	2.5	<3	4.49	7	130	0.61	0.59	<0.5
NFM00880		31.3	60	13.4	9.40	171.5	<0.01	0.4	<3	5.99	4	120	0.62	0.79	<0.5
NFM00881		32.4	50	12.0	9.49	164.0	<0.01	0.6	<3	6.67	4	150	0.54	0.86	<0.5
NFM00882		44.1	50	7.5	13.15	88.8	<0.01	0.7	<3	8.47	5	430	0.62	0.96	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 – D
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01
NFM00843		0.379	0.53	0.42	2.5	87	1.2	29.7	2.58	130	103.5	6.00	3.58	1.34	6.50	1.21
NFM00844		0.408	0.62	0.39	1.7	99	1.3	27.4	2.39	130	106.5	5.41	3.29	1.41	6.36	1.12
NFM00845		0.369	0.61	0.41	2.7	84	1.1	31.6	2.83	80	105.0	6.19	3.49	1.26	6.81	1.27
NFM00846		0.446	0.44	0.37	1.9	103	1.0	25.7	2.19	80	98.3	4.92	2.89	1.34	5.81	1.03
NFM00847		0.463	0.43	0.39	2.4	109	0.8	27.1	2.31	110	94.1	5.49	2.80	1.31	5.82	1.08
NFM00848		0.580	0.37	0.35	2.4	142	0.8	25.5	2.39	90	96.7	5.34	2.95	1.77	6.18	1.02
NFM00849		0.615	0.12	0.39	2.1	164	0.8	24.1	2.58	220	113.0	5.78	2.88	2.52	7.78	1.04
NFM00850		0.670	0.15	0.29	1.9	166	0.8	22.6	2.06	80	90.7	4.95	2.61	2.03	6.19	0.94
NFM00851		0.570	0.22	0.30	2.2	162	1.0	21.3	1.93	90	96.6	4.33	2.50	1.83	5.71	0.92
NFM00852		0.590	0.19	0.29	1.8	170	0.7	21.6	1.83	100	93.2	4.64	2.37	1.91	5.58	0.92
NFM00853		0.681	0.20	0.33	1.6	193	0.9	24.8	1.93	110	112.5	4.98	2.71	2.20	6.44	0.99
NFM00854		0.774	0.18	0.39	1.7	191	1.0	27.4	2.41	100	129.0	6.06	3.28	2.41	7.87	1.13
NFM00855		0.731	0.21	0.35	1.5	194	1.0	25.9	2.13	120	121.5	5.31	2.87	2.19	7.02	1.03
NFM00856		0.607	0.28	0.35	1.5	154	1.0	25.3	2.11	80	117.0	5.16	2.63	1.93	6.60	1.11
NFM00857		0.431	0.31	0.37	2.2	122	2.5	25.2	2.33	100	98.9	5.14	2.94	1.52	5.81	1.07
NFM00858		0.407	0.36	0.38	2.6	118	1.9	29.3	2.59	120	96.6	5.50	3.17	1.35	5.91	1.10
NFM00859		0.429	0.48	0.37	2.2	122	1.6	26.7	2.40	110	94.2	5.41	3.05	1.34	6.03	1.11
NFM00860		0.434	0.68	0.38	1.9	112	2.0	26.3	2.40	100	103.0	5.12	2.88	1.41	6.33	1.04
NFM00861		0.423	0.54	0.34	2.5	115	33.1	24.1	2.25	140	99.3	5.19	2.81	1.30	6.05	1.02
NFM00862		0.427	0.63	0.33	2.3	116	2.5	26.0	2.20	100	104.0	5.14	2.82	1.24	5.92	0.99
NFM00863		0.426	0.68	0.32	2.0	111	1.9	22.8	1.91	80	97.5	4.71	2.54	1.35	5.53	0.92
NFM00864		0.447	0.55	0.34	2.3	114	1.7	25.2	2.20	80	102.5	5.22	2.73	1.42	5.88	1.00
NFM00865		0.551	0.43	0.31	3.0	156	1.4	23.9	2.06	80	103.5	4.69	2.63	1.96	6.15	0.97
NFM00866		0.566	0.54	0.30	2.4	160	1.1	23.9	2.03	90	103.5	4.83	2.69	1.89	6.04	0.95
NFM00867		0.672	0.54	0.36	1.8	180	1.0	26.8	2.20	110	112.5	5.36	2.84	2.05	6.49	1.12
NFM00868		0.624	0.28	0.31	1.3	158	0.7	22.1	1.94	120	104.5	5.12	2.64	1.96	6.56	0.95
NFM00869		0.656	0.35	0.35	1.1	160	0.6	23.8	2.03	120	107.0	5.27	2.78	2.13	6.51	1.00
NFM00870		0.571	0.53	0.39	1.9	146	0.9	28.0	2.38	100	112.5	5.73	3.12	1.81	6.59	1.11
NFM00871		0.408	0.56	0.35	1.6	98	1.5	26.1	2.31	90	96.7	5.14	3.01	1.39	5.84	1.05
NFM00872		0.426	0.65	0.33	1.6	104	1.2	23.7	2.20	120	102.0	4.88	2.93	1.47	5.82	1.00
NFM00873		0.474	0.58	0.30	1.8	102	3.1	22.5	1.85	200	97.8	4.52	2.46	1.33	5.53	0.94
NFM00874		0.452	0.68	0.30	1.2	102	1.2	22.5	1.89	110	97.7	4.72	2.54	1.33	5.92	0.95
NFM00875		0.453	0.78	0.36	1.5	108	1.0	25.8	2.25	110	108.5	5.45	2.98	1.41	6.39	1.09
NFM00876		0.392	0.52	0.33	2.1	100	1.1	24.8	2.13	120	94.5	4.91	2.69	1.34	5.62	0.93
NFM00877		0.413	0.83	0.35	2.3	128	1.6	23.4	2.24	110	89.9	4.95	2.70	1.23	5.42	0.97
NFM00878		0.322	0.44	0.26	2.1	100	1.5	18.8	1.68	120	73.8	3.97	2.06	1.01	4.51	0.77
NFM00879		0.331	0.37	0.28	1.8	92	0.9	20.9	1.86	110	76.2	4.04	2.34	0.96	4.33	0.79
NFM00880		0.404	0.60	0.32	1.4	100	1.2	23.6	2.36	90	106.5	4.76	2.79	1.53	6.41	1.02
NFM00881		0.430	0.59	0.37	1.6	120	1.4	26.4	2.75	100	110.0	5.23	2.92	1.69	7.01	1.17
NFM00882		0.449	0.31	0.38	1.7	120	1.5	27.4	2.70	50	143.0	5.83	3.08	2.36	8.15	1.23

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 8 – E
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		La2O3	Lu2O3	Nb2O5	Nd2O3	Pr2O3	Sm2O3	Ta2O5	Tb2O3	ThO2	Tm2O3	U3O8	WO3	Y2O3	Yb2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.09	0.06	1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
NFM00843		47.9	0.45	15	39.2	11.05	6.82	1.26	0.94	18.2	0.48	2.9	1.5	37.7	2.94
NFM00844		50.0	0.45	16	42.6	11.40	7.54	1.14	0.92	17.5	0.45	2.0	1.6	34.8	2.72
NFM00845		47.5	0.45	15	40.1	11.20	6.98	1.31	1.04	19.7	0.47	3.2	1.4	40.1	3.22
NFM00846		48.1	0.33	16	38.0	10.50	6.34	1.14	0.83	15.8	0.42	2.2	1.3	32.6	2.49
NFM00847		45.3	0.41	15	36.5	10.10	6.29	1.12	0.84	16.6	0.45	2.8	1.0	34.4	2.63
NFM00848		43.4	0.42	12	41.8	11.00	7.04	0.92	0.84	12.9	0.40	2.8	1.0	32.4	2.72
NFM00849		46.6	0.39	10	47.5	12.40	9.28	0.13	1.12	8.9	0.45	2.5	1.0	30.6	2.94
NFM00850		38.2	0.39	11	42.6	10.80	7.21	0.79	0.83	6.6	0.33	2.2	1.0	28.7	2.35
NFM00851		42.1	0.33	10	41.8	11.05	6.90	0.78	0.76	8.8	0.34	2.6	1.3	27.0	2.20
NFM00852		38.7	0.34	10	42.5	10.75	6.75	0.73	0.78	6.7	0.33	2.1	0.9	27.4	2.08
NFM00853		47.9	0.36	11	48.5	12.95	7.58	0.71	0.85	7.7	0.38	1.9	1.1	31.5	2.20
NFM00854		54.4	0.43	13	55.5	14.85	9.17	0.74	1.07	8.8	0.45	2.0	1.3	34.8	2.74
NFM00855		51.8	0.40	13	53.7	14.05	8.52	0.72	0.93	8.5	0.40	1.8	1.3	32.9	2.43
NFM00856		53.7	0.35	14	47.8	12.75	7.85	0.82	0.87	12.4	0.40	1.8	1.3	32.1	2.40
NFM00857		44.2	0.43	13	39.4	10.65	6.52	1.00	0.84	14.2	0.42	2.6	3.2	32.0	2.65
NFM00858		43.3	0.43	15	38.8	10.45	6.77	1.04	0.87	14.6	0.43	3.1	2.4	37.2	2.95
NFM00859		42.7	0.45	13	37.2	10.00	6.51	0.98	0.85	15.1	0.42	2.6	2.0	33.9	2.73
NFM00860		45.6	0.43	14	40.0	11.10	7.22	1.03	0.92	16.8	0.43	2.2	2.5	33.4	2.73
NFM00861		44.0	0.39	14	37.8	10.50	6.39	1.12	0.84	16.8	0.39	2.9	41.7	30.6	2.56
NFM00862		46.8	0.39	14	39.1	11.40	7.26	1.06	0.82	16.6	0.38	2.7	3.2	33.0	2.51
NFM00863		44.1	0.36	14	37.4	10.35	6.59	0.85	0.81	16.5	0.37	2.4	2.4	29.0	2.17
NFM00864		45.9	0.39	15	40.0	10.95	6.81	0.88	0.81	15.9	0.39	2.7	2.1	32.0	2.51
NFM00865		44.8	0.35	11	44.2	11.75	7.47	0.56	0.85	11.7	0.35	3.5	1.8	30.4	2.35
NFM00866		44.3	0.35	11	43.9	11.70	7.35	0.55	0.85	10.4	0.34	2.8	1.4	30.4	2.31
NFM00867		47.5	0.40	12	47.6	12.85	8.29	0.62	0.90	8.6	0.41	2.1	1.3	34.0	2.51
NFM00868		46.3	0.38	9	46.5	12.10	7.46	0.60	0.90	6.7	0.35	1.5	0.9	28.1	2.21
NFM00869		48.0	0.36	11	47.4	12.25	7.41	0.59	0.89	6.0	0.40	1.3	0.8	30.2	2.31
NFM00870		53.6	0.43	15	46.8	12.50	7.69	1.00	0.97	13.8	0.45	2.2	1.1	35.6	2.71
NFM00871		46.9	0.44	14	37.8	10.30	6.44	0.95	0.86	17.8	0.40	1.9	1.9	33.1	2.63
NFM00872		49.1	0.42	14	39.4	10.85	6.70	0.88	0.83	16.6	0.38	1.9	1.5	30.1	2.51
NFM00873		46.8	0.33	16	37.8	10.55	6.52	1.05	0.77	15.4	0.34	2.1	3.9	28.6	2.11
NFM00874		46.0	0.31	15	37.1	10.35	6.89	1.03	0.83	15.5	0.34	1.4	1.5	28.6	2.15
NFM00875		51.5	0.39	14	41.4	11.50	7.21	0.99	0.94	17.0	0.41	1.8	1.3	32.8	2.56
NFM00876		43.3	0.39	14	36.4	9.69	6.33	0.89	0.81	14.2	0.38	2.5	1.4	31.5	2.43
NFM00877		40.6	0.38	13	34.3	9.54	6.00	0.98	0.79	13.7	0.40	2.7	2.0	29.7	2.55
NFM00878		32.5	0.28	11	27.5	7.57	5.10	0.74	0.63	11.4	0.30	2.5	1.9	23.9	1.91
NFM00879		36.1	0.33	11	29.3	8.17	5.21	0.74	0.68	11.7	0.32	2.1	1.1	26.5	2.12
NFM00880		43.7	0.34	15	36.5	11.00	6.95	0.76	0.91	17.0	0.37	1.7	1.5	30.0	2.69
NFM00881		45.5	0.41	15	37.8	11.10	7.73	0.66	0.99	16.7	0.42	1.9	1.8	33.5	3.13
NFM00882		58.5	0.41	15	51.4	15.40	9.82	0.76	1.10	17.0	0.43	2.0	1.9	34.8	3.07

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 - A
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02
NFM00883		4.72		<5	<4	70	2.0	0.6	10.2	<0.8	85.0	14.6	1.2	<20	4.47	2.32
NFM00884		4.25	97.0	<5	<4	303	2.1	0.4	6.3	<0.8	78.5	24.2	5.9	<20	4.26	2.41
NFM00885		2.51		<5	<4	461	3.5	0.1	2.1	<0.8	87.2	22.6	5.3	20	4.62	2.63
NFM00886		2.53		<5	<4	964	3.3	0.5	2.7	<0.8	105.5	29.5	7.0	200	4.21	2.12
NFM00887		4.32		<5	<4	981	3.7	0.3	2.4	<0.8	98.4	27.8	5.3	200	4.20	2.06
NFM00888		4.21		<5	<4	439	2.7	0.4	5.7	<0.8	89.0	21.6	1.9	30	4.12	2.22
NFM00889		5.28		<5	<4	344	3.9	0.2	3.8	<0.8	82.3	19.8	3.6	20	4.75	3.05
NFM00890		2.79		<5	<4	515	3.7	0.3	3.1	<0.8	82.1	27.2	6.4	50	5.30	3.31
NFM00891		1.67		<5	<4	51	2.0	0.3	9.7	<0.8	74.3	14.6	0.7	<20	4.05	2.33
NFM00892		3.68		<5	<4	354	2.3	0.2	5.5	<0.8	77.7	18.7	3.1	<20	4.23	2.34
NFM00893		4.00		<5	<4	393	2.9	0.2	4.8	<0.8	81.5	15.2	2.8	<20	4.09	2.28
NFM00894		4.57		<5	<4	293	2.1	0.4	5.3	<0.8	62.7	28.5	3.6	60	6.18	3.54
NFM00895		5.67		<5	<4	218	2.7	0.2	5.4	<0.8	82.6	19.9	1.7	40	7.38	4.42
NFM00896		5.92		<5	<4	146	3.2	0.2	4.6	<0.8	97.2	14.6	1.3	30	9.99	6.02
NFM00897		1.66		<5	<4	236	2.5	0.2	3.9	<0.8	72.5	13.1	2.4	20	5.53	3.13
NFM00898		3.59		<5	<4	248	2.3	0.3	4.6	<0.8	81.5	20.0	3.3	30	5.21	3.18
NFM00899		4.07		<5	<4	488	3.6	0.1	2.9	<0.8	88.1	20.2	2.5	<20	4.34	2.32
NFM00900		3.70		<5	<4	446	3.9	0.1	3.9	<0.8	89.8	18.2	2.7	<20	4.17	2.30
NFM00901		3.91		<5	<4	535	3.9	0.1	2.5	<0.8	85.5	23.6	3.1	<20	3.99	2.17
NFM00902		4.89		<5	<4	521	3.1	0.1	2.5	<0.8	84.3	26.8	3.7	<20	4.13	2.39
NFM00903		1.87		<5	<4	529	3.2	0.2	2.4	<0.8	83.3	23.3	4.2	<20	4.61	2.63
NFM00904		3.10		<5	<4	607	2.3	0.2	3.2	<0.8	121.0	20.8	3.0	<20	3.89	2.19
NFM00905		4.99		<5	<4	1140	2.2	0.5	4.2	<0.8	215	15.5	3.7	<20	5.11	2.92
NFM00906		3.85		<5	<4	496	2.3	0.4	4.9	<0.8	108.0	14.5	5.3	<20	5.78	3.40
NFM00907		4.90		<5	<4	112	1.3	0.8	8.7	<0.8	104.5	6.6	0.4	<20	7.72	4.61
NFM00908		4.44		<5	<4	203	1.1	1.3	9.8	<0.8	121.5	6.1	0.3	<20	8.79	5.21
NFM00909		1.99		<5	4	660	1.6	0.2	2.6	<0.8	101.5	4.9	0.7	<20	6.70	3.82
NFM00910		4.00		<5	<4	802	1.3	0.2	2.3	<0.8	149.5	5.1	0.6	20	5.63	3.37
NFM00911		4.19		<5	<4	802	1.9	0.2	2.6	<0.8	184.5	4.9	1.1	<20	5.84	3.36
NFM00912		4.70		<5	<4	386	1.4	0.3	6.4	<0.8	167.5	6.4	0.8	<20	6.05	3.25
NFM00913		4.69		<5	<4	51	1.6	0.6	12.8	<0.8	352	9.6	0.1	<20	5.39	3.16
NFM00914		5.15		<5	<4	78	1.6	0.4	9.3	<0.8	145.0	9.0	0.7	<20	5.45	3.17
NFM00939		1.40		<5	<4	396	0.6	0.3	2.9	<0.8	43.0	13.9	3.2	80	7.27	4.63
NFM00940		1.76		<5	<4	299	1.4	0.7	3.7	<0.8	54.1	21.6	3.3	20	6.10	3.77
NFM00941		2.53		<5	<4	565	1.6	0.2	2.1	<0.8	70.1	12.9	3.9	<20	5.07	2.87
NFM00942		2.03		<5	<4	530	1.4	0.2	2.6	<0.8	83.0	15.9	4.4	<20	5.92	3.61
NFM00943		1.70		<5	<4	501	3.0	0.5	3.3	<0.8	94.2	21.2	7.5	<20	8.00	5.54
NFM00944		1.86		<5	4	714	2.2	0.3	3.0	<0.8	74.7	15.5	8.9	20	4.19	2.53
NFM00945		1.64		<5	<4	538	1.9	0.3	3.8	<0.8	81.1	21.2	5.6	<20	5.48	3.36
NFM00946		1.73		<5	<4	518	2.0	0.1	2.6	<0.8	89.9	20.0	5.5	<20	6.45	4.20

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 - B
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8
NFM00883		1.25	5.80	22.3	5.25	2.0	0.89	<0.3	0.39	41.3	11	0.36	1.51	870	2	9.4
NFM00884		1.18	6.77	25.0	4.98	2.7	0.89	<0.3	1.86	38.7	30	0.32	2.21	870	2	11.2
NFM00885		1.12	7.24	26.6	5.59	1.4	0.98	<0.3	2.47	46.8	23	0.37	1.71	910	<2	13.0
NFM00886		1.44	7.00	26.8	5.83	1.4	0.81	<0.3	3.63	53.3	26	0.29	2.06	1530	<2	12.8
NFM00887		1.41	6.45	25.8	5.69	1.4	0.83	<0.3	3.18	50.0	26	0.30	1.76	1580	2	11.8
NFM00888		1.23	5.50	23.2	5.47	1.7	0.81	<0.3	1.85	43.3	15	0.29	1.66	1620	2	9.8
NFM00889		1.27	5.08	23.7	5.31	1.4	1.00	<0.3	1.93	41.6	16	0.44	1.54	800	2	11.0
NFM00890		1.23	7.52	25.7	6.01	1.2	1.10	<0.3	2.62	41.5	22	0.44	2.20	1170	2	11.6
NFM00891		1.23	4.99	21.0	4.75	1.4	0.90	<0.3	0.37	35.7	5	0.32	2.27	1360	2	7.8
NFM00892		1.11	7.39	21.5	5.18	2.0	0.87	<0.3	1.40	38.1	10	0.30	1.64	1810	2	9.5
NFM00893		1.18	5.16	22.1	4.95	1.5	0.81	<0.3	1.48	40.2	9	0.31	1.18	1460	2	10.2
NFM00894		1.38	7.37	22.2	5.90	1.8	1.28	<0.3	1.86	29.1	12	0.56	2.48	1120	4	9.0
NFM00895		1.53	5.98	22.1	7.59	1.5	1.52	<0.3	1.16	39.8	9	0.60	2.43	860	3	11.6
NFM00896		1.38	4.71	22.2	9.25	1.8	2.10	<0.3	1.02	47.1	9	0.77	1.72	690	4	13.1
NFM00897		1.03	5.31	20.5	5.69	1.3	1.14	<0.3	1.58	35.2	10	0.45	1.54	900	3	10.4
NFM00898		0.98	5.90	23.1	5.85	1.6	1.12	<0.3	2.03	39.9	9	0.51	2.08	800	3	11.5
NFM00899		1.14	6.51	24.0	5.15	1.7	0.84	<0.3	2.32	44.6	15	0.34	2.02	910	2	11.2
NFM00900		1.23	6.27	26.6	5.47	1.9	0.87	<0.3	2.24	45.1	18	0.31	2.10	870	2	12.2
NFM00901		1.14	7.17	26.0	4.85	2.0	0.78	<0.3	2.65	43.2	19	0.30	2.08	1060	<2	10.8
NFM00902		1.19	6.89	26.1	5.05	2.6	0.89	<0.3	2.53	42.0	20	0.37	1.97	1020	<2	11.0
NFM00903		1.30	6.09	25.9	5.53	2.2	0.95	<0.3	2.93	41.0	18	0.37	1.76	1060	2	12.2
NFM00904		1.27	5.20	22.6	5.16	1.7	0.73	<0.3	2.10	64.2	14	0.31	1.63	790	2	8.9
NFM00905		2.05	5.97	22.8	6.51	1.9	1.02	<0.3	2.89	115.5	11	0.45	1.61	1500	2	10.0
NFM00906		1.93	5.33	22.8	6.51	1.8	1.16	<0.3	2.81	53.6	8	0.49	1.64	720	2	11.4
NFM00907		2.66	4.98	21.8	8.30	2.1	1.63	<0.3	0.47	49.1	2	0.68	0.79	620	3	12.6
NFM00908		2.67	6.73	24.3	9.28	2.5	1.80	<0.3	0.66	56.8	3	0.72	0.82	830	3	14.7
NFM00909		2.29	7.00	21.0	7.07	1.8	1.31	<0.3	1.64	50.3	12	0.58	0.81	1540	3	12.8
NFM00910		2.20	6.53	19.5	6.52	1.8	1.14	<0.3	2.37	80.1	14	0.46	0.93	1870	3	12.0
NFM00911		2.05	5.57	20.3	7.13	1.7	1.18	<0.3	2.40	103.0	12	0.50	0.83	1430	3	12.5
NFM00912		2.03	5.36	20.8	7.05	1.8	1.21	<0.3	1.38	86.0	8	0.48	0.89	870	2	13.1
NFM00913		2.08	6.52	24.4	7.26	2.8	1.05	<0.3	0.24	192.5	<2	0.44	1.34	810	2	9.6
NFM00914		1.45	5.40	22.4	6.00	2.2	1.09	<0.3	0.51	75.5	4	0.43	1.13	610	2	10.0
NFM00939		1.27	4.56	17.8	5.64	2.4	1.57	<0.3	3.10	20.3	16	0.58	0.81	910	<2	5.4
NFM00940		1.22	6.15	21.0	5.46	2.2	1.27	<0.3	2.18	24.9	29	0.43	1.25	1130	<2	6.8
NFM00941		1.12	5.01	18.9	5.00	2.8	0.97	<0.3	3.76	34.2	24	0.36	0.88	1530	<2	7.2
NFM00942		1.15	5.98	20.6	5.94	2.5	1.17	<0.3	3.58	39.9	29	0.48	1.04	1980	2	8.1
NFM00943		1.11	5.94	23.2	6.80	3.0	1.72	<0.3	2.77	45.0	34	0.74	1.38	1740	2	10.3
NFM00944		1.14	5.74	20.2	4.62	2.2	0.82	<0.3	2.09	37.0	28	0.33	1.20	1970	2	9.6
NFM00945		1.33	5.51	22.3	6.00	2.5	1.14	<0.3	2.33	38.3	32	0.47	1.55	1600	2	10.1
NFM00946		1.34	5.36	22.7	6.82	2.4	1.33	<0.3	2.40	42.8	31	0.56	1.47	1110	2	11.4

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 – C
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd	Ni	Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.07	10	0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5
NFM00883		33.4	50	6.1	9.46	26.0	<0.01	1.4	<3	6.04	7	510	0.73	0.75	<0.5
NFM00884		32.8	60	6.4	8.93	120.0	<0.01	0.7	<3	5.67	9	350	0.86	0.71	<0.5
NFM00885		36.8	50	10.3	10.10	130.5	0.01	<0.3	<3	6.34	10	160	1.18	0.76	<0.5
NFM00886		44.1	60	11.9	11.95	239	0.01	<0.3	<3	7.41	10	390	0.84	0.74	<0.5
NFM00887		41.6	50	11.9	11.05	190.0	<0.01	<0.3	<3	6.95	9	320	0.79	0.77	<0.5
NFM00888		36.8	50	11.4	10.35	104.0	0.01	0.3	<3	6.46	9	360	0.73	0.73	<0.5
NFM00889		33.4	40	10.6	9.36	106.0	0.01	<0.3	<3	5.90	10	280	0.93	0.78	<0.5
NFM00890		34.2	40	11.7	9.40	152.0	<0.01	<0.3	<3	6.31	10	180	1.01	0.87	<0.5
NFM00891		32.0	90	6.2	8.50	19.6	<0.01	<0.3	<3	5.39	7	570	0.57	0.66	<0.5
NFM00892		32.4	40	9.1	8.96	82.5	<0.01	<0.3	<3	5.87	8	340	0.70	0.73	<0.5
NFM00893		33.2	40	9.9	9.09	89.4	<0.01	<0.3	<3	6.05	8	390	0.74	0.68	<0.5
NFM00894		28.0	40	12.4	7.29	82.6	<0.01	<0.3	<3	5.84	8	230	0.62	0.95	<0.5
NFM00895		36.2	40	8.5	9.69	49.6	<0.01	<0.3	<3	7.44	9	260	0.84	1.16	<0.5
NFM00896		40.6	40	13.3	11.20	50.1	<0.01	<0.3	3	8.52	8	270	0.76	1.51	<0.5
NFM00897		29.9	30	8.0	8.29	79.0	<0.01	<0.3	<3	5.68	8	190	0.79	0.85	<0.5
NFM00898		34.3	40	6.8	9.26	106.5	<0.01	<0.3	<3	6.77	8	170	0.82	0.89	<0.5
NFM00899		34.5	70	6.2	10.10	123.5	<0.01	<0.3	<3	5.97	9	180	0.81	0.74	<0.5
NFM00900		35.8	50	7.7	10.00	127.5	<0.01	<0.3	<3	6.27	9	260	0.92	0.78	<0.5
NFM00901		34.8	50	6.8	9.70	146.0	<0.01	<0.3	<3	6.04	9	150	0.77	0.67	<0.5
NFM00902		33.2	50	7.4	9.20	151.0	<0.01	0.3	<3	6.09	6	180	0.86	0.77	<0.5
NFM00903		32.2	30	8.5	9.29	174.0	<0.01	<0.3	4	6.09	10	150	0.96	0.88	<0.5
NFM00904		40.0	30	10.3	12.35	118.5	0.03	<0.3	<3	6.69	8	290	0.61	0.76	<0.5
NFM00905		63.5	10	17.8	20.0	133.5	0.03	0.3	3	8.86	9	520	0.61	0.96	<0.5
NFM00906		41.4	10	13.6	11.40	134.0	0.02	<0.3	<3	7.59	8	250	0.81	1.07	<0.5
NFM00907		43.3	<10	9.2	11.75	15.1	0.01	0.3	<3	8.91	8	450	0.65	1.40	<0.5
NFM00908		48.6	<10	12.2	13.70	19.9	0.01	0.4	<3	9.71	8	470	0.83	1.52	<0.5
NFM00909		40.1	<10	9.0	10.95	51.5	0.01	<0.3	<3	7.57	5	230	0.62	1.15	<0.5
NFM00910		50.0	<10	12.6	15.25	65.9	<0.01	<0.3	<3	8.32	3	210	0.47	1.04	<0.5
NFM00911		54.9	<10	15.1	16.95	89.8	0.01	<0.3	3	8.05	6	240	0.48	1.02	<0.5
NFM00912		53.9	<10	8.8	16.35	65.1	<0.01	<0.3	3	8.87	6	340	0.78	1.09	<0.5
NFM00913		92.4	10	8.5	31.7	6.7	<0.01	<0.3	4	11.00	7	540	0.76	1.10	<0.5
NFM00914		45.7	10	8.0	14.25	25.9	0.01	<0.3	3	7.51	7	480	0.72	1.00	<0.5
NFM00939		19.25	<10	16.4	5.03	162.0	<0.01	<0.3	6	4.73	3	170	0.29	1.12	<0.5
NFM00940		22.6	<10	10.9	6.08	146.5	<0.01	<0.3	4	5.49	4	170	0.41	1.07	<0.5
NFM00941		26.8	10	15.8	7.37	202	<0.01	<0.3	4	5.55	4	140	0.46	0.86	<0.5
NFM00942		31.6	20	17.9	9.25	198.0	<0.01	<0.3	<3	6.69	5	140	0.53	0.99	<0.5
NFM00943		36.4	20	13.2	10.40	192.0	<0.01	<0.3	<3	7.42	5	180	0.96	1.22	<0.5
NFM00944		28.6	10	12.6	8.17	123.5	<0.01	0.4	4	5.35	6	270	0.71	0.77	<0.5
NFM00945		31.9	30	13.8	8.75	138.5	<0.01	<0.3	<3	6.28	5	250	0.72	0.99	<0.5
NFM00946		35.2	20	9.1	10.15	153.0	<0.01	<0.3	3	7.35	5	210	0.73	1.10	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 – D
Total # Pages: 11 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01
NFM00883		0.426	0.10	0.35	1.9	110	1.6	25.5	2.27	50	104.5	5.13	2.65	1.45	6.05	1.02
NFM00884		0.497	0.48	0.33	2.0	141	2.6	23.7	2.16	90	96.4	4.89	2.76	1.37	5.74	1.02
NFM00885		0.479	0.52	0.36	3.1	112	1.1	27.2	2.29	130	107.0	5.30	3.01	1.30	6.44	1.12
NFM00886		0.488	0.99	0.29	2.5	128	2.2	23.4	1.89	140	129.5	4.83	2.42	1.67	6.72	0.93
NFM00887		0.445	0.82	0.31	2.5	117	2.2	23.9	1.98	130	121.0	4.82	2.36	1.63	6.56	0.95
NFM00888		0.367	0.49	0.28	2.8	100	1.2	22.4	1.94	90	109.5	4.73	2.54	1.42	6.30	0.93
NFM00889		0.379	0.46	0.44	2.9	101	1.6	28.0	3.03	90	101.0	5.45	3.49	1.47	6.12	1.15
NFM00890		0.506	0.65	0.43	2.8	158	1.2	29.9	2.70	130	101.0	6.08	3.78	1.42	6.93	1.26
NFM00891		0.348	0.09	0.34	2.5	112	1.2	24.5	2.01	120	91.3	4.65	2.66	1.42	5.47	1.03
NFM00892		0.384	0.36	0.31	2.5	94	1.2	24.8	2.03	100	95.4	4.85	2.68	1.29	5.97	1.00
NFM00893		0.375	0.38	0.32	2.0	84	1.2	23.3	1.92	80	100.0	4.69	2.61	1.37	5.71	0.93
NFM00894		0.596	0.41	0.50	10.6	170	1.4	35.0	3.30	110	77.0	7.09	4.05	1.60	6.80	1.47
NFM00895		0.517	0.22	0.60	11.8	141	2.1	42.7	3.93	80	101.5	8.47	5.05	1.77	8.75	1.74
NFM00896		0.405	0.19	0.85	32.4	106	1.8	58.0	5.40	70	119.5	11.45	6.88	1.60	10.65	2.41
NFM00897		0.299	0.28	0.47	4.4	68	1.5	31.2	3.00	190	89.1	6.35	3.58	1.19	6.56	1.31
NFM00898		0.319	0.36	0.45	3.9	70	1.4	31.1	2.99	140	100.0	5.98	3.64	1.13	6.74	1.28
NFM00899		0.431	0.41	0.33	1.8	92	1.0	23.6	2.08	100	108.0	4.98	2.65	1.32	5.94	0.96
NFM00900		0.500	0.42	0.32	2.5	107	1.2	23.6	2.01	110	110.5	4.79	2.63	1.42	6.30	1.00
NFM00901		0.460	0.49	0.31	1.7	107	1.5	22.7	1.94	100	105.0	4.58	2.48	1.32	5.59	0.89
NFM00902		0.473	0.54	0.36	1.6	119	1.5	23.4	2.26	100	103.5	4.74	2.73	1.38	5.82	1.02
NFM00903		0.426	0.67	0.36	1.9	96	2.3	24.5	2.15	120	102.5	5.29	3.01	1.51	6.37	1.09
NFM00904		0.459	0.46	0.32	2.4	103	1.2	20.4	1.77	60	148.5	4.46	2.50	1.47	5.95	0.84
NFM00905		0.397	0.58	0.42	4.2	63	0.9	27.4	2.53	80	264	5.86	3.34	2.37	7.50	1.17
NFM00906		0.399	0.47	0.51	2.1	60	1.2	31.8	3.02	70	132.5	6.63	3.89	2.23	7.50	1.33
NFM00907		0.429	0.06	0.66	2.2	21	1.5	41.8	4.40	20	128.5	8.86	5.27	3.08	9.57	1.87
NFM00908		0.495	0.08	0.72	2.6	30	1.3	46.6	4.74	30	149.5	10.10	5.96	3.09	10.70	2.06
NFM00909		0.488	0.20	0.54	1.7	2	0.8	35.5	3.47	110	124.5	7.69	4.37	2.65	8.15	1.50
NFM00910		0.398	0.25	0.46	2.0	<1	0.6	30.9	2.80	80	183.5	6.46	3.85	2.55	7.51	1.31
NFM00911		0.417	0.39	0.48	4.6	<1	0.9	31.0	2.92	70	227	6.70	3.84	2.37	8.22	1.35
NFM00912		0.427	0.26	0.50	4.6	16	3.7	33.4	3.11	30	206	6.94	3.72	2.35	8.13	1.39
NFM00913		0.304	0.02	0.47	4.9	64	2.1	29.9	2.87	10	432	6.19	3.61	2.41	8.37	1.20
NFM00914		0.332	0.08	0.42	7.4	88	1.2	31.2	2.91	10	178.0	6.25	3.62	1.68	6.92	1.25
NFM00939		0.385	0.72	0.64	1.1	61	0.4	43.8	3.85	80	52.8	8.34	5.29	1.47	6.50	1.80
NFM00940		0.487	0.58	0.50	1.2	116	0.9	36.2	3.02	80	66.5	7.00	4.31	1.41	6.29	1.45
NFM00941		0.262	0.77	0.40	1.5	63	1.2	29.3	2.35	50	86.1	5.82	3.28	1.30	5.76	1.11
NFM00942		0.286	0.85	0.50	1.5	67	0.8	34.9	2.91	100	102.0	6.79	4.13	1.33	6.85	1.34
NFM00943		0.353	0.84	0.78	2.3	88	2.8	51.4	4.94	90	115.5	9.18	6.33	1.29	7.84	1.97
NFM00944		0.416	0.60	0.35	2.2	73	1.2	24.2	2.14	80	91.8	4.81	2.89	1.32	5.33	0.94
NFM00945		0.419	0.59	0.47	2.1	98	1.1	30.6	3.20	90	99.6	6.29	3.84	1.54	6.92	1.31
NFM00946		0.411	0.59	0.58	2.3	93	1.4	38.4	3.59	70	110.5	7.40	4.80	1.55	7.86	1.52

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 9 - E
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		La2O3	Lu2O3	Nb2O5	Nd2O3	Pr2O3	Sm2O3	Ta2O5	Tb2O3	ThO2	Tm2O3	U3O8	WO3	Y2O3	Yb2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.09	0.06	1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
NFM00883		48.4	0.41	13	39.0	11.05	7.00	0.89	0.86	14.7	0.40	2.2	2.0	32.4	2.58
NFM00884		45.4	0.36	16	38.3	10.45	6.57	1.05	0.82	15.1	0.38	2.4	3.3	30.1	2.46
NFM00885		54.9	0.42	19	42.9	11.80	7.35	1.44	0.87	18.3	0.41	3.7	1.4	34.5	2.61
NFM00886		62.5	0.33	18	51.4	14.00	8.59	1.03	0.85	18.5	0.33	2.9	2.8	29.7	2.15
NFM00887		58.6	0.34	17	48.5	12.95	8.06	0.96	0.89	17.3	0.35	2.9	2.8	30.4	2.25
NFM00888		50.8	0.33	14	42.9	12.10	7.49	0.89	0.84	16.5	0.32	3.3	1.5	28.4	2.21
NFM00889		48.8	0.50	16	39.0	10.95	6.84	1.14	0.90	16.6	0.50	3.4	2.0	35.6	3.45
NFM00890		48.7	0.50	17	39.9	11.00	7.32	1.23	1.00	17.3	0.49	3.3	1.5	38.0	3.07
NFM00891		41.9	0.36	11	37.3	9.95	6.25	0.70	0.76	11.7	0.39	2.9	1.5	31.1	2.29
NFM00892		44.7	0.34	14	37.8	10.50	6.81	0.85	0.84	13.4	0.35	2.9	1.5	31.5	2.31
NFM00893		47.1	0.35	15	38.7	10.65	7.02	0.90	0.78	14.5	0.37	2.4	1.5	29.6	2.19
NFM00894		34.1	0.64	13	32.7	8.53	6.77	0.76	1.09	11.2	0.57	12.5	1.8	44.4	3.76
NFM00895		46.7	0.68	17	42.2	11.35	8.63	1.03	1.34	16.2	0.69	13.9	2.6	54.2	4.48
NFM00896		55.2	0.88	19	47.4	13.10	9.88	0.93	1.74	29.9	0.97	38.2	2.3	73.7	6.15
NFM00897		41.3	0.51	15	34.9	9.70	6.59	0.96	0.98	20.3	0.54	5.2	1.9	39.6	3.42
NFM00898		46.8	0.58	16	40.0	10.85	7.85	1.00	1.02	20.4	0.51	4.6	1.8	39.5	3.40
NFM00899		52.3	0.39	16	40.2	11.80	6.92	0.99	0.85	18.1	0.38	2.1	1.3	30.0	2.37
NFM00900		52.9	0.35	17	41.8	11.70	7.27	1.12	0.90	18.7	0.37	2.9	1.5	30.0	2.29
NFM00901		50.7	0.34	15	40.6	11.35	7.00	0.94	0.77	16.7	0.35	2.0	1.9	28.8	2.21
NFM00902		49.3	0.42	16	38.7	10.75	7.06	1.05	0.89	16.6	0.41	1.9	1.9	29.7	2.57
NFM00903		48.1	0.42	17	37.6	10.85	7.06	1.17	1.01	19.3	0.41	2.2	2.9	31.1	2.45
NFM00904		75.3	0.35	13	46.7	14.45	7.76	0.74	0.87	36.9	0.37	2.8	1.5	25.9	2.02
NFM00905		135.5	0.51	14	74.1	23.4	10.25	0.74	1.10	22.1	0.48	5.0	1.1	34.8	2.88
NFM00906		62.9	0.56	16	48.3	13.35	8.80	0.99	1.23	14.8	0.58	2.5	1.5	40.4	3.44
NFM00907		57.6	0.77	18	50.5	13.75	10.35	0.79	1.61	11.8	0.75	2.6	1.9	53.1	5.01
NFM00908		66.6	0.82	21	56.7	16.05	11.25	1.01	1.75	14.1	0.82	3.1	1.6	59.2	5.40
NFM00909		59.0	0.66	18	46.8	12.80	8.78	0.76	1.32	10.8	0.62	2.0	1.0	45.1	3.95
NFM00910		93.9	0.52	17	58.3	17.85	9.65	0.57	1.20	15.0	0.53	2.4	0.8	39.2	3.19
NFM00911		121.0	0.57	18	64.0	19.85	9.33	0.59	1.17	21.8	0.55	5.4	1.1	39.4	3.33
NFM00912		101.0	0.55	19	62.9	19.15	10.30	0.95	1.25	20.0	0.57	5.4	4.7	42.4	3.54
NFM00913		226	0.50	14	108.0	37.1	12.75	0.93	1.27	35.2	0.54	5.8	2.6	38.0	3.27
NFM00914		88.5	0.49	14	53.3	16.70	8.71	0.88	1.15	40.3	0.48	8.7	1.5	39.6	3.31
NFM00939		23.8	0.66	8	22.5	5.89	5.48	0.35	1.29	4.7	0.73	1.3	0.5	55.6	4.38
NFM00940		29.2	0.49	10	26.4	7.12	6.37	0.50	1.23	8.1	0.57	1.4	1.1	46.0	3.44
NFM00941		40.1	0.41	10	31.3	8.63	6.44	0.56	0.99	16.0	0.46	1.8	1.5	37.2	2.68
NFM00942		46.8	0.55	12	36.9	10.85	7.76	0.65	1.14	20.1	0.57	1.8	1.0	44.3	3.31
NFM00943		52.8	0.84	15	42.5	12.15	8.60	1.17	1.40	22.9	0.89	2.7	3.5	65.3	5.63
NFM00944		43.4	0.38	14	33.4	9.56	6.20	0.87	0.89	15.2	0.40	2.6	1.5	30.7	2.44
NFM00945		44.9	0.53	14	37.2	10.25	7.28	0.88	1.14	16.4	0.54	2.5	1.4	38.9	3.64
NFM00946		50.2	0.64	16	41.1	11.90	8.52	0.89	1.27	18.0	0.66	2.7	1.8	48.8	4.09

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 10 - A
Total # Pages: 11 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Recvd Wt.	Pass75um	Ag	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cs	Cu	Dy	Er
		kg	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00947		1.91	98.0	<5	<4	542	2.5	0.2	3.1	<0.8	85.0	23.5	5.3	<20	4.67	2.86
NFM00948		1.93		<5	<4	424	1.3	0.2	4.9	<0.8	83.7	27.6	2.4	<20	4.22	2.64
NFM00949		3.92		<5	6	447	2.2	0.6	4.2	<0.8	79.9	25.1	5.9	<20	4.98	2.80
NFM00950		4.07		<5	8	486	1.8	0.4	5.2	<0.8	65.1	17.4	3.0	<20	3.72	2.23
NFM00951		2.48		<5	<4	206	1.9	0.1	1.7	<0.8	6.3	2.5	1.7	<20	0.86	0.70
NFM00952		3.31		<5	<4	280	2.9	0.1	1.6	<0.8	7.9	2.3	2.8	<20	1.05	0.84
NFM00953		3.70		<5	<4	215	2.1	0.1	1.1	<0.8	3.0	1.9	3.6	<20	1.15	1.16
NFM00954		3.49		<5	<4	171	2.3	0.1	1.4	<0.8	4.9	1.6	4.5	<20	1.30	1.12
NFM00955		3.71		<5	<4	238	2.3	0.1	1.5	<0.8	16.4	5.0	2.3	<20	3.43	3.28
NFM00956		5.14		<5	<4	377	3.3	0.1	2.6	<0.8	71.0	23.4	6.7	<20	4.14	2.45
NFM00957		1.96		<5	<4	544	2.8	0.1	2.6	<0.8	83.6	27.8	6.9	<20	4.25	2.28
NFM00958		2.62		<5	8	317	2.5	1.1	9.1	<0.8	77.1	24.9	3.3	<20	4.26	2.42
NFM00959		2.29		<5	11	421	2.1	0.5	9.6	<0.8	67.0	24.0	6.2	<20	4.26	2.26
NFM00960		2.01		<5	10	482	2.6	0.7	5.9	<0.8	66.3	23.2	5.7	<20	4.66	2.56
NFM00961		1.65		<5	12	170	1.7	1.8	11.6	<0.8	62.2	20.8	2.1	<20	4.19	2.42
NFM00962		1.87		<5	5	475	2.8	0.2	4.1	<0.8	72.6	25.0	6.8	<20	4.55	2.40
NFM00963		1.90		<5	5	498	2.5	0.2	3.1	<0.8	69.0	23.3	5.0	<20	4.06	2.30
NFM00964		2.33		<5	5	169	2.2	0.2	4.5	<0.8	78.3	16.9	1.9	<20	4.87	2.60
NFM00965		2.57		<5	4	124	1.8	0.2	8.9	<0.8	80.1	14.4	0.9	20	6.31	3.56
NFM00966		2.19		<5	4	95	2.1	0.3	6.0	<0.8	74.7	11.8	0.6	<20	5.73	3.25
NFM00967		2.43		<5	4	203	1.9	0.3	4.2	<0.8	71.2	26.7	0.9	30	4.63	2.76
NFM00968		2.08		<5	4	451	2.6	0.2	3.0	<0.8	117.0	17.6	2.6	<20	3.98	2.00
NFM00969		2.22		<5	4	447	3.1	0.1	2.9	<0.8	82.9	19.2	2.2	<20	4.73	2.73
NFM00970		2.01		<5	<4	251	2.5	0.2	3.7	<0.8	78.6	11.4	1.9	<20	5.27	3.08
NFM00971		2.99		<5	<4	346	3.1	<0.1	2.9	<0.8	84.9	14.5	2.3	<20	6.28	4.00
NFM00972		3.01		<5	4	529	3.3	0.1	3.1	<0.8	85.8	18.7	3.6	<20	5.12	2.85
NFM00973		3.42		<5	4	411	2.7	0.1	3.4	<0.8	95.5	15.9	3.2	<20	4.66	2.37
NFM00974		4.18		<5	4	549	2.8	0.1	2.7	<0.8	93.7	17.2	5.1	<20	3.64	1.88
NFM00975		1.15		<5	4	1075	2.1	0.1	1.1	<0.8	6.3	1.6	3.1	<20	2.37	2.39
NFM00976		2.17		<5	4	633	1.7	0.1	0.8	<0.8	2.8	1.3	2.0	<20	1.78	1.86
NFM00977		2.28		<5	5	676	2.5	0.2	1.8	<0.8	6.2	4.1	3.8	<20	2.30	2.06
NFM00978		2.22		<5	4	1440	1.5	0.1	1.1	<0.8	3.0	2.2	2.4	<20	1.64	1.81
NFM00979		2.82		<5	4	743	2.0	0.1	1.6	<0.8	2.0	1.8	2.3	<20	1.66	1.94
NFM00980		3.81		<5	4	624	1.7	0.1	1.6	<0.8	1.9	2.0	2.6	<20	1.02	1.05
NFM00981		1.38		<5	<4	641	1.7	0.1	1.3	<0.8	4.8	2.5	2.8	<20	1.18	1.28
NFM00982		2.47		<5	<4	497	2.0	0.1	1.7	<0.8	7.3	3.1	2.8	<20	1.11	1.06
NFM00983		3.73		<5	<4	1040	1.4	<0.1	1.5	<0.8	4.3	1.5	1.8	<20	0.47	0.37
NFM00984		1.16		<5	<4	1125	1.2	0.1	1.4	<0.8	5.9	1.9	2.4	<20	0.63	0.44
NFM00985		4.30		<5	<4	371	0.7	0.4	4.7	<0.8	22.5	29.1	1.7	40	2.77	1.59
NFM00986		4.82		<5	<4	404	0.8	0.3	5.9	<0.8	23.4	32.9	1.4	60	2.11	1.32

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 10 - B
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8
NFM00947		1.07	6.13	23.7	5.34	2.7	0.95	<0.3	2.73	40.4	33	0.32	1.70	1040	2	11.2
NFM00948		1.71	6.06	21.9	5.43	2.1	0.90	<0.3	1.38	37.2	19	0.35	1.91	1040	2	8.4
NFM00949		1.14	6.32	22.8	5.34	2.8	1.02	<0.3	2.19	37.2	27	0.39	1.69	1170	2	10.0
NFM00950		0.98	4.82	21.0	4.33	2.4	0.79	<0.3	2.11	30.7	19	0.33	1.05	920	2	9.3
NFM00951		0.27	1.35	18.4	0.63	1.9	0.19	<0.3	3.40	3.19	6	0.14	0.15	160	2	8.6
NFM00952		0.31	1.05	22.5	0.78	1.9	0.24	<0.3	4.49	3.54	8	0.23	0.16	160	2	11.6
NFM00953		0.21	1.98	18.0	0.69	2.1	0.31	<0.3	4.47	1.57	5	0.29	0.07	160	2	16.8
NFM00954		0.21	1.46	20.8	0.73	2.0	0.35	<0.3	3.82	2.57	6	0.31	0.11	180	2	16.0
NFM00955		0.47	1.82	19.4	2.02	2.3	0.89	<0.3	4.22	7.35	9	0.80	0.38	320	3	11.8
NFM00956		1.04	5.64	25.7	4.60	2.9	0.83	<0.3	2.64	33.1	33	0.38	1.48	1270	2	13.8
NFM00957		1.17	7.00	25.2	5.08	2.7	0.82	<0.3	2.98	38.8	38	0.30	1.85	1270	<2	10.6
NFM00958		1.11	6.33	23.5	5.05	3.0	0.82	<0.3	1.77	35.3	21	0.33	1.65	1770	2	10.2
NFM00959		1.17	5.61	21.1	5.03	2.0	0.87	<0.3	2.37	34.3	26	0.32	1.52	1700	2	8.1
NFM00960		1.28	5.97	23.0	5.43	2.4	1.03	<0.3	2.63	33.8	28	0.37	1.54	1550	2	9.1
NFM00961		1.16	5.78	21.5	4.86	3.0	0.92	<0.3	1.18	31.6	12	0.32	1.49	1940	2	7.3
NFM00962		1.35	6.26	24.2	5.40	2.3	0.94	<0.3	2.63	37.8	35	0.35	1.62	1430	2	9.1
NFM00963		1.22	6.34	23.8	4.98	2.1	0.86	<0.3	2.64	35.6	25	0.34	1.63	1310	<2	8.8
NFM00964		1.37	5.41	22.5	5.64	1.7	0.97	<0.3	0.99	41.2	13	0.40	1.76	780	<2	9.7
NFM00965		1.79	5.66	22.0	6.99	1.2	1.38	<0.3	0.64	40.3	6	0.50	1.60	760	4	11.6
NFM00966		1.40	4.28	18.7	6.12	0.9	1.27	<0.3	0.54	39.1	5	0.54	1.97	520	2	11.0
NFM00967		1.20	4.92	21.0	5.58	2.0	1.05	<0.3	1.08	36.9	10	0.44	1.34	790	3	8.7
NFM00968		1.40	5.23	22.0	4.94	1.8	0.79	<0.3	2.03	70.1	14	0.31	1.68	840	2	7.6
NFM00969		1.39	5.89	24.4	5.23	2.3	1.01	<0.3	2.38	44.6	16	0.44	1.79	1100	<2	9.9
NFM00970		1.19	4.84	20.9	5.52	1.4	1.20	<0.3	1.41	40.8	16	0.43	1.54	830	<2	9.6
NFM00971		1.08	5.07	22.6	6.22	1.9	1.34	<0.3	2.12	43.1	21	0.53	1.64	960	3	10.6
NFM00972		1.22	6.09	26.2	5.97	2.4	1.11	<0.3	2.48	45.1	34	0.42	2.13	1350	<2	10.0
NFM00973		1.31	5.58	22.7	6.19	1.6	0.99	<0.3	1.76	51.0	30	0.31	1.94	1040	<2	10.0
NFM00974		1.23	5.15	19.6	4.83	1.3	0.73	<0.3	2.59	52.2	30	0.28	1.78	810	<2	8.4
NFM00975		0.23	1.26	17.0	1.14	1.1	0.64	<0.3	5.46	3.39	8	0.67	0.14	200	3	17.4
NFM00976		0.13	0.82	14.5	0.81	1.2	0.52	<0.3	4.35	1.41	5	0.50	0.12	120	2	12.2
NFM00977		0.27	1.67	21.0	1.26	1.6	0.62	<0.3	3.43	2.99	16	0.58	0.39	290	2	14.4
NFM00978		0.20	1.14	15.2	0.75	0.8	0.50	<0.3	5.31	1.44	9	0.53	0.20	180	2	11.6
NFM00979		0.19	1.00	18.7	0.75	1.1	0.53	<0.3	3.69	0.94	10	0.60	0.18	180	2	14.4
NFM00980		0.19	1.09	18.6	0.47	1.1	0.30	<0.3	3.82	0.97	12	0.28	0.22	190	2	8.0
NFM00981		0.23	1.36	18.6	0.79	2.5	0.32	<0.3	4.19	2.80	12	0.30	0.24	200	2	8.9
NFM00982		0.26	1.28	20.6	0.75	2.4	0.30	<0.3	3.31	3.81	14	0.26	0.28	220	2	10.0
NFM00983		0.23	0.93	17.5	0.37	1.5	0.10	<0.3	4.56	2.34	9	0.06	0.14	140	2	4.5
NFM00984		0.20	1.00	17.3	0.58	1.8	0.14	<0.3	4.42	3.34	8	0.08	0.17	160	2	5.5
NFM00985		0.82	5.46	18.3	2.77	1.9	0.55	<0.3	1.60	9.93	21	0.23	2.41	760	2	5.8
NFM00986		0.69	5.20	15.5	2.39	1.8	0.47	<0.3	1.28	11.50	13	0.16	3.39	800	<2	3.7

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 10 – C
 Total # Pages: 11 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nd	Ni	Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.07	10	0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5
NFM00947		32.8	30	12.4	9.38	167.5	<0.01	<0.3	<3	6.66	7	200	0.77	0.83	<0.5
NFM00948		36.3	30	12.0	9.74	68.7	<0.01	<0.3	<3	6.65	3	380	0.54	0.83	<0.5
NFM00949		30.9	30	15.6	8.73	147.0	<0.01	<0.3	<3	6.07	5	160	0.65	0.88	<0.5
NFM00950		25.0	20	19.7	7.00	106.0	<0.01	0.5	3	4.84	5	250	0.78	0.70	<0.5
NFM00951		2.55	<10	54.9	0.74	144.5	<0.01	<0.3	3	0.57	<3	130	1.75	0.13	<0.5
NFM00952		2.97	<10	63.0	0.86	204	<0.01	<0.3	<3	0.66	4	130	2.67	0.19	<0.5
NFM00953		1.44	<10	70.0	0.32	213	<0.01	<0.3	<3	0.37	5	100	3.33	0.17	<0.5
NFM00954		2.07	<10	60.9	0.57	190.5	<0.01	<0.3	<3	0.58	5	100	2.91	0.18	<0.5
NFM00955		7.09	10	60.2	1.88	204	<0.01	<0.3	<3	1.76	3	110	2.45	0.45	<0.5
NFM00956		27.5	30	18.8	7.68	172.0	<0.01	<0.3	<3	4.96	5	140	1.74	0.74	<0.5
NFM00957		32.7	40	9.8	9.24	166.5	<0.01	<0.3	<3	6.46	4	180	0.75	0.76	<0.5
NFM00958		30.7	40	14.7	8.50	94.8	<0.01	2.1	<3	6.10	5	190	0.64	0.81	<0.5
NFM00959		28.3	40	15.4	7.91	142.0	<0.01	1.7	<3	5.38	<3	140	0.65	0.72	<0.5
NFM00960		28.5	40	16.1	7.80	149.5	<0.01	1.3	<3	5.79	3	140	1.26	0.85	<0.5
NFM00961		25.5	40	13.4	7.19	60.7	<0.01	3.4	<3	4.94	<3	240	0.72	0.70	<0.5
NFM00962		31.1	50	16.1	8.73	167.0	<0.01	0.9	<3	5.96	<3	240	0.77	0.80	<0.5
NFM00963		29.7	40	11.6	8.14	149.5	<0.01	0.7	<3	5.14	<3	240	0.75	0.69	<0.5
NFM00964		33.7	40	5.6	9.32	50.7	<0.01	0.8	<3	6.46	<3	270	0.90	0.84	<0.5
NFM00965		36.1	40	5.1	9.74	31.7	<0.01	0.8	3	7.25	3	460	0.90	1.07	<0.5
NFM00966		32.2	30	5.9	8.98	26.9	<0.01	0.6	<3	6.33	3	270	0.77	0.89	<0.5
NFM00967		29.7	30	5.5	8.38	56.3	<0.01	0.6	<3	5.97	3	280	0.61	0.86	<0.5
NFM00968		40.8	30	10.4	12.50	111.5	<0.01	0.5	<3	6.36	<3	280	0.57	0.71	<0.5
NFM00969		34.4	40	8.0	9.72	128.5	<0.01	0.4	<3	6.38	3	450	0.76	0.81	<0.5
NFM00970		33.4	30	6.1	9.29	85.4	<0.01	0.5	<3	6.29	3	570	0.77	0.86	<0.5
NFM00971		36.4	40	5.6	9.39	119.0	<0.01	<0.3	<3	6.64	7	570	0.58	0.98	<0.5
NFM00972		35.5	40	6.3	10.30	147.5	<0.01	0.4	<3	6.76	3	760	0.68	0.90	<0.5
NFM00973		38.2	30	7.0	10.90	108.0	<0.01	0.4	<3	6.59	<3	450	0.69	0.82	<0.5
NFM00974		35.2	30	15.1	10.35	143.0	<0.01	0.7	<3	5.61	3	320	0.71	0.64	<0.5
NFM00975		2.87	<10	56.8	0.76	224	<0.01	0.6	<3	0.73	<3	270	4.19	0.27	<0.5
NFM00976		1.34	<10	47.2	0.36	181.5	<0.01	0.5	<3	0.46	<3	200	3.03	0.20	<0.5
NFM00977		2.95	<10	39.9	0.82	171.0	<0.01	0.6	<3	0.90	<3	280	3.27	0.28	<0.5
NFM00978		1.44	<10	50.9	0.37	212	<0.01	0.6	<3	0.51	<3	290	2.40	0.20	<0.5
NFM00979		1.01	<10	45.9	0.24	167.5	<0.01	0.5	<3	0.40	<3	290	2.56	0.20	<0.5
NFM00980		0.94	<10	48.8	0.22	181.0	<0.01	0.5	<3	0.24	<3	270	1.28	0.11	<0.5
NFM00981		1.95	<10	55.2	0.59	216	<0.01	0.7	3	0.42	<3	260	1.34	0.16	<0.5
NFM00982		2.96	10	45.1	0.83	184.0	<0.01	0.4	<3	0.69	<3	290	1.18	0.17	<0.5
NFM00983		1.75	<10	54.5	0.50	185.5	<0.01	0.5	<3	0.43	<3	300	0.34	0.07	<0.5
NFM00984		2.42	10	54.7	0.68	188.0	<0.01	0.5	<3	0.57	<3	290	0.50	0.09	<0.5
NFM00985		11.65	30	21.3	2.96	77.2	<0.01	0.3	<3	2.94	<3	330	0.56	0.40	<0.5
NFM00986		10.75	70	12.5	2.76	62.3	<0.01	0.4	3	2.48	<3	370	0.32	0.35	<0.5

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 10 - D
 Total # Pages: 11 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ti	Ti	Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01
NFM00947		0.426	0.64	0.39	2.1	101	0.9	26.5	2.44	70	104.5	5.36	3.27	1.24	6.15	1.09
NFM00948		0.629	0.24	0.35	2.9	163	0.6	24.4	2.15	100	103.0	4.84	3.02	1.98	6.26	1.03
NFM00949		0.433	0.52	0.40	3.8	118	0.7	28.1	2.50	80	98.1	5.72	3.20	1.32	6.15	1.17
NFM00950		0.361	0.42	0.33	4.9	77	0.9	21.6	2.06	50	80.0	4.27	2.55	1.13	4.99	0.90
NFM00951		0.080	0.53	0.12	10.2	12	0.8	5.5	0.90	120	7.7	0.99	0.80	0.31	0.73	0.22
NFM00952		0.058	0.70	0.15	6.7	11	3.2	7.6	1.15	20	9.7	1.21	0.96	0.36	0.90	0.27
NFM00953		0.152	0.83	0.20	21.1	14	1.7	9.5	1.63	10	3.7	1.32	1.33	0.24	0.80	0.36
NFM00954		0.084	0.70	0.20	29.2	10	3.6	9.5	1.61	<10	6.0	1.49	1.28	0.24	0.84	0.40
NFM00955		0.130	0.76	0.57	23.8	25	1.9	29.5	4.30	30	20.1	3.94	3.75	0.54	2.33	1.02
NFM00956		0.412	0.66	0.36	4.9	101	2.1	23.7	2.21	90	87.2	4.75	2.80	1.20	5.30	0.95
NFM00957		0.494	0.61	0.32	1.9	119	0.6	22.4	1.97	110	102.5	4.88	2.61	1.35	5.86	0.94
NFM00958		0.441	0.36	0.35	3.7	104	1.1	23.1	2.15	100	94.7	4.89	2.77	1.29	5.82	0.94
NFM00959		0.398	0.45	0.34	1.7	105	0.6	24.4	2.43	110	82.3	4.89	2.58	1.35	5.80	1.00
NFM00960		0.383	0.50	0.37	2.1	109	0.8	28.5	2.53	150	81.4	5.35	2.93	1.48	6.26	1.18
NFM00961		0.380	0.17	0.31	2.4	110	0.8	23.9	2.28	100	76.4	4.81	2.77	1.34	5.60	1.05
NFM00962		0.426	0.58	0.35	1.5	114	1.0	25.7	2.34	120	89.2	5.22	2.74	1.56	6.22	1.08
NFM00963		0.439	0.50	0.35	1.4	113	1.3	24.0	2.40	90	84.8	4.66	2.63	1.41	5.74	0.99
NFM00964		0.438	0.14	0.38	2.0	97	0.9	26.7	2.75	70	96.2	5.59	2.97	1.59	6.50	1.11
NFM00965		0.548	0.05	0.51	3.5	130	1.2	37.2	3.40	40	98.4	7.24	4.07	2.07	8.06	1.58
NFM00966		0.387	0.03	0.49	7.6	83	0.8	33.9	3.36	80	91.8	6.58	3.72	1.62	7.05	1.45
NFM00967		0.333	0.13	0.39	4.0	75	1.2	29.2	2.83	40	87.5	5.31	3.16	1.39	6.43	1.20
NFM00968		0.413	0.38	0.29	3.4	91	0.8	22.3	1.95	70	143.5	4.57	2.29	1.62	5.69	0.90
NFM00969		0.450	0.36	0.41	2.1	100	0.9	30.9	2.97	70	102.0	5.43	3.12	1.61	6.03	1.16
NFM00970		0.360	0.21	0.44	1.5	82	0.4	33.9	2.99	40	96.6	6.05	3.52	1.38	6.36	1.37
NFM00971		0.356	0.36	0.58	1.5	77	1.1	38.9	3.55	40	104.5	7.21	4.57	1.25	7.17	1.53
NFM00972		0.412	0.41	0.42	1.9	88	0.8	31.0	2.83	50	105.5	5.88	3.26	1.41	6.88	1.27
NFM00973		0.390	0.30	0.34	1.9	83	0.5	26.6	2.18	50	117.5	5.35	2.71	1.52	7.13	1.13
NFM00974		0.400	0.46	0.29	3.5	84	0.6	22.0	1.89	70	115.0	4.18	2.15	1.42	5.57	0.84
NFM00975		0.044	0.81	0.46	17.1	8	1.0	21.6	3.83	70	7.7	2.72	2.73	0.27	1.31	0.73
NFM00976		0.033	0.66	0.36	17.2	7	0.6	17.4	2.94	20	3.4	2.04	2.13	0.15	0.93	0.60
NFM00977		0.102	0.63	0.39	11.0	26	0.6	21.6	3.38	30	7.6	2.64	2.36	0.31	1.45	0.71
NFM00978		0.054	0.73	0.33	16.4	11	0.5	17.1	2.84	20	3.7	1.88	2.07	0.23	0.86	0.57
NFM00979		0.048	0.62	0.38	12.2	9	1.3	19.3	3.47	20	2.5	1.91	2.22	0.22	0.86	0.61
NFM00980		0.053	0.68	0.18	18.8	10	0.5	10.1	1.73	20	2.3	1.17	1.20	0.22	0.54	0.34
NFM00981		0.047	0.81	0.24	21.5	13	1.6	12.2	1.68	90	5.9	1.35	1.46	0.27	0.91	0.37
NFM00982		0.073	0.74	0.20	14.0	19	0.8	10.8	1.39	50	9.0	1.27	1.21	0.30	0.86	0.34
NFM00983		0.035	0.77	0.06	16.1	6	0.6	3.1	0.43	20	5.3	0.54	0.42	0.27	0.43	0.11
NFM00984		0.039	0.84	0.08	14.4	9	0.7	4.3	0.46	20	7.2	0.72	0.50	0.23	0.67	0.16
NFM00985		0.362	0.39	0.21	4.2	163	0.8	15.5	1.45	70	27.6	3.18	1.82	0.95	3.19	0.63
NFM00986		0.300	0.23	0.18	9.7	144	0.7	13.2	1.23	70	28.7	2.42	1.51	0.80	2.75	0.54

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Project: Harts

Page: 10 - E

Total # Pages: 11 (A - E)

Plus Appendix Pages

Finalized Date: 19-FEB-2026

Account: CASTCOP

CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		La2O3	Lu2O3	Nb2O5	Nd2O3	Pr2O3	Sm2O3	Ta2O5	Tb2O3	ThO2	Tm2O3	U3O8	WO3	Y2O3	Yb2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.09	0.06	1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
NFM00947		47.4	0.36	16	38.3	11.00	7.72	0.94	0.96	17.1	0.45	2.5	1.1	33.7	2.78
NFM00948		43.6	0.40	12	42.3	11.40	7.71	0.66	0.96	9.3	0.40	3.4	0.8	31.0	2.45
NFM00949		43.6	0.44	14	36.0	10.20	7.04	0.79	1.01	15.9	0.46	4.5	0.9	35.7	2.85
NFM00950		36.0	0.38	13	29.2	8.19	5.61	0.95	0.81	12.5	0.38	5.8	1.1	27.4	2.35
NFM00951		3.74	0.16	12	2.97	0.87	0.66	2.14	0.15	1.9	0.14	12.0	1.0	7.0	1.02
NFM00952		4.15	0.26	17	3.46	1.01	0.77	3.26	0.22	2.7	0.17	7.9	4.0	9.7	1.31
NFM00953		1.84	0.33	24	1.68	0.37	0.43	4.07	0.20	1.5	0.23	24.9	2.1	12.1	1.86
NFM00954		3.01	0.35	23	2.41	0.67	0.67	3.55	0.21	1.9	0.23	34.4	4.5	12.1	1.83
NFM00955		8.62	0.91	17	8.27	2.20	2.04	2.99	0.52	4.3	0.65	28.1	2.4	37.5	4.90
NFM00956		38.8	0.43	20	32.1	8.99	5.75	2.12	0.85	14.5	0.41	5.8	2.6	30.1	2.52
NFM00957		45.5	0.34	15	38.1	10.80	7.49	0.92	0.87	16.4	0.37	2.2	0.8	28.4	2.24
NFM00958		41.4	0.38	15	35.8	9.95	7.07	0.78	0.93	14.8	0.40	4.4	1.4	29.3	2.45
NFM00959		40.2	0.36	12	33.0	9.26	6.24	0.79	0.83	14.0	0.39	2.0	0.8	31.0	2.77
NFM00960		39.6	0.42	13	33.2	9.13	6.71	1.54	0.98	14.2	0.42	2.5	1.0	36.2	2.88
NFM00961		37.1	0.36	10	29.7	8.41	5.73	0.88	0.81	13.1	0.35	2.8	1.0	30.4	2.60
NFM00962		44.3	0.40	13	36.3	10.20	6.91	0.94	0.92	15.6	0.40	1.8	1.3	32.6	2.66
NFM00963		41.8	0.39	13	34.6	9.53	5.96	0.92	0.79	14.0	0.40	1.7	1.6	30.5	2.73
NFM00964		48.3	0.45	14	39.3	10.90	7.49	1.10	0.97	16.7	0.43	2.4	1.1	33.9	3.13
NFM00965		47.3	0.57	17	42.1	11.40	8.41	1.10	1.23	14.3	0.58	4.1	1.5	47.2	3.87
NFM00966		45.9	0.61	16	37.6	10.50	7.34	0.94	1.02	17.6	0.56	9.0	1.0	43.0	3.83
NFM00967		43.3	0.50	12	34.6	9.81	6.92	0.74	0.99	18.4	0.45	4.7	1.5	37.1	3.22
NFM00968		82.2	0.35	11	47.6	14.65	7.38	0.70	0.82	17.8	0.33	4.0	1.0	28.3	2.22
NFM00969		52.3	0.50	14	40.1	11.40	7.40	0.93	0.93	19.7	0.47	2.5	1.1	39.2	3.38
NFM00970		47.9	0.49	14	39.0	10.85	7.29	0.94	0.99	19.5	0.50	1.8	0.5	43.0	3.40
NFM00971		50.5	0.60	15	42.5	11.00	7.70	0.71	1.13	23.2	0.66	1.8	1.4	49.4	4.04
NFM00972		52.9	0.48	14	41.4	12.05	7.84	0.83	1.04	22.4	0.48	2.2	1.0	39.4	3.22
NFM00973		59.8	0.35	14	44.6	12.75	7.64	0.84	0.94	27.9	0.39	2.2	0.6	33.8	2.48
NFM00974		61.2	0.32	12	41.1	12.10	6.51	0.87	0.74	27.0	0.33	4.1	0.8	27.9	2.15
NFM00975		3.98	0.76	25	3.35	0.89	0.85	5.12	0.31	3.4	0.53	20.2	1.3	27.4	4.36
NFM00976		1.65	0.57	17	1.56	0.42	0.53	3.70	0.23	1.6	0.41	20.3	0.8	22.1	3.35
NFM00977		3.51	0.66	21	3.44	0.96	1.04	3.99	0.32	2.7	0.45	13.0	0.8	27.4	3.85
NFM00978		1.69	0.60	17	1.68	0.43	0.59	2.93	0.23	1.6	0.38	19.3	0.6	21.7	3.23
NFM00979		1.10	0.68	21	1.18	0.28	0.46	3.13	0.23	1.7	0.43	14.4	1.6	24.5	3.95
NFM00980		1.14	0.32	11	1.10	0.26	0.28	1.56	0.13	1.0	0.21	22.2	0.6	12.8	1.97
NFM00981		3.28	0.34	13	2.27	0.69	0.49	1.64	0.18	2.0	0.27	25.4	2.0	15.5	1.91
NFM00982		4.47	0.30	14	3.45	0.97	0.80	1.44	0.20	2.5	0.23	16.5	1.0	13.7	1.58
NFM00983		2.74	0.07	6	2.04	0.59	0.50	0.42	0.08	1.8	0.07	19.0	0.8	3.9	0.49
NFM00984		3.92	0.09	8	2.82	0.80	0.66	0.61	0.10	2.2	0.09	17.0	0.9	5.5	0.52
NFM00985		11.65	0.26	8	13.60	3.46	3.41	0.68	0.46	2.0	0.24	5.0	1.0	19.7	1.65
NFM00986		13.50	0.18	5	12.55	3.23	2.88	0.39	0.40	7.2	0.21	11.4	0.9	16.8	1.40

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Project: Harts

Page: 11 – A
Total # Pages: 11 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Recvd Wt.	Pass75um	Ag	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cs	Cu	Dy	Er
		kg	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02
NFM00987		1.98	89.9	<5	<4	347	0.9	0.2	6.2	<0.8	28.1	35.3	1.4	70	2.36	1.37
NFM00988		0.02		<5	24	256	66.9	1.6	0.2	3.3	2030	1.8	4.7	20	133.0	74.9

***** See Appendix Page for comments regarding this certificate *****



**To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000**

Page: 11 – B
Total # Pages: 11 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



**To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000**

Page: 11 – C
Total # Pages: 11 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Project: Harts

Page: 11 – D
Total # Pages: 11 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

		ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
	Method Analyte Units LOD	Ti %	Tl ppm	Tm ppm	U ppm	V ppm	W ppm	Y ppm	Yb ppm	Zn ppm	CeO2 ppm	Dy2O3 ppm	Er2O3 ppm	Eu2O3 ppm	Gd2O3 ppm	Ho2O3 ppm
Sample Description		0.005	0.02	0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01
NFM00987		0.326	0.23	0.20	6.0	147	0.8	14.4	1.29	70	34.5	2.71	1.57	0.90	2.86	0.58
NFM00988		0.057	1.93	10.80	75.7	3	1.4	893	63.6	2170	2490	152.5	85.6	5.44	160.0	30.2

***** See Appendix Page for comments regarding this certificate *****



Project: Harts

Page: 11 – E
Total # Pages: 11 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

[illegible]

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **19-FEB-2026**
Account: **CASTCOP**

Project: Harts

CERTIFICATE OF ANALYSIS AD26005993

	CERTIFICATE COMMENTS			
Applies to Method:	LABORATORY ADDRESSES			
	Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.			
Applies to Method:	BAG-01	BAG-21	LEV-01	LOG-22
	LOG-24	PUL-23	PUL-32m	PUL-QC
	SPL-21	WEI-21		
Applies to Method:	Processed at ALS Loughrea located at Dublin Road, Loughrea, Co. Galway, Ireland.			
	ME-MS89L			