



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**

LEVEL 6

105 ST GEORGES TCE

PERTH WA 6000

Page: 1

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 19-FEB-2026

This copy reported on 26-FEB-2026

Account: CASTCOP

QC CERTIFICATE AD26005993

Project: Harts

This report is for 362 samples of Percussion submitted to our lab in Adelaide, SA, Australia on 30-DEC-2025.

The following have access to data associated with this certificate:

KEVIN DAS

JOEL LOGAN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32m	Pulverize 500g – 85%<75um
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag
SPL-21	Split sample – riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS89L	Super Trace DL Na2O2 by ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

Signature:

Andrey Tairov, Technical Manager, Ireland



Project: Harts

Page: 2 – A
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ag	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cs	Cu	Dy	Er	Eu	Fe	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02	0.03	0.01	
STANDARDS																	
AMIS0343	<5	17	78	250	2.5	0.4	<0.8	1.4	2.5	357	50	0.15	0.08	0.03	0.89		
AMIS0343	<5	17	80	237	2.5	0.3	<0.8	1.4	2.6	349	50	0.17	0.08	0.05	0.85		
AMIS0343	<5	15	78	234	2.8	0.3	<0.8	1.2	2.6	341	50	0.12	0.09	0.04	0.86		
AMIS0343	<5	14	81	242	2.8	0.3	<0.8	1.2	2.7	344	60	0.19	0.09	0.05	0.86		
AMIS0343	<5	17	81	236	2.8	0.3	<0.8	1.3	2.9	353	50	0.14	0.09	0.06	0.83		
AMIS0343	<5	14	78	233	2.6	0.2	<0.8	1.1	2.6	336	50	0.14	0.07	0.04	0.84		
Target Range – Lower Bound	<5	<4	68	209	2.2	<0.1	<0.8	0.6	1.5	309	<20	0.09	<0.02	<0.03	0.76		
Upper Bound	10	22	87	257	2.9	0.5	1.6	1.6	3.7	377	90	0.23	0.10	0.09	0.95		
AMIS0684	<5	4	30	141.5	0.9	0.3	<0.8	1.2	1.5	35.2	<20	0.11	0.05	<0.03	0.86		
AMIS0684	<5	<4	29	136.0	0.9	0.2	<0.8	1.1	1.5	34.7	20	0.12	0.05	0.03	0.84		
AMIS0684	<5	<4	26	134.5	0.9	0.3	<0.8	1.0	1.8	34.9	<20	0.09	0.03	<0.03	0.81		
AMIS0684	<5	<4	26	133.5	0.9	0.2	<0.8	1.3	1.6	35.1	<20	0.14	0.05	<0.03	0.81		
AMIS0684	<5	<4	27	132.0	0.8	0.2	<0.8	0.9	1.4	35.4	<20	0.09	0.04	<0.03	0.82		
AMIS0684	<5	<4	29	136.0	0.6	0.2	<0.8	0.8	1.4	34.4	<20	0.11	0.02	<0.03	0.81		
AMIS0684	<5	<4	26	133.5	0.9	0.3	<0.8	0.8	1.7	34.6	<20	0.10	0.04	0.04	0.80		
AMIS0684	<5	<4	28	136.5	0.8	0.2	<0.8	0.8	1.8	34.4	<20	0.12	0.04	<0.03	0.83		
Target Range – Lower Bound	<5	<4	23	120.5	0.6	<0.1	<0.8	0.6	<0.5	31.2	<20	0.04	<0.02	<0.03	0.73		
Upper Bound	10	8	34	148.0	1.0	0.4	2.7	1.5	2.5	38.3	70	0.18	0.07	0.09	0.91		
GTA-02	<5	5	62	186.5	1.3	0.3	<0.8	0.2	0.9	174.0	<20	0.06	<0.02	<0.03	0.52		
GTA-02	<5	4	54	187.0	1.1	0.4	<0.8	0.5	0.8	173.0	<20	<0.03	<0.02	<0.03	0.48		
GTA-02	<5	<4	53	190.5	1.2	0.4	<0.8	0.4	0.7	187.5	<20	0.07	<0.02	<0.03	0.51		
GTA-02	<5	<4	62	187.5	1.2	0.4	<0.8	0.5	0.7	185.0	<20	0.06	0.02	<0.03	0.51		
GTA-02	<5	4	60	188.5	1.5	0.4	<0.8	0.4	0.8	179.5	<20	0.08	0.02	<0.03	0.50		
GTA-02	<5	<4	57	192.0	1.3	0.4	<0.8	0.3	0.9	177.0	<20	0.04	<0.02	<0.03	0.51		
GTA-02	<5	<4	58	185.5	3.0	0.3	<0.8	0.4	0.9	180.5	<20	0.03	<0.02				

***** See Appendix Page for comments regarding this certificate *****



Project: Harts

Page: 2 – B
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ga	Gd	Ge	Ho	In	K	La	Li	Lu	Mg	Mn	Mo	Nb	Nd	Ni
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.5	0.03	0.5	0.01	0.3	0.05	0.08	2	0.05	0.01	10	2	0.8	0.07	10
STANDARDS																
AMIS0343		43.2	0.21	7.1	0.03	<0.3	2.59	0.66	7530	<0.05	0.14	990	4	42.0	0.62	20
AMIS0343		46.1	0.21	7.0	0.04	<0.3	2.50	0.71	7240	<0.05	0.13	970	4	41.8	0.71	20
AMIS0343		47.0	0.19	7.3	0.04	<0.3	2.44	0.53	7230	<0.05	0.13	970	4	42.9	0.55	20
AMIS0343		48.6	0.20	8.4	0.03	<0.3	2.56	0.54	7640	<0.05	0.14	1000	4	42.6	0.62	20
AMIS0343		47.5	0.16	8.3	0.02	<0.3	2.50	0.64	7500	<0.05	0.13	980	4	42.4	0.71	10
AMIS0343		43.0	0.15	7.1	0.03	<0.3	2.51	0.61	6900	<0.05	0.12	990	4	37.9	0.44	10
Target Range – Lower Bound		39.7	0.09	6.6	<0.01	<0.3	2.16	0.39	6430	<0.05	0.09	840	<2	37.0	0.44	<10
Upper Bound		49.7	0.23	9.4	0.05	0.7	2.76	0.77	7870	0.12	0.15	1040	8	47.0	0.78	30
AMIS0684		27.9	0.13	5.0	0.01	<0.3	3.05	0.65	4820	<0.05	0.11	440	2	10.7	0.45	10
AMIS0684		27.5	0.11	5.6	0.03	<0.3	3.02	0.59	4730	<0.05	0.10	410	2	11.4	0.40	10
AMIS0684		28.2	0.09	5.0	0.01	<0.3	2.99	0.54	4640	<0.05	0.09	400	2	10.2	0.39	30
AMIS0684		30.1	0.12	4.8	0.01	<0.3	2.98	0.73	4560	<0.05	0.10	410	2	10.2	0.48	<10
AMIS0684		29.3	0.09	4.8	0.01	<0.3	3.00	0.40	4640	<0.05	0.10	410	2	10.3	0.34	10
AMIS0684		27.8	0.11	5.0	0.02	<0.3	3.02	0.41	4840	<0.05	0.10	420	2	11.0	0.33	10
AMIS0684		28.7	0.08	4.5	0.01	<0.3	2.97	0.39	4760	<0.05	0.10	410	2	10.9	0.39	<10
AMIS0684		28.2	0.10	4.8	0.01	<0.3	2.96	0.40	4600	<0.05	0.10	420	2	10.2	0.28	20
Target Range – Lower Bound		24.3	0.04	4.5	<0.01	<0.3	2.67	0.37	4240	<0.05	0.07	360	<2	8.2	0.23	<10
Upper Bound		30.8	0.17	7.1	0.03	0.6	3.38	0.75	5180	0.10	0.12	460	6	12.4	0.55	30
GTA-02		55.7	0.03	7.8	0.01	<0.3	2.63	0.13	1870	<0.05	0.03	740	2	58.1	0.08	10
GTA-02		54.7	0.09	7.4	<0.01	<0.3	2.45	0.23	1810	<0.05	0.03	680	2	55.6	0.15	20
GTA-02		56.0	0.04	6.8	0.01	<0.3	2.49	0.21	1800	<0.05	0.02	720	2	59.1	0.16	10
GTA-02		60.9	0.05	6.9	<0.01	<0.3	2.55	0.25	1810	<0.05	0.02	710	2	56.9	0.19	10
GTA-02		56.3	0.05	6.4	0.01	<0.3	2.64	0.24	1840	<0.05	0.02	730	2	56.8	0.19	<10
GTA-02		59.8	0.05	7.3	<0.01	<0.3	2.54	0.21	1880	<0.05	0.03	710				

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 - C
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5	0.1	0.005	0.02
STANDARDS																
AMIS0343		6.3	0.13	3650	<0.01	7.0	<3	0.19	79	30	177.0	0.03	<0.5	2.6	0.006	32.2
AMIS0343		6.6	0.16	3860	<0.01	6.5	3	0.17	78	20	180.5	0.03	<0.5	2.3	0.007	30.8
AMIS0343		6.6	0.12	3760	0.01	7.2	<3	0.18	81	30	185.0	0.04	<0.5	2.6	<0.005	32.2
AMIS0343		6.8	0.14	3800	<0.01	7.1	<3	0.14	75	20	183.5	0.03	<0.5	2.7	0.006	31.2
AMIS0343		6.3	0.15	3740	<0.01	6.4	<3	0.15	78	20	182.0	0.03	<0.5	2.7	0.005	33.1
AMIS0343		6.7	0.12	3610	<0.01	6.7	<3	0.17	77	30	171.5	0.03	<0.5	2.5	0.005	30.9
Target Range - Lower Bound		5.1	0.04	3280	<0.01	6.0	<3	<0.04	74	<20	160.0	<0.01	<0.5	2.2	<0.005	27.5
Upper Bound		7.7	0.18	4000	0.03	8.0	9	0.20	97	60	196.0	0.04	1.5	2.9	0.021	33.7
AMIS0684		21.3	0.14	928	<0.01	1.1	<3	0.11	52	50	5.70	0.01	<0.5	0.5	0.007	5.64
AMIS0684		19.0	0.11	905	<0.01	1.4	<3	0.16	57	50	5.72	0.03	<0.5	0.5	0.006	5.55
AMIS0684		19.3	0.11	931	<0.01	0.8	<3	0.09	53	30	5.60	0.03	<0.5	0.5	<0.005	5.47
AMIS0684		19.0	0.14	932	<0.01	1.4	4	0.14	56	40	5.29	0.03	<0.5	0.6	0.005	5.33
AMIS0684		19.4	0.08	916	<0.01	1.5	<3	0.09	57	40	5.45	0.02	<0.5	0.5	0.005	5.49
AMIS0684		19.4	0.10	916	0.01	1.2	3	0.10	54	30	5.32	0.03	<0.5	0.5	0.006	5.24
AMIS0684		19.6	0.10	967	<0.01	1.3	<3	0.11	55	40	5.71	0.03	<0.5	0.5	0.005	5.49
AMIS0684		20.1	0.10	917	<0.01	1.2	<3	0.13	54	50	6.00	0.02	<0.5	0.5	0.006	5.45
Target Range - Lower Bound		16.5	0.04	815	<0.01	0.6	<3	0.05	48	<20	5.17	<0.01	<0.5	0.2	<0.005	4.90
Upper Bound		21.3	0.18	997	0.02	2.0	10	0.23	66	80	6.41	0.05	1.0	0.7	0.016	6.04
GTA-02		13.0	0.05	3950	<0.01	0.4	<3	0.05	397	50	688	0.01	0.5	3.9	<0.005	30.4
GTA-02		12.9	0.05	3850	<0.01	<0.3	<3	0.05	391	30	696	0.01	<0.5	3.5	<0.005	30.3
GTA-02		13.6	0.05	3970	0.01	<0.3	<3	0.05	424	30	696	0.02	<0.5	4.3	<0.005	31.6
GTA-02		13.1	0.06	3960	<0.01	<0.3	<3	0.06	403	30	689	0.02	<0.5	3.4	<0.005	32.0
GTA-02		14.2	0.04	3990	<0.01	0.5	<3	0.05	398	40	710	0.02	<0.5	3.9	<0.005	33.0
GTA-02		14.1	0.03	3930	<0.01	0.4	<3	0.06	384	40	701	<0.01	<0.5	4.3	<0.005	32.8
GTA-02		13.3	0.04	3950	0.01	<0.3	<3	0.07	409	30	709	0.01	<0.5	3.6	<0.005	33.0
GTA-02		14.8	0.03	3970	<0.01	0.3	<3	0.04	395	40	713	<0.01	<0.5	4.7	<0.005	31.0
Target Range - Lower Bound		11.5	<0.03	3510	<0.01	<0.3	<3	<0.04	353	<20	622	<0.01	<0.5	3.1	<0.005	27.4
Upper Bound		15.1	0.06	4290	0.03	1.0	11	0.12	438	80	760	0.02	2.1	4.0	0.010	33.6
OREAS 148		25.3	83.9	1325	<0.01	16.5	<3	32.1	1190	210	22.2	1.54	<0.5	48.4	0.347	12.00
OREAS 148		21.7	79.7	1320	<0.01	17.0	<3	33.1	1190	200	21.7	1.42	<0.5	47.2	0.362	12.05
OREAS 148		23.0	79.1	1410	<0.01	15.5	6	31.4	1195	210	22.2	1.43	<0.5	47.1	0.344	12.20
OREAS 148		23.8	79.3	1395	<0.01	16.5	<3	32.6	1170	200	22.3	1.50	<0.5	45.8	0.350	12.00
OREAS 148		22.5	78.4	1365	<0.01	15.7	6	31.6	1200	210	22.5	1.43	<0.5	46.1	0.351	11.70
OREAS 148		23.0	79.9	1380	0.01	17.3	3	30.9	1185	210	22.4	1.43	<0.5	46.6	0.352	11.90
OREAS 148		22.5	74.6	1375	<0.01	15.9	5	31.8	1160	200	21.5	1.42	<0.5	43.5	0.347	11.60
OREAS 148		21.9	77.5	1385	<0.01	15.0	<3	31.5	1185	210	21.2	1.47	<0.5	45.8	0.341	12.20
OREAS 148		25.2	77.8	1385	<0.01	17.6	4	31.8	1245	240	24.4	1.55	<0.5	47.5	0.385	12.85

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – D
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3	La2O3	Lu2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01	0.09	0.06
STANDARDS																
AMIS0343		<0.01	6.0	6	3.5	1.2	0.07	60								
AMIS0343		0.01	5.8	6	3.7	1.3	0.07	80								
AMIS0343		0.02	6.3	5	3.6	1.2	0.08	80								
AMIS0343		0.01	6.5	6	3.6	1.2	0.08	80								
AMIS0343		0.01	6.0	5	3.8	1.2	0.06	80								
AMIS0343		0.01	5.6	5	3.6	1.1	0.06	80								
Target Range – Lower Bound		<0.01	5.1	3	2.7	0.7	<0.02	60								
Upper Bound		0.03	6.7	7	4.3	1.7	0.09	100								
AMIS0684		<0.01	3.8	5	0.4	0.6	0.05	100								
AMIS0684		0.01	3.4	5	0.5	0.5	0.06	100								
AMIS0684		<0.01	3.5	2	0.3	0.5	0.04	80								
AMIS0684		<0.01	3.4	7	0.4	0.6	0.04	90								
AMIS0684		0.01	3.3	3	0.4	0.5	0.03	100								
AMIS0684		0.01	3.5	2	0.6	0.5	0.04	90								
AMIS0684		<0.01	4.0	1	0.5	0.5	0.02	110								
AMIS0684		0.02	3.7	4	0.5	0.5	0.05	100								
Target Range – Lower Bound		<0.01	2.9	<1	<0.3	<0.2	<0.02	70								
Upper Bound		0.03	4.0	5	1.1	0.9	0.07	120								
GTA-02		<0.01	5.8	3	5.3	0.3	<0.02	50								
GTA-02		<0.01	5.4	3	4.8	0.3	<0.02	40								
GTA-02		<0.01	5.7	3	5.3	0.3	0.02	50								
GTA-02		<0.01	5.6	4	5.3	0.3	0.02	60								
GTA-02		0.01	6.3	1	6.0	0.4	0.04	50								
GTA-02		<0.01	6.1	2	5.7	0.3	<0.02	50								
GTA-02		<0.01	5.8	1	5.5	0.3	0.02	50								
GTA-02		<0.01	6.3	2	5.3	0.3	0.03	50								
Target Range – Lower Bound		<0.01	4.8	<1	4.4	<0.2	<0.02	30								
Upper Bound		0.02	6.4	5	6.1	0.7	0.06	70								
OREAS 148		0.25	8.2	51	7.1	19.6	1.27	160								
OREAS 148		0.22	8.0	50	6.2	19.8	1.33	140								
OREAS 148		0.23	8.3	58	6.4	20.3	1.24	160								
OREAS 148		0.24	7.7	57	7.0	19.9	1.28	170								
OREAS 148		0.24	7.6	56	6.5	20.0	1.23	160								
OREAS 148		0.21	7.7	58	7.2	19.8	1.25	170								
OREAS 148		0.22	7.6	55	7.0	19.1	1.22	160								
OREAS 148		0.21	7.5	51	6.7	19.5	1.26	170								
OREAS 148		0.24	8.2	62	7.3	20.5	1.27	180								

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 2 – E
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nb2O5	Nd2O3	Pr2O3	Sm2O3	Ta2O5	Tb2O3	ThO2	Tm2O3	U3O8	WO3	Y2O3	Yb2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
STANDARDS													
AMIS0343													
AMIS0343													
AMIS0343													
AMIS0343													
AMIS0343													
AMIS0343													
Target Range – Lower Bound													
Upper Bound													
AMIS0684													
AMIS0684													
AMIS0684													
AMIS0684													
AMIS0684													
AMIS0684													
AMIS0684													
AMIS0684													
Target Range – Lower Bound													
Upper Bound													
GTA-02													
GTA-02													
GTA-02													
GTA-02													
GTA-02													
GTA-02													
GTA-02													
GTA-02													
Target Range – Lower Bound													
Upper Bound													
OREAS 148													
OREAS 148													
OREAS 148													
OREAS 148													
OREAS 148													
OREAS 148													
OREAS 148													
OREAS 148													
OREAS 148													

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Project: Harts

Page: 3 – A
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	
		Ag	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cs	Cu	Dy	Er	Eu	Fe	
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
		5	4	2	0.4	0.1	0.1	0.8	0.2	0.5	0.1	20	0.03	0.02	0.03	0.01	
STANDARDS																	
Target Range – Lower Bound		<5	48	906	34.5	17.3	0.7	<0.8	715	5.0	280	290	5.42	1.78	6.47	2.74	
Upper Bound		15	70	1110	43.1	21.3	1.1	2.1	875	7.6	342	410	6.70	2.22	7.97	3.38	
SY-5		<5	<4	6960	5.0	0.2	4.9	<0.8	474	23.3	0.8	20	11.65	5.38	7.26	7.42	
SY-5		<5	<4	6570	5.0	0.1	5.0	<0.8	478	22.5	0.6	30	11.20	5.35	7.27	7.43	
SY-5		<5	5	6520	5.0	0.2	4.9	<0.8	440	23.8	0.5	40	11.65	5.46	8.04	7.29	
SY-5		<5	<4	6710	4.7	0.1	4.9	<0.8	472	25.4	0.4	40	10.50	5.03	7.26	7.43	
SY-5		<5	<4	6460	4.7	0.1	5.0	<0.8	454	25.0	0.7	40	11.05	5.30	7.12	7.38	
SY-5		<5	<4	6440	5.3	<0.1	5.0	0.8	462	23.2	0.6	40	11.30	5.39	7.60	7.41	
SY-5		<5	<4	6510	5.0	<0.1	4.9	<0.8	444	24.1	0.6	40	10.90	5.48	6.99	7.59	
Target Range – Lower Bound		<5	<4	5830	3.6	<0.1	4.5	<0.8	413	20.3	0.4	<20	10.15	4.82	6.85	6.67	
Upper Bound		10	8	7130	5.7	0.2	5.7	1.6	505	25.9	0.8	80	12.50	5.94	8.43	8.17	
BLANKS																	
BLANK		<5	4	<2	<0.4	<0.1	<0.1	<0.8	0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	0.01	
BLANK		<5	4	3	<0.4	0.1	0.1	<0.8	<0.2	<0.5	<0.1	<20	<0.03	0.04	0.03	0.01	
BLANK		<5	<4	3	<0.4	<0.1	0.1	<0.8	<0.2	<0.5	<0.1	<20	0.03	0.02	<0.03	<0.01	
BLANK		<5	<4	<2	<0.4	0.1	0.1	<0.8	0.2	<0.5	0.1	<20	<0.03	<0.02	<0.03	<0.01	
BLANK		<5	<4	2	<0.4	0.1	0.1	<0.8	0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	<0.01	
BLANK		<5	<4	<2	<0.4	0.2	0.1	<0.8	<0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	0.01	
BLANK		<5	<4	2	<0.4	0.1	0.1	<0.8	<0.2	<0.5	0.1	<20	<0.03	<0.02	<0.03	0.01	
BLANK		<5	<4	2	<0.4	0.1	0.1	<0.8	<0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	0.01	
BLANK		<5	<4	4	<0.4	<0.1	<0.1	<0.8	0.3	<0.5	<0.1	<20	<0.03	<0.02	<0.03	<0.01	
BLANK		<5	<4	<2	<0.4	<0.1	0.2	<0.8	<0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	<0.01	
BLANK		<5	6	<2	<0.4	0.1	<0.1	<0.8	<0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	<0.01	
BLANK		<5	<4	<2	<0.4	<0.1	0.1	<0.8	<0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	<0.01	
BLANK		<5	<4	3	<0.4	<0.1	0.1	<0.8	0.2	<0.5	<0.1	<20	<0.03	<0.02			

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 - B
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Ga	Gd	Ge	Ho	In	K	La	Li	Lu	Mg	Mn	Mo	Nb	Nd	Ni
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.5	0.03	0.5	0.01	0.3	0.05	0.08	2	0.05	0.01	10	2	0.8	0.07	10
STANDARDS																
Target Range - Lower Bound		25.8	14.20	3.1	0.84	3.4	1.30	430	4280	0.06	0.41	330	6	1510	234	<10
Upper Bound		32.6	17.40	5.5	1.04	5.0	1.70	526	5240	0.28	0.53	430	15	1850	286	50
SY-5		23.5	19.60	1.7	2.06	<0.3	3.54	241	52	0.71	1.97	1010	10	24.5	210	80
SY-5		22.7	19.15	2.2	2.07	<0.3	3.44	238	52	0.71	1.96	1000	10	22.9	208	80
SY-5		20.8	20.1	1.4	2.25	<0.3	3.46	225	50	0.75	1.95	990	12	22.6	203	90
SY-5		21.2	18.50	2.2	1.92	<0.3	3.43	242	50	0.70	1.96	1000	9	23.7	192.0	80
SY-5		21.8	19.60	1.5	2.08	<0.3	3.46	229	50	0.70	1.97	1000	9	23.9	208	90
SY-5		21.2	19.80	1.9	2.01	<0.3	3.42	228	50	0.68	1.96	990	9	23.2	207	80
SY-5		20.9	18.00	1.6	2.00	<0.3	3.53	225	46	0.68	2.04	1020	9	22.2	198.5	90
Target Range - Lower Bound		18.9	17.80	0.8	1.83	<0.3	3.06	202	43	0.57	1.75	880	4	19.2	187.0	60
Upper Bound		24.3	21.8	3.0	2.25	0.6	3.86	248	56	0.84	2.16	1100	13	25.2	229	100
BLANKS																
BLANK		0.8	<0.03	1.0	<0.01	<0.3	0.06	0.14	2	<0.05	0.01	<10	<2	0.9	0.07	10
BLANK		<0.5	0.04	<0.5	0.02	<0.3	0.05	<0.08	<2	<0.05	<0.01	<10	<2	<0.8	<0.07	<10
BLANK		<0.5	<0.03	<0.5	0.01	<0.3	<0.05	<0.08	<2	<0.05	0.01	<10	<2	<0.8	<0.07	10
BLANK		<0.5	<0.03	0.7	<0.01	<0.3	<0.05	<0.08	<2	<0.05	0.01	<10	<2	<0.8	<0.07	<10
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<0.05	<0.08	<2	<0.05	0.01	<10	<2	<0.8	0.08	10
BLANK		<0.5	<0.03	<0.5	0.01	<0.3	<0.05	<0.08	<2	<0.05	0.01	<10	<2	<0.8	<0.07	<10
BLANK		0.7	<0.03	0.9	0.02	<0.3	<0.05	<0.08	2	<0.05	0.01	<10	<2	1.5	<0.07	10
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<0.05	<0.08	<2	<0.05	0.01	<10	<2	<0.8	0.12	10
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<0.05	<0.08	<2	<0.05	0.01	<10	<2	<0.8	<0.07	10
BLANK		<0.5	0.03	0.7	0.01	<0.3	0.08	<0.08	<2	<0.05	<0.01	<10	<2	<0.8	<0.07	<10
BLANK		<0.5	<0.03	<0.5	0.01	<0.3	<0.05	<0.08	<2	<0.05	<0.01	<10	<2	<0.8	<0.07	<10
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	0.05	<0.08	2	<0.05	0.01	<10	<2	<0.8	<0.07	<10
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<0.05	0.11	<2	<0.05	0.01	<10	<2	0.8	0.10	<10
BLANK		<0.5	<0.03	0.8	<0.01	<0.3	<0.05	<0.08	3	<0.05	<0.01	<10	<2	<0.8	0.08	<10
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	0.05	<0.08	<2	<0.05	0.01	<10	<2	<0.8	<0.07	10
BLANK		<0.5	<0.03	<0.5	0.01	<0.3	<0.05	<0.08	<2	<0.05	0.01	<10	<2	<0.8	<0.07	10
BLANK		0.6	<0.03	0.9	<0.01	<0.3	<0.05	<0.08	3	<0.05	0.01	<10	<2	<0.8	<0.07	10
BLANK		<0.5	<0.03	0.8	<0.01	<0.3	<0.05	0.09	<2	<0.05	0.01	<10	<2	<0.8	0.09	10
BLANK		1.0	<0.03	0.5	<0.01	<0.3	<0.05	<0.08	<2	<0.05	<0.01	<10	<2	<0.8	<0.07	<10
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<0.05	<0.08	3	<0.05	<0.01	<10	<2	0.8	<0.07	10
BLANK		<0.5	<0.03	0.6	<0.01	<0.3	<0.05	<0.08	<2	<0.05	0.01	<10	<2	<0.8	<0.07	10
BLANK		<0.5	<0.03	0.5	<0.01	<0.3	<0.05	<0.08	<2	<0.05	<0.01	<10	<2	<0.8	<0.07	<10
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<0.05	0.08	2	<0.05	<0.01	<10	<2	<0.8	0.13	10
BLANK		<0.5	<0.03	0.5	0.01	<0.3	<0.05	<0.08	<2	<0.05	<0.01	<10	<2	<0.8	0.16	<10

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 – C
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5	0.1	0.005	0.02
STANDARDS																
Target Range – Lower Bound		25.1	73.8	1225	<0.01	14.4	<3	30.8	1040	160	19.95	1.41	<0.5	45.8	0.294	11.05
Upper Bound		31.7	90.2	1500	0.02	18.2	6	37.8	1275	260	24.5	1.75	1.0	56.2	0.410	13.55
SY-5		60.1	56.8	79.1	<0.01	0.6	<3	32.4	4	3140	1.00	2.25	<0.5	23.3	1.070	0.57
SY-5		61.6	56.3	76.3	<0.01	0.3	<3	29.0	8	3110	1.02	2.18	<0.5	25.4	1.055	0.59
SY-5		61.7	54.6	80.3	<0.01	1.0	<3	30.2	3	3140	0.93	2.30	<0.5	24.6	1.070	0.54
SY-5		61.8	53.4	75.8	<0.01	0.6	<3	28.8	3	3050	0.99	2.14	<0.5	25.2	1.060	0.58
SY-5		61.3	51.0	75.4	0.01	0.5	5	30.0	6	3090	0.94	2.27	<0.5	23.0	1.060	0.56
SY-5		59.4	55.3	76.6	<0.01	0.8	3	31.0	3	3090	0.92	2.25	<0.5	24.5	1.050	0.54
SY-5		55.5	50.9	76.0	<0.01	<0.3	3	29.3	3	3090	0.97	2.13	<0.5	22.6	1.075	0.55
Target Range – Lower Bound		58.8	49.7	68.7		<0.3	<3	28.0	<3	2770	0.91	2.02	<0.5	22.6	0.896	0.53
Upper Bound		73.0	60.9	85.1		1.2	8	34.3	9	3430	1.21	2.50	1.0	27.8	1.225	0.70
BLANKS																
BLANK		<0.5	0.03	<0.5	<0.01	<0.3	<3	0.04	<3	20	0.11	<0.01	0.6	<0.1	<0.005	<0.02
BLANK		<0.5	0.04	<0.5	<0.01	<0.3	<3	0.04	<3	20	0.11	0.01	<0.5	<0.1	<0.005	0.03
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<3	<0.04	<3	20	0.05	0.02	<0.5	<0.1	<0.005	0.03
BLANK		0.5	<0.03	<0.5	<0.01	<0.3	3	<0.04	<3	<20	<0.04	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<3	<0.04	<3	20	<0.04	<0.01	<0.5	0.1	<0.005	<0.02
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<3	<0.04	<3	<20	<0.04	0.01	<0.5	<0.1	<0.005	<0.02
BLANK		0.5	<0.03	0.5	<0.01	0.5	6	<0.04	4	20	0.12	0.02	<0.5	<0.1	<0.005	0.03
BLANK		<0.5	0.03	0.6	<0.01	<0.3	<3	<0.04	<3	<20	<0.04	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		0.5	0.03	<0.5	<0.01	<0.3	<3	0.04	5	<20	<0.04	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<3	<0.04	<3	<20	0.07	0.01	<0.5	<0.1	<0.005	<0.02
BLANK		<0.5	<0.03	<0.5	<0.01	0.4	<3	<0.04	<3	<20	0.10	0.01	<0.5	<0.1	<0.005	<0.02
BLANK		<0.5	<0.03	<0.5	<0.01	0.4	3	<0.04	3	<20	0.12	<0.01	<0.5	<0.1	<0.005	0.03
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	4	<0.04	6	<20	<0.04	<0.01	<0.5	0.1	<0.005	<0.02
BLANK		<0.5	<0.03	0.8	<0.01	0.3	<3	<0.04	<3	20	0.18	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		0.8	<0.03	<0.5	<0.01	0.5	<3	<0.04	3	20	0.09	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		<0.5	<0.03	<0.5	0.01	0.4	<3	<0.04	4	<20	<0.04	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		0.5	<0.03	<0.5	0.01	0.3	3	<0.04	4	<20	0.11	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		0.5	<0.03	<0.5	0.01	<0.3	<3	<0.04	3	<20	<0.04	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		0.5	<0.03	0.5	<0.01	<0.3	<3	<0.04	<3	20	0.10	<0.01	<0.5	<0.1	<0.005	0.02
BLANK		<0.5	<0.03	<0.5	<0.01	0.6	<3	<0.04	4	<20	0.10	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		0.7	<0.03	0.5	0.01	<0.3	3	<0.04	<3	<20	0.12	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		<0.5	<0.03	<0.5	<0.01	<0.3	<3	<0.04	<3	<20	<0.04	<0.01	<0.5	<0.1	<0.005	<0.02
BLANK		<0.5	0.03	0.9	<0.01	<0.3	<3	<0.04	<3	<20	0.21	<0.01	<0.5	0.1	<0.005	<0.02
BLANK		0.8	0.05	0.7	<0.01	0.3	<3	0.06	<3	20	0.12	0.01	<0.5	0.1	<0.005	<0.02

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 3 - D
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Tm	U	V	W	Y	Yb	Zn	CeO2	Dy2O3	Er2O3	Eu2O3	Gd2O3	Ho2O3	La2O3	Lu2O3
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.2	1	0.3	0.2	0.02	10	0.2	0.03	0.02	0.03	0.03	0.01	0.09	0.06
STANDARDS																
Target Range - Lower Bound		0.21	7.5	49	5.5	17.3	1.21	130								
Upper Bound		0.27	9.6	63	7.4	21.5	1.53	190								
SY-5		0.74	4.8	142	0.3	59.9	4.70	140								
SY-5		0.71	5.1	138	0.5	57.7	4.35	150								
SY-5		0.76	4.9	142	0.3	60.7	5.03	140								
SY-5		0.68	4.9	134	0.5	59.0	4.50	140								
SY-5		0.75	5.1	138	0.5	57.6	4.53	140								
SY-5		0.71	4.8	133	0.5	56.2	4.66	140								
SY-5		0.69	4.6	134	<0.3	55.1	4.53	130								
Target Range - Lower Bound		0.64	4.4	118	<0.3	50.5	4.16	100								
Upper Bound		0.81	5.8	146	0.6	62.1	5.12	160								
BLANKS																
BLANK		<0.01	<0.2	1	<0.3	<0.2	<0.02	10								
BLANK		0.02	<0.2	1	<0.3	<0.2	0.02	10								
BLANK		0.02	<0.2	<1	<0.3	<0.2	0.02	<10								
BLANK		<0.01	<0.2	<1	<0.3	<0.2	<0.02	<10								
BLANK		<0.01	<0.2	1	<0.3	<0.2	<0.02	<10								
BLANK		0.01	<0.2	2	<0.3	<0.2	<0.02	10								
BLANK		0.02	<0.2	2	0.3	<0.2	0.03	10								
BLANK		<0.01	<0.2	<1	<0.3	<0.2	<0.02	<10								
BLANK		<0.01	<0.2	2	<0.3	<0.2	0.02	20								
BLANK		<0.01	<0.2	2	<0.3	<0.2	<0.02	10								
BLANK		0.01	<0.2	<1	<0.3	<0.2	0.02	<10								
BLANK		<0.01	<0.2	<1	<0.3	<0.2	<0.02	10								
BLANK		<0.01	<0.2	<1	<0.3	<0.2	<0.02	<10								
BLANK		<0.01	<0.2	<1	<0.3	<0.2	<0.02	<10								
BLANK		<0.01	<0.2	<1	<0.3	<0.2	<0.02	<10								
BLANK		<0.01	<0.2	<1	<0.3	<0.2	<0.02	<10								
BLANK		<0.01	<0.2	2	<0.3	<0.2	<0.02	10								
BLANK		<0.01	<0.2	<1	<0.3	<0.2	0.02	10								
BLANK		<0.01	<0.2	1	<0.3	<0.2	<0.02	<10								
BLANK		0.01	<0.2	<1	<0.3	<0.2	<0.02	10								
BLANK		<0.01	<0.2	<1	<0.3	<0.2	<0.02	<10								
BLANK		<0.01	<0.2	<1	<0.3	<0.2	<0.02	<10								
BLANK		<0.01	<0.2	2	<0.3	<0.2	<0.02	<10								
BLANK		0.01	<0.2	1	<0.3	<0.2	0.02	<10								

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Project: Harts

Page: 3 – E
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

[illegible]

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 - A
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01
BLANKS																
BLANK		<5	<4	3	<0.4	<0.1	0.1	<0.8	<0.2	<0.5	0.1	<20	<0.03	<0.02	<0.03	0.01
Target Range - Lower Bound		<5	<4	<2	<0.4	<0.1	<0.1	<0.8	<0.2	<0.5	<0.1	<20	<0.03	<0.02	<0.03	<0.01
Upper Bound		10	8	4	0.8	0.2	0.2	1.6	0.4	1.0	0.2	40	0.06	0.04	0.06	0.02
DUPLICATES																
NFM00514		<5	<4	509	2.9	<0.1	1.7	<0.8	97.7	26.5	3.5	30	4.86	2.39	1.32	6.84
DUP		<5	<4	482	2.7	<0.1	1.7	<0.8	103.5	25.3	3.7	30	4.84	2.51	1.40	6.63
Target Range - Lower Bound		<5	<4	469	2.3	<0.1	1.5	<0.8	95.4	24.1	3.3	<20	4.58	2.31	1.26	6.39
Upper Bound		10	8	522	3.3	0.2	1.9	1.6	106.0	27.7	3.9	40	5.12	2.59	1.46	7.08
NFM00357		<5	9	444	1.8	0.5	6.0	<0.8	92.2	28.5	1.4	30	6.69	4.19	1.59	6.98
DUP		<5	9	439	1.5	0.5	6.0	<0.8	88.0	27.8	1.3	30	6.23	3.77	1.62	6.82
Target Range - Lower Bound		<5	5	417	1.2	0.4	5.6	<0.8	85.4	26.2	1.2	<20	6.11	3.76	1.49	6.55
Upper Bound		10	13	466	2.1	0.6	6.4	1.6	94.8	30.1	1.5	40	6.81	4.20	1.72	7.26
NFM00616		<5	<4	597	4.0	0.1	1.3	<0.8	96.4	26.0	3.6	<20	5.05	3.23	1.48	8.23
DUP		<5	<4	587	3.8	0.1	1.3	<0.8	102.5	24.9	3.8	<20	5.05	3.13	1.46	8.24
Target Range - Lower Bound		<5	<4	560	3.3	<0.1	1.1	<0.8	94.3	23.7	3.4	<20	4.77	3.00	1.37	7.81
Upper Bound		10	8	624	4.5	0.2	1.5	1.6	104.5	27.2	4.0	40	5.33	3.36	1.57	8.66
NFM00639		<5	7	931	1.1	0.5	8.9	<0.8	201	45.5	1.1	<20	5.09	2.14	3.30	7.67
DUP		<5	7	926	1.1	0.5	8.2	<0.8	205	42.9	0.9	<20	4.92	2.24	3.13	7.07
Target Range - Lower Bound		<5	<4	880	0.6	0.4	8.0	<0.8	192.5	41.5	0.9	<20	4.72	2.06	3.02	6.99
Upper Bound		10	8	977	1.6	0.6	9.1	1.6	213	46.9	1.2	40	5.29	2.32	3.41	7.75
NFM00660		<5	5	557	3.0	0.3	2.7	<0.8	88.9	21.9	5.2	<20	5.84	3.42	1.36	5.88
DUP		<5	4	569	3.3	0.2	2.9	<0.8	92.8	20.7	5.1	<20	5.60	3.25	1.22	6.01
Target Range - Lower Bound		<5	<4	533	2.6	<0.1	2.6	<0.8	86.1	19.7	4.8	<20	5.40	3.15	1.20	5.64
Upper Bound		10	8	593	3.7	0.4	3.0	1.6	95.6	22.9	5.5	40	6.04	3.52	1.38	6.25
NFM00672		<5	<4	561	1.0	<0.1	4.9	<0.8	86.2	25.5	2.0	80	4.41	2.19	1.70	5.77
DUP		<5	<4	534	1.3	<0.1	5.5	<0.8	84.4	25.6	1.8	40	4.30	2.19	1.71	6.44
Target Range - Lower Bound		<5	<4	518	0.7	<0.1	4.8	<0.8	80.8	23.8	1.7	40	4.11	2.06	1.59	5.79
Upper Bound		10	8	577	1.6	0.2	5.6	1.6	89.8	27.3	2.1	80	4.60	2.32	1.82	6.42
NFM00694		<5	7	439	1.9	0.4	6.1	<0.8	75.1	22.2	3.8	<20	4.53	2.61	1.17	5.81
DUP		<5	7	457	1.8	0.4	6.2	<0.8	76.6	21.5	4.1	<20	4.42	2.59	1.17	5.79
Target Range - Lower Bound		<5	<4	424	1.4	0.3	5.7	<0.8	71.9	20.3	3.7	<20	4.22	2.45	1.08	5.50
Upper Bound		10	8	472	2.3	0.5	6.6	1.6	79.8	23.4	4.2	40	4.73	2.75	1.26	6.10

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 - B
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8	ME-MS89L Nd ppm 0.07	ME-MS89L Ni ppm 10
BLANK		<0.5	<0.03	0.9	<0.01	<0.3	<0.05	<0.08	3	<0.05	0.01	<10	<2	1.5	<0.07	10
Target Range - Lower Bound		<0.5	<0.03	<0.5	<0.01	<0.3	<0.05	<0.08	<2	<0.05		<10	<2	<0.8	<0.07	<10
Upper Bound		1.0	0.06	1.0	0.02	0.6	0.10	0.16	4	0.10		20	4	1.6	0.14	20
DUPLICATES																
NFM00514		28.1	5.99	1.9	0.90	<0.3	2.74	52.5	40	0.28	2.66	810	<2	12.5	42.6	90
DUP		28.0	6.50	1.8	0.96	<0.3	2.76	52.2	38	0.29	2.57	800	4	12.2	44.5	100
Target Range - Lower Bound		26.1	5.90	1.3	0.87	<0.3	2.56	49.7	35	0.22	2.47	750	<2	10.9	41.3	80
Upper Bound		30.0	6.59	2.4	0.99	0.6	2.94	55.0	43	0.35	2.76	860	4	13.8	45.8	110
NFM00357		19.8	6.40	2.8	1.42	<0.3	1.79	44.7	12	0.57	2.14	1430	2	11.1	40.2	60
DUP		18.6	6.41	2.8	1.30	<0.3	1.79	42.3	9	0.54	2.08	1400	2	10.7	38.1	50
Target Range - Lower Bound		17.7	6.05	2.2	1.28	<0.3	1.65	41.2	8	0.48	1.99	1330	<2	9.6	37.1	40
Upper Bound		20.7	6.76	3.4	1.44	0.6	1.93	45.8	13	0.63	2.23	1500	4	12.2	41.2	70
NFM00616		28.8	6.57	2.0	1.10	<0.3	3.22	48.4	27	0.34	1.71	1730	<2	10.9	37.0	50
DUP		28.7	6.32	2.4	1.14	<0.3	3.25	50.0	21	0.37	1.73	1750	<2	11.0	39.7	60
Target Range - Lower Bound		26.8	6.09	1.6	1.05	<0.3	3.02	46.7	21	0.29	1.62	1640	<2	9.6	36.4	40
Upper Bound		30.7	6.80	2.8	1.19	0.6	3.45	51.7	27	0.42	1.82	1840	4	12.3	40.3	70
NFM00639		15.7	8.83	2.3	0.82	<0.3	1.10	91.7	23	0.23	5.80	1480	3	3.7	82.1	220
DUP		14.6	9.33	2.2	0.86	<0.3	1.01	91.6	18	0.26	5.38	1390	2	3.7	83.9	200
Target Range - Lower Bound		13.9	8.60	1.6	0.79	<0.3	0.95	87.0	17	0.18	5.30	1350	<2	2.7	78.8	190
Upper Bound		16.4	9.56	2.9	0.89	0.6	1.16	96.3	24	0.31	5.88	1520	4	4.7	87.2	230
NFM00660		24.7	6.48	2.4	1.22	<0.3	2.75	46.3	28	0.55	1.70	1620	2	12.8	39.5	40
DUP		24.3	6.35	3.0	1.14	<0.3	2.77	47.6	27	0.53	1.74	1630	2	11.8	42.3	60
Target Range - Lower Bound		22.8	6.06	2.1	1.11	<0.3	2.57	44.5	24	0.46	1.62	1530	<2	10.9	38.8	40
Upper Bound		26.2	6.77	3.3	1.25	0.6	2.95	49.4	31	0.62	1.82	1720	4	13.7	43.0	60
NFM00672		22.1	5.50	0.8	0.81	<0.3	1.17	39.6	15	0.29	1.85	890	2	7.8	40.0	40
DUP		21.7	5.43	0.9	0.83	<0.3	1.29	38.8	12	0.29	2.06	1000	2	7.8	39.8	50
Target Range - Lower Bound		20.3	5.16	<0.5	0.77	<0.3	1.12	37.2	11	0.23	1.85	890	<2	6.6	37.8	30
Upper Bound		23.5	5.77	1.0	0.87	0.6	1.34	41.2	16	0.35	2.06	1000	4	9.0	42.0	60
NFM00694		22.0	5.48	3.4	0.95	<0.3	2.55	37.8	26	0.36	1.47	1150	2	10.4	26.8	50
DUP		21.8	5.17	3.2	0.86	<0.3	2.57	37.8	34	0.34	1.50	1140	2	10.6	27.4	40
Target Range - Lower Bound		20.3	5.03	2.6	0.85	<0.3	2.38	35.8	27	0.28	1.40	1080	<2	9.2	25.7	30
Upper Bound		23.5	5.62	4.0	0.96	0.6	2.74	39.8	34	0.42	1.57	1210	4	11.8	28.5	60

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 - C
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Pb ppm 0.5	ME-MS89L Pr ppm 0.03	ME-MS89L Rb ppm 0.5	ME-MS89L Re ppm 0.01	ME-MS89L Sb ppm 0.3	ME-MS89L Se ppm 3	ME-MS89L Sm ppm 0.04	ME-MS89L Sn ppm 3	ME-MS89L Sr ppm 20	ME-MS89L Ta ppm 0.04	ME-MS89L Tb ppm 0.01	ME-MS89L Te ppm 0.5	ME-MS89L Th ppm 0.1	ME-MS89L Ti % 0.005	ME-MS89L Tl ppm 0.02
BLANK		0.7	<0.03	0.7	<0.01	<0.3	<3	<0.04	5	20	0.10	<0.01	<0.5	0.1	<0.005	<0.02
Target Range - Lower Bound		<0.5	<0.03	<0.5	<0.01	<0.3	<3	<0.04	<3	<20	<0.04	<0.01	<0.5	<0.1	<0.005	<0.02
Upper Bound		1.0	0.06	1.0	0.02	0.6	6	0.08	6	40	0.08	0.02	1.0	0.2	0.010	0.04
DUPLICATES																
NFM00514		11.9	11.10	155.0	<0.01	<0.3	4	7.19	6	140	0.80	0.87	<0.5	18.5	0.430	0.73
DUP		11.3	11.80	152.5	<0.01	<0.3	<3	7.58	7	130	0.70	0.95	<0.5	19.3	0.431	0.76
Target Range - Lower Bound		10.5	10.85	145.5	<0.01	<0.3	<3	6.98	<3	110	0.67	0.85	<0.5	17.9	0.393	0.69
Upper Bound		12.7	12.05	162.0	0.02	0.6	6	7.79	10	160	0.83	0.97	1.0	19.9	0.468	0.80
NFM00357		14.4	10.90	79.4	<0.01	2.0	<3	7.81	<3	220	0.36	1.05	0.7	18.3	0.627	0.32
DUP		13.4	10.45	79.6	<0.01	2.2	<3	7.08	<3	220	0.35	0.97	0.5	16.2	0.617	0.32
Target Range - Lower Bound		12.7	10.10	75.0	<0.01	1.7	<3	7.03	<3	190	0.30	0.95	<0.5	16.3	0.570	0.28
Upper Bound		15.1	11.25	84.0	0.02	2.5	6	7.86	6	250	0.41	1.07	1.0	18.2	0.674	0.36
NFM00616		9.4	10.95	186.0	<0.01	0.4	<3	7.05	7	100	0.64	0.89	<0.5	17.1	0.456	0.71
DUP		9.5	11.75	179.5	<0.01	0.5	<3	7.07	7	110	0.57	0.97	<0.5	18.6	0.463	0.71
Target Range - Lower Bound		8.5	10.75	173.0	<0.01	<0.3	<3	6.67	4	80	0.53	0.87	<0.5	16.9	0.420	0.65
Upper Bound		10.4	11.95	192.5	0.02	0.6	6	7.45	10	130	0.68	0.99	1.0	18.8	0.499	0.77
NFM00639		20.8	23.2	24.8	<0.01	<0.3	<3	13.00	<3	1550	0.30	1.00	<0.5	17.5	0.487	0.13
DUP		20.6	23.4	23.9	<0.01	<0.3	<3	13.65	<3	1480	0.23	1.02	<0.5	17.7	0.462	0.14
Target Range - Lower Bound		19.2	22.1	22.6	<0.01	<0.3	<3	12.60	<3	1420	0.21	0.95	<0.5	16.6	0.434	0.11
Upper Bound		22.2	24.5	26.1	0.02	0.6	6	14.05	6	1610	0.32	1.07	1.0	18.6	0.515	0.16
NFM00660		13.0	10.25	179.5	<0.01	<0.3	4	7.27	7	140	0.64	0.97	<0.5	17.8	0.405	0.55
DUP		12.4	10.50	163.0	<0.01	<0.3	3	7.93	5	130	0.73	0.93	<0.5	17.5	0.421	0.58
Target Range - Lower Bound		11.6	9.83	162.0	<0.01	<0.3	<3	7.18	<3	110	0.61	0.89	<0.5	16.7	0.377	0.52
Upper Bound		13.8	10.90	180.5	0.02	0.6	6	8.02	9	160	0.76	1.01	1.0	18.6	0.449	0.61
NFM00672		13.2	10.40	40.0	<0.01	<0.3	<3	7.34	3	520	0.19	0.73	<0.5	6.0	0.601	0.13
DUP		13.2	10.30	40.1	<0.01	<0.3	<3	6.92	3	520	0.22	0.75	<0.5	5.9	0.671	0.10
Target Range - Lower Bound		12.0	9.80	37.5	<0.01	<0.3	<3	6.73	<3	470	0.15	0.69	<0.5	5.6	0.583	0.09
Upper Bound		14.4	10.90	42.6	0.02	0.6	6	7.53	6	570	0.26	0.79	1.0	6.3	0.689	0.14
NFM00694		16.0	8.76	144.5	<0.01	1.0	3	5.71	4	140	0.79	0.85	<0.5	14.2	0.400	0.39
DUP		15.4	8.98	149.0	<0.01	1.2	3	5.81	5	140	0.74	0.77	<0.5	14.0	0.409	0.43
Target Range - Lower Bound		14.4	8.40	139.0	<0.01	0.7	<3	5.43	<3	110	0.69	0.76	<0.5	13.3	0.369	0.37
Upper Bound		17.0	9.34	154.5	0.02	1.5	6	6.09	6	170	0.84	0.86	1.0	14.9	0.440	0.45

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – D
 Total # Pages: 7 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Tm ppm 0.01	ME-MS89L U ppm 0.2	ME-MS89L V ppm 1	ME-MS89L W ppm 0.3	ME-MS89L Y ppm 0.2	ME-MS89L Yb ppm 0.02	ME-MS89L Zn ppm 10	ME-MS89L CeO2 ppm 0.2	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L La2O3 ppm 0.09	ME-MS89L Lu2O3 ppm 0.06
BLANKS																
BLANK		<0.01	<0.2	<1	0.4	<0.2	<0.02	10								
Target Range – Lower Bound		<0.01	<0.2	<1	<0.3	<0.2	<0.02	<10								
Upper Bound		0.02	0.4	2	0.6	0.4	0.04	20								
DUPLICATES																
NFM00514		0.29	1.6	101	0.5	23.7	1.88	100	120.0	5.58	2.73	1.53	6.90	1.03	61.6	0.32
DUP		0.36	1.7	99	0.7	24.9	1.94	100	127.0	5.55	2.87	1.62	7.49	1.10	61.2	0.33
Target Range – Lower Bound		0.30	1.4	94	<0.3	22.9	1.79	90	117.0	5.26	2.64	1.47	6.81	1.00	58.2	0.25
Upper Bound		0.35	1.9	106	0.9	25.7	2.03	120	130.0	5.87	2.96	1.68	7.58	1.13	64.6	0.40
NFM00357		0.54	2.1	164	1.4	35.3	3.98	100	113.5	7.68	4.79	1.84	7.38	1.63	52.4	0.65
DUP		0.52	2.0	163	1.4	34.8	3.86	90	108.0	7.15	4.31	1.88	7.39	1.49	49.6	0.61
Target Range – Lower Bound		0.49	1.7	154	1.0	33.1	3.70	80	105.0	7.01	4.30	1.74	6.99	1.47	48.4	0.54
Upper Bound		0.57	2.4	173	1.8	37.0	4.14	110	116.5	7.82	4.80	1.98	7.78	1.65	53.6	0.72
NFM00616		0.40	1.5	112	1.5	29.3	2.39	90	118.5	5.80	3.69	1.71	7.57	1.26	56.8	0.39
DUP		0.41	1.6	105	1.6	30.2	2.71	80	126.0	5.80	3.58	1.69	7.28	1.31	58.6	0.42
Target Range – Lower Bound		0.37	1.3	102	1.2	28.1	2.40	70	116.0	5.48	3.43	1.59	7.02	1.21	54.7	0.32
Upper Bound		0.44	1.8	115	1.9	31.4	2.70	100	128.5	6.12	3.84	1.82	7.83	1.36	60.7	0.49
NFM00639		0.26	2.5	172	8.4	21.8	1.68	100	247	5.84	2.45	3.82	10.20	0.94	107.5	0.26
DUP		0.28	2.5	159	7.7	20.5	1.66	90	252	5.65	2.56	3.62	10.75	0.99	107.5	0.30
Target Range – Lower Bound		0.25	2.2	156	7.3	19.9	1.57	80	237	5.43	2.36	3.50	9.92	0.91	102.0	0.21
Upper Bound		0.29	2.8	175	8.8	22.4	1.77	110	262	6.06	2.65	3.94	11.05	1.02	113.0	0.35
NFM00660		0.52	2.1	100	1.5	33.7	3.15	110	109.0	6.70	3.91	1.57	7.47	1.40	54.3	0.63
DUP		0.49	2.1	86	1.4	32.2	3.02	100	114.0	6.43	3.72	1.41	7.32	1.31	55.8	0.60
Target Range – Lower Bound		0.47	1.8	87	1.1	31.1	2.91	90	105.5	6.21	3.60	1.39	7.00	1.28	52.2	0.52
Upper Bound		0.54	2.4	99	1.8	34.8	3.26	120	117.5	6.92	4.03	1.59	7.79	1.43	57.9	0.71
NFM00672		0.34	1.5	175	0.9	22.4	1.91	100	106.0	5.06	2.50	1.97	6.34	0.93	46.4	0.33
DUP		0.31	1.4	177	0.7	22.5	1.93	100	103.5	4.94	2.50	1.98	6.26	0.95	45.5	0.33
Target Range – Lower Bound		0.30	1.2	166	0.5	21.1	1.80	90	99.3	4.72	2.36	1.85	5.96	0.88	43.6	0.25
Upper Bound		0.35	1.7	186	1.1	23.8	2.04	120	110.0	5.28	2.65	2.10	6.65	1.00	48.3	0.41
NFM00694		0.39	2.1	118	1.8	27.5	2.50	100	92.3	5.20	2.98	1.35	6.32	1.09	44.3	0.41
DUP		0.35	1.9	116	1.8	27.9	2.39	100	94.1	5.07	2.96	1.35	5.96	0.99	44.3	0.39
Target Range – Lower Bound		0.34	1.7	110	1.4	26.1	2.30	90	88.3	4.85	2.80	1.25	5.80	0.98	42.0	0.32
Upper Bound		0.40	2.3	124	2.2	29.3	2.59	120	98.1	5.42	3.14	1.45	6.48	1.10	46.6	0.48

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 4 – E
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Nb2O5 ppm 1	ME-MS89L Nd2O3 ppm 0.08	ME-MS89L Pr2O3 ppm 0.04	ME-MS89L Sm2O3 ppm 0.05	ME-MS89L Ta2O5 ppm 0.05	ME-MS89L Tb2O3 ppm 0.01	ME-MS89L ThO2 ppm 0.1	ME-MS89L Tm2O3 ppm 0.01	ME-MS89L U3O8 ppm 0.2	ME-MS89L WO3 ppm 0.4	ME-MS89L Y2O3 ppm 0.3	ME-MS89L Yb2O3 ppm 0.02
BLANKS													
BLANK													
Target Range – Lower Bound													
Upper Bound													
DUPLICATES													
NFM00514		18	49.7	13.00	8.34	0.98	1.00	21.1	0.33	1.9	0.6	30.1	2.14
DUP		17	51.9	13.80	8.79	0.85	1.09	22.0	0.41	2.0	0.9	31.6	2.21
Target Range – Lower Bound		16	48.2	12.70	8.09	0.82	0.98	20.4	0.34	1.7	<0.4	29.0	2.05
Upper Bound		19	53.4	14.10	9.04	1.01	1.11	22.7	0.40	2.2	0.8	32.7	2.30
NFM00357		16	46.9	12.75	9.06	0.44	1.21	20.8	0.62	2.5	1.8	44.8	4.53
DUP		15	44.4	12.25	8.21	0.43	1.12	18.4	0.59	2.4	1.8	44.2	4.40
Target Range – Lower Bound		14	43.3	11.85	8.15	0.36	1.10	18.5	0.56	2.1	1.3	42.0	4.22
Upper Bound		17	48.0	13.15	9.12	0.51	1.23	20.7	0.65	2.8	2.3	47.0	4.71
NFM00616		16	43.2	12.80	8.18	0.78	1.02	19.5	0.46	1.8	1.9	37.2	2.72
DUP		16	46.3	13.75	8.20	0.70	1.12	21.2	0.47	1.9	2.0	38.4	3.09
Target Range – Lower Bound		14	42.4	12.55	7.73	0.65	1.01	19.2	0.43	1.6	1.5	35.6	2.74
Upper Bound		18	47.1	14.00	8.65	0.83	1.13	21.5	0.50	2.1	2.4	40.0	3.07
NFM00639		5	95.8	27.2	15.05	0.37	1.15	19.9	0.30	2.9	10.6	27.7	1.91
DUP		5	97.9	27.4	15.85	0.28	1.17	20.1	0.32	2.9	9.7	26.0	1.89
Target Range – Lower Bound		4	91.9	25.9	14.65	0.26	1.09	18.9	0.28	2.6	9.2	25.2	1.79
Upper Bound		6	102.0	28.7	16.25	0.39	1.23	21.1	0.34	3.2	11.1	28.5	2.02
NFM00660		18	46.1	12.00	8.43	0.78	1.12	20.3	0.59	2.5	1.9	42.8	3.59
DUP		17	49.3	12.30	9.20	0.89	1.07	19.9	0.56	2.5	1.8	40.9	3.44
Target Range – Lower Bound		16	45.2	11.50	8.32	0.74	1.03	19.0	0.54	2.2	1.4	39.5	3.32
Upper Bound		19	50.2	12.80	9.31	0.93	1.16	21.2	0.61	2.8	2.3	44.2	3.71
NFM00672		11	46.7	12.15	8.51	0.23	0.84	6.8	0.39	1.8	1.1	28.4	2.17
DUP		11	46.4	12.05	8.02	0.27	0.86	6.7	0.35	1.7	0.9	28.6	2.20
Target Range – Lower Bound		9	44.1	11.45	7.80	0.19	0.80	6.3	0.34	1.5	0.6	26.8	2.06
Upper Bound		13	49.0	12.75	8.73	0.31	0.90	7.2	0.40	2.0	1.5	30.2	2.31
NFM00694		15	31.3	10.25	6.62	0.96	0.98	16.2	0.45	2.5	2.3	34.9	2.85
DUP		15	32.0	10.50	6.74	0.90	0.89	15.9	0.40	2.2	2.3	35.4	2.72
Target Range – Lower Bound		13	30.0	9.82	6.30	0.83	0.88	15.1	0.39	2.0	1.8	33.1	2.63
Upper Bound		17	33.3	10.95	7.06	1.03	0.99	17.0	0.46	2.7	2.8	37.2	2.94

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – A
 Total # Pages: 7 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01
DUPLICATES																
NFM00706		<5	4	488	1.2	0.1	4.3	<0.8	95.8	28.0	2.3	130	4.60	2.46	1.94	6.70
DUP		<5	4	494	1.4	0.2	4.5	<0.8	102.5	28.6	2.3	110	4.78	2.35	2.07	6.87
Target Range – Lower Bound		<5	<4	464	0.8	<0.1	4.1	<0.8	94.0	26.4	2.1	90	4.43	2.26	1.87	6.44
Upper Bound		10	8	518	1.8	0.2	4.7	1.6	104.5	30.2	2.5	150	4.95	2.55	2.14	7.13
NFM00726		<5	<4	396	3.3	0.1	2.9	<0.8	75.6	23.3	3.6	<20	4.82	2.79	1.46	6.30
DUP		<5	<4	400	3.3	0.1	3.0	<0.8	79.5	22.4	3.6	<20	4.57	2.77	1.32	6.31
Target Range – Lower Bound		<5	<4	376	2.7	<0.1	2.7	<0.8	73.5	21.2	3.3	<20	4.43	2.62	1.29	5.98
Upper Bound		10	8	420	3.9	0.2	3.2	1.6	81.6	24.5	3.9	40	4.96	2.94	1.49	6.63
NFM00737		<5	4	98	1.0	0.4	7.8	<0.8	27.8	53.2	1.5	90	4.70	3.21	1.13	8.63
DUP		<5	4	99	1.0	0.4	7.8	<0.8	29.3	50.6	1.4	100	4.65	2.90	1.06	8.61
Target Range – Lower Bound		<5	<4	92	0.6	0.3	7.3	<0.8	26.9	48.8	1.3	70	4.41	2.88	1.01	8.18
Upper Bound		10	8	105	1.5	0.5	8.3	1.6	30.2	55.0	1.6	120	4.94	3.23	1.18	9.06
NFM00738		<5	<4	197	1.3	0.1	4.6	0.8	42.7	37.4	1.9	40	5.27	3.42	1.49	8.14
DUP		<5	<4	194	1.3	<0.1	4.7	0.9	41.7	38.1	1.7	40	5.32	3.28	1.50	8.00
Target Range – Lower Bound		<5	<4	184	0.8	<0.1	4.3	<0.8	39.9	35.4	1.6	<20	5.00	3.16	1.39	7.66
Upper Bound		10	8	207	1.8	0.2	5.0	1.6	44.5	40.1	2.0	60	5.59	3.54	1.60	8.48
NFM00760		<5	<4	203	2.3	<0.1	3.7	<0.8	69.8	18.9	1.4	30	7.48	5.22	1.30	5.35
DUP		<5	<4	211	2.1	<0.1	3.7	<0.8	74.1	18.1	1.3	20	7.33	5.07	1.36	5.22
Target Range – Lower Bound		<5	<4	195	1.7	<0.1	3.4	<0.8	68.2	17.1	1.2	<20	7.00	4.87	1.23	5.01
Upper Bound		10	8	219	2.7	0.2	4.0	1.6	75.7	19.9	1.5	40	7.81	5.42	1.43	5.56
NFM00772		<5	<4	699	1.4	<0.1	3.8	<0.8	142.5	6.1	0.9	<20	5.45	3.45	2.17	5.66
DUP		<5	<4	709	1.4	<0.1	3.7	<0.8	148.0	6.2	0.9	<20	5.30	3.30	2.19	5.60
Target Range – Lower Bound		<5	<4	667	0.9	<0.1	3.5	<0.8	138.0	5.3	0.8	<20	5.08	3.19	2.04	5.34
Upper Bound		10	8	741	1.9	0.2	4.0	1.6	152.5	7.0	1.0	40	5.67	3.56	2.32	5.92
NFM00785		<5	<4	246	2.2	3.8	11.6	<0.8	92.5	11.4	0.9	<20	4.59	2.97	1.27	6.22
DUP		<5	<4	246	2.3	3.9	11.7	<0.8	90.2	10.8	0.9	<20	4.57	2.89	1.34	6.23
Target Range – Lower Bound		<5	<4	232	1.7	3.6	11.0	<0.8	86.6	10.0	0.8	<20	4.32	2.76	1.21	5.90
Upper Bound		10	8	260	2.8	4.1	12.3	1.6	96.1	12.2	1.0	40	4.84	3.10	1.40	6.55
NFM00805		<5	<4	672	2.0	<0.1	2.5	<0.8	79.6	16.3	4.3	<20	4.62	2.88	1.17	6.02
DUP		<5	<4	651	1.8	0.1	2.5	<0.8	80.2	15.7	4.1	<20	4.53	2.84	1.19	5.87
Target Range – Lower Bound		<5	<4	626	1.4	<0.1	2.3	<0.8	75.7	14.7	3.9	<20	4.32	2.70	1.09	5.64
Upper Bound		10	8	697	2.4	0.2	2.7	1.6	84.1	17.3	4.5	40	4.83	3.02	1.27	6.25

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 - B
 Total # Pages: 7 (A - E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8	ME-MS89L Nd ppm 0.07	ME-MS89L Ni ppm 10
DUPLICATES																
NFM00706		21.6	6.09	1.5	0.86	<0.3	1.48	43.7	13	0.30	2.02	1240	2	8.0	41.2	40
DUP		20.6	6.33	1.1	0.92	<0.3	1.48	46.2	13	0.36	2.06	1240	2	7.6	43.3	40
Target Range - Lower Bound		19.5	5.87	0.7	0.84	<0.3	1.36	42.6	10	0.26	1.93	1170	<2	6.6	40.1	30
Upper Bound		22.7	6.55	1.9	0.94	0.6	1.60	47.3	16	0.40	2.15	1310	4	9.0	44.4	50
NFM00726		24.7	5.76	2.6	0.97	<0.3	2.29	39.6	25	0.32	1.78	940	2	10.6	33.0	60
DUP		24.3	5.74	2.7	0.94	<0.3	2.26	40.5	24	0.38	1.82	940	2	10.8	34.1	40
Target Range - Lower Bound		22.8	5.43	2.0	0.90	<0.3	2.11	38.0	21	0.28	1.70	880	<2	9.4	31.8	40
Upper Bound		26.2	6.07	3.3	1.01	0.6	2.44	42.1	28	0.42	1.90	1000	4	12.0	35.3	60
NFM00737		19.0	4.53	1.2	1.04	<0.3	0.53	11.65	13	0.43	3.89	1590	2	4.6	12.85	80
DUP		18.2	4.24	1.5	1.08	<0.3	0.55	11.95	15	0.44	3.89	1600	2	4.7	13.45	80
Target Range - Lower Bound		17.2	4.14	0.8	1.00	<0.3	0.46	11.15	11	0.36	3.69	1510	<2	3.6	12.40	70
Upper Bound		20.0	4.63	1.9	1.12	0.6	0.62	12.45	17	0.51	4.09	1680	4	5.7	13.90	90
NFM00738		20.5	5.85	1.7	1.08	<0.3	0.58	20.1	24	0.37	4.02	1300	2	9.2	22.0	70
DUP		20.2	5.64	1.5	1.08	<0.3	0.55	19.30	23	0.39	3.96	1280	2	9.3	21.5	70
Target Range - Lower Bound		18.8	5.43	1.0	1.02	<0.3	0.49	18.65	20	0.31	3.78	1220	<2	8.0	20.6	60
Upper Bound		21.9	6.06	2.2	1.14	0.6	0.64	20.8	27	0.45	4.20	1360	4	10.5	22.9	80
NFM00760		22.1	7.24	2.0	1.72	<0.3	1.50	34.8	13	0.70	1.84	900	4	11.5	28.9	30
DUP		20.6	7.00	1.6	1.60	<0.3	1.47	36.4	12	0.69	1.80	890	4	11.5	28.4	30
Target Range - Lower Bound		19.8	6.73	1.2	1.57	<0.3	1.36	33.7	10	0.61	1.72	840	<2	10.1	27.1	20
Upper Bound		22.9	7.51	2.4	1.75	0.6	1.61	37.5	15	0.78	1.92	950	6	12.9	30.2	40
NFM00772		20.6	6.78	1.4	1.12	<0.3	2.21	80.1	8	0.46	0.67	1140	3	13.6	47.6	<10
DUP		20.6	7.20	1.7	1.13	<0.3	2.22	82.8	8	0.43	0.67	1150	4	14.0	48.7	40
Target Range - Lower Bound		19.1	6.61	1.0	1.06	<0.3	2.05	77.3	6	0.37	0.63	1080	<2	12.3	45.7	<10
Upper Bound		22.1	7.37	2.1	1.19	0.6	2.38	85.6	10	0.52	0.71	1210	4	15.3	50.6	40
NFM00785		27.2	5.62	3.3	1.02	<0.3	0.55	43.5	7	0.39	1.04	3450	2	13.2	34.4	50
DUP		27.2	5.57	3.1	1.02	<0.3	0.55	42.8	7	0.39	1.05	3440	2	13.3	32.7	40
Target Range - Lower Bound		25.3	5.29	2.5	0.96	<0.3	0.47	40.9	5	0.32	0.98	3260	<2	11.8	31.8	30
Upper Bound		29.1	5.90	3.9	1.08	0.6	0.63	45.4	9	0.46	1.11	3630	4	14.7	35.3	60
NFM00805		20.8	5.09	1.4	0.98	<0.3	2.41	41.1	31	0.42	1.13	2180	2	10.0	32.7	30
DUP		20.7	5.11	2.1	0.96	<0.3	2.38	40.5	29	0.41	1.12	2160	2	9.6	32.7	40
Target Range - Lower Bound		19.2	4.82	1.2	0.91	<0.3	2.23	38.7	27	0.34	1.06	2050	<2	8.5	31.0	20
Upper Bound		22.3	5.39	2.3	1.03	0.6	2.56	42.9	34	0.49	1.19	2290	4	11.1	34.4	50

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 - C
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5	0.1	0.005	0.02
		DUPLICATES														
NFM00706		11.8	11.05	59.8	<0.01	0.4	3	7.26	3	420	0.56	0.83	<0.5	7.2	0.730	0.27
DUP		12.2	12.00	60.4	<0.01	0.4	3	8.10	<3	430	0.56	0.83	<0.5	7.5	0.755	0.27
Target Range – Lower Bound		10.9	10.90	56.6	<0.01	<0.3	<3	7.26	<3	380	0.49	0.78	<0.5	6.9	0.682	0.24
Upper Bound		13.1	12.15	63.6	0.02	0.6	6	8.10	6	470	0.63	0.88	1.0	7.8	0.803	0.30
NFM00726		8.1	8.95	137.5	<0.01	0.4	<3	5.83	3	160	0.74	0.80	<0.5	15.6	0.470	0.51
DUP		8.5	9.53	130.5	<0.01	<0.3	<3	6.19	3	160	0.79	0.86	<0.5	16.6	0.468	0.48
Target Range – Lower Bound		7.4	8.75	127.0	<0.01	<0.3	<3	5.67	<3	130	0.69	0.78	<0.5	15.2	0.429	0.45
Upper Bound		9.2	9.73	141.0	0.02	0.6	6	6.35	6	190	0.84	0.88	1.0	17.0	0.509	0.54
NFM00737		5.9	3.37	30.8	<0.01	0.4	<3	3.45	<3	210	0.09	0.77	<0.5	4.0	0.486	0.11
DUP		6.1	3.51	29.5	<0.01	0.3	<3	3.54	3	200	0.28	0.72	<0.5	4.2	0.482	0.10
Target Range – Lower Bound		5.2	3.24	28.1	<0.01	<0.3	<3	3.28	<3	170	0.14	0.70	<0.5	3.8	0.443	0.08
Upper Bound		6.8	3.64	32.2	0.02	0.6	6	3.71	6	240	0.23	0.79	1.0	4.4	0.525	0.13
NFM00738		8.3	5.66	27.1	<0.01	0.5	<3	5.30	<3	190	0.57	0.89	<0.5	5.7	0.668	0.19
DUP		8.3	5.39	27.0	<0.01	0.4	<3	5.09	<3	200	0.62	0.85	<0.5	5.6	0.666	0.16
Target Range – Lower Bound		7.4	5.22	25.2	<0.01	<0.3	<3	4.90	<3	170	0.53	0.82	<0.5	5.3	0.612	0.15
Upper Bound		9.2	5.83	28.9	0.02	0.6	6	5.49	6	220	0.66	0.92	1.0	6.0	0.722	0.20
NFM00760		9.4	7.94	74.2	<0.01	0.5	3	6.41	5	240	0.64	1.23	<0.5	17.0	0.396	0.26
DUP		9.5	8.34	70.1	<0.01	0.5	<3	6.42	8	220	0.52	1.16	<0.5	16.9	0.395	0.27
Target Range – Lower Bound		8.5	7.70	68.0	<0.01	<0.3	<3	6.05	<3	200	0.51	1.13	<0.5	16.0	0.361	0.23
Upper Bound		10.4	8.58	76.3	0.02	0.6	6	6.78	10	260	0.65	1.26	1.0	17.9	0.430	0.30
NFM00772		9.6	14.45	82.9	<0.01	0.5	<3	7.39	5	270	0.73	0.97	<0.5	18.6	0.452	0.32
DUP		9.7	15.25	80.3	<0.01	0.5	<3	8.05	8	260	0.62	0.98	<0.5	18.7	0.475	0.32
Target Range – Lower Bound		8.7	14.10	77.0	<0.01	<0.3	<3	7.29	<3	230	0.60	0.92	<0.5	17.6	0.424	0.28
Upper Bound		10.6	15.60	86.2	0.02	0.6	6	8.15	10	300	0.75	1.03	1.0	19.7	0.503	0.36
NFM00785		7.9	10.55	37.2	<0.01	2.4	<3	6.54	7	190	0.85	0.81	<0.5	14.5	0.353	0.18
DUP		8.0	10.20	37.6	<0.01	2.1	<3	6.03	6	190	0.74	0.81	<0.5	14.8	0.360	0.19
Target Range – Lower Bound		7.1	9.83	35.0	<0.01	1.8	<3	5.93	<3	160	0.72	0.76	<0.5	13.8	0.325	0.16
Upper Bound		8.8	10.90	39.8	0.02	2.7	6	6.64	10	220	0.87	0.86	1.0	15.5	0.388	0.21
NFM00805		11.0	8.50	130.5	0.01	<0.3	3	6.02	5	200	0.65	0.75	<0.5	14.7	0.403	0.59
DUP		10.8	8.43	125.0	0.01	<0.3	3	5.42	4	190	0.57	0.72	<0.5	14.8	0.410	0.59
Target Range – Lower Bound		9.9	8.01	121.0	<0.01	<0.3	<3	5.39	<3	170	0.54	0.69	<0.5	13.9	0.371	0.54
Upper Bound		11.9	8.92	134.5	0.02	0.6	6	6.05	6	220	0.68	0.78	1.0	15.6	0.442	0.64

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Page: 5 - D
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

QC CERTIFICATE OF ANALYSIS AD26005993

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 5 – E
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nb2O5 ppm	Nd2O3 ppm	Pr2O3 ppm	Sm2O3 ppm	Ta2O5 ppm	Tb2O3 ppm	ThO2 ppm	Tm2O3 ppm	U3O8 ppm	WO3 ppm	Y2O3 ppm	Yb2O3 ppm
		1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
DUPLICATES													
NFM00706		11	48.1	12.95	8.42	0.68	0.96	8.2	0.41	2.2	1.1	31.2	2.44
DUP		11	50.5	14.05	9.39	0.68	0.96	8.5	0.41	2.0	1.0	32.3	2.53
Target Range – Lower Bound		9	46.8	12.80	8.41	0.60	0.90	7.8	0.38	1.8	0.6	29.9	2.34
Upper Bound		13	51.8	14.20	9.40	0.76	1.02	8.9	0.44	2.4	1.5	33.6	2.63
NFM00726		15	38.5	10.45	6.76	0.90	0.92	17.8	0.40	1.5	1.0	31.4	2.81
DUP		15	39.8	11.15	7.18	0.96	0.99	18.9	0.43	1.7	1.3	31.5	2.80
Target Range – Lower Bound		13	37.1	10.20	6.57	0.83	0.90	17.3	0.38	1.3	0.7	29.6	2.64
Upper Bound		17	41.2	11.40	7.37	1.03	1.01	19.4	0.45	1.9	1.6	33.3	2.97
NFM00737		7	15.00	3.94	4.00	0.11	0.89	4.6	0.49	0.9	5.3	35.7	3.55
DUP		7	15.70	4.11	4.10	0.34	0.83	4.8	0.48	1.1	13.2	34.9	3.63
Target Range – Lower Bound		6	14.50	3.78	3.80	0.16	0.81	4.4	0.45	0.8	8.4	33.2	3.39
Upper Bound		8	16.20	4.27	4.30	0.29	0.91	5.0	0.52	1.3	10.1	37.4	3.79
NFM00738		13	25.7	6.62	6.15	0.70	1.02	6.5	0.50	1.1	58.8	34.5	3.10
DUP		13	25.1	6.31	5.90	0.76	0.98	6.4	0.49	0.9	50.1	34.4	3.33
Target Range – Lower Bound		11	24.1	6.10	5.67	0.64	0.94	6.0	0.46	0.8	51.3	32.4	3.03
Upper Bound		15	26.8	6.83	6.38	0.82	1.06	6.9	0.53	1.3	57.6	36.5	3.40
NFM00760		16	33.7	9.29	7.43	0.78	1.42	19.3	0.83	19.3	3.2	58.2	5.56
DUP		16	33.1	9.76	7.44	0.63	1.34	19.2	0.82	19.2	3.3	54.7	5.63
Target Range – Lower Bound		14	31.7	9.01	7.01	0.62	1.30	18.2	0.77	18.1	2.7	53.3	5.30
Upper Bound		18	35.2	10.05	7.86	0.79	1.46	20.3	0.88	20.4	3.8	59.6	5.89
NFM00772		19	55.5	16.90	8.57	0.89	1.12	21.2	0.53	4.4	2.3	39.5	3.43
DUP		20	56.8	17.85	9.33	0.76	1.13	21.3	0.54	4.4	2.5	38.5	3.45
Target Range – Lower Bound		18	53.3	16.45	8.45	0.73	1.06	20.1	0.50	4.0	1.9	36.8	3.25
Upper Bound		21	59.0	18.30	9.45	0.92	1.19	22.4	0.57	4.8	2.9	41.3	3.63
NFM00785		19	40.1	12.35	7.58	1.04	0.93	16.5	0.43	3.7	5.3	35.6	3.06
DUP		19	38.1	11.95	6.99	0.90	0.93	16.8	0.46	4.0	5.0	34.4	2.99
Target Range – Lower Bound		17	37.1	11.50	6.87	0.87	0.87	15.7	0.41	3.5	4.5	33.0	2.85
Upper Bound		21	41.1	12.80	7.70	1.07	0.99	17.6	0.48	4.2	5.8	37.1	3.20
NFM00805		14	38.1	9.95	6.98	0.79	0.86	16.7	0.49	2.7	1.5	35.2	3.26
DUP		14	38.1	9.87	6.29	0.70	0.83	16.8	0.47	2.7	1.4	34.4	3.10
Target Range – Lower Bound		12	36.1	9.37	6.25	0.66	0.79	15.8	0.45	2.4	1.0	32.8	3.00
Upper Bound		16	40.1	10.45	7.02	0.83	0.90	17.7	0.51	3.0	1.9	36.8	3.36

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – A
 Total # Pages: 7 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01
DUPLICATES																
NFM00813		<5	6	798	0.8	0.3	8.5	<0.8	180.5	57.3	1.4	<20	4.68	1.90	3.11	7.42
DUP		<5	4	797	0.8	0.3	8.5	<0.8	188.0	58.5	1.3	<20	4.97	1.99	2.99	7.38
Target Range – Lower Bound		<5	<4	756	<0.4	0.2	8.0	<0.8	175.0	54.5	1.2	<20	4.55	1.83	2.87	7.02
Upper Bound		10	8	839	1.2	0.4	9.0	1.6	193.5	61.3	1.5	40	5.10	2.06	3.23	7.78
NFM00825		<5	<4	461	3.1	0.1	3.2	<0.8	86.6	23.2	6.2	<20	4.43	2.41	1.24	6.64
DUP		<5	<4	453	3.0	0.1	3.3	<0.8	86.7	22.4	6.0	<20	4.43	2.29	1.24	6.75
Target Range – Lower Bound		<5	<4	432	2.5	<0.1	3.0	<0.8	82.1	21.2	5.7	<20	4.18	2.21	1.15	6.35
Upper Bound		10	8	482	3.6	0.2	3.5	1.6	91.2	24.4	6.5	40	4.68	2.49	1.33	7.04
NFM00835		<5	<4	545	2.8	<0.1	2.4	<0.8	101.5	16.3	4.2	<20	8.07	4.06	1.51	4.74
DUP		<5	<4	534	3.1	<0.1	2.3	<0.8	99.0	16.0	4.4	<20	7.31	3.86	1.30	4.78
Target Range – Lower Bound		<5	<4	511	2.4	<0.1	2.1	<0.8	95.0	14.8	4.0	<20	7.28	3.74	1.30	4.51
Upper Bound		10	8	568	3.5	0.2	2.6	1.6	105.5	17.5	4.6	40	8.10	4.18	1.51	5.01
NFM00846		<5	<4	596	2.8	0.2	2.3	<0.8	80.0	25.5	3.8	<20	4.29	2.53	1.16	7.19
DUP		<5	<4	577	2.7	0.1	2.2	<0.8	87.4	24.8	3.6	<20	4.49	2.57	1.20	6.73
Target Range – Lower Bound		<5	<4	555	2.2	<0.1	2.0	<0.8	79.3	23.4	3.4	<20	4.14	2.40	1.09	6.60
Upper Bound		10	8	618	3.3	0.2	2.5	1.6	88.1	26.9	4.0	40	4.64	2.70	1.27	7.32
NFM00858		<5	7	378	2.0	0.4	5.9	<0.8	78.6	23.4	6.5	<20	4.79	2.77	1.17	5.85
DUP		<5	7	372	2.3	0.4	5.9	<0.8	75.9	22.3	6.3	<20	4.65	2.81	1.15	5.90
Target Range – Lower Bound		<5	<4	354	1.6	0.3	5.5	<0.8	73.2	21.2	6.0	<20	4.45	2.63	1.07	5.57
Upper Bound		10	8	396	2.7	0.5	6.3	1.6	81.3	24.5	6.8	40	4.99	2.95	1.25	6.18
NFM00881		<5	7	561	2.7	0.4	5.1	<0.8	89.4	29.6	6.5	<20	4.56	2.55	1.46	6.41
DUP		<5	6	570	2.2	0.3	5.0	<0.8	89.7	29.4	6.5	<20	4.61	2.58	1.41	6.33
Target Range – Lower Bound		<5	<4	535	1.9	0.2	4.7	<0.8	84.9	27.5	6.1	<20	4.33	2.42	1.33	6.04
Upper Bound		10	8	596	3.0	0.5	5.4	1.6	94.2	31.5	6.9	40	4.84	2.71	1.54	6.70
NFM00892		<5	<4	354	2.3	0.2	5.5	<0.8	77.7	18.7	3.1	<20	4.23	2.34	1.11	7.39
DUP		<5	<4	335	2.4	0.2	5.6	<0.8	75.4	17.4	2.9	<20	4.37	2.28	1.15	7.22
Target Range – Lower Bound		<5	<4	325	1.8	<0.1	5.2	<0.8	72.5	16.6	2.8	<20	4.06	2.17	1.04	6.93
Upper Bound		10	8	364	2.9	0.3	5.9	1.6	80.6	19.5	3.3	40	4.55	2.45	1.22	7.68
NFM00902		<5	<4	521	3.1	0.1	2.5	<0.8	84.3	26.8	3.7	<20	4.13	2.39	1.19	6.89
DUP		<5	<4	497	3.0	0.1	2.3	<0.8	77.0	25.2	3.5	<20	3.75	2.20	1.11	6.72
Target Range – Lower Bound		<5	<4	482	2.5	<0.1	2.2	<0.8	76.4	24.2	3.3	<20	3.71	2.16	1.06	6.45
Upper Bound		10	8	536	3.6	0.2	2.6	1.6	84.9	27.8	3.9	40	4.17	2.43	1.24	7.16

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – B
 Total # Pages: 7 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8	ME-MS89L Nd ppm 0.07	ME-MS89L Ni ppm 10
DUPLICATES																
NFM00813		13.6	9.17	1.3	0.81	<0.3	1.01	80.9	16	0.24	7.39	1650	2	3.4	83.2	400
DUP		14.1	8.96	1.4	0.80	<0.3	0.99	81.9	16	0.23	7.36	1620	2	3.5	84.6	410
Target Range – Lower Bound		12.7	8.58	0.8	0.75	<0.3	0.90	77.3	13	0.17	7.00	1540	<2	2.5	79.6	370
Upper Bound		15.0	9.55	1.9	0.86	0.6	1.10	85.6	19	0.30	7.75	1730	4	4.4	88.2	440
NFM00825		23.2	5.39	2.0	0.90	<0.3	2.73	44.1	28	0.35	1.89	1350	<2	11.3	34.8	50
DUP		22.9	5.29	2.1	0.82	<0.3	2.77	43.1	27	0.32	1.88	1340	2	11.1	35.0	50
Target Range – Lower Bound		21.4	5.04	1.4	0.81	<0.3	2.56	41.3	24	0.27	1.78	1270	<2	9.8	33.1	40
Upper Bound		24.7	5.64	2.7	0.91	0.6	2.94	45.9	31	0.40	1.99	1420	4	12.6	36.7	60
NFM00835		23.9	8.15	2.5	1.56	<0.3	2.45	47.6	25	0.61	1.46	1280	2	12.2	41.8	30
DUP		22.8	7.90	2.7	1.34	<0.3	2.42	47.4	26	0.55	1.46	1240	2	11.4	40.2	30
Target Range – Lower Bound		21.7	7.59	2.0	1.37	<0.3	2.26	45.0	22	0.50	1.38	1190	<2	10.4	38.9	20
Upper Bound		25.0	8.46	3.2	1.53	0.6	2.61	50.0	29	0.66	1.54	1330	4	13.2	43.1	40
NFM00846		22.7	5.04	2.0	0.90	<0.3	2.66	41.0	27	0.29	1.75	920	2	11.0	32.6	40
DUP		22.5	5.18	2.3	0.97	<0.3	2.44	41.4	26	0.33	1.66	850	2	10.6	35.6	40
Target Range – Lower Bound		21.0	4.82	1.5	0.88	<0.3	2.37	39.1	23	0.24	1.61	830	<2	9.5	32.3	30
Upper Bound		24.2	5.40	2.8	0.99	0.6	2.73	43.3	30	0.38	1.80	940	4	12.1	35.9	50
NFM00858		20.4	5.13	2.2	0.96	<0.3	1.48	36.9	21	0.38	1.77	1730	2	10.4	33.3	40
DUP		20.2	4.92	2.3	0.95	<0.3	1.53	35.8	22	0.42	1.77	1740	2	9.4	31.7	40
Target Range – Lower Bound		18.8	4.74	1.6	0.90	<0.3	1.38	34.5	18	0.33	1.67	1640	<2	8.6	30.8	30
Upper Bound		21.8	5.31	2.9	1.01	0.6	1.63	38.2	25	0.47	1.87	1830	4	11.2	34.2	50
NFM00881		23.7	6.08	1.7	1.02	<0.3	2.64	38.8	34	0.36	1.63	1640	2	10.2	32.4	50
DUP		23.2	5.61	2.1	0.98	<0.3	2.67	39.0	27	0.31	1.61	1640	2	10.4	32.9	50
Target Range – Lower Bound		21.8	5.52	1.3	0.94	<0.3	2.47	36.9	27	0.27	1.53	1550	<2	9.0	30.9	40
Upper Bound		25.1	6.17	2.5	1.06	0.6	2.84	40.9	34	0.40	1.71	1730	4	11.6	34.4	60
NFM00892		21.5	5.18	2.0	0.87	<0.3	1.40	38.1	10	0.30	1.64	1810	2	9.5	32.4	40
DUP		21.0	5.20	1.8	0.86	<0.3	1.37	36.9	10	0.34	1.62	1740	2	9.8	31.0	50
Target Range – Lower Bound		19.7	4.90	1.3	0.81	<0.3	1.27	35.5	8	0.25	1.54	1680	<2	8.4	30.0	30
Upper Bound		22.8	5.48	2.5	0.92	0.6	1.50	39.5	13	0.39	1.72	1870	4	10.9	33.4	60
NFM00902		26.1	5.05	2.6	0.89	<0.3	2.53	42.0	20	0.37	1.97	1020	<2	11.0	33.2	50
DUP		23.6	4.85	2.1	0.70	<0.3	2.50	40.2	19	0.28	1.94	970	<2	10.8	32.1	40
Target Range – Lower Bound		23.1	4.67	1.7	0.75	<0.3	2.34	39.0	17	0.26	1.85	940	<2	9.6	30.9	30
Upper Bound		26.6	5.23	3.0	0.84	0.6	2.69	43.2	22	0.39	2.06	1050	4	12.2	34.4	60

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – C
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Pb	Pr	Rb	Re	Sb	Se	Sm	Sn	Sr	Ta	Tb	Te	Th	Ti	Tl
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.03	0.5	0.01	0.3	3	0.04	3	20	0.04	0.01	0.5	0.1	0.005	0.02
		DUPLICATES														
NFM00813		11.2	20.0	23.8	0.01	0.5	<3	13.90	3	1050	0.13	0.97	<0.5	15.7	0.434	0.13
DUP		11.1	20.7	24.5	0.01	0.3	<3	13.75	3	1080	0.35	1.00	<0.5	15.7	0.431	0.16
Target Range – Lower Bound		10.1	19.30	22.4	<0.01	<0.3	<3	13.10	<3	990	0.19	0.93	<0.5	14.8	0.395	0.12
Upper Bound		12.2	21.4	25.9	0.02	0.6	6	14.55	6	1140	0.29	1.04	1.0	16.6	0.470	0.17
NFM00825		15.8	9.57	179.5	0.01	<0.3	<3	6.32	5	120	0.68	0.76	<0.5	14.9	0.453	0.76
DUP		15.6	9.58	177.0	<0.01	<0.3	<3	6.25	5	120	0.77	0.76	<0.5	14.7	0.456	0.81
Target Range – Lower Bound		14.4	9.07	169.0	<0.01	<0.3	<3	5.93	<3	90	0.65	0.71	<0.5	14.0	0.415	0.73
Upper Bound		17.0	10.10	187.5	0.02	0.6	6	6.64	6	150	0.80	0.81	1.0	15.6	0.494	0.84
NFM00835		13.2	11.50	143.5	0.01	<0.3	3	9.22	5	130	0.55	1.32	<0.5	18.4	0.334	0.52
DUP		13.0	11.05	136.0	0.01	0.4	3	8.08	5	120	0.53	1.13	<0.5	18.0	0.333	0.56
Target Range – Lower Bound		11.9	10.70	132.5	<0.01	<0.3	<3	8.18	<3	100	0.47	1.15	<0.5	17.2	0.303	0.49
Upper Bound		14.3	11.85	147.0	0.02	0.6	6	9.12	6	150	0.61	1.30	1.0	19.2	0.364	0.59
NFM00846		11.0	8.99	124.5	<0.01	<0.3	<3	5.47	7	200	0.93	0.72	<0.5	13.9	0.446	0.44
DUP		11.0	9.69	117.0	0.01	<0.3	<3	6.06	5	200	0.74	0.78	<0.5	14.9	0.427	0.43
Target Range – Lower Bound		10.0	8.84	114.0	<0.01	<0.3	<3	5.44	<3	170	0.75	0.70	<0.5	13.6	0.399	0.39
Upper Bound		12.1	9.84	127.5	0.02	0.6	6	6.09	9	230	0.92	0.80	1.0	15.2	0.474	0.48
NFM00858		16.9	8.91	95.7	<0.01	0.9	<3	5.84	5	200	0.85	0.76	<0.5	12.8	0.407	0.36
DUP		16.9	8.45	89.8	0.01	0.7	<3	5.52	3	190	0.67	0.74	<0.5	13.0	0.423	0.33
Target Range – Lower Bound		15.6	8.22	87.6	<0.01	0.5	<3	5.36	<3	170	0.68	0.70	<0.5	12.2	0.379	0.31
Upper Bound		18.2	9.14	97.9	0.02	1.1	6	6.00	6	220	0.84	0.80	1.0	13.6	0.451	0.38
NFM00881		12.0	9.49	164.0	<0.01	0.6	<3	6.67	4	150	0.54	0.86	<0.5	14.7	0.430	0.59
DUP		11.8	9.70	159.0	<0.01	0.6	<3	6.69	3	150	0.64	0.79	<0.5	14.5	0.422	0.55
Target Range – Lower Bound		10.8	9.09	153.0	<0.01	<0.3	<3	6.31	<3	120	0.52	0.77	<0.5	13.8	0.389	0.52
Upper Bound		13.0	10.10	170.0	0.02	0.9	6	7.05	6	180	0.66	0.88	1.0	15.4	0.463	0.62
NFM00892		9.1	8.96	82.5	<0.01	<0.3	<3	5.87	8	340	0.70	0.73	<0.5	11.8	0.384	0.36
DUP		9.3	8.56	77.7	<0.01	<0.3	<3	5.39	8	330	0.69	0.70	<0.5	11.9	0.381	0.33
Target Range – Lower Bound		8.2	8.29	75.6	<0.01	<0.3	<3	5.31	5	300	0.62	0.67	<0.5	11.2	0.349	0.31
Upper Bound		10.2	9.23	84.6	0.02	0.6	6	5.95	11	370	0.77	0.76	1.0	12.5	0.416	0.38
NFM00902		7.4	9.20	151.0	<0.01	0.3	<3	6.09	6	180	0.86	0.77	<0.5	14.6	0.473	0.54
DUP		6.5	8.31	134.0	0.01	<0.3	<3	5.66	6	160	0.75	0.66	<0.5	14.1	0.461	0.51
Target Range – Lower Bound		6.1	8.29	135.0	<0.01	<0.3	<3	5.54	<3	140	0.72	0.67	<0.5	13.5	0.427	0.48
Upper Bound		7.8	9.22	150.0	0.02	0.6	6	6.21	9	200	0.89	0.76	1.0	15.2	0.507	0.57

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – D
 Total # Pages: 7 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Tm ppm 0.01	ME-MS89L U ppm 0.2	ME-MS89L V ppm 1	ME-MS89L W ppm 0.3	ME-MS89L Y ppm 0.2	ME-MS89L Yb ppm 0.02	ME-MS89L Zn ppm 10	ME-MS89L CeO2 ppm 0.2	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L La2O3 ppm 0.09	ME-MS89L Lu2O3 ppm 0.06
DUPLICATES																
NFM00813		0.25	2.2	156	0.8	20.9	1.61	170	222	5.37	2.17	3.60	10.55	0.93	94.9	0.27
DUP		0.27	2.2	160	0.7	21.4	1.58	170	231	5.70	2.28	3.46	10.35	0.92	96.1	0.26
Target Range – Lower Bound		0.24	1.9	149	0.4	19.9	1.50	150	215	5.23	2.09	3.32	9.90	0.87	90.6	0.19
Upper Bound		0.28	2.5	167	1.1	22.4	1.69	190	238	5.84	2.36	3.74	11.00	0.98	100.5	0.34
NFM00825		0.36	1.2	94	0.5	23.6	2.22	110	106.5	5.08	2.76	1.44	6.21	1.03	51.7	0.40
DUP		0.36	1.1	91	0.6	23.4	2.19	100	106.5	5.08	2.62	1.44	6.10	0.94	50.5	0.36
Target Range – Lower Bound		0.33	0.9	87	<0.3	22.1	2.07	90	101.0	4.80	2.54	1.34	5.82	0.93	48.5	0.30
Upper Bound		0.39	1.4	98	0.6	24.9	2.34	120	112.0	5.36	2.84	1.54	6.49	1.04	53.7	0.46
NFM00835		0.65	2.7	70	1.2	40.9	4.61	120	124.5	9.26	4.64	1.75	9.39	1.79	55.8	0.69
DUP		0.62	2.6	67	1.1	38.1	4.05	100	121.5	8.39	4.41	1.51	9.11	1.53	55.6	0.63
Target Range – Lower Bound		0.59	2.3	64	0.8	37.3	4.09	90	116.5	8.35	4.28	1.52	8.76	1.57	52.8	0.57
Upper Bound		0.68	3.0	73	1.5	41.7	4.57	130	129.5	9.30	4.77	1.74	9.74	1.75	58.6	0.75
NFM00846		0.37	1.9	103	1.0	25.7	2.19	80	98.3	4.92	2.89	1.34	5.81	1.03	48.1	0.33
DUP		0.36	2.0	98	1.0	25.8	2.05	80	107.5	5.15	2.94	1.39	5.97	1.11	48.6	0.38
Target Range – Lower Bound		0.34	1.7	94	0.7	24.3	1.99	70	97.6	4.75	2.75	1.27	5.57	1.01	45.8	0.28
Upper Bound		0.39	2.2	107	1.4	27.2	2.25	90	108.0	5.32	3.08	1.46	6.21	1.13	50.9	0.43
NFM00858		0.38	2.6	118	1.9	29.3	2.59	120	96.6	5.50	3.17	1.35	5.91	1.10	43.3	0.43
DUP		0.39	2.5	110	1.6	27.2	2.51	110	93.2	5.34	3.21	1.33	5.67	1.09	42.0	0.48
Target Range – Lower Bound		0.36	2.2	107	1.4	26.6	2.40	100	90.0	5.12	3.01	1.24	5.47	1.03	40.4	0.37
Upper Bound		0.41	2.9	121	2.1	29.9	2.70	130	99.8	5.72	3.37	1.44	6.11	1.16	44.9	0.54
NFM00881		0.37	1.6	120	1.4	26.4	2.75	100	110.0	5.23	2.92	1.69	7.01	1.17	45.5	0.41
DUP		0.37	1.6	114	1.4	25.9	2.60	100	110.0	5.29	2.95	1.63	6.47	1.12	45.7	0.35
Target Range – Lower Bound		0.34	1.3	110	1.0	24.6	2.52	90	104.5	4.97	2.77	1.55	6.37	1.08	43.2	0.30
Upper Bound		0.40	1.9	124	1.8	27.7	2.83	120	115.5	5.55	3.10	1.77	7.11	1.21	48.0	0.46
NFM00892		0.31	2.5	94	1.2	24.8	2.03	100	95.4	4.85	2.68	1.29	5.97	1.00	44.7	0.34
DUP		0.30	2.5	89	1.1	23.6	2.13	100	92.6	5.02	2.61	1.33	5.99	0.99	43.3	0.39
Target Range – Lower Bound		0.28	2.2	86	0.8	22.8	1.96	90	89.1	4.66	2.49	1.21	5.65	0.94	41.7	0.29
Upper Bound		0.33	2.8	97	1.5	25.6	2.20	120	98.9	5.21	2.80	1.41	6.31	1.05	46.3	0.44
NFM00902		0.36	1.6	119	1.5	23.4	2.26	100	103.5	4.74	2.73	1.38	5.82	1.02	49.3	0.42
DUP		0.32	1.5	106	1.4	20.7	2.06	80	94.6	4.30	2.52	1.29	5.59	0.80	47.1	0.32
Target Range – Lower Bound		0.31	1.3	106	1.1	20.7	2.03	80	93.9	4.26	2.47	1.24	5.39	0.85	45.7	0.29
Upper Bound		0.37	1.8	119	1.8	23.4	2.29	100	104.0	4.78	2.78	1.43	6.02	0.97	50.7	0.45

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 6 – E
 Total # Pages: 7 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Nb2O5 ppm 1	ME-MS89L Nd2O3 ppm 0.08	ME-MS89L Pr2O3 ppm 0.04	ME-MS89L Sm2O3 ppm 0.05	ME-MS89L Ta2O5 ppm 0.05	ME-MS89L Tb2O3 ppm 0.01	ME-MS89L ThO2 ppm 0.1	ME-MS89L Tm2O3 ppm 0.01	ME-MS89L U3O8 ppm 0.2	ME-MS89L WO3 ppm 0.4	ME-MS89L Y2O3 ppm 0.3	ME-MS89L Yb2O3 ppm 0.02
DUPLICATES													
NFM00813		5	97.0	23.4	16.10	0.16	1.12	17.9	0.29	2.6	1.0	26.5	1.83
DUP		5	98.7	24.2	15.95	0.43	1.15	17.9	0.31	2.6	0.9	27.2	1.80
Target Range – Lower Bound		4	92.9	22.6	15.15	0.23	1.07	16.9	0.28	2.3	0.5	25.2	1.70
Upper Bound		6	103.0	25.0	16.90	0.36	1.20	18.9	0.33	2.9	1.4	28.5	1.93
NFM00825		16	40.6	11.20	7.33	0.83	0.87	17.0	0.41	1.4	0.6	30.0	2.53
DUP		16	40.8	11.20	7.25	0.94	0.87	16.7	0.41	1.3	0.8	29.7	2.49
Target Range – Lower Bound		14	38.6	10.60	6.88	0.79	0.82	15.9	0.38	1.1	<0.4	28.1	2.36
Upper Bound		18	42.8	11.80	7.70	0.98	0.92	17.8	0.44	1.6	0.8	31.6	2.66
NFM00835		17	48.8	13.45	10.70	0.67	1.52	20.9	0.74	3.2	1.5	51.9	5.25
DUP		16	46.9	12.95	9.37	0.65	1.30	20.5	0.71	3.1	1.4	48.4	4.61
Target Range – Lower Bound		15	45.4	12.50	9.48	0.58	1.33	19.6	0.68	2.8	1.0	47.3	4.66
Upper Bound		18	50.3	13.90	10.60	0.74	1.49	21.8	0.77	3.5	1.9	53.0	5.20
NFM00846		16	38.0	10.50	6.34	1.14	0.83	15.8	0.42	2.2	1.3	32.6	2.49
DUP		15	41.5	11.35	7.03	0.90	0.90	17.0	0.41	2.4	1.3	32.8	2.33
Target Range – Lower Bound		14	37.7	10.35	6.30	0.92	0.81	15.5	0.38	2.0	0.8	30.8	2.27
Upper Bound		17	41.8	11.50	7.07	1.12	0.92	17.3	0.45	2.6	1.8	34.6	2.55
NFM00858		15	38.8	10.45	6.77	1.04	0.87	14.6	0.43	3.1	2.4	37.2	2.95
DUP		13	37.0	9.89	6.40	0.82	0.85	14.8	0.45	2.9	2.0	34.5	2.86
Target Range – Lower Bound		12	35.9	9.62	6.21	0.83	0.81	13.9	0.41	2.7	1.7	33.8	2.74
Upper Bound		16	39.9	10.70	6.96	1.03	0.91	15.5	0.47	3.4	2.7	37.9	3.07
NFM00881		15	37.8	11.10	7.73	0.66	0.99	16.7	0.42	1.9	1.8	33.5	3.13
DUP		15	38.4	11.35	7.76	0.78	0.91	16.5	0.42	1.9	1.8	32.9	2.96
Target Range – Lower Bound		13	36.1	10.60	7.31	0.63	0.89	15.7	0.39	1.6	1.3	31.2	2.87
Upper Bound		17	40.1	11.85	8.18	0.81	1.01	17.5	0.45	2.2	2.3	35.2	3.22
NFM00892		14	37.8	10.50	6.81	0.85	0.84	13.4	0.35	2.9	1.5	31.5	2.31
DUP		14	36.2	10.00	6.25	0.84	0.81	13.5	0.34	2.9	1.4	30.0	2.43
Target Range – Lower Bound		12	35.1	9.70	6.15	0.75	0.77	12.7	0.32	2.6	1.0	28.9	2.23
Upper Bound		16	38.9	10.80	6.91	0.94	0.88	14.2	0.37	3.2	1.9	32.6	2.51
NFM00902		16	38.7	10.75	7.06	1.05	0.89	16.6	0.41	1.9	1.9	29.7	2.57
DUP		15	37.4	9.73	6.56	0.92	0.76	16.0	0.37	1.8	1.8	26.3	2.35
Target Range – Lower Bound		14	36.1	9.69	6.42	0.89	0.77	15.4	0.36	1.6	1.4	26.3	2.32
Upper Bound		17	40.0	10.80	7.20	1.08	0.88	17.2	0.42	2.1	2.3	29.7	2.60

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 - A
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Ag ppm 5	ME-MS89L As ppm 4	ME-MS89L Ba ppm 2	ME-MS89L Be ppm 0.4	ME-MS89L Bi ppm 0.1	ME-MS89L Ca % 0.1	ME-MS89L Cd ppm 0.8	ME-MS89L Ce ppm 0.2	ME-MS89L Co ppm 0.5	ME-MS89L Cs ppm 0.1	ME-MS89L Cu ppm 20	ME-MS89L Dy ppm 0.03	ME-MS89L Er ppm 0.02	ME-MS89L Eu ppm 0.03	ME-MS89L Fe % 0.01
DUPLICATES																
NFM00914		<5	<4	78	1.6	0.4	9.3	<0.8	145.0	9.0	0.7	<20	5.45	3.17	1.45	5.40
DUP		<5	<4	76	1.6	0.3	9.4	<0.8	150.0	9.4	0.5	<20	5.54	3.19	1.50	5.40
Target Range - Lower Bound		<5	<4	71	1.1	0.2	8.8	<0.8	140.0	8.2	0.5	<20	5.19	3.00	1.37	5.12
Upper Bound		10	8	83	2.1	0.5	9.9	1.6	155.0	10.2	0.7	40	5.80	3.36	1.58	5.68
NFM00950		<5	8	486	1.8	0.4	5.2	<0.8	65.1	17.4	3.0	<20	3.72	2.23	0.98	4.82
DUP		<5	7	500	1.9	0.5	5.3	<0.8	66.3	18.3	3.0	<20	3.90	2.32	1.02	4.85
Target Range - Lower Bound		<5	<4	466	1.4	0.3	4.9	<0.8	62.2	16.5	2.8	<20	3.59	2.14	0.92	4.58
Upper Bound		10	8	520	2.3	0.6	5.6	1.6	69.2	19.2	3.3	40	4.03	2.41	1.08	5.09
NFM00959		<5	11	421	2.1	0.5	9.6	<0.8	67.0	24.0	6.2	<20	4.26	2.26	1.17	5.61
DUP		<5	11	408	2.3	0.5	10.0	<0.8	67.5	22.0	6.1	<20	4.14	2.28	1.10	5.77
Target Range - Lower Bound		<5	6	392	1.7	0.4	9.2	<0.8	63.7	21.4	5.7	<20	3.96	2.14	1.05	5.40
Upper Bound		10	16	437	2.7	0.6	10.4	1.6	70.8	24.7	6.6	40	4.44	2.40	1.22	5.98
ORIGINAL		<5	<4	84	1.1	0.1	0.4	<0.8	10.8	0.8	1.0	<20	2.76	1.79	0.25	0.74
DUP		<5	<4	83	1.2	<0.1	0.4	<0.8	10.8	0.9	1.1	<20	2.79	1.61	0.25	0.75
Target Range - Lower Bound		<5	<4	77	0.7	<0.1	0.3	<0.8	10.1	<0.5	0.9	<20	2.61	1.60	0.21	0.70
Upper Bound		10	8	90	1.6	0.2	0.5	1.6	11.5	1.0	1.2	40	2.94	1.81	0.29	0.79
ORIGINAL		<5	<4	633	59.8	0.8	0.7	<0.8	38.7	19.9	60.3	50	3.12	1.65	0.82	4.34
DUP		<5	<4	611	62.3	1.0	0.7	<0.8	37.2	19.2	59.4	50	3.07	1.64	0.70	4.23
Target Range - Lower Bound		<5	<4	589	57.6	0.8	0.6	<0.8	35.9	18.1	56.8	30	2.91	1.54	0.69	4.06
Upper Bound		10	8	655	64.5	1.0	0.8	1.6	40.0	21.0	62.9	70	3.28	1.75	0.83	4.51
ORIGINAL		<5	27	143	216	0.2	0.4	<0.8	18.7	3.0	78.5	<20	0.93	0.52	0.39	0.81
DUP		<5	19	133	210	0.3	0.4	<0.8	18.7	2.3	74.1	<20	0.93	0.52	0.42	0.80
Target Range - Lower Bound		<5	18	129	202	<0.1	0.3	<0.8	17.6	2.0	72.4	<20	0.85	0.47	0.35	0.75
Upper Bound		10	28	147	224	0.4	0.5	1.6	19.8	3.3	80.2	40	1.01	0.57	0.46	0.86

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 – B
 Total # Pages: 7 (A – E)
 Plus Appendix Pages
 Finalized Date: 19-FEB-2026
 Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Ga ppm 0.5	ME-MS89L Gd ppm 0.03	ME-MS89L Ge ppm 0.5	ME-MS89L Ho ppm 0.01	ME-MS89L In ppm 0.3	ME-MS89L K % 0.05	ME-MS89L La ppm 0.08	ME-MS89L Li ppm 2	ME-MS89L Lu ppm 0.05	ME-MS89L Mg % 0.01	ME-MS89L Mn ppm 10	ME-MS89L Mo ppm 2	ME-MS89L Nb ppm 0.8	ME-MS89L Nd ppm 0.07	ME-MS89L Ni ppm 10
DUPLICATES																
NFM00914		22.4	6.00	2.2	1.09	<0.3	0.51	75.5	4	0.43	1.13	610	2	10.0	45.7	10
DUP		22.5	6.20	2.8	1.10	<0.3	0.47	77.6	4	0.44	1.13	620	2	9.4	46.6	10
Target Range – Lower Bound		20.8	5.77	1.9	1.03	<0.3	0.42	72.6	<2	0.36	1.06	570	<2	8.4	43.8	<10
Upper Bound		24.1	6.44	3.1	1.16	0.6	0.56	80.5	6	0.51	1.20	660	4	11.0	48.5	20
NFM00950		21.0	4.33	2.4	0.79	<0.3	2.11	30.7	19	0.33	1.05	920	2	9.3	25.0	20
DUP		20.8	4.15	2.7	0.78	<0.3	2.15	30.9	18	0.34	1.06	920	2	9.3	25.3	30
Target Range – Lower Bound		19.4	4.00	1.9	0.74	<0.3	1.97	29.2	16	0.27	0.99	860	<2	8.0	23.8	<10
Upper Bound		22.4	4.48	3.2	0.83	0.6	2.29	32.4	21	0.40	1.12	980	4	10.6	26.5	40
NFM00959		21.1	5.03	2.0	0.87	<0.3	2.37	34.3	26	0.32	1.52	1700	2	8.1	28.3	40
DUP		19.6	4.81	2.2	0.88	<0.3	2.42	34.4	23	0.31	1.57	1750	2	7.9	29.2	40
Target Range – Lower Bound		18.8	4.64	1.5	0.82	<0.3	2.23	32.6	21	0.25	1.46	1630	<2	6.8	27.2	30
Upper Bound		21.9	5.20	2.7	0.93	0.6	2.56	36.1	28	0.38	1.63	1820	4	9.2	30.3	50
ORIGINAL		9.0	2.22	<0.5	0.58	<0.3	1.92	4.89	48	0.25	0.02	90	<2	6.5	5.39	<10
DUP		8.0	2.13	<0.5	0.55	<0.3	1.94	4.85	45	0.25	0.02	90	<2	6.1	5.10	<10
Target Range – Lower Bound		7.6	2.04	<0.5	0.53	<0.3	1.78	4.55	42	0.19	<0.01	80	<2	5.2	4.91	<10
Upper Bound		9.4	2.31	1.0	0.60	0.6	2.08	5.19	51	0.31	0.03	100	4	7.4	5.58	20
ORIGINAL		28.6	3.25	3.4	0.58	<0.3	3.54	18.60	560	0.27	1.73	1240	2	17.2	17.05	60
DUP		28.3	2.99	3.5	0.57	<0.3	3.55	18.45	560	0.21	1.68	1230	2	17.3	16.20	60
Target Range – Lower Bound		26.5	2.93	2.8	0.54	<0.3	3.32	17.50	530	0.18	1.61	1160	<2	15.6	15.70	50
Upper Bound		30.4	3.31	4.1	0.61	0.6	3.77	19.55	590	0.30	1.80	1310	4	18.9	17.55	70
ORIGINAL		22.3	1.33	5.7	0.19	<0.3	2.36	9.56	340	0.08	0.23	400	<2	68.7	7.63	10
DUP		22.7	1.33	5.6	0.17	<0.3	2.33	9.07	340	0.06	0.24	390	<2	74.6	7.66	<10
Target Range – Lower Bound		20.9	1.23	4.9	0.16	<0.3	2.18	8.77	321	<0.05	0.21	370	<2	67.3	7.19	<10
Upper Bound		24.1	1.43	6.4	0.20	0.6	2.51	9.86	359	0.10	0.26	420	4	76.0	8.10	20

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 - C
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Pb ppm 0.5	ME-MS89L Pr ppm 0.03	ME-MS89L Rb ppm 0.5	ME-MS89L Re ppm 0.01	ME-MS89L Sb ppm 0.3	ME-MS89L Se ppm 3	ME-MS89L Sm ppm 0.04	ME-MS89L Sn ppm 3	ME-MS89L Sr ppm 20	ME-MS89L Ta ppm 0.04	ME-MS89L Tb ppm 0.01	ME-MS89L Te ppm 0.5	ME-MS89L Th ppm 0.1	ME-MS89L Ti % 0.005	ME-MS89L Tl ppm 0.02
DUPLICATES																
NFM00914		8.0	14.25	25.9	0.01	<0.3	3	7.51	7	480	0.72	1.00	<0.5	35.4	0.332	0.08
DUP		8.3	14.60	25.7	<0.01	<0.3	4	7.62	4	470	0.81	0.99	<0.5	36.3	0.344	0.11
Target Range - Lower Bound		7.2	13.65	24.0	<0.01	<0.3	<3	7.15	<3	430	0.69	0.94	<0.5	34.0	0.308	0.07
Upper Bound		9.1	15.20	27.6	0.02	0.6	6	7.98	6	520	0.84	1.05	1.0	37.7	0.368	0.12
NFM00950		19.7	7.00	106.0	<0.01	0.5	3	4.84	5	250	0.78	0.70	<0.5	11.0	0.361	0.42
DUP		20.1	7.21	109.0	<0.01	0.5	<3	5.23	4	250	0.79	0.72	<0.5	11.2	0.361	0.42
Target Range - Lower Bound		18.4	6.72	101.5	<0.01	<0.3	<3	4.74	<3	220	0.71	0.66	<0.5	10.4	0.329	0.38
Upper Bound		21.4	7.49	113.5	0.02	0.6	6	5.33	6	280	0.86	0.76	1.0	11.8	0.393	0.46
NFM00959		15.4	7.91	142.0	<0.01	1.7	<3	5.38	<3	140	0.65	0.72	<0.5	12.3	0.398	0.45
DUP		14.9	8.01	129.5	<0.01	1.6	<3	5.40	3	130	0.65	0.69	<0.5	12.7	0.414	0.52
Target Range - Lower Bound		13.9	7.53	128.5	<0.01	1.3	<3	5.08	<3	110	0.58	0.66	<0.5	11.8	0.371	0.44
Upper Bound		16.4	8.39	143.0	0.02	2.0	6	5.70	6	160	0.72	0.75	1.0	13.2	0.441	0.53
ORIGINAL		10.4	1.38	92.5	<0.01	<0.3	<3	1.59	5	50	0.52	0.43	<0.5	3.2	0.034	0.48
DUP		10.5	1.32	91.2	<0.01	<0.3	<3	1.80	3	50	0.29	0.44	<0.5	3.2	0.037	0.43
Target Range - Lower Bound		9.4	1.25	86.8	<0.01	<0.3	<3	1.57	<3	30	0.34	0.40	<0.5	2.9	0.028	0.41
Upper Bound		11.5	1.45	96.9	0.02	0.6	6	1.82	6	70	0.47	0.47	1.0	3.5	0.043	0.50
ORIGINAL		11.8	4.48	424	<0.01	<0.3	<3	3.64	43	90	9.42	0.51	<0.5	7.3	0.348	2.86
DUP		11.3	4.29	415	0.01	<0.3	4	3.31	44	80	9.48	0.49	<0.5	7.0	0.342	2.83
Target Range - Lower Bound		10.5	4.14	398	<0.01	<0.3	<3	3.26	38	60	8.94	0.47	<0.5	6.7	0.314	2.68
Upper Bound		12.6	4.63	441	0.02	0.6	6	3.69	49	110	9.96	0.54	1.0	7.6	0.376	3.01
ORIGINAL		9.8	2.06	575	<0.01	0.4	<3	1.36	65	70	51.7	0.17	<0.5	2.5	0.060	4.05
DUP		9.7	2.16	538	<0.01	0.4	<3	1.50	61	70	55.1	0.18	<0.5	2.4	0.061	3.80
Target Range - Lower Bound		8.8	1.97	528	<0.01	<0.3	<3	1.32	57	50	50.7	0.16	<0.5	2.2	0.051	3.71
Upper Bound		10.7	2.25	585	0.02	0.6	6	1.54	69	90	56.1	0.19	1.0	2.7	0.070	4.14

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: NEW FRONTIER MINERALS LIMITED
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 - D
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L Tm ppm 0.01	ME-MS89L U ppm 0.2	ME-MS89L V ppm 1	ME-MS89L W ppm 0.3	ME-MS89L Y ppm 0.2	ME-MS89L Yb ppm 0.02	ME-MS89L Zn ppm 10	ME-MS89L CeO2 ppm 0.2	ME-MS89L Dy2O3 ppm 0.03	ME-MS89L Er2O3 ppm 0.02	ME-MS89L Eu2O3 ppm 0.03	ME-MS89L Gd2O3 ppm 0.03	ME-MS89L Ho2O3 ppm 0.01	ME-MS89L La2O3 ppm 0.09	ME-MS89L Lu2O3 ppm 0.06
DUPLICATES																
NFM00914		0.42	7.4	88	1.2	31.2	2.91	10	178.0	6.25	3.62	1.68	6.92	1.25	88.5	0.49
DUP		0.45	7.8	88	1.3	30.2	2.78	30	184.5	6.36	3.65	1.74	7.15	1.26	91.0	0.50
Target Range - Lower Bound		0.40	7.0	83	0.9	29.0	2.68	<10	172.0	5.96	3.43	1.59	6.65	1.18	85.2	0.41
Upper Bound		0.47	8.2	93	1.6	32.4	3.01	30	190.5	6.65	3.84	1.83	7.42	1.33	94.3	0.58
NFM00950		0.33	4.9	77	0.9	21.6	2.06	50	80.0	4.27	2.55	1.13	4.99	0.90	36.0	0.38
DUP		0.36	5.1	79	0.8	21.2	2.16	50	81.4	4.48	2.65	1.18	4.78	0.89	36.2	0.39
Target Range - Lower Bound		0.32	4.6	73	0.5	20.1	1.98	40	76.5	4.13	2.45	1.07	4.61	0.84	34.2	0.31
Upper Bound		0.37	5.5	83	1.2	22.7	2.24	60	84.9	4.62	2.75	1.24	5.16	0.95	38.0	0.46
NFM00959		0.34	1.7	105	0.6	24.4	2.43	110	82.3	4.89	2.58	1.35	5.80	1.00	40.2	0.36
DUP		0.34	1.8	95	0.7	22.8	2.24	100	82.9	4.75	2.61	1.27	5.54	1.01	40.3	0.35
Target Range - Lower Bound		0.31	1.5	94	<0.3	22.2	2.20	90	78.3	4.55	2.45	1.21	5.36	0.94	38.1	0.28
Upper Bound		0.37	2.0	106	1.0	25.0	2.47	120	86.9	5.09	2.74	1.41	5.98	1.07	42.4	0.43
ORIGINAL		0.30	2.2	9	1.1	15.8	1.72	10								
DUP		0.26	2.0	8	0.8	15.6	1.66	<10								
Target Range - Lower Bound		0.26	1.8	7	0.6	14.7	1.59	<10								
Upper Bound		0.30	2.4	10	1.3	16.7	1.79	20								
ORIGINAL		0.26	6.5	112	2.1	18.1	1.76	130								
DUP		0.25	4.5	108	1.9	17.0	1.64	140								
Target Range - Lower Bound		0.23	5.0	104	1.6	16.5	1.60	120								
Upper Bound		0.28	6.0	117	2.4	18.6	1.81	150								
ORIGINAL		0.06	3.9	20	2.9	6.0	0.45	40								
DUP		0.06	4.6	17	2.9	6.2	0.44	40								
Target Range - Lower Bound		0.05	3.8	17	2.5	5.6	0.40	30								
Upper Bound		0.07	4.7	20	3.3	6.6	0.49	50								

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

To: **NEW FRONTIER MINERALS LIMITED**
LEVEL 6
105 ST GEORGES TCE
PERTH WA 6000

Page: 7 – E
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 19-FEB-2026
Account: CASTCOP

Project: Harts

QC CERTIFICATE OF ANALYSIS AD26005993

Sample Description	Method Analyte Units LOD	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L	ME-MS89L
		Nb2O5 ppm	Nd2O3 ppm	Pr2O3 ppm	Sm2O3 ppm	Ta2O5 ppm	Tb2O3 ppm	ThO2 ppm	Tm2O3 ppm	U3O8 ppm	WO3 ppm	Y2O3 ppm	Yb2O3 ppm
		1	0.08	0.04	0.05	0.05	0.01	0.1	0.01	0.2	0.4	0.3	0.02
DUPLICATES													
NFM00914		14	53.3	16.70	8.71	0.88	1.15	40.3	0.48	8.7	1.5	39.6	3.31
DUP		13	54.4	17.10	8.84	0.99	1.14	41.3	0.51	9.2	1.6	38.4	3.17
Target Range – Lower Bound		12	51.1	16.00	8.29	0.84	1.08	38.7	0.46	8.3	1.1	36.8	3.06
Upper Bound		15	56.6	17.80	9.26	1.03	1.21	42.9	0.53	9.6	2.0	41.3	3.42
NFM00950		13	29.2	8.19	5.61	0.95	0.81	12.5	0.38	5.8	1.1	27.4	2.35
DUP		13	29.5	8.44	6.06	0.96	0.83	12.7	0.41	6.0	1.0	26.9	2.46
Target Range – Lower Bound		11	27.8	7.86	5.49	0.86	0.77	11.9	0.37	5.4	0.6	25.5	2.26
Upper Bound		15	30.9	8.77	6.18	1.05	0.87	13.3	0.42	6.4	1.5	28.8	2.55
NFM00959		12	33.0	9.26	6.24	0.79	0.83	14.0	0.39	2.0	0.8	31.0	2.77
DUP		11	34.1	9.37	6.26	0.79	0.79	14.5	0.39	2.1	0.9	29.0	2.55
Target Range – Lower Bound		10	31.8	8.81	5.89	0.70	0.76	13.4	0.36	1.7	<0.4	28.2	2.51
Upper Bound		13	35.3	9.82	6.61	0.88	0.86	15.1	0.42	2.4	1.3	31.8	2.81
ORIGINAL DUP													
Target Range – Lower Bound													
Upper Bound													
ORIGINAL DUP													
Target Range – Lower Bound													
Upper Bound													
ORIGINAL DUP													
Target Range – Lower Bound													
Upper Bound													

Comments: AMENDMENT TO CERTIFICATE ISSUED 18-Feb-2026 IN ORDER TO ADD OXIDES

***** See Appendix Page for comments regarding this certificate *****

ME-MS89L